

Project name :

Dealer :

Telephone :

E-mail :

Contact :

Artopex Rep. :

Date required :

Please take the time to complete our CAD form accurately giving you priority over the other projects received with incomplete information.

Should you require assistance, please feel free to contact our CAD team.



GENERAL REMINDER


- ☐ If a Giza or AutoCAD file is available, please include it with your request.
- ☐ Do not forget to include your drawings / typicals with your request.
- ☐ Any specials required ? If yes, please indicate where on your drawing, with details.

GENERAL OPTIONS

SURFACE THICKNESS & FINISH


L Lima 1"

Straight



M Mike 1½"

Straight



V Victor 1"

Reverse



☐ 1" Thick T.F.L.

☐ 1" Thick H.P.L.

☐ 1" Thick H.P.L. **FENIX**

☐ 1.5" Thick T.F.L.

☐ 1.5" Thick H.P.L.

☐ 1" Thick H.P.L.

☐ 1" Thick H.P.L. **FENIX**

LOCK OPTIONS



☐ NOKI Lock



☐ Standard Lock with Key

SURFACE SHAPE



Rectangular

☐


Boat-Shaped

☐


Racetrack

☐


Tapered

☐


Elliptical

☐


Ovo

☐

POWER MODULE OPTIONS

TYPE


M2


☐


M3


☐

M4


☐

M5


☐

M6


☐

POSITIONS

Left

☐

Center

☐

Right

☐


You can select 1, 2 or 3 positions for the Power Modules




*** Please refer to the price list to see the choice of multi-outlets and positions, depending on the dimensions of the surface, and the base of the selected table ***

BASES


Panel Base



X-Shaped Base



Rectangular Architectural Bases



90° Metal Corners




Rounded Metal Corners



All Laminate

Triangular Architectural Bases




90° Metal Corners




Rounded Metal Corners


Round Tubular Posts




Metal Tubular Legs
with Round Plate




Metal Tubular Legs
with Square Plate



Metal Tubular Legs
with Flat Steel Base



Metal Tubular Legs
with Vertical Steel Base



OPTIONAL REMOVABLE DOOR FOR ARCHITECTURAL BASES

POSITIONS

Left



Center



Right



*****You can select 1, 2 or 3 positions for the Removable Doors*****

***** It's recommended to have the removable door added to the architectural base(s), the have easy access to the power inside the appropriate base(s) *****

MEETING & OCCASIONAL TABLES

PLEASE INDICATE THE PRODUCT CODES OF THE DESIRED ITEMS

MODULAR TABLES

PLEASE INDICATE THE PRODUCT CODES OF THE SURFACES DESIRED

TYPE OF LEGS

Angled Wood
Legs


☐

Angled Metal
Legs


☐

Corner Folded
Metal Legs


☐

"O" Metal
Leg


☐

Cage
Base


☐

Round Tubular
Metal Legs 3"


☐

on Levelers

☐

on Casters

Square Tubular
Metal Legs 2½"x2½"


☐

on Levelers

☐

on Casters

Round Tubular
Metal Legs 2½"


☐

on Levelers

☐

on Casters

Round Tubular
Metal Sleeve Legs 2½"



☐

on Levelers

☐

on Casters

Central
Cable Housing


☐

CREDENZAS AND STORAGE UNITS

PLEASE INDICATE THE PRODUCT CODES OF THE CREDENZAS OR STORAGE UNITS DESIRED

CUSHION FOR CREDENZA

GRADE "COM"

☐

GRADE 1

☐

GRADE 2

☐

GRADE 3

☐

GRADE 4

☐

GRADE 5

☐

LEATHER

☐

WORK WALLS

UPPER WORK WALLS

Laminate




- ☐ 37" High
☐ 43" High

Laminate + 1 Accessory Rail




- ☐ 37" High
☐ 43" High

Laminate + Accessory Rails




- ☐ 37" High
☐ 43" High

White Marker Board




- ☐ 37" High
☐ 43" High

Tackboard




- ☐ 37" High
☐ 43" High

- ☐ Grade "COM"
☐ Grade 1
☐ Grade 2
☐ Grade 3
☐ Grade 4
☐ Grade 5




WORK WALL OPTIONS

Lower Work Wall




Shelves



- ☐ 10" Deep
☐ 6" Deep

Bookends for Shelves



OTHER / NOTES / DRAWINGS