TAKE OFF

Benching tables reconfiguration



CANADA

price list

Effective April 1st 2017

UPDATED - September 20th 2021

updated summary - p.18

artopex®



interactive links

page tabs & page references

→ document optimized for dual page viewing

Benching tables reconfiguration

table of contents

GENERAL INFORMATION

description 4
steps for adding a work surface 4
specification examples 6
finish choices 10

PRICE LIST

surfaces 13
intermediate gables 16
modesty panels 17

Benching tables reconfiguration

DESCRIPTION

Shared benching tables in the Take Off Freestanding collection are easily reconfigured.
It is possible to add or remove a workstation set from a group of shared benching tables.

STEPS FOR ADDING A WORKSTATION SET TO A GROUP OF SHARED BENCHING TABLES

1. Specify a surface set:


Closed shared benching tables
1 set of 2 surfaces
2 metal crosspieces
2 modesty panels supports


or


Open shared benching tables
1 set of 2 surfaces
2 metal crosspieces
2 modesty panels supports
1 metal finishing cap

or

Shared benching tables with doors
1 set of 2 surfaces and 2 doors
2 metal crosspieces
2 modesty panels supports
1 metal finishing cap









2. Intermediate legs specifications:

Shared benching tables with laminate legs
Full or half-legs

or


Shared benching tables with metal legs
Full or half-legs





Do not install more than 2 half-legs beside each other. The ideal spacing is to alternate one full-leg then one half-leg.

Example
Adding a set to a group of shared benching tables:



STEPS FOR ADDING A WORKSTATION SET TO A GROUP OF SHARED BENCHING TABLES (CONT'D.)


3. Specify the modesty panel:

- Determine the type of legs the modesty panel will be installed on to: laminate or metal.
- Specify the position of the modesty panel by referring to the image below:

A Position: Modesty panels for one section of shared benching tables (2 workstation).

B Position: Modesty panels on the end of a shared benching tables.

C Position: Modesty panels in the center of a shared benching tables.





Benching tables reconfiguration

SPECIFICATION EXAMPLES


TO ADD A WORKSTATION SET; FROM 2 TABLES TO 4 TABLES

2 tables becomes 4 tables





1. Specify a surface set:




SPECIFY

Series	Code	Surface	Edge	Metal	Caps	Doors
T S	- KBCD2i2660	- MGX	/ OGX	- 3002	- NP	3064 - 3064

Code: Surface set 2660 with doors
Surface: Galaxy (laminate)
Edge: Galaxy
Metal: Polar White
Caps: Without cabling pole, Charcoal
Doors: Charcoal
QUANTITY: 1

Specification code: ***TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064***

2. Specify intermediate legs:




SPECIFY

Series	Code	Base
T S	- LEL32	- GX

Code: Laminate half-legs
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: ***TS-LEL32-GX***

3. Specify two modesty panels:



SPECIFY

Series	Code	Position	Base
T S	- PPUNL60	B	- GX


Code: Modesty panel 60", installs on laminate legs
B Position: On the end of shared benching tables
Base: Galaxy (laminate)
QUANTITY: 2


Specification code: ***TS-PPUNL60B-GX***

SPECIFICATION EXAMPLES (CONT'D).


TO ADD A WORKSTATION SET; FROM 4 TABLES TO 6 TABLES

4 tables becomes 6 tables





1. Specify a surface set:




S SPECIFY

Series	Code	Surface	Edge	Metal	Caps	Doors
T S	- KBCD2i2660	- MGX	/ OGX	- 3002	- NP 3064	- 3064

Code: Surface set 2660 with doors
Surface: Galaxy (laminate)
Edge: Galaxy
Metal: Polar White
Caps: Without cabling pole, Charcoal
Doors: Charcoal
QUANTITY: 2

Specification code: ***TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064***

2. Specify intermediate leg:




S SPECIFY

Series	Code	Base
T S	- LEL32	- GX

Code: Laminate half-leg
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: ***TS-LEL32-GX***

3. Specify a modesty panel:



S SPECIFY

Series	Code	Position	Base
T S	- PPUNL60	C	- GX


Code: Modesty panel 60", installs on laminate leg
C Position: Center position of the shared benching tables
Base: Galaxy (laminate)
QUANTITY: 2


Specification code: ***TS-PPUNL60C-GX***

SPECIFICATION EXAMPLES (CONT'D.)


TO ADD A WORKSTATION SET; FROM 4 TABLES TO 8 TABLES

4 tables becomes 8 tables





1. Specify two surface set:




S SPECIFY

Series	Code	Surface	Edge	Metal	Caps	Doors
T S	- KBCD2i2660	- MGX	/ OGX	- 3002	- NP 3064	- 3064

Code: Surface set 2660 with doors
Surface: Galaxy (laminate)
Edge: Galaxy
Metal: Polar White
Caps: Without cabling pole, Charcoal
Doors: Charcoal
QUANTITY: 2

Specification code: ***TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064***

2. Specify intermediate leg:



HALF-LEG

S SPECIFY

Series	Code	Base
T S	- LEL32	- GX

Code: Laminate half-leg
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: ***TS-LEL32-GX***

FULL-LEG


S SPECIFY

Series	Product code	Base
T S	- LEL60	- GX

Code: Full-leg laminate 60"
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: ***TS-LEL60-GX***

3. Specify two modesty panels:



S SPECIFY

Series	Code	Position	Base
T S	- PPUNL60	C	- GX


Code: Modesty panel 60", installs on laminate legs
C Position: Center position of the shared benching tables
Base: Galaxy (laminate)
QUANTITY: 2


Specification code: ***TS-PPUNL60C-GX***

SPECIFICATION EXAMPLES (CONT'D.)

REMOVE A SET; 4 TABLES TO 2 TABLES


4 tables becomes 2 tables





This configuration requires the replacement of the modesty panel.

1. Specify a modesty panel:



SPECIFY


Series	Code	Position	Base
T S -	PPUNL60	A -	GX


Code: Modesty panel 60", installs on laminate legs
A position: Modesty panel for shared benching tables 1 section (2 workstations)
Base: Galaxy (laminate)
QUANTITY: 2

Specification code: ***TS-PPUNL60A-GX***

REMOVE A SET; 6 TABLES TO 4 TABLES

6 tables become 4 tables






This example does not require part purchases.

Benching tables reconfiguration


FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list with reference to choice of colors.
Some exceptions apply, see the charts below or finish charts.

⚠ Colors, especially dark colors, may vary between Thermo Fused Laminate (**T.F.L.)** and High Pressure Laminate (**H.P.L.**).



SURFACE



EDGE BANDS (SURFACE)

T.F.L.	H.P.L.	REGULAR EDGES	FLUTED EDGES	STRIPED (NARROW) EDGES
DOLOMITE FINISH	**MAT FINISH**			
White (**MBW**)	White (**SBW**)	Aluminum (**0W**)	Aluminum (**3W**)	Multiply Maple (**0V1**)
Antique White (**MAW**)	Antique White (**SAW**)	White (**0BW**)	White (**3BW**)	Coordinate with this surface finishes:
Charcoal (**MF**)	Burgundy (**SB**)	Antique White (**0AW**)	Antique White (**3AW**)	Maritime Maple - Moka
Frost (**MA**)	Cherry (**SCH**)	Burgundy (**0B**)	Burgundy (**3B**)	Douglas Pine
	Chestnut (**SCG**)	Carbon (**0CB**)	Carbon (**3CB**)	
SUEDE FINISH	Dark Oak (**SDK**)	Cherry (**0CH**)	Cherry (**3CH**)	
Burgundy (**MB**)	Amberwood (**SCi**)	Chestnut (**0CG**)	Chestnut (**3CG**)	
Cherry (**MCH**)	Cayenne Maple (**SCM**)	Dark Oak (**0DK**)	Dark Oak (**3DK**)	
Dark Oak (**MDK**)	Maritime Maple (**SEM**)	Amberwood (**0Ci**)	Amberwood (**3Ci**)	
Amberwood (**MCi**)	Charcoal (**SF**)	Cayenne Maple (**0CM**)	Cayenne Maple (**3CM**)	
Cayenne Maple (**MCM**)	Frost (**SA**)	Maritime Maple (**0EM**)	Maritime Maple (**3EM**)	
Honey (**MHO**)	Honey (**SHO**)	Charcoal (**0F**)	Charcoal (**3F**)	
	Moka (**SPM**)	Galaxy (**0GX**)	Galaxy (**3GX**)	
SUPERMAT FINISH	Douglas Pine (**SDP**)	Frost (**0A**)	Frost (**3A**)	**STRIPED (WIDE) EDGES**
Chestnut (**MCG**)	Teak (**STE**)	Honey (**0HO**)	Honey (**3HO**)	Maple / Honey Striped (**0R1**)
Maritime Maple (**MEM**)	Tigerwood (**STW**)	Moka (**0PM**)	Moka (**3PM**)	Coordinate with surface finishes:
Moka (**MPM**)		Black (**0N**)	Black (**3N**)	Maritime Maple - Honey
Douglas Pine (**MDP**)	**NATURAL FINISH**	Douglas Pine (**0DP**)	Douglas Pine (**3DP**)	
Teak (**MTE**)	Carbon (**SCB**)	Sea Salt (**0SM**)	Sea Salt (**3SM**)	
Tigerwood (**MTW**)	Galaxy (**SGX**)	Teak (**0TE**)	Teak (**3TE**)	
	Sea Salt (**SSM**)	Tigerwood (**0TW**)	Tigerwood (**3TW**)	
AURA FINISH	Twilight (**STL**)	Twilight (**0TL**)	Twilight (**3TL**)	
Carbon (**MCB**)				
Galaxy (**MGX**)				
Sea Salt (**MSM**)				
Twilight (**MTL**)				




Image Actual Size
1" thick surface





Image Actual Size
1" thick surface






1" Edge: 3 grooves

1½" Edge: 5 grooves


Benching tables reconfiguration

FINISH CHOICES CHART (CONT'D.)

Some products have specific finish choices due to the nature of their components.



BASE



LEG / SUPPORT STRUCTURE

T.F.L.	METAL
DOLOMITE FINISH	Silver (**3090**)
White **(BW)**	Polar White (**3002**)
Antique White (**AW**)	Charcoal (**3064**)
Charcoal (**F**)	Black (**3067**)
Frost (**A**)	
Black **(N)**	
SUEDE FINISH	
Burgundy (**B**)	
Cherry (**CH**)	
Dark Oak (**DK**)	
Amberwood (**Ci**)	
Cayenne Maple (**CM**)	
Honey (**HO**)	
SUPERMAT FINISH	
Chestnut (**CG**)	
Maritime Maple (**EM**)	
Moka (**PM**)	
Douglas Pine (**DP**)	
Teak (**TE**)	
Tigerwood (**TW**)	
AURA FINISH	
Carbon (**CB**)	
Galaxy (**GX**)	
Sea Salt (**SM**)	
Twilight (**TL**)	


Price list

TAKE OFF BENCHING TABLE RECONFIGURATION

Benching tables reconfiguration

price list

closed shared benching tables – surfaces



Description

Set combining 2 rectangular surface, 2 crosspieces and 2 modesty panels supports.

Grommet and multi-outlet options are available, positions will be the same on all surfaces, see Take Off price list.

PRICE

S Sierra **1"**

Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	**KBC2i3072**	961	1438	5.2	170
30	66	60¼	**KBC2i3066**	918	1356	4.7	156
30	60	60¼	**KBC2i3060**	887	1285	4.3	142
30	54	60¼	**KBC2i3054**	836	1195	3.9	128
30	48	60¼	**KBC2i3048**	788	1106	3.4	114
30	42	60¼	**KBC2i3042**	731	1010	3.0	100
30	36	60¼	**KBC2i3036**	685	923	2.6	86
24	72	48¼	**KBC2i2472**	904	1288	4.4	148
24	66	48¼	**KBC2i2466**	875	1226	4.1	135
24	60	48¼	**KBC2i2460**	826	1145	3.7	123
24	54	48¼	**KBC2i2454**	776	1063	3.3	111
24	48	48¼	**KBC2i2448**	732	988	2.9	99
24	42	48¼	**KBC2i2442**	702	925	2.6	87
24	36	48¼	**KBC2i2436**	646	837	2.2	75

S SPECIFY

O OPTIONS

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	S	-	/	-	-	-

S **Code:** Consult the above product code list.

Surface / Edge: Take Off finishes, see p.10 - 11.

Metal (crosspiece and modesty support): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).


O **Grommets:** Option to add White grommet(s) (**G1**…) on the left …**L**, centered …**C** and/or on the right …**R**,
or Charcoal grommet(s) (**G2**…) on the left …**L**, centered …**C** and/or on the right …**R**, add $64 each, see Take-Off price list.

Multi-outlet: Option to add one multi-outlet module "1 circuit" **(ECC**) or one "standard" multi-outlet module (**UCC**) at the center, add $432 each, see Take-Off price list.

Benching tables reconfiguration

price list

open shared benching tables – surfaces



Description

Set combining 2 rectangular surfaces, 2 crosspieces, 2 modesty panels supports and 1 metal finishing cap.
Model and color must be specified for the finishing cap.
Multi-outlet module option available in the center, see Take-Off price list.

PRICE

S Sierra **1"**

Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	**KBCO2i2872**	1046	1500	5.0	164
28½	66	60¼	**KBCO2i2866**	1000	1416	4.6	151
28½	60	60¼	**KBCO2i2860**	955	1333	4.2	137
28½	54	60¼	**KBCO2i2854**	897	1237	3.7	124
28½	48	60¼	**KBCO2i2848**	856	1159	3.3	110
28½	42	60¼	**KBCO2i2842**	791	1056	2.9	97
28½	36	60¼	**KBCO2i2836**	741	968	2.5	83
22½	72	48¼	**KBCO2i2272**	985	1345	4.2	142
22½	66	48¼	**KBCO2i2266**	943	1273	3.9	130
22½	60	48¼	**KBCO2i2260**	903	1203	3.5	119
22½	54	48¼	**KBCO2i2254**	849	1119	3.2	107
22½	48	48¼	**KBCO2i2248**	801	1041	2.8	96
22½	42	48¼	**KBCO2i2242**	752	961	2.5	84
22½	36	48¼	**KBCO2i2236**	707	887	2.1	72

SPECIFY **OPTIONS**


Series	Code	Surface	Edge	Metal	Finishing Cap		M-Outlet
T **S** -		-	/	-	-		-

Specify **Code:** Consult the above product code list.
Surface / Edge: Take Off finishes, see p.10 - 11.
Metal (crosspiece and modesty support): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).
Finishing cap: Specify the model of finishing cap and the position of the cabling pole: without cabling pole (**NP**) or with cabling pole (**CP**).
Specify the finish of the caps: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).
Option **Multi-outlet:** Option to add one multi-outlet module "1 circuit" **(ECC)** or one "standard" multi-outlet module (**UCC**) at the center, add $432 each, see Take-Off price list.

Benching tables reconfiguration

price list

shared benching tables with doors – surfaces



Description

Set combining 2 rectangular surface with doors, 2 crosspieces, 2 modesty panels supports and 1 metal finishing cap.

Model and color must be specified for the finishing cap.

PRICE

S Sierra **1"**

Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	**KBCD2i2672**	1322	1729	4.8	158.4
26	66	60¼	**KBCD2i2666**	1272	1645	4.4	145.4
26	60	60¼	**KBCD2i2660**	1225	1565	4.0	132.5
26	54	60¼	**KBCD2i2654**	1177	1482	3.6	119.5
26	48	60¼	**KBCD2i2648**	1123	1394	3.2	106.5
26	42	60¼	**KBCD2i2642**	1065	1303	2.8	93.7
26	36	60¼	**KBCD2i2636**	1013	1217	2.4	80.3
20	72	48¼	**KBCD2i2072**	1260	1573	4.1	135.9
20	66	48¼	**KBCD2i2066**	1216	1503	3.7	124.9
20	60	48¼	**KBCD2i2060**	1173	1434	3.4	113.8
20	54	48¼	**KBCD2i2054**	1129	1363	3.0	102.7
20	48	48¼	**KBCD2i2048**	1079	1288	2.7	91.6
20	42	48¼	**KBCD2i2042**	1026	1208	2.4	80.6
20	36	48¼	**KBCD2i2036**	978	1135	2.0	69.1

SPECIFY

Series	Code	Surface	Edge	Metal	Finishing cap		Doors
T (S) - ( ) - ( ) / ( ) - ( ) - ( ) ( ) - ( )							

Specify

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.10 - 11.

Metal (crosspiece and modesty support): Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Finishing cap: Specify the model of finishing cap and the position of the cabling pole: without cabling pole (**NP**) or with cabling pole (**CP**).


Specify the finish of the caps: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Doors: Specify the finish : Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Benching tables reconfiguration

price list

intermediate gable – laminate



Description

Half or full laminate intermediate gable.

Installs under the closed shared benching tables, open or with doors.

The metal part is always a charcoal color (**3064**).

PRICE

S Sierra **1"**

Dimensions	Code	Price	Spec.	
A		T.F.L.	Cu.Ft.	lb
half-leg 32	**LEL32**	349	1.0	28.0
full-leg 48¼	**LEL48**	429	1.5	42.2
full-leg 60¼	**LEL60**	449	1.9	52.7


SPECIFY

Series	Product code	Base
T **S** -		-


Specify **Code:** Consult the above product code list.

Bas: Take Off finishes, p.10 - 11.

INTERMEDIATE GABLE POSITIONS



intermediate gable – metal



Description

Half or full metal intermediate gable.

Installs under the closed shared benching tables, open or with doors.

PRICE

S Sierra **1"**

Dimensions	Code	Price	Spec.	
A		T.F.L.	Cu.Ft.	lb
half-leg 32	**LEM32**	359	2.3	16.0
full-leg 48¼	**LEM48**	553	3.9	19.0
full-leg 60¼	**LEM60**	573	4.9	22.0

SPECIFY

Series	Code	Metal
T **S** -		-


Specify **Code:** Consult the above product code list.

Metal: Specify the finish: Black (**3067**), Charcoal (**3064**), Silver (**3090**) or Polar White (**3002**).

Benching tables reconfiguration

price list

modesty panels – for shared benching tables



Description

Laminate modesty panels.

Installs under closed shared benching tables, open or with doors.

MODESTY PANELS FOR SHARED BENCHING TABLES WITH LAMINATE LEGS

PRICE


Dimensions		Code	Price	Spec.	
A	C		T.F.L.	Cu.Ft.	lb
13	72	**PPUNL72**	144	0.7	24.3
13	66	**PPUNL66**	136	0.6	22.3
13	60	**PPUNL60**	127	0.6	20.2
13	54	**PPUNL54**	118	0.5	18.2
13	48	**PPUNL48**	109	0.5	16.2
13	42	**PPUNL42**	101	0.4	14.2
13	36	**PPUNL36**	91	0.3	12.1

MODESTY PANELS FOR SHARED BENCHING TABLES WITH METAL LEGS (combined material end panels, perforated metal end panels, open metal end panels)

13	72	**PPUNM72**	144	0.7	24.3
13	66	**PPUNM66**	136	0.6	22.3
13	60	**PPUNM60**	127	0.6	20.2
13	54	**PPUNM54**	118	0.5	18.2
13	48	**PPUNM48**	109	0.5	16.2
13	42	**PPUNM42**	101	0.4	14.2
13	36	**PPUNM36**	91	0.3	12.1

C = Surface length under which modesty panels are installed.

MODESTY PANELS positions



SPECIFY

Series	Code	Position	Base
T S -			-

Specify **Code:** Consult the above product code list.

Position: Specify the location of the modesty panels according to the positions: **A, B** or **C**.

Base: Take Off finishes, p.10 - 11.

UPDATE SUMMARY

June 28th 2021

PAGES	SECTION	PRODUCT	MODIFICATION
			Overall price increase of 6%.

Designing, manufacturing, advising, planning and supporting: that's the art that distinguishes our purpose at Artopex.



ARTOPEX
Head Office

artopex.com

800 Vadnais Street
Granby, QC, Canada J2J 1A7
T 1 800 378 0189