

TAKE OFF

Adjustable tables I



USA
price list

Effective June 4th 2015

UPDATED - May 1st 2018
Updated summary - p.29

artopex[®]



interactive links


index, page tabs & page references

→ document optimized for single page view

VISUAL INDEX	4
GENERAL INFORMATION	5
general description	6
specification example	16
finish choices chart	17
ADJUSTABLE TABLES I	18
rectangular tables	19
arched tables	20
90° corner table	21
dual-depth tables	23
COMPLEMENTS	24
CONDITIONS & GUARANTEES	28


RECTANGULAR TABLES 19

TESUDI2970
TESUDI2964
TESUDI2958
TESUDI2952
TESUDI2946
TESUDI2940
TESUDI2934
TESUDI2370
TESUDI2364
TESUDI2358
TESUDI2352
TESUDI2346
TESUDI2340
TESUDI2334




ARCHED TABLES 20

TESUDA2971
TESUDA2965
TESUDA2959
TESUDA2953
TESUDA2947
TESUDA2371
TESUDA2365
TESUDA2359
TESUDA2353
TESUDA2347




90° CORNER TABLES 21

TESUDCS2946
TESUDCS2346
TESUDCS2340




90° CORNER TABLES CURVED INT. ACCESS 22

TESUDCO29294646
TESUDCO23234646
TESUDCO23234040




DUAL DEPTH TABLES 23

TESUDW232970C
TESUDW232964C
TESUDW232958C
TESUDW232952C
TESUDW232946C
TESUDW232940C
TESUDW232934C




TESUDW292370C
TESUDW292364C
TESUDW292358C
TESUDW292352C
TESUDW292346C
TESUDW292340C
TESUDW292334C




CABLE SUPPORTS 24

AC-WCMJ60-3090
AC-WCMJ54-3090
AC-WCMJ48-3090
AC-WCMJ42-3090
AC-WCMJ36-3090
AC-WCMJ30-3090
AC-WCMJ24-3090




ACCESSORY BARS ON POSTS 25

AC-VAPBS1266
AC-VAPBS1260
AC-VAPBS1254
AC-VAPBS1248
AC-VAPBS1242
AC-VAPBS1236
AC-VAPBS1230




ACCESSORY BARS ON POSTS 25

AC-VAPBD1266
AC-VAPBD1260
AC-VAPBD1254
AC-VAPBD1248
AC-VAPBD1242
AC-VAPBD1236
AC-VAPBD1230




FROSTED ACRYLIC SCREENS 26

AC-VRB66
AC-VRB60
AC-VRB54
AC-VRB48
AC-VRB42
AC-VRB36
AC-VRB30




SPACING BRACKETS 27

AC-OSB



CASTERS FOR HEIGHT ADJUSTABLE TABLE BASES 27

TL-CAS4



General Information

TAKE OFF ADJUSTABLE TABLES 2 SERIES

Take Off adjustable tables work in open office configurations, in collaborative settings and in private offices. They adapt to all tasks in any environment and their sleek and contemporary lines combine ingeniously with all Artopex collections.

This price list includes the electric height-adjustable tables of the Take Off Collection as well as the associated accessories.

THE LIMA AND MIKE SERIES

These two series are characterized by either T.F.L. or H.P.L. surfaces with straight edge banding. Available in 2 thicknesses : 1" and 1½".

L Lima	M Mike
1"	1½"



GENERAL CHARACTERISTICS

MATERIALS

Work surfaces are made of 1" (25 mm) thick pressed wood for the **Lima** series; 1½" (38 mm) thick for the **Mike** series. Surfaces can be ordered in either Thermally Fused or High Pressure laminate. Add 1/16" (1.6 mm) to the thickness of High Pressure laminate surfaces. There is a PVC 3/32" (2.5 mm) thick edge banding on the work surface with a choice of matching or contrasting colors, striped or fluted.

LAMINATE FINISHES

The available finishes are divided into 2 categories :


- The "**Surface**" finish (applied on the surfaces of tables).
- The "**Edge banding**" finish (surface contour).

Refer to the product descriptions and finish chart for more information.

WOOD GRAIN DIRECTION

Surfaces

The wood grain generally runs parallel to the longest side of the surface, however on tables with symmetrical surfaces, the wood grain is positioned at 45°.



ASSEMBLY AND HARDWARE

The adjustable tables are delivered knockdown with the base components packaged in multiple boxes with the necessary hardware included. Pre-drilled holes are provided to facilitate the positioning of the base for installation.

USER GUIDE

For technical information or instructions on how to use the adjustable table, refer to the "Installation Guide" section on Artopex web site.

BASE CHOICES

Take Off height-adjustable tables have a metal base with a Silver finish. Its contemporary design integrates with the styles of the various Artopex collections.

C or T Bases

The base of the height-adjustable tables is composed of 2 legs offered in two models : C legs (column is set back on the foot) or T legs (column is centered on the foot). A rectangular column of 2½" L. x 4" D. is attached to a 3¼" L. x 2" H. foot with levelers.

The legs are connected by two 2½" H. metal structural beams, Silver finish. The structural beams ensure the stability of the table with openings for the routing of cables.

Casters

A set of 4 casters 2" H. in black plastic (2 with brakes) is available (ordered separately).

The casters will replaced the levelers, to be installed on site.

ELECTRIC HEIGHT-ADJUSTMENT

• Electrical activation system

108" long power cord with a conventional wall connection.
ANSI/Bifma compliant, UL certified (CAN-US)

• Intuitive control pad ("Up & Down")

The control pad is installed on the front of the surface, on the left or right.

• Height adjustment range (1" Lima surface) : 27" to 46" H.

• Operating speed: 1½" per second.

• Sound level : 55 dB.

• Weight capacity : 250 lbs (including the surface weight).

The table will not be functional beyond this capacity.


• Automatic movement blocking / collision detector

• Rising movement : yes

The table will stop rising if it encounters a fixed element (ex : hutch).
However, a 3" minimum space between the underside of the hutch and the surface of the height-adjustable table at its maximum height is recommended.

• Downward movement : no

The table will continue its course going down and there will be a collision with the fixed element (ex : pedestal).




Base with C or T legs



Casters add 2" to the table height




Intuitive control pad



SURFACE SHAPES AND DIMENSIONS

The adjustable tables are available in various shapes and dimensions :




LENGTH AND DEPTH

The dimensions for the adjustable tables indicated in the price list are exact.

THE ADJUSTABLE TABLES HAVE :

1" less in depth and 2" less in length than Take Off freestanding tables.

A 1" clearance is created when the table is surrounded by walls, divider screens or panel system in order to prevent finger pinching when mechanism is functioning.




WARNING !

For security reasons : Ensure a minimum clearance of 1" on all sides of the table when placed with freestanding furniture.


INTERIOR CLEARANCE - HORIZONTAL

Rectangular tables
Dual-depth tables




HORIZONTAL CLEARANCE
table length - 10"

Arched tables



HORIZONTAL CLEARANCE
table length - 23"

90° Corner tables



HORIZONTAL CLEARANCE
24" for 40" corner
30" for 46" corner


Table LENGTH = length indicated in price list.

INTERIOR CLEARANCE - VERTICAL


The VERTICAL clearance indicates the **free space under the structural beams of the height-adjustable table** when table is positioned at its minimum height (27" H.).

The installation of a cable tray removes 2½" of vertical clearance.
See note below.

To ensure that the adjustable table is compatible with a mobile pedestal, a credenza or any other storage unit, refer to product heights as indicated in the price list.



CABLE TRAY (AC-WCMJ_)
The installation of a cable tray on the structural beams (see p.7) reduces the VERTICAL clearance under the adjustable table to 21¼" H. when table is positioned at its minimum height (27" H.).



GROMMETS and MULTI-OUTLET (optional)

RECTANGULAR GROMMETS

Factory-installed rectangular grommets are included on tables. To specify product with no grommet, use the **"NG"** option (no upcharge).

The grommet with the Artopex logo has a cover with two openings :



- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for small wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed : 1 5/8" x 3 3/8".

The grommet is available in two plastic finishes :

White (**G1**) and Charcoal (**G2**).

The finish must be indicated in the product specification.

Grommet Positions



Rectangular grommet

UC MULTI-OUTLET

A recessed multi-outlet can be ordered on the adjustable table surfaces. The surface has a pre-drilled hole but the multi-outlet must be installed on site. Under the **"Options"** section (**M-Outlet**), add product code and location of the multi-outlet.



The black plastic multi-outlet has :

- 2 electrical outlets with ground and 12 AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid that can be closed when not in use.

Connection type

The multi-outlet is available with a conventional wall connection, UL and CSA certified. Power cord 108" long.

Multi-outlet positions



UC Multi-outlet
1-circuit with conventional
wall connection



Multi-outlet




MULTI-OUTLET UC

The specification of a multi-outlet automatically replaces the existing grommet.

The multi-outlet will be visible under the table (1 3/4" H. with 1" Lima surface).

It can be concealed by adding a Take Off modesty panel (sold separately).




CABLE MANAGEMENT (SOLD SEPARATELY)

Components allow for the routing of cables under the surface of the Take Off adjustable table.


CABLE TRAY

- Hooks onto the structural beams of the height-adjustable table (no hardware required).
- Support is 3" H. x 5" D. and openings at each end allowing routing of wiring to the floor.
- To specify cabling tray length, refer to product description in the price list.
- Provides cable management under the work surface.
- Metal, Silver finish.



CABLE TRAY

The cable tray hooks onto the structural beams and it can be detached on one side to access cables.



FLEXIBLE BRAIDED SLEEVE

(see the Accessories price list)


- To contain and route cabling
- 1 1/4" dia. x 72" long.
- Provides cable management from the surface to the ground.
- Black polyester




EXTENDABLE WIRE MANAGER

(see the Accessories price list)

- Installs under a surface with screws.
- 3 1/2" diameter spiral extends up to 84" H.
- The floor base has a 6" diameter.
- Provides routing of wiring from surface to floor.
- Plastic, Black finish.




CABLE MANAGEMENT



CONFIGURATION EXAMPLES WITH ELECTRICAL CONNECTION AND CABLE MANAGEMENT

CONSOLIDATION TOWER

The consolidation tower centralizes communication and electrical connections.





The power cord is routed from the base of the consolidation tower.

CABLE MANAGEMENT (CONT'D)

AIR LINE - ELECTRICAL UNIT


The electrical unit allows for cable management and can accommodate 4-circuit or 1-circuit system components.



The power cord is routed from under the electrical unit.

TAKE OFF - CREDENZA

Take Off Credenzas and some storage units have a top and side grommet option.



COMPLEMENTS


ACCESSORY BAR ON POSTS

- Stronger than the Take Off single or double (VAPB_) accessory bars, this bar is designed for the installation of a flat screen arm-support and/or Artopex accessories. One functional side.
- Metal accessory bar 12" H. x 1" thick with :
1 hanging section 4" H. (single) or 8" H. (double).
- Installs with screw clamps to a 1", 1 ½" or 2" thick work surface.
- Accessory bar and posts are Silver finish with Black plastic finishing caps.
- Assembly screws are visible at the back of the accessory bar.


In general, the bar length is intended to allow for a 2¼" clearance on each side. For the MAXIMUM length of accessory bar with posts that can be installed on a Take Off adjustable table, refer to information in the price list table below.



SINGLE ACCESSORY BARS




DOUBLE ACCESSORY BARS



Length bar	For use with table (length) :		
	rect. / dual-depth	arched	corner
65½	70"	71"	
59½	64"	65"	
53½	58"	59"	
47½	52"	53"	
41½	46"	47"	46"
35½	40"		40"
29½	34"		


8" H. FROSTED SCREENS

Rectangular frosted (on one side) acrylic screen of **the same length** installs on the top of an accessory bar with posts (single or double) and attaches to the back.



MODESTY PANEL

The table with an accessory bar on posts can have a **recessed modesty panel** only in order for the screw clamps to function.




COMPLEMENTS


TAKE OFF PRIVACY PANELS, MODESTY PANELS AND ACCESSORY BARS

Single or double-height privacy panels and modesty panels (lamine, frosted) as well as accessory bars from the Take Off Freestanding collection can be installed on the height-adjustable tables.


Rectangular tables




Rectangular tables



Tables de coin 90°



Arched tables



The maximum length for a Take Off privacy or modesty panel or for an accessory bar on an height-adjustable table is calculated as follows :

SURFACE LENGTH - 4" = MAXIMUM LENGTH

Example :

Adjustable table **TL-TESUDI2370** + privacy panel **TS-PPOV1566** :
Table 70" L. - 4" = privacy panel 66" L.

The maximum length for a Take Off privacy or modesty panel or for an accessory bar on an height-adjustable table must be calculated as follows :

SURFACE LENGTH - 17" = MAXIMUM LENGTH

Example :


Adjustable table **TL-TESUDA2971** + modesty panel **TS-PPUN1354** : Table 71" L. - 17" = modesty panel 54" L.



COMPLEMENTS

SPACING BRACKETS

The spacing brackets allow for the installation of ergonomic accessories (keyboard tray, CPU support) under the surface of an height-adjustable table, or under any other surface equipped with structural beams. The brackets lower the installation plate of the accessory by 2¼". Brackets are made of metal with a Black finish.




The spacing brackets attach to the keyboard tray or CPU support with bolts (included) then to the surface with screws.

SPECIFICATION EXAMPLE

RECTANGULAR TABLE - ELECTRIC HEIGHT-ADJUSTABLE

Dimensions : 23" x 58"



SPECIFY					OPTIONS	
Series	Code	Legs	Surface	Edge	Grom.	M-Outlet
T	L - TESUDI2358	T	3GX	/ SM	M4	LR

Serie : Lima (1" top)

Legs : Base with T legs0

Surface : Galaxy (T.F.L.)

Edge band : Fluted (Galaxy)

Grommet : White (G1)

Multi-outlet option on the right : UCR







Ordering code : **TL-TESUDI2358T-MGX/3GX-G1-UCR**



FINISH CHOICES CHART

This is the coding system to use in the specific fields of the list price with reference to choice of colors.
Some exceptions apply, see the chart below or finish cards.

Warning ! Colors, especially dark colors, may vary between Thermally Fused Laminate (T.F.L.) and High Pressure Laminate (H.P.L.).


				
SURFACE		EDGE BANDS (SURFACE)		
T.F.L.	H.P.L.	Edges REGULAR	Edges FLUTED	Edges STRIPED (NARROW)
DOLOMITE FINISH			Not available for the Victor serie	
Antique White (MAW)	Antique White (SAW)		Aluminum (3W)	Multiply Maple (V1)
Charcoal (MF)	Cayenne Maple (SCM)		Antique White (3AW)	Coordinate with surface finishes :
Frost (MA)	Charcoal (SF)		Black (3N)	Maritime Maple - Mocha
White (MBW)	Cherry (SCH)		Carbon (3CB)	Douglas Pine
	Chestnut (SCG)		Cayenne Maple (3CM)	
	Dark Oak (SDK)		Charcoal (3F)	
	Douglas Pine (SDP)		Cherry (3CH)	
	Frost (SA)		Chestnut (3CG)	
	Honey (SHO)		Dalia (3DA)	
SUEDE FINISH	Maritime Maple (SEM)		Dark Oak (3DK)	Image actual size 1" thick surface
Cayenne Maple (MCM)	Mocha (SPM)		Douglas Pine (3DP)	
Cherry (MCH)	Tobacco Cherry (STC)		Frost (3A)	
Dark Oak (MDK)	White (SBW)		Galaxy (3GX)	
Honey (MHO)	Willow Grey (SWG) **		Ginger Root (3GG)	
SUPERMAT FINISH			Honey (3HO)	EDGES STRIPED (WIDE)
Chestnut (MCG)	NATURAL FINISH		Maritime Maple (3EM)	Not available for the Victor serie
Douglas Pine (MDP)	Carbon (SCB)		Mocha (3PM)	Maple/Honey Striped (R1)
Maritime Maple (MEM)	Dalia (SDA)		Sea Salt (3SM)	Coordinate with surface finishes :
Mocha (MPM)	Galaxy (SGX)		Sesame (3SE)	Maritime Maple - Honey
Tobacco Cherry (MTC)	Ginger Root (SGG)		Tobacco Cherry (3TC)	
Willow Grey (MWG)	Sea Salt (SSM)		Twilight (3TL)	
	Sesame (SSE)		White (3BW)	
	Twilight (STL)		Willow Grey (3 WG)	
AURA FINISH				
Carbon (MCB)				
Dalia (MDA)				
Galaxy (MGX)				
Ginger Root (MGG)				
Sea Salt (MSM)				
Sesame (MSE)				
Twilight (MTL)				
		1" Edge : 3 grooves 1½" Edge : 5 grooves		
* NOT AVAILABLE FOR THE MIKE SERIE (SURFACE 1½" THICK).				

Price list

take off - ADJUSTABLE TABLES I

price list

rectangular tables - electric height-adjustable



Rectangular table with electric height adjustment. Adjustment range : 27" to 46" H. (1" Lima top).

Choice of base with T or C legs with levelers, Silver finish. Assembly required.

Casters can be added, ordered separately, see p.27.

The control pad installs on the front, on the left or right.

Tables 40" and less in length have 1 central grommet included.

Standard multi-outlet option available.

To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.14 and 15 for more information.

			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
29	70	TESUDI2970	2584	2779	2613	2861	5.5	114	137
29	64	TESUDI2964	2566	2731	2595	2804	5.2	109	130
29	58	TESUDI2958	2534	2695	2583	2753	4.9	104	123
29	52	TESUDI2952	2514	2659	2562	2723	4.6	99	116
29	46	TESUDI2946	2486	2603	2534	2661	4.4	93	108
29	40	TESUDI2940	2455	2572	2504	2610	4.1	88	101
29	34	TESUDI2934	2432	2530	2482	2608	3.7	83	94
23	70	TESUDI2370	2503	2653	2561	2721	4.8	102	120
23	64	TESUDI2364	2475	2626	2529	2684	4.6	98	114
23	58	TESUDI2358	2449	2585	2497	2639	4.4	93	108
23	52	TESUDI2352	2427	2548	2475	2597	4.2	89	102
23	46	TESUDI2346	2400	2512	2434	2561	3.9	85	97
23	40	TESUDI2340	2378	2461	2408	2509	3.7	80	91
23	34	TESUDI2334	2351	2434	2385	2483	3.4	76	85

SPECIFY

OPTION

Serie Code Legs Surface Edge Grom. M-Outlet
 T - - / - -

Specify Series: L or M, specifications see p.6.

Code: Consult the above price list.

Legs: Specify the model : (T) or (C) .



Surface / Edge: See Take Off finishes, see p.17.

Grommets: Specify the color of the grommets, White (G1) or Charcoal (G2) or "No grommet" option (NG), option free of charge, see p.10.


Options Multi-outlet: Option for a standard multi-outlet (UC...) on the left ...L, and/or right ...R, add \$194 each, see p.10.

On tables 40" or less in length, only the centered multi-outlet (UCC) is available.

arched tables - electric height-adjustable



* Right installation



* Left installation

Reversible arched table with electric height adjustment. Adjustment range : 27" to 46" H. (1" Lima top).

Choice of base with T or C legs with levelers, Silver finish. Assembly required.

Casters can be added, ordered separately, see p.27.

* The base with C legs allows for a table installation on the left or right.

The control pad installs on the front, on the left or right.

Standard multi-outlet option is available.

To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.14 and 15 for more information.

				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
29	66¾	71	TESUDA2971	2698	2907	2734	2983	5.5	114	137
29	60¾	65	TESUDA2965	2675	2866	2707	2935	5.2	109	130
29	54¾	59	TESUDA2959	2653	2818	2682	2882	4.9	104	123
29	48¾	53	TESUDA2953	2632	2781	2658	2838	4.6	99	116
29	42¾	47	TESUDA2947	2611	2741	2635	2792	4.4	93	108
23	66¾	71	TESUDA2371	2617	2786	2644	2847	4.8	102	120
23	60¾	65	TESUDA2365	2594	2750	2619	2805	4.6	98	114
23	54¾	59	TESUDA2359	2577	2709	2600	2760	4.4	93	108
23	48¾	53	TESUDA2353	2555	2674	2576	2720	4.2	89	102
23	42¾	47	TESUDA2347	2534	2641	2552	2682	3.9	85	97

SPECIFY

OPTION

Series Code Legs Surface Edge Grom. M-Outlet
T - - / - -

Specify Series: L ou M, specifications see p.6.

Code: Consult the above price list.

Legs: Specify the model : (T) or (C) .

Surface / Edge: See Take Off finishes, see p.17.


Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No grommet" option (NG), option free of charge, see p.10.

Options Multi-outlet: Option of standard multi-outlet centered (UCC), add \$194, see p.10.

take off - ADJUSTABLE TABLES I

price list

90° corner table - electric height - adjustable



90° corner table with electric height adjustment. Adjustment range : 27" to 46" H. (1" Lima top).

Choice of base with T or C legs with levelers, Silver finish. Assembly required.

Casters can be added, ordered separately, see p.27.

The control pad installs on the front, on the left or right.

Woodgrain is positioned at a 45° angle on these surfaces.

Standard multi-outlet option available.

To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.14 and 15 for more information.

						L Lima 1"		M Mike 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
29	29	46	46	24	TESUDCS2946	2685	3097	2720	3176	5.6	108	130
23	23	46	46	32½	TESUDCS2346	2665	3078	2701	3156	5.4	105	123
23	23	40	40	24	TESUDCS2340	2633	2996	2660	3056	4.6	93	109

SPECIFY

OPTION

Serie Code Legs Surface Edge Grom. M-Outlet

Specify Series: L or M see specifications p.6.

Code: Consult the above price list.


Legs: Specify the model : (T) or (C).

Surface / Edge: Take Off finishes, see p.17.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No grommet" option (NG), option free of charge, see p.10.

Option Multi-Outlet: Option of standard multi-outlet centered (UCC), add \$194, see p.10.

90° corner table with curved interior access– electric height-adjustable



90° corner table with curved interior access and electric height adjustment. Adjustment range : 27" to 46" H. (1" Lima top).

Choice of base with T or C legs with levelers, Silver finish. Assembly required.

Casters can be added, ordered separately, see p.27.

The control pad installs on the front, on the left or right.

Woodgrain is positioned at a 45° angle on these surfaces.

Standard multi-outlet option available.

To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.11 and 12 for more information.

					L Lima 1"		M Mike 1½"				
Dimensions					Price		Price		Specifications		
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
29	29	46	46	TESUDCO2946	2685	3097	2720	3176	5.6	108	130
23	23	46	46	TESUDCO2346	2665	3078	2701	3156	5.4	105	123
23	23	40	40	TESUDCO2340	2633	2996	2660	3056	4.6	93	109

SPECIFY

Series Code Legs Surface Edge Grom. M-Outlet

OPTION

Specify Series: L or M spécifications see p.6.

Code: Consult the above price list.

Legs: Specify the model : (T) or (C).

Surface / Edge: Take Off finishes, see p.17.



Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No grommet" option (NG), option free of charge, see p.10.

Option Multi-Outlet: Option of standard multi-outlet centered (UCC), add \$194, see p.10.

take off - ADJUSTABLE TABLES I

price list

dual-depth tables - electric height-adjustable



Dual-depth table with electric height adjustment. Adjustment range : 27" to 46" H. (1" Lima top).

Base with C legs with levelers, Silver finish. Assembly required.

Casters can be added, ordered separately, see p.27.

The control pad installs on the front, on the left or right.

Tables 40" and less in length have 1 central grommet included.

Standard multi-outlet module option available.

To add a Take Off privacy screen, modesty panel or accessory bar, refer to p.11 and 12 for more information.

RIGHT

Dimensions					L Lima 1"		M Mike 1½"		Specifications		
					Price		Price				
A	B	C	D	code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
23	29	70	53½	TESUDW232970C	2666	2837	2695	2944	5.5	114	137
23	29	64	47½	TESUDW232964C	2635	2795	2663	2888	5.2	109	130
23	29	58	41½	TESUDW232958C	2593	2763	2621	2830	4.9	104	123
23	29	52	35½	TESUDW232952C	2562	2713	2591	2775	4.6	99	116
23	29	46	29½	TESUDW232946C	2530	2661	2559	2719	4.4	93	108
23	29	40	23½	TESUDW232940C	2508	2610	2538	2664	4.1	88	101
23	29	34	17½	TESUDW232934C	2466	2554	2496	2608	3.7	83	94

LEFT

A	B	C	D	Code de produit	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
29	23	70	53½	TESUDW292370C	2666	2837	2695	2944	5.5	114	137
29	23	64	47½	TESUDW292364C	2635	2795	2663	2888	5.2	109	130
29	23	58	41½	TESUDW292358C	2593	2763	2621	2830	4.9	104	123
29	23	52	35½	TESUDW292352C	2562	2713	2591	2775	4.6	99	116
29	23	46	29½	TESUDW292346C	2530	2661	2559	2719	4.4	93	108
29	23	40	23½	TESUDW292340C	2508	2610	2538	2664	4.1	88	101
29	23	34	17½	TESUDW292334C	2466	2554	2496	2608	3.7	83	94

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet

T - - / - -

Specify Series: L or M specifications see p.6.


Code: Consult the above price list.

Surface / Edge: Take Off finishes, see p.17.

Grommets: Specify the color of the grommets, White (G1) or Charcoal (G2) or "No grommet" option (NG), option free of charge, see p.10.

Option Multi-Outlet: Option of standard multi-outlet (UC...) on the left ...L, and/or right ...R, add \$194 each, see p.10.


On tables 40" or less in length, only the centered multi-outlet (UCC) is available.



Cable tray for installation under a height-adjustable table. Hooks onto the structural beams of the table, no hardware required, see p. 9.
Metal with Silver finish. Openings at ends allow routing of wiring to the floor.

Dimensions			Code	Price	To be used with table (length)			Specifications	
A	B	C			rect. / dual-depth	arched	corner	Cu.Ft.	lb
5	3	60	AC-WCMJ60-3090	121	70"			0.9	7
5	3	54	AC-WCMJ54-3090	116	64"			0.8	6
5	3	48	AC-WCMJ48-3090	109	58"	71"		0.7	6
5	3	42	AC-WCMJ42-3090	102	52"	65"		0.6	5
5	3	36	AC-WCMJ36-3090	96	46"	59"		0.5	4
5	3	30	AC-WCMJ30-3090	89	40"	53"	46"	0.5	4
5	3	24	AC-WCMJ24-3090	83	34"	47"	40"	0.4	3

accessory bars on posts



Single or double accessory bar on supporting posts. The bar has one functional side. Silver finish, with Black covers on the posts.

Designed for use with a flat screen arm-support, see p.14. Can also hold Artopex accessories, see the "Accessories" price list.

Accessory bars 59½" and up have an additional central post. Some screws are noticeable at the back of the bars.

Installs with screw clamps to a 1", 1 ½" or 2" thick work surface.

The modesty panel must be recessed under the surface of the table to provide space for the accessory bar screw clamps.

The chart below indicates the **maximum length** of the accessory bar that can be installed on a height-adjustable table.

Dimensions			Code	Price	To use with table (length):			Specifications	
A	B	C			rect. / 2 deep	arched	corner	Cu.Ft.	lb
12	65½	3	VAPBS1266	568	70"	71"		2.1	13
12	59½	3	VAPBS1260	557	64"	65"		2.0	12
12	53½	2	VAPBS1254	382	58"	59"		1.9	10
12	47½	2	VAPBS1248	375	52"	53"		1.8	9
12	41½	2	VAPBS1242	370	46"	47"	46"	1.8	8
12	35½	2	VAPBS1236	364	40"		40"	1.7	7
12	29½	2	VAPBS1230	348	34"			1.7	6
12	65½	3	VAPBD1266	743	70"	71"		2.4	18
12	59½	3	VAPBD1260	706	64"	65"		2.3	17
12	53½	2	VAPBD1254	496	58"	59"		2.2	14
12	47½	2	VAPBD1248	485	52"	53"		2.1	13
12	41½	2	VAPBD1242	473	46"	47"	46"	2.1	12
12	35½	2	VAPBD1236	461	40"		40"	1.9	11
12	29½	2	VAPBD1230	428	34"			1.9	10


C: Number of posts

SPECIFY

Code
AC - - 3090

Specify Code: Consult the above price list.

frosted acrylic screens for accessory bars on posts



8" H. rectangular frosted (on one side) acrylic screen, 1/4" thick.
The screen installs on top of the accessory bar (same length), with posts (single or double) and attaches to the back, see p.14.
The supports have a Silver finish.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
8	65½	4	VRB66	352	0.5	7
8	59½	4	VRB60	343	0.4	6
8	53½	3	VRB54	295	0.4	5
8	47½	3	VRB48	286	0.4	5
8	41½	3	VRB42	274	0.3	4
8	35½	2	VRB36	228	0.3	3
8	29½	2	VRB30	215	0.2	3

C: Number of supports included


SPECIFY

Code

AC - - 3090

Specify Code: Consult the above price list.

spacing brackets



Metal spacing brackets, Black finish.


Ergonomic accessories can be installed (keyboard tray, CPU support) under the surface of an adjustable table or under any other surface equipped with structural beams.

The brackets lower the installation plate for the accessories by 2¼".

Attaches to the keyboard tray or CPU support with bolts (included) then to the surface with screws, see p.16

Dimensions			Specifications	
A	Code	Price	Cu.Ft.	lb
2¼	AC-OSB	78	0.5	2

casters for adjustable table bases



Set of 4 casters, 2 with brakes. Installs on base of the adjustable table.

Black finish.

Adds 2" to the table height, see p.7

			Specifications	
	Code	Price	Cu.Ft.	lb
4 casters	TL-CAS4	55	0.2	1

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Artopex Warranty

Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.

The electrical and mechanical components of the adjustable base come with a two-year warranty.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

UPDATE SUMMARY

May 1st 2018

PAGES	SECTION	PRODUCT	MODIFICATION
p.17	General info.	Finish choices chart	Laminate finishes updated. Refer to the new Artopex laminate cards for new finishes and corrections.

*Designing, manufacturing, advising,
planning and supporting: that's the art that
distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais Street
Granby (Québec)
J2J 1A7
CANADA

Tel.: 450 378-0189
1 800 363-3040

Fax.: 450 378-9712

artopex.com