

# RECEPTIONS



## USA price list

Effective August 2<sup>nd</sup> 2010

UPDATED - May 1<sup>st</sup> 2018  
summary updates - p.58

**8%**

Price Increase  
April 1<sup>st</sup>, 2013

artopex

**artopex**<sup>®</sup>



## interactive links

page tabs & page references

→ document optimized for dual page viewing


VISUAL INDEX	04
<hr/>	
GENERAL INFORMATIONS	
<hr/>	
RC1 serie	8
RC2 serie	10
RC3 serie	13
technical specifications	16
specification examples	18
typical layouts	20
<hr/>	
RECEPTION – RC1 SERIES	23
<hr/>	
RECEPTION – RC2 SERIES	36
<hr/>	
RECEPTION – RC3 SERIES	47
<hr/>	
CONDITIONS & GUARANTEES	57
<hr/>	

# receptions


index

## RC1 - RECTANGULAR RECEPTION TABLE 24

DiS3072  
DiS3066  
DiS3060  
DiS3054  
DiS3048  
DiS3042  
DiS3036  
DiS3030  
DiS3024




DiA3072  
DiA3066  
DiA3060  
DiA3054  
DiA3048  
DiA3042  
DiA3036  
DiA3030  
DiA3024




## RC1 - CURVED RECEPTION TABLE 90° 25


DCS9030



DCA9030




DCM9030




## RC1 - CURVED RECEPTION TABLE 45° 26

DCS4530



DCA4530




DCM4530




## RC1 - CORNER TABLES - 29" H. 27

DQS3030




DQA3030




## RC1 - RECTANGULAR TRANSACTION SHELF 28

RTiO7213  
RTiO6613  
RTiO6013  
RTiO5413  
RTiO4813  
RTiO4213  
RTiO3613  
RTiO3013  
RTiO2413  
RTiO7209  
RTiO6609  
RTiO6009  
RTiO5409  
RTiO4809  
RTiO4209  
RTiO3609  
RTiO3009  
RTiO2409




RTiS7213  
RTiS6613  
RTiS6013  
RTiS5413  
RTiS4813  
RTiS4213  
RTiS3613  
RTiS3013  
RTiS2413  
RTiS7209  
RTiS6609  
RTiS6009  
RTiS5409  
RTiS4809  
RTiS4209  
RTiS3609  
RTiS3009  
RTiS2409




## RC1 - RECTANGULAR TRANSACTION SHELF 29

RTiM7213  
RTiM6613  
RTiM6013  
RTiM5413  
RTiM4813  
RTiM4213  
RTiM3613  
RTiM3013  
RTiM2413  
RTiM7209  
RTiM6609  
RTiM6009  
RTiM5409  
RTiM4809  
RTiM4209  
RTiM3609  
RTiM3009  
RTiM2409




RTiP7213  
RTiP6613  
RTiP6013  
RTiP5413  
RTiP4813  
RTiP4213  
RTiP3613  
RTiP3013  
RTiP2413  
RTiP7209  
RTiP6609  
RTiP6009  
RTiP5409  
RTiP4809  
RTiP4209  
RTiP3609  
RTiP3009  
RTiP2409




## RC1 - RECTANGULAR TRANSACTION SHELF 30

RTiB7213  
RTiB6613  
RTiB6013  
RTiB5413  
RTiB4813  
RTiB4213  
RTiB3613  
RTiB3013  
RTiB2413



RTiBS7213  
RTiBS6613  
RTiBS6013  
RTiBS5413  
RTiBS4813  
RTiBS4213  
RTiBS3613  
RTiBS3013  
RTiBS2413






# receptions


## index

### RC1 - RECTANGULAR TRANSACTION SHELF 31

RTiBM7213  
RTiBM6613  
RTiBM6013  
RTiBM5413  
RTiBM4813  
RTiBM4213  
RTiBM3613  
RTiBM3013  
RTiBM2413



RTiBP7213  
RTiBP6613  
RTiBP6013  
RTiBP5413  
RTiBP4813  
RTiBP4213  
RTiBP3613  
RTiBP3013  
RTiBP2413



### RC1 - CURVED 90° TRANSACTION SHELF 32

RTCO9013  
RTCO9009



RTCS9013  
RTCS9009



RTCM9013  
RTCM9009



RTCP9013  
RTCP9009



### RC1 - CURVED 45° TRANSACTION SHELF 33

RTCO4513  
RTCO4509



RTCS4513  
RTCS4509



RTCM4513  
RTCM4509




RTCP4513  
RTCP4509




### RC1 - CORNER TRANSACTION SHELF 34


RTQO3013  
RTQO3009




RTQS3013  
RTQS3009



RTQM3013  
RTQM3009




RTQP3013  
RTQP3009




### RC1 - LOW TABLES 35


TMAF3522



TMAS2436  
TMAS2424




TMAO2442




### RC 2 - RECTANGULAR TABLE 37

Ri2472  
Ri2466  
Ri2460  
Ri2454  
Ri2448  
Ri2442  
Ri2436  
Ri2430  
Ri2424




### RC 2 - TRANSACTION MODULE - 42" H. FOR RECTANGULAR TABLE 37

CiS7242  
CiS6642  
CiS6042  
CiS5442  
CiS4842  
CiS4242  
CiS3642  
CiS3042  
CiS2442



CiA7242  
CiA6642  
CiA6042  
CiA5442  
CiA4842  
CiA4242  
CiA3642  
CiA3042  
CiA2442




### RC2 - JUNCTION SHELF FOR COUNTER TOP MODULE 38

CC9010




### RC2 - END TRANSACTION MODULE FOR 90° CORNER CONFIGURATION - 42" H. 38

CiLS2442  
CiRS2442




CiLA2442  
CiRA2442




### RC2 - CURVED TABLE 90° - 29" H. AND CURVED TRANSACTION MODULE 90° - 42" H. FOR CURVED TABLE 90° 39


RC9024



CCS9042



CCA9042



**RC2 - CURVED TABLE 45° - 29" H.  
AND CURVED TRANSACTION MODULE  
45° - 42" H. FOR CURVED TABLE 45°** 40


RC4524



CCS4542




CCA4542




**RC2 - RECTANGULAR RECEPTION  
TABLE - 29" H.** 41

DiS3072  
DiS3066  
DiS3060  
DiS3054  
DiS3048  
DiS3042  
DiS3036  
DiS3030  
DiS3024




DiA3072  
DiA3066  
DiA3060  
DiA3054  
DiA3048  
DiA3042  
DiA3036  
DiA3030  
DiA3024




**RC2 - CURVED RECEPTION  
TABLE 90° - 29" H.** 43


DCS9030



DCA9030



DCM9030



**RC2 - CURVED RECEPTION  
TABLE 45° - 29" H.** 43


DCS4530



DCA4530




DCM4530




**RC2 - CORNER RECEPTION  
TABLE - 29" H.** 44

DQS3030




DQA3030




**RC2 - ACCESSORY BAR** 45

ACBM70  
ACBM64  
ACBM58  
ACBM52  
ACBM46  
ACBM40  
ACBM34  
ACBM28  
ACBM22




**RC2 - LOW TABLE** 45

TMAS2436  
TMAS2424




**RC2 - TACKBOARD** 46

BT7013  
BT6413  
BT5813  
BT5213  
BT4613  
BT4013  
BT3413  
BT2813  
BT2213




**RC3 - RECTANGULAR  
TRANSACTION UNIT** 48

RD2472  
RD2466  
RD2460  
RD2454  
RD2448  
RD2442  
RD2436  
RD2430  
RD2424




**RC3 - INTERIOR CURVED  
90° TRANSACTION UNIT** 49


RCi9024CL



RCi9024LC




RCi9024CC




**RC3 - INTERIOR CURVED  
45° TRANSACTION UNIT** 50


RCi4524CL



RCi4524LC




RCi4524CC




**RC3 - CORNER TRANSACTION UNIT** 50




RQi2424CC




RC3 - EXTERIOR CURVED  
90° TRANSACTION UNIT 51



RC3 - EXTERIOR CURVED  
45° TRANSACTION UNIT 51




RC3 - RECTANGULAR  
RECEPTION TABLE 52



RC3 - INTERIOR CURVED  
90° RECEPTION TABLE 53




RC3 - INTERIOR CURVED  
45° RECEPTION TABLE 54




RC3 - CORNER RECEPTION TABLE 54



RC3 - EXTERIOR CURVED  
90° RECEPTION TABLE 55




RC3 - EXTERIOR CURVED  
45° RECEPTION TABLE 55



RC3 - LOW TABLE 56



RC3 - ACCESSORY BAR 56






## RECEPTION TABLES AND TRANSACTION SHELVES

The **RC1** series is comprised of:


- Freestanding Reception Table
- Transaction Shelf

Refer to the sections below for pertinent information on the components itemized here.



### RECEPTION TABLE

- Available straight (24" to 72"), curved (90° or 45°) or as a corner unit.
- 30" deep.



LL-CL-LC-CC

CL-LC-CC

CC


- Work Surface: 29" H., thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), 1" thickness.

A transaction shelf can be installed on the surface (or not). The reception table that has the transaction shelf comes equipped with pre-drilled holes in the surface. It is important to specify the "H" so the pre-drilled holes will be available on the surface. Otherwise, using "N" will signify that the surface does not have pre-drilled holes, either option is at no charge.

- Choice of depth of end panel **L** (30") or **C** (17"), configuration **LL-CL-LC-CC** depending on the model.

- Front: full height modesty, HPL for the straight tables, and HPL or metal for the curved tables. Embossing optional on the metal (**OS**).


- Metal kick plate available on laminate front.



- Optional grommet, see the price list for more details.

### TRANSACTION SHELF

- Available straight (24" to 72"), curved (90° or 45°) or as a corner unit.



- Depth of shelf is 12".

- Offered in two heights: 9 1/2" H. or 13 1/2" H. (38 1/2" H. or 42 1/2" H. from the floor).

- Available space beneath the actual shelf: 8 1/2" or 12 1/2".

- TFL surface (**L1**) or HPL (**S1**), supported by 2 or 3 posts (when 60" or longer) in anodized aluminum similar to the Time series posts.

- To be installed on a reception table of the same length equipped with pre-drilled holes (option **H**).

- Also offered with a front (screen under the shelf): laminate, acrylic, embossed metal or accessory bar depending on the configuration (see p.30-31).

# receptions

## general information


### COMPLEMENTARY PRODUCTS

#### LOW TABLE

Low tables (15" H.) complement this series. They are offered in different styles. The surface of the table is available in TFL (**L1**) or HPL (**S1**), 1" thickness and is supported by 4 anodized aluminum posts similar to the Time series posts, equipped with levellers.

#### THE FINISHES - RC1 SERIES

This is the codification to use in each specific section of the price list referring to the choice of colors **for the RC1 series**. In the price list, the text at the bottom of each page under the product codification zone, refers to the chart below.



SURFACE / SHELF*		BASE	KICK PLATE METAL FRONT	FRONT SCREEN (UNDER SHELF)
LAMINATE (L1)	H.P.L. (S1)	T.F.L.	METAL	SCREEN
<b>DOLOMITE FINISH</b>	<b>MAT FINISH</b>	<b>FINI DOLOMITE</b>	Ashen (3370)	<b>METAL</b>
Antique White ( <b>AW</b> )	Antique White ( <b>AW</b> )	Antique White ( <b>AW</b> )	Champagne (3311)	Ashen (3370)
Charcoal ( <b>F</b> )	Cayenne Maple ( <b>CM</b> )	Black ( <b>N</b> )	Polar White (3002)	Champagne (3311)
Frost ( <b>A</b> )	Charcoal ( <b>SF</b> )	Charcoal ( <b>F</b> )	Silver (3090)	Polar White (3002)
White ( <b>BW</b> )	Cherry ( <b>CH</b> )	Frost ( <b>A</b> )		Silver (3090)
	Chestnut ( <b>CG</b> )	White ( <b>BW</b> )		<b>ACRYLIC</b>
<b>SUEDE FINISH</b>	Dark Oak ( <b>DK</b> )	<b>SUEDE FINISH</b>		Frosted ( <b>Gi</b> )
Cayenne Maple ( <b>CM</b> )	Douglas Pine ( <b>DP</b> )	Cayenne Maple ( <b>CM</b> )		<b>LAMINATE</b>
Cherry ( <b>CH</b> )	Frost ( <b>SA</b> )	Cherry ( <b>CH</b> )		Antique White ( <b>0AW</b> )
Dark Oak ( <b>DK</b> )	Honey ( <b>HO</b> )	Dark Oak ( <b>DK</b> )		Black ( <b>0N</b> )
Honey ( <b>HO</b> )	Maritime Maple ( <b>EM</b> )	Honey ( <b>HO</b> )		Carbon ( <b>0CB</b> )
<b>SUPERMAT FINISH</b>	Mocha ( <b>PM</b> )	<b>SUPERMAT FINISH</b>		Cayenne Maple ( <b>0CM</b> )
Chestnut ( <b>CG</b> )	Tobacco Cherry ( <b>TC</b> )	Chestnut ( <b>CG</b> )		Charcoal ( <b>0F</b> )
Douglas Pine ( <b>DP</b> )	White ( <b>BW</b> )	Douglas Pine ( <b>DP</b> )		Cherry ( <b>0CH</b> )
Maritime Maple ( <b>EM</b> )	Willow Grey ( <b>WG</b> )	Maritime Maple ( <b>EM</b> )		Chestnut ( <b>0CG</b> )
Mocha ( <b>PM</b> )	<b>NATURAL FINISH</b>	Mocha ( <b>PM</b> )		Dalia ( <b>0DA</b> )
Tobacco Cherry ( <b>TC</b> )	Carbon ( <b>CB</b> )	Tobacco Cherry ( <b>TC</b> )		Dark Oak ( <b>0DK</b> )
Willow Grey ( <b>WG</b> )	Dalia ( <b>DA</b> )	Willow Grey ( <b>WG</b> )		Douglas Pine ( <b>0DP</b> )
<b>AURA FINISH</b>	Galaxy ( <b>GX</b> )	<b>AURA FINISH</b>		Frost ( <b>0A</b> )
Carbon ( <b>CB</b> )	Ginger Root ( <b>GG</b> )	Carbon ( <b>CB</b> )		Galaxy ( <b>0GX</b> )
Dalia ( <b>DA</b> )	Sea Salt ( <b>SM</b> )	Dalia ( <b>DA</b> )		Ginger Root ( <b>0GG</b> )
Galaxy ( <b>GX</b> )	Sesame ( <b>SE</b> )	Galaxy ( <b>GX</b> )		Honey ( <b>0HO</b> )
Ginger Root ( <b>GG</b> )	Twilight ( <b>TL</b> )	Ginger Root ( <b>GG</b> )		Maritime Maple ( <b>0EM</b> )
Sea Salt ( <b>SM</b> )		Sea Salt ( <b>SM</b> )		Mocha ( <b>0PM</b> )
Sesame ( <b>SE</b> )		Sesame ( <b>SE</b> )		Sea Salt ( <b>0SM</b> )
Twilight ( <b>TL</b> )		Twilight ( <b>TL</b> )		Sesame ( <b>0SE</b> )
				Tobacco Cherry ( <b>0TC</b> )
				Twilight ( <b>0TL</b> )
				White ( <b>0BW</b> )
				Willow Grey ( <b>0WG</b> )

\* Willow Grey: Matt finish, and not supermat like T.F.L.




### MODULES AND TABLES

The **RC2 Series** is comprised of:


- Freestanding Table Module
- Freestanding Transaction Module
- Freestanding Reception Table

Refer to the sections below for pertinent information on the components itemized here.




#### TABLE


- Available straight (24" to 72") or curved (90° or 45°).



- 24" Deep.
- Work surface: 29"H, thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), 1" thickness.
- Choice of depth of end panel **L** (24") or **C** (11"), configuration **LL-CL-LC-CC** depending on the model.
- Must be attached to a Transaction module.
- The rectangular Table modules have a 9" modesty, recessed 2½", the curved modules do not have modesties.
- Certain tables from the Take Off collection can be used as a Table module when specifying a 9" modesty (U9), refer to the Take Off price list in the table section.




When specifying, the Table and Transaction modules need to be combined.



On the inside, there is a space available at the back of the table for any wiring.


#### TRANSACTION MODULE

- Available straight (24" to 72"), curved (90° or 45°) or as a corner unit.




- 6" deep (depth of shelf is 10").
- Transaction surface: 42" H. thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), 1" thickness.
- Available space beneath the actual shelf: 12 ½"
- Front: full height, in high pressure laminate (HPL).
- Needs to be combined with a Table module.
- Choice of two models: fascia 3" H. or 13" H. with embossing option (**OS**).
- The fascia is a metal decorative trim located underneath the transaction shelf.
- Metal kick plate option matching the fascia color.

A junction shelf bust to be used to consolidate 2 straight Transaction modules placed at 90°.



An End Transaction module can be used to complete a straight Transaction module configuration.




# receptions


## general information

### RECEPTION TABLE


- Available straight (24" to 72"), curved (90° or 45°) or as a corner unit.



LL-CL-LC-CC



CL-LC-CC



CC


- 30" Deep.
- Work Surface: 29" H., thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), 1" thickness.
- Choice of depth of end panel **L** (30") or **C** (17"), configuration **LL-CL-LC-CC** depending on the model.

- Front: full height modesty, HPL for the straight tables, and HPL or metal for the curved tables.

- Optional embossing on the metal (**OS**).

- Kick plate in metal available on the laminate facades.

- Optional grommet, see the price list for more details.




Metal Kick plate

### COMPLEMENTARY PRODUCTS


#### ACCESSORY BAR

The accessory bar from Take Off was adapted to install on the interior of the transaction modules with length specific to these units. It is attached with wood screws, and is offered in a variety of colors. A maximum of 3 bars can be stacked in the space available of the interior of the transaction module.




#### LOW TABLE

A low table is offered in 2 styles of 18" heights. The surface and end panels are comprised of 1" thick laminate, whereas the shelf is made of metal (see p.45)




#### TACKBOARD

The tackboards have also been designed to install on the interior of the transaction modules with lengths specific to these units. They are attached with Velcro strips and are fabric covered (see current Artopex panel fabric chart).



## FINISHES - RC2 SERIES

This is the codification to use in each specific section of the price list referring to the choice of colors **for the RC2 series**. In the price list, the text at the bottom of each page under the product codification zone, refers to the chart below.



SURFACE / SHELF		BASE	FASCIA / KICK PLATE METAL FRONT / ACCESSORY BAR LOW TABLE SHELF
LAMINATE (L1)	H.P.L. (S1)	T.F.L.	METAL
<b>DOLOMITE FINISH</b>	<b>FINI MAT</b>	<b>FINI DOLOMITE</b>	
Antique White (AW)	Blanc (BW)	Antique White (AW)	Ashen (3370)
Charcoal (F)	Blanc antique (AW)	Black (N)	Champagne (3311)
Frost (A)	Cerisier (CH)	Charcoal (F)	Polar White (3002)
White (BW)	Cerisier tabac (TC)	Frost (A)	Silver (3090)
	Châtaigne (CG)	White (BW)	
<b>SUEDE FINISH</b>	Chêne sombre (DK)		
Cayenne Maple (CM)	Érable de Cayenne (CM)	<b>SUEDE FINISH</b>	
Cherry (CH)	Érable maritime (EM)	Cayenne Maple (CM)	
Dark Oak (DK)	Fusain (SF)	Cherry (CH)	
Honey (HO)	Grès (SA)	Dark Oak (DK)	
	Gris saule (WG) *	Honey (HO)	
<b>SUPERMAT FINISH</b>	Miel (HO)		
Chestnut (CG)	Moka (PM)	<b>SUPERMAT FINISH</b>	
Douglas Pine (DP)	Pin Douglas (DP)	Chestnut (CG)	
Maritime Maple (EM)		Douglas Pine (DP)	
Mocha (PM)	<b>NATURAL FINISH</b>	Maritime Maple (EM)	
Tobacco Cherry (TC)	Carbon (CB)	Mocha (PM)	
Willow Grey (WG)	Dalia (DA)	Tobacco Cherry (TC)	
	Galaxy (GX)	Willow Grey (WG)	
<b>AURA FINISH</b>	Ginger Root (GG)		
Carbon (CB)	Sea Salt (SM)	<b>AURA FINISH</b>	
Dalia (DA)	Sesame (SE)	Carbon (CB)	
Galaxy (GX)	Twilight (TL)	Dalia (DA)	
Ginger Root (GG)		Galaxy (GX)	
Sea Salt (SM)		Ginger Root (GG)	
Sesame (SE)		Sea Salt (SM)	
Twilight (TL)		Sesame (SE)	
	* Willow Grey: Matt finish, and not supermat like T.F.L.	Twilight (TL)	






## THE TRANSACTION UNITS AND RECEPTION TABLES

The **RC3** Series is comprised of:

- Freestanding Transaction Unit
- Freestanding Reception Table

Refer to the sections below for pertinent information on the components itemized here.




### TRANSACTION UNIT

- It is comprised of a metal structure, to which the following attach:
  - A work surface 24" deep.
  - A transaction shelf.
  - A tiled front divided into 3 sections.
- Available straight (24" to 72" in length), interior or exterior curve (90° or 45°) and corner unit.

- Choice of end panel configuration (**LL-CL-LC-CC**) depending on the model. The bases combine a metal structure and a laminate piece which is inserted as a trim. Its color needs to be specified along with the color of the metal.

• Front :

- Divided into 3 sections (level 1 at bottom, level 2 in center and level 3 at top).
- Material used depending on configuration:  $\frac{1}{16}$ " HPL panel, metal (perforations optional) or acrylic  $\frac{3}{16}$ ".
- Choice of 6 configurations (#1-2-3-4-5-6). Specify one per transaction unit.



Possible configurations :

	#1	#2	#3	#4	#5	#6
LEVEL 3	METAL	ACRYLIC	LAMINATE	METAL	ACRYLIC	LAMINATE
LEVEL 2	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	LAMINATE
LEVEL 1	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	METAL

Add "H" for a perforated motif in the metal section (example: 2H)


- Work Surface: 29" H., thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), depth 24".
- Transaction surface: 42" H., in TFL (**L1**) or HPL (**S1**), 12" deep.
- Available space beneath the actual shelf: 12  $\frac{1}{8}$ ".
- Front edges of the shelves and surfaces are rounded.

# receptions

## general information

### RECEPTION TABLE

- It is comprised of a metal structure, to which the following attach:
  - A work surface 30" deep.
  - A tiled front divided into 2 sections.
- Available straight (24" to 72" in length), interior or exterior curve (90° or 45°) and corner unit.




- Work Surface: 29" H., thermally fused laminate TFL (**L1**) or high pressure laminate HPL (**S1**), depth 30".
- Grommet option, see price list for further details.

- Choice of end panel configuration (**LL-CL-LC-CC**) depending on the model. The bases combine a metal structure and a laminate piece which is inserted as a trim. Its color needs to be specified along with the color of the metal.
- \* A multiple unit configuration requires a sufficient amount of full end panels to ensure stability.
- Front : Divided into 2 sections (level 1 at bottom and level 2 at top). Material used depending on configuration: 1 1/8" HPL panel, metal (perforations optional).

Choice of 3 configurations (#7-8-9). Specify one per reception table.

Possible configurations:



## COMPLEMENTARY PRODUCTS

### ACCESSORY BARS


The Take Off accessory bar was adapted to attach to the work surface of a straight transaction unit, not curved. Available in Silver and Polar White. Only a single bar can be installed due to height availability underneath the transaction shelf. A variety of lengths available (off module).

### FRONT

The stiffeners on the straight metal sections are equipped with one or two grooves 9 1/2" long which allows for the attaching of several small accessories (file or pencil tray, cell phone or business card holder). Therefore adding an accessory bar is not required unless a horizontal paper tray is used (configurations #1 and #4).


### LOW TABLE

A low table (18" H.) complements this series. It is offered in 2 dimensions. The low table uses the same type of metal structure as the reception tables, with a surface and a central shelf, in laminate (see p.56).



### FINISHES - RC3 SERIES

This is the codification to use in each specific section of the price list referring to the choice of colors **for the RC3 series**. In the price list, the text at the bottom of each page under the product codification zone, refers to the chart below.



SURFACE / SHELF		ACCENT (INTERIOR OF END PANEL)	ACCESSORY BAR END PANEL STRUCTURE	FRONT (N1-N2-N3)	
LAMINATE (L1)	H.P.L. (S1)	LAMINATE	METAL	FRONT	
<b>DOLOMITE FINISH</b>	<b>MAT FINISH</b>	Antique White (0AW)	Polar White (3002)	<b>ACRYLIC</b>	<b>METAL</b>
Antique White (AW)	Antique White (AW)	Black (0N)	Silver (3090)	Frosted (Gi)	Abyss (3113)
Charcoal (F)	Cayenne Maple (CM)	Carbon (0CB)			Amber (3108)
Frost (A)	Charcoal (SF)	Cayenne Maple (0CM)		<b>LAMINATE</b>	Black (3067)
White (BW)	Cherry (CH)	Charcoal (0F)		Antique White (0AW)	Charcoal (3064)
	Chestnut (CG)	Cherry (0CH)		Black (0N)	Fossil (3102)
<b>SUEDE FINISH</b>	Dark Oak (DK)	Chestnut (0CG)		Carbon (0CB)	Grenadine (3044)
Cayenne Maple (CM)	Douglas Pine (DP)	Dalia (0DA)		Cayenne Maple (0CM)	Polar White (3002)
Cherry (CH)	Frost (SA)	Dark Oak (0DK)		Charcoal (0F)	Silver (3090)
Dark Oak (DK)	Honey (HO)	Douglas Pine (0DP)		Cherry (0CH)	Smoothie (3109)
Honey (HO)	Maritime Maple (EM)	Frost (0A)		Chestnut (0CG)	Source (3106)
	Mocha (PM)	Galaxy (0GX)		Dalia (0DA)	
<b>SUPERMAT FINISH</b>	Tobacco Cherry (TC)	Ginger Root (0GG)		Dark Oak (0DK)	
Chestnut (CG)	White (BW)	Honey (0HO)		Douglas Pine (0DP)	
Douglas Pine (DP)	Willow Grey (WG)	Maritime Maple (0EM)		Frost (0A)	
Maritime Maple (EM)		Mocha (0PM)		Galaxy (0GX)	
Mocha (PM)	<b>NATURAL FINISH</b>	Sea Salt (0SM)		Ginger Root (0GG)	
Tobacco Cherry (TC)	Carbon (CB)	Sesame (0SE)		Honey (0HO)	
Willow Grey (WG)	Dalia (DA)	Tobacco Cherry (0TC)		Maritime Maple (0EM)	
	Galaxy (GX)	Twilight (0TL)		Mocha (0PM)	
<b>AURA FINISH</b>	Ginger Root (GG)	White (0BW)		Sea Salt (0SM)	
Carbon (CB)	Sea Salt (SM)	Willow Grey (0WG)		Sesame (0SE)	
Dalia (DA)	Sesame (SE)			Tobacco Cherry (0TC)	
Galaxy (GX)	Twilight (TL)			Twilight (0TL)	
Ginger Root (GG)				White (0BW)	
Sea Salt (SM)				Willow Grey (0WG)	
Sesame (SE)					
Twilight (TL)					
* Willow Grey: Matt finish, and not supermat like T.F.L.					


## TECHNICAL SPECIFICATIONS

The work surfaces and transaction shelves are constructed of 1" thick particleboard. They are laminated on both sides and surrounded by a 2.5 mm PVC edge in assorted colors to finish and match the surface. The work surfaces and transaction shelves can be ordered in either thermally fused or high pressure laminate. The HPL adds 1/8" overall to the surfaces.

## SURFACE DIRECTIONAL WOODGRAIN


The woodgrain runs parallel with the long side of the surface whereas a surface that is symmetrical has the grain at 45°.

## STORAGE



## PIGEONHOLE UNITS


With a variety of sizes, the reception series pigeonhole units are made of a laminate frame 1/8" thick, in which there are metal shelves inserted. The shelves have a 2.5 mm long integrated tab that allows attaching identification tags (not included). Depending on the model, insertion of letter or legal documents, and even packages is possible (see Accessory price list). Vertical space between each shelf is 2 1/2".




## PEDESTALS

Surface-attaching pedestals, freestanding pedestals and mobile pedestals from the AIR, Time, Take Off or Uni-T series are compatible with the 3 reception series.


Available space under the surfaces to add a pedestal:



**RC1 - RC2**  
Reception Tables  
28" H. x 26 1/2" deep



**RC2**  
Combined Modules  
28" H. x 20 3/4" deep




**RC3**  
Transaction Unit and  
Reception Table  
28" H. x 24" deep

## GROMMET OPTION

The grommets can be factory installed on the reception tables in all 3 of the reception series. The grommet allows access for large caliber wiring and attachment of task lights, flat screen supports and surface multi-outlet modules. The grommet has a black finish.

For the rectangular tables, the grommet can be specified on the left (**GL**), right (**GR**) or center (**GC**). For curved tables and corner tables the grommet has to be specified on the left (**GL**) or the right (**GR**) only.

If no code is specified, then no grommet will be installed.




### FREESTANDING FURNITURE

It is possible to add to the work environment with freestanding furniture from Artopex (credenzas, hutches, storage units, bookcases etc.).

### ELECTRICITY


#### MULTI-OUTLET

Two types of surface modules are available and can be ordered separately. In both cases, no pre-drilling of holes is required. The half-moon shaped unit attaches with Velcro, whereas the rectangular unit attaches in a grommet or on the contour of a surface. Refer to the description of the products for more details.



#### FASTENERS AND WIRE TROUGH

Made of rigid plastic, the wire fasteners are used for holding wiring under the surface. The wire trough is self-adhesive and measures 24" in length and can be attached on the length of an end panel or leg to hide vertical wiring.



### HE COMPLEMENTARY PRODUCTS

#### ACCESSORIES

The metal accessories are designed to install on the Artopex accessory bars, or to be placed on surfaces. Certain accessories are stackable to maximize space, they are offered in various colors (see chart at bottom of page).

\* Note that the plastic accessories from other Artopex series are compatible and can be used here.

#### KEYBOARD TRAY

To add a keyboard tray, please refer to the current Accessory price lists.


#### GLASS SURFACE

It is possible to order a glass surface to place on top of the transaction shelves in the 3 series. These are 3/8" (10 mm) thick tempered glass and are attached to the laminate surface with hardware specifically used with glass surfaces. That installation requires drilling into the laminate shelf. Contact Customer Service for more information.

#### HARDWARE

The knockdown furniture is delivered with the necessary hardware (inserts and screws) already attached to the furniture.

#### PACKAGING

The pre-assembled furniture (identified by ) is delivered wrapped and does not require assembly apart from adjusting the levellers.

#### ACCESSORIES FINISHES

##### "MÉTAL 10" FINISHES - ACCESSORIES PIGEONHOLE UNIT SHELVES

Abyss (3113)	Grenadine (3044)
Amber (3108)	Polar White (3002)
Black (3067)	Silver (3090)
Charcoal (3064)	Smoothie (3109)
Fossil (3102)	Source (3106)

##### LAMINATE FINISH - PIGEONHOLE

###### DOLOMITE FINISH

Antique White (AW)
Charcoal (F)
Frost (A)
White (BW)

###### SUEDE FINISH

Cayenne Maple (CM)
Cherry (CH)
Dark Oak (DK)
Honey (HO)

###### SUPERMAT FINISH

Chestnut (CG)
Douglas Pine (DP)
Maritime Maple (EM)
Mocha (PM)
Tobacco Cherry (TC)
Willow Grey (WG)


###### AURA FINISH

Carbon (CB)
Dalia (DA)
Galaxy (GX)
Ginger Root (GG)
Sea Salt (SM)
Sesame (SE)
Twilight (TL)

## CODIFICATION

Located under each product zone is the "code specifier" that explains what information needs to be inserted to complete the order. The specifying code is normally divided into 2 zones: under the section "Specify" you must fill in

all required fields whereas the "Option" section gives you the opportunity to add extra details to each product. The chart below explains the list of "specifics" and "options" that can be found under the products in the code specify.



### SPECIFY

- 1 Code**  
Identify the selected product code. The code is comprised of numbers/letters describing the product (identification, dimension).
- 2 LL / CL / LC / CC**  
Identify end panel configuration: Full (L) and / or half (C).
- 3 L1 / S1**  
For products with a top surface, offered in a selection of TFL or HPL, specify 1" TFL (L1) or 1" HPL (S1).
- 4 Front**  
Identify the front configuration tiling (refer to pages 13-14 and to the codes shown on the top of the **RC3** series pages).
- 5 Surface**  
Identify the surface color, TFL or HPL available. Refer to the product description for details and to the current Artopex laminate finish chart to view the finishes.
- 6 Base**  
Identify the base color. Refer to the product description for details and to the current Artopex laminate finish chart to view the finishes.
- 7 Shelf**  
Identify the shelf color. Refer to the product description for details and to the current Artopex laminate finish chart to view the finishes.
- 8 Laminate**  
Identify the front color (laminate) of the transaction shelf (**RC1** series). Refer to the current Artopex laminate finish chart to view the finishes.
- 9 Accent**  
Identify the front color (laminate) of the vertical insertion (on the **RC3** end panels). Refer to the product description for details and to the current Artopex laminate finish chart to view the finishes.
- 10 Metal**  
Identify the finish of certain metal components (fascia, kick-plate, front, end panel structure, leg). Refer to the product description, to pages 9, 12 and 15 for codes and to the current Artopex metal finish chart to view the finishes.

- 11 N / H**  
Identify the pre-drilling of holes on the work surface (**RC1** series tables) in order to accommodate the transaction shelf. Code **N** (no pre-drilling) or code **H** (with pre-drilling).
- 12 N1, N2 and N3**  
Identify the color of the various tile levels (**RC3** series tables and transaction units). Refer to the product description and p.13 and 14 for details, and to the appropriate finish cards to visualize the colors.
- 13 Case**  
Identify the pigeonhole unit's case color. Available in laminate only. Refer to the product description for details and to the current Artopex laminate finish chart to view the finishes.
- 14 Fabric**  
Identify the choice of fabric (**RC2** series tackboard) offered in 5 grades. Refer to the Artopex Panel fabric charts to visualize the available colors.

### OPTIONS


- 15 Kick plate (K-plate)**  
If desired, add a 3" H. metal kick plate (code **FC**) on the **RC2** series transaction module. The kick plate color will match the fascia color (specified under "Metal").
- 16 Embossing**  
If desired, add the embossing option (code **OS**) on the metal fronts of the **RC1 / RC2** series furniture and the 13" H. metal fascia of the **RC2** series.
- 17 Grommet**  
If desired, identify the position for the grommet on furniture where this option is available. Refer to product description and to page 16 for details.

### CODIFICATION

Here are various codification examples, applied to different products.

#### RC1 Series

- Rectangular reception table - 29" H.
- Table 48" L.
- LL end-panel
- Laminate work surface, Moka color
- Base:** Moka
- Metal:** Polar White
- Transaction shelf to be installed



#### SPECIFY

	Code	LL/CL/LC/CC	L1/S1	Surface	Base	Metal	OPTIONS	
RC1-	DiA3048	LL	L1	PM	PM	3002	FC	H

Order codification: **RC1-DiA3048-LL-L1-PM-PM-3002-FC-H**

#### RC1 Series

- Curved 45° transaction shelf
- 9" H. shelf
- Laminate shelf, Maritime Maple color
- Acrylic front




#### SPECIFY

	Code	L1/S1	Shelf	
RC1-	RTCP4509	L1	EM	Gi

Order codification: **RC1-RTCP4509-L1-EM-Gi**

#### RC2 Series

- Curved 90° transaction module
- HPL shelf, Chestnut finish
- Base:** Chestnut
- Metal:** Champagne
- Kick plate option
- Embossing option on 13" H. fascia




#### SPECIFY

	Code	L1/S1	Shelf	Base	Metal	OPTIONS	
RC2-	CCA9042	S1	CG	CG	3311	FC	OS

Order codification: **RC2-CCA9042-S1-CG-CG-3311-FC-OS**

#### RC2 Series

- Curved 45° reception table / metal front
- CC end-panel
- Laminate work surface, Douglas Pine color
- Base:** Douglas Pine
- Metal:** Polar White
- Embossed metal front
- Grommet option (right)




#### SPECIFY

	Code	CL/LC/CC	L1/S1	Surface	Base	Metal	OPTIONS	
RC2-	DCM4530	CC	L1	DP	DP	3002	OS	GR

Order codification: **RC2-DCM4530-CC-L1-DP-3002-OS-GR**

#### RC3 Series

- Curved 90° reception table
- #7 Front configuration with perforated metal
- HPL work surface, White color
- Accent:** White
- Metal:** Silver
- N1:** Grenadine
- N2:** Grenadine
- Grommet option (left)




#### SPECIFY

	Code	Front	L1/S1	Surface	Accent	Metal	N1	N2	OPTION	
RC3-	Qi3030CC	7H	S1	BW	BW	3090	3044	3044	GL	

Order codification: **RC3-Qi3030CC-7H-S1-BW-BW-3090-3044-3044-GL**

#### RC3 Series

- Rectangular transaction unit
- 60" Long
- LC end-panel
- #6 Front configuration with perforated metal
- Laminate work surface and shelf, White color
- Accent:** Ginger Root
- Metal:** Silver
- N1:** Silver
- N2:** Tobacco Cherry
- N3:** Tobacco Cherry



#### SPECIFY


	Code	LL/CL/LC/CC	Front	L1/S1	Surface	Shelf	Accent	Metal	N1	N2	N3
RC3-	RD2460	LC	6H	L1	BW	BW	GG	3090	3090	TC	TC

Order codification: **RC3-RD2460-LC-6H-L1-BW-BW-GG-3090-TC-TC**


# receptions

## general information


RC1-LP001




RC1-LP002




RC1-LP003




RC1-LP004




RC1-LP005




RC1-LP006




RC1-LP007



RC1-LP008












RC1-LP009






# receptions


## general information




**RC3-LP001**




**RC3-LP002**




**RC3-LP003**




**RC3-LP004**




**RC3-LP005**




**RC3-LP006**




**RC3-LP007**




**RC3-LP008**




**RC3-LP009**



**RC3-LP010**





**RC3-LP011**





## RECTANGULAR RECEPTION TABLE - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
30	72	29	DiS3072		866	1059	8,1	125
30	66	29	DiS3066		814	1001	7,6	120
30	60	29	DiS3060		766	943	7,1	112
30	54	29	DiS3054		720	889	6,6	105
30	48	29	DiS3048		673	832	6,1	98
30	42	29	DiS3042		619	773	5,6	90
30	36	29	DiS3036		570	711	5,1	82
30	30	29	DiS3030		541	660	4,6	75
30	24	29	DiS3024		506	602	4,1	68

### SPECIFY

Code  LL/CL/LC/CC  L1 / S1  Surface  Base  N/H  Grommet

RC1-  -  -  -  -  -  -



### OPTION

Rectangular reception table - 29" H. with variety of end panel configurations.

Laminate front recessed  $2\frac{5}{8}$ ".

\* If a transaction shelf (see p.28 to 31) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : LAMINATE / METAL KICK PLATE



30	72	29	DiA3072	940	1133	8,1	125
30	66	29	DiA3066	888	1075	7,6	120
30	60	29	DiA3060	841	1018	7,1	112
30	54	29	DiA3054	794	964	6,6	105
30	48	29	DiA3048	747	906	6,1	98
30	42	29	DiA3042	693	847	5,6	90
30	36	29	DiA3036	644	785	5,1	82
30	30	29	DiA3030	615	735	4,6	75
30	24	29	DiA3024	580	676	4,1	68

### SPECIFY

Code  LL/CL/LC/CC  L1 / S1  Surface  Base  Metal  N/H  Grommet


RC1-  -  -  -  -  -  -  -  -

### OPTION

Rectangular reception table - 29" H. with variety of end panel configurations.

Laminate front recessed  $2\frac{5}{8}$ " equipped with a metal kick plate.

\* If a transaction shelf (see p.28 to 31) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).



Code N (without pre-drilling) Code H (with pre-drilling)

**Specify Code :** Consult the above list.

**LL/CL/LC/CC :** Specify the configuration code of the end panels (LL, CL, LC or CC), see p.8.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.8.

**Surface :** Specify the color for the surface, see p.9.

**Base :** Specify the color of the end panels and the laminate front, see p.9.

**Metal (Laminate front/metal kick plate) :** Specify the color of the kick plate, see p.9.

**N/H :** Specify the addition of pre-drilled holes for the counter top (H) or a surface without pre-drilling (N), see p.8.


**Option Grommets :** Grommet option can be installed on left (GL), center (GC) or right (GR), add \$30 ea., see p.16.

# RC1 series

price list

## ■ CURVED RECEPTION TABLE 90° - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
30	29	36	DCS9030		1955	2158	23,7	125

#### SPECIFY

Code CL/LC/CC L1 / S1 Surface Base N/H Grommet  
**RC1-**  -  -  -  -  -  -


#### OPTION

Curved reception table 90° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".

\* If a transaction shelf (see p.32) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : LAMINATE / METAL KICK PLATE



30	29	36	DCA9030	2029	2232	23,7	125
----	----	----	---------	------	------	------	-----

#### SPECIFY

Code CL/LC/CC L1 / S1 Surface Base Metal N/H Grommet  
**RC1-**  -  -  -  -  -  - **FC** -  -


#### OPTION

Curved reception table 90° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.

\* If a transaction shelf (see p.32) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : METAL



30	29	36	DCM9030	950	1204	23,7	125,0
----	----	----	---------	-----	------	------	-------

#### SPECIFY

Code CL/LC/CC L1 / S1 Surface Base Metal N/H Embossing Grom.  
**RC1-**  -  -  -  -  -  -  -  -  -



#### OPTIONS

Curved reception table 90° - 29" H. with variety of end panel configurations.

Metal front recessed 2-<sup>5</sup>/<sub>8</sub>".

\* If a transaction shelf (see p.32) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

Front with embossed metal option:



**Code N**  
(without pre-drilling)

**Code H**  
(with pre-drilling)

Specify Code : Consult the above list.

**CL/LC/CC** : Specify the code of the configuration of the end panels (CL, LC or CC), see p.8.

**L1/S1** : Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.8.

**Surface** : Specify the color for the surface, see p.9.

**Base** : Specify the color of the end panels and the laminate front, see p.9.

**Metal** (Laminate front/metal kick plate) : Specify the color of the kick plate, see p.9.

**N/H** : Specify the addition of pre-drilled holes for the counter top (H) or a surface without pre-drilling (N), see p.8.

Options **Embossing** (Metal Front) : If desired, add the option for embossing (OS), offered without charge.


**Grommets** : Grommet option can be installed on left (GL) or right (GR), add \$30 ea., see p.16.

# RC1 series

price list

## ■ CURVED RECEPTION TABLE 45° - 29" H.

### FRONT : LAMINATE



Dimensions		Product Code	Price		Specifications	
A	B		(L1)	(S1)	Cu.Ft.	lb
30	29	DCS4530	1955	2158	30,1	125

#### SPECIFY


RC1-  Code  CL/LC/CC  L1 / S1  Surface  Base  N/H  Grommet

Curved reception table 45° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".

\* If a transaction shelf (see p.33) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : LAMINATE / METAL KICK PLATE



30	29	DCA4530	2029	2232	30,1	125
----	----	---------	------	------	------	-----

#### SPECIFY


RC1-  Code  CL/LC/CC  L1 / S1  Surface  Base  Metal  N/H  Grommet

Curved reception table 45° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.

\* If a transaction shelf (see p.33) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : METAL



30	29	DCM4530	950	1204	30,1	125
----	----	---------	-----	------	------	-----

#### SPECIFY

RC1-  Code  CL/LC/CC  L1 / S1  Surface  Base  Metal  N/H  Embossing  Grom.

Curved reception table 45° - 29" H. with variety of end panel configurations.


Metal front recessed 2-<sup>5</sup>/<sub>8</sub>".

\* If a transaction shelf (see p.33) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).


Front with embossed metal option:



Code OS  
(embossing)



Code N  
(without pre-drilling)



Code H  
(with pre-drilling)

**Specify Code :** Consult the above list.

**CL/LC/CC :** Specify the code of the configuration of the end panels (CL, LC or CC), see p.8.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.8.

**Surface :** Specify the color for the surface, see p.9.

**Base :** Specify the color of the end panels and the laminate front, see p.9.

**Metal (Laminate front/metal kick plate) :** Specify the color of the kick plate, see p.9.


**N/H :** Specify the addition of pre-drilled holes for the counter top (H) or a surface without pre-drilling (N), see p.8.

**Options Embossing (Metal Front) :** If desired, add the option for embossing (OS), offered without charge.

**Grommets :** Grommet option can be installed on left (GL) or right (GR), add \$30 ea., see p.16.

## CORNER TABLES - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code	Price		Specifications	
A	B	C		(L1)	(S1)	Cu.Ft.	lb
30	30	29	DQS3030	992	1105	4,4	120

#### SPECIFY

Code  - L1 / S1  Surface  Base  N/H  Grommet

RC1-


Corner table - 29" H. with end panels.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".

Anodized aluminum central leg.

\* If a transaction shelf (see p.34) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).

### FRONT : LAMINATE / METAL KICK PLATE



30	30	29	DQA3030	1066	1179	4,4	120
----	----	----	---------	------	------	-----	-----

#### SPECIFY

Code  - L1 / S1  Surface  Base  Metal  N/H  Grommet


RC1-

Corner table - 29" H. with half end panels.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.

Anodized aluminum central leg.

\* If a transaction shelf (see p.34) is ordered for this table, specify the code (H) for the pre-drilled holes (factory installed) for the table. For a table without a transaction shelf, specify the code (N).



Specify Code : Consult the above list.

**L1/S1** : Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.8.

**Surface** : Specify the color for the surface, see p.9.

**Base** : Specify the color of the end panels and the laminate front, see p.9.


**Metal** : Specify the color of the kickplate, see p.9.

**N/H** : Specify the addition of pre-drilled holes for the counter top (H) or a surface without pre-drilling (N), see p.8.

Option **Grommets** : Grommet option can be installed on left (GL) or right (GR), add \$30 ea., see p.16.

## RECTANGULAR TRANSACTION SHELF

### OPEN



D : Number of posts

	Dimensions				Product Code		Price		Specifications	
	A	B	C	D			(L1)	(S1)	Cu.Ft.	lb
13" H.	72	12	13	3	RTIO7213		594	718	7,2	46
	66	12	13	3	RTIO6613		587	702	6,6	41,3
	60	12	13	3	RTIO6013		581	686	6,0	37,5
	54	12	13	2	RTIO5413		449	542	5,4	33,8
	48	12	13	2	RTIO4813		443	526	4,8	30
	42	12	13	2	RTIO4213		437	510	4,2	26,3
	36	12	13	2	RTIO3613		430	494	3,6	22,5
	30	12	13	2	RTIO3013		424	478	3,0	18,8
	24	12	13	2	RTIO2413		418	462	2,4	15
	24	12	13	2	RTIO2413		418	462	2,4	15
9" H.	72	12	9	3	RTIO7209		579	704	5,0	31,2
	66	12	9	3	RTIO6609		572	688	4,5	28,6
	60	12	9	3	RTIO6009		566	672	4,1	26
	54	12	9	2	RTIO5409		439	531	3,7	23,4
	48	12	9	2	RTIO4809		432	515	3,3	20,8
	42	12	9	2	RTIO4209		426	499	2,9	18,2
	36	12	9	2	RTIO3609		420	483	2,5	15,6
	30	12	9	2	RTIO3009		413	467	2,1	13
	24	12	9	2	RTIO2409		407	452	1,7	10,4
	24	12	9	2	RTIO2409		407	452	1,7	10,4

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -


Transaction shelf with rectangular surface, 13" H. or 9" H.

Open front.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

### LAMINATE



D : Number of posts

13" H.	72	12	13	3	RTIS7213	1054	1190	7,2	64
	66	12	13	3	RTIS6613	1015	1142	6,6	57,7
	60	12	13	3	RTIS6013	977	1093	6,0	52,4
	54	12	13	2	RTIS5413	781	883	5,4	47,2
	48	12	13	2	RTIS4813	743	834	4,8	41,9
	42	12	13	2	RTIS4213	704	784	4,2	36,7
	36	12	13	2	RTIS3613	666	736	3,6	31,5
	30	12	13	2	RTIS3013	628	687	3,0	26,2
	24	12	13	2	RTIS2413	589	638	2,4	21
	24	12	13	2	RTIS2413	589	638	2,4	21
9" H.	72	12	9	3	RTIS7209	920	1058	5,0	43,6
	66	12	9	3	RTIS6609	893	1019	4,5	39,9
	60	12	9	3	RTIS6009	864	981	4,1	36,3
	54	12	9	2	RTIS5409	685	785	3,7	32,7
	48	12	9	2	RTIS4809	656	747	3,3	29
	42	12	9	2	RTIS4209	629	709	2,9	25,4
	36	12	9	2	RTIS3609	601	671	2,5	21,8
	30	12	9	2	RTIS3009	572	632	2,1	18,2
	24	12	9	2	RTIS2409	545	594	1,7	14,5
	24	12	9	2	RTIS2409	545	594	1,7	14,5

#### SPECIFY

Code L1 / S1 Shelf Laminate  
**RC1-**  -  -  -

Transaction shelf with rectangular surface, 13" H. or 9" H.

Laminate front.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

**Specify Code** : Consult the above list.

**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.


**Shelf** : Specify the color for the shelf, see p.9.

**Laminate** (Laminate Front) : Specify the color of the front (laminate), see p.9.



## RECTANGULAR TRANSACTION SHELF

### METAL



D : Number of posts

	Dimensions				Product Code		Price		Specifications	
	A	B	C	D			(L1)	(S1)	Cu.Ft.	lb
13" H.	72	12	13	3	RTiM7213		909	1052	7,2	64
	66	12	13	3	RTiM6613		888	1021	6,6	57,7
	60	12	13	3	RTiM6013		868	989	6,0	52,4
	54	12	13	2	RTiM5413		684	790	5,4	47,2
	48	12	13	2	RTiM4813		664	758	4,8	41,9
	42	12	13	2	RTiM4213		642	726	4,2	36,7
	36	12	13	2	RTiM3613		623	696	3,6	31,5
	30	12	13	2	RTiM3013		602	665	3,0	26,2
	24	12	13	2	RTiM2413		582	633	2,4	21
	24	12	9	2	RTiM2409		552	603	1,7	14,5
9" H.	72	12	9	3	RTiM7209		843	986	5,0	43,6
	66	12	9	3	RTiM6609		826	958	4,5	39,9
	60	12	9	3	RTiM6009		810	932	4,1	36,3
	54	12	9	2	RTiM5409		634	740	3,7	32,7
	48	12	9	2	RTiM4809		618	713	3,3	29
	42	12	9	2	RTiM4209		602	686	2,9	25,4
	36	12	9	2	RTiM3609		585	658	2,5	21,8
	30	12	9	2	RTiM3009		569	632	2,1	18,2
	24	12	9	2	RTiM2409		552	603	1,7	14,5

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  -


Transaction shelf with rectangular surface, 13" H. or 9" H.

Embossed metal front.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

### ACRYLIC



D : Number of posts

13" H.	72	12	13	3	RTiP7213		909	1052	7,2	64
	66	12	13	3	RTiP6613		888	1021	6,6	57,7
	60	12	13	3	RTiP6013		868	989	6,0	52,4
	54	12	13	2	RTiP5413		684	790	5,4	47,2
	48	12	13	2	RTiP4813		664	758	4,8	41,9
	42	12	13	2	RTiP4213		642	726	4,2	36,7
	36	12	13	2	RTiP3613		623	696	3,6	31,5
	30	12	13	2	RTiP3013		602	665	3,0	26,2
	24	12	13	2	RTiP2413		582	633	2,4	21
	24	12	9	2	RTiP2409		552	603	1,7	14,5
9" H.	72	12	9	3	RTiP7209		843	986	5,0	43,6
	66	12	9	3	RTiP6609		826	958	4,5	39,9
	60	12	9	3	RTiP6009		810	932	4,1	36,3
	54	12	9	2	RTiP5409		634	740	3,7	32,7
	48	12	9	2	RTiP4809		618	713	3,3	29
	42	12	9	2	RTiP4209		602	686	2,9	25,4
	36	12	9	2	RTiP3609		585	658	2,5	21,8
	30	12	9	2	RTiP3009		569	632	2,1	18,2
	24	12	9	2	RTiP2409		552	603	1,7	14,5

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  - **Gi**

Transaction shelf with rectangular surface, 13" H. or 9" H.

Frosted acrylic front.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

**Specify Code :** Consult the above list.


**L1/S1 :** Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.

**Shelf :** Specify the color for the shelf, see p.9.

**Metal (Metal Front) :** Specify the color of the front (metal), see p.9.

## RECTANGULAR TRANSACTION SHELF

### ACCESSORY BARS



D : Number of posts

Dimensions				Product Code	Price		Specifications	
A	B	C	D		(L1)	(S1)	Cu.Ft.	lb
72	12	13	3	RTIB7213	1280	1405	7,2	64
66	12	13	3	RTIB6613	1242	1357	6,6	57,7
60	12	13	3	RTIB6013	1204	1309	6,0	52,4
54	12	13	2	RTIB5413	881	973	5,4	47,2
48	12	13	2	RTIB4813	843	925	4,8	41,9
42	12	13	2	RTIB4213	803	877	4,2	36,7
36	12	13	2	RTIB3613	765	829	3,6	31,5
30	12	13	2	RTIB3013	726	780	3,0	26,2
24	12	13	2	RTIB2413	688	732	2,4	21

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -


Transaction shelf with rectangular surface, 13" H.

Front comprised of 3 anodized aluminum accessory bars.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

### ACCESSORY BARS and LAMINATE



D : Number of posts

A	B	C	D	Product Code	(L1)	(S1)	Cu.Ft.	lb
72	12	13	3	RTIBS7213	1110	1240	7,2	64
66	12	13	3	RTIBS6613	1072	1193	6,6	57,7
60	12	13	3	RTIBS6013	1034	1144	6,0	52,4
54	12	13	2	RTIBS5413	802	899	5,4	47,2
48	12	13	2	RTIBS4813	764	851	4,8	41,9
42	12	13	2	RTIBS4213	727	803	4,2	36,7
36	12	13	2	RTIBS3613	688	755	3,6	31,5
30	12	13	2	RTIBS3013	650	707	3,0	26,2
24	12	13	2	RTIBS2413	613	659	2,4	21

#### SPECIFY

Code L1 / S1 Shelf Laminate  
**RC1-**  -  -  -

Transaction shelf with rectangular surface, 13" H.

Front comprised of 1 anodized aluminum accessory bar and laminate section at base.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

Specify Code : Consult the above list.


**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.

**Shelf** : Specify the color for the shelf, see p.9.

**Laminate** (Laminate Front) : Specify the color of the front (laminate), see p.9.

## RECTANGULAR TRANSACTION SHELF

### ACCESSORY BARS and METAL



D : Number of posts

Dimensions				Product Code	Price		Specifications	
A	B	C	D		(L1)	(S1)	Cu.Ft.	lb
72	12	13	3	RTiBM7213	1044	1174	7,2	64
66	12	13	3	RTiBM6613	1014	1134	6,6	57,7
60	12	13	3	RTiBM6013	985	1095	6,0	52,4
54	12	13	2	RTiBM5413	761	859	5,4	47,2
48	12	13	2	RTiBM4813	731	818	4,8	41,9
42	12	13	2	RTiBM4213	702	778	4,2	36,7
36	12	13	2	RTiBM3613	671	738	3,6	31,5
30	12	13	2	RTiBM3013	642	699	3,0	26,2
24	12	13	2	RTiBM2413	613	659	2,4	21

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  -


Transaction shelf with rectangular surface, 13" H.

Front comprised of 1 anodized aluminum accessory bar and embossed metal section at base.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

### ACCESSORY BARS and ACRYLIC



D : Number of posts

72	12	13	3	RTiBP7213	1044	1174	7,2	64
66	12	13	3	RTiBP6613	1014	1134	6,6	57,7
60	12	13	3	RTiBP6013	985	1095	6,0	52,4
54	12	13	2	RTiBP5413	761	859	5,4	47,2
48	12	13	2	RTiBP4813	731	818	4,8	41,9
42	12	13	2	RTiBP4213	702	778	4,2	36,7
36	12	13	2	RTiBP3613	671	738	3,6	31,5
30	12	13	2	RTiBP3013	642	699	3,0	26,2
24	12	13	2	RTiBP2413	613	659	2,4	21

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -  - **Gi**

Transaction shelf with rectangular surface, 13" H.

Front comprised of 1 anodized aluminum accessory bar and acrylic section at base.

Supported by anodized aluminum posts (2 or 3 - see column "D").

Installs on the rectangular reception table of the **RC1** series.

**Specify Code** : Consult the above list.

**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.

**Shelf** : Specify the color for the shelf, see p.9.

**Metal** (Metal Front) : Specify the color of the front (metal), see p.9.

## ▲ CURVED 90° TRANSACTION SHELF

### OPEN



	Dimensions		Product Code	Price		Specifications	
	A	B		(L1)	(S1)	Cu.Ft.	lb
13" H.	12	13	RTCO9013	484	655	10,6	44
9" H.	12	9	RTCO9009	474	644	7,3	40

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -

Transaction shelf with curved surface 90°, 13" H or 9"H.  
 Open front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 90° reception table of the **RC1** series.

### LAMINATE




13" H.	12	13	RTCS9013	1697	1868	10,6	59
9" H.	12	9	RTCS9009	1686	1857	7,3	55

#### SPECIFY

Code L1 / S1 Shelf Laminate  
**RC1-**  -  -  -

Transaction shelf with curved surface 90°, 13" H or 9"H.  
 Laminate front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 90° reception table of the **RC1** series.

### EMBOSSED METAL



13" H.	12	13	RTCM9013	778	984	10,6	59
9" H.	12	9	RTCM9009	702	907	7,3	55

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  -

Transaction shelf with curved 90° surface, 13" H or 9"H.  
 Embossed metal front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 90° reception table of the **RC1** series.

### ACRYLIC



13" H.	12	13	RTCP9013	778	984	10,6	59
9" H.	12	9	RTCP9009	702	907	7,3	55

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -  - **Gi**

Transaction shelf with curved surface 90°, 13" H or 9"H.  
 Frosted acrylic front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 90° reception table of the **RC1** series.

Specify Code : Consult the above list.

**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.


**Shelf** : Specify the color for the shelf, see p.9.

**Laminate** (Laminate Front) : Specify the color of the front (laminate), see p.9.

**Metal** (Metal Front) : Specify the color of the front (metal), see p.9.

## CURVED 45° TRANSACTION SHELF

### OPEN



	Dimensions		Product Code	Price		Specifications	
	A	B		(L1)	(S1)	Cu.Ft.	lb
13" H.	12	13	RTCO4513	484	655	7,3	48
9" H.	12	9	RTCO4509	474	644	5,1	44

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -

Transaction shelf with curved surface 45°, 13" H or 9"H.  
 Open front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 45° reception table of the **RC1** series.

### LAMINATE



13" H.	12	13	RTCS4513	1697	1868	7,3	66
9" H.	12	9	RTCS4509	1686	1857	5,1	61

#### SPECIFY

Code L1 / S1 Shelf Laminate  
**RC1-**  -  -  -

Transaction shelf with curved surface 45°, 13" H or 9"H.  
 Laminate front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 45° reception table of the **RC1** series.

### EMBOSSED METAL



13" H.	12	13	RTCM4513	778	984	7,3	66
9" H.	12	9	RTCM4509	702	907	5,1	61

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  -

Transaction shelf with curved surface 45°, 13" H or 9"H.  
 Embossed metal front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 45° reception table of the **RC1** series.

### ACRYLIC



13" H.	12	13	RTCP4513	778	984	7,3	66
9" H.	12	9	RTCP4509	702	907	5,1	61

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -  - **Gi**

Transaction shelf with curved surface 45°, 13" H or 9"H.  
 Frosted acrylic front.  
 Supported by 2 anodized aluminum posts.  
 Installs on the curved 45° reception table of the **RC1** series.

**Specify Code :** Consult the above list.

**L1/S1 :** Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.


**Shelf :** Specify the color for the shelf, see p.9.

**Laminate (Laminate Front) :** Specify the color of the front (laminate), see p.9.

**Metal (Metal Front) :** Specify the color of the front (metal), see p.9.

## CORNER TRANSACTION SHELF

### OPEN



	Dimensions			Product Code	Price		Specifications	
	A	B	C		(L1)	(S1)	Cu.Ft.	lb
13" H.	34 1/4	12	13	RTQO3013	647	866	10,1	66
9" H.	34 1/4	12	9	RTQO3009	632	851	7,0	62

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -


Transaction shelf with corner surface, 13" H or 9"H.

Open front.

Supported by 3 anodized aluminum posts.

Installs on the corner reception table of the **RC1** series.

### LAMINATE



13" H.	34 1/4	12	13	RTQS3013	947	1188	10,1	94
9" H.	34 1/4	12	9	RTQS3009	869	1110	7,0	90

#### SPECIFY

Code L1 / S1 Shelf Laminate  
**RC1-**  -  -  -


Transaction shelf with corner surface, 13" H or 9"H.

Laminate front.

Supported by 3 anodized aluminum posts.

Installs on the corner reception table of the **RC1** series.

### EMBOSSED METAL



13" H.	34 1/4	12	13	RTQM3013	908	1161	10,1	94
9" H.	34 1/4	12	9	RTQM3009	856	1110	7,0	90

#### SPECIFY

Code L1 / S1 Shelf Metal  
**RC1-**  -  -  -


Transaction shelf with corner surface, 13" H or 9"H.

Embossed metal front.

Supported by 3 anodized aluminum posts.

Installs on the corner reception table of the **RC1** series.

### ACRYLIC



13" H.	34 1/4	12	13	RTQP3013	908	1161	10,1	94
9" H.	34 1/4	12	9	RTQP3009	856	1110	7,0	90

#### SPECIFY

Code L1 / S1 Shelf  
**RC1-**  -  -  - **Gi**

Transaction shelf with corner surface, 13" H or 9"H.

Frosted acrylic front.

Supported by 3 anodized aluminum posts.

Installs on the corner reception table of the **RC1** series.

Specify Code : Consult the above list.


**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.8.

**Shelf** : Specify the color for the shelf, see p.9.

**Laminate** (Laminate Front) : Specify the color of the front (laminate), see p.9.


**Metal** (Metal Front) : Specify the color of the front (metal), see p.9.

LOW TABLES




Dimensions			Product Code	Price		Specifications	
A	B	C		(L1)	(S1)	Cu.Ft.	lb
35	22½	15	TMAF3522	735	872	3,5	40

Low wavy-shaped table, 15" H.  
Base made of anodized tubular aluminum posts with levellers.



36	24	15	TMAS2436	675	802	3,3	40
24	24	15	TMAS2424	654	739	2,2	33

Low rectangular table, 15" H.  
Base made of anodized tubular aluminum posts with levellers.



42	24	15	TMAO2442	740	896	3,9	42
----	----	----	----------	-----	-----	-----	----

Low oval-shaped table, 15" H.  
Base made of anodized tubular aluminum posts with levellers.

**SPECIFY**


Code	L1 / S1	Surface
RC1-	<input type="text"/>	<input type="text"/>

**Specify Code :** Consult the above list.  
**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.9.  
**Surface :** Specify the color for the surface, see p.9.





## RECTANGULAR TABLE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
24	72	29	Ri2472		562	739	6,5	115
24	66	29	Ri2466		541	700	6,1	110
24	60	29	Ri2460		506	667	5,7	102
24	54	29	Ri2454		482	637	5,3	95
24	48	29	Ri2448		464	613	4,9	88
24	42	29	Ri2442		432	572	4,5	80
24	36	29	Ri2436		403	533	4,1	72
24	30	29	Ri2430		381	504	3,7	65
24	24	29	Ri2424		357	476	3,3	58

### SPECIFY


Code	LL/CL/LC/CC	L1/S1	Surface	Base
RC2 -				

Rectangular table 29" H. w/variety of end panels, 9" H. modesty panel recessed 2 1/2"

To be used with Transaction Module below.

## TRANSACTION MODULE - 42" H. FOR RECTANGULAR TABLE

### FASCIA 3"



10	72	42	CiS7242		1056	1162	19,3	120
10	66	42	CiS6642		997	1094	17,6	110
10	60	42	CiS6042		936	1024	16,0	100
10	54	42	CiS5442		873	953	14,4	90
10	48	42	CiS4842		810	881	12,8	80
10	42	42	CiS4242		741	803	11,2	70
10	36	42	CiS3642		681	734	9,6	60
10	30	42	CiS3042		622	667	8,0	50
10	24	42	CiS2442		564	599	6,4	40

### SPECIFY


Code	L1 / S1	Shelf	Base	Metal	K-Plate
RC2 -					

Rectangular Transaction Module 42" H. with laminate front and 3" H. metal fascia.

To be used with the above Ri--- table or certain tables from the Take Off collection.

The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

### FASCIA 13"



10	72	42	CiA7242		1155	1261	19,3	120
10	66	42	CiA6642		1089	1185	17,6	110
10	60	42	CiA6042		1019	1107	16,0	100
10	54	42	CiA5442		952	1031	14,4	90
10	48	42	CiA4842		884	955	12,8	80
10	42	42	CiA4242		811	873	11,2	70
10	36	42	CiA3642		745	798	9,6	60
10	30	42	CiA3042		683	727	8,0	50
10	24	42	CiA2442		619	654	6,4	40

### SPECIFY

Code	L1 / S1	Shelf	Base	Metal	K-Plate	Embossing
RC2 -						

Rectangular Transaction Module 42" H. with laminate front and 13" H. metal fascia.

To be used with the above Ri--- table or certain tables from the Take Off collection.

The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

**Specify Code** : Consult the above list.

**LL/CL/LC/CC** : Specify the configuration code of the end panels (LL, CL, LC or CC), see p.10.

**L1/S1** : Specify the code identifying the type of finish for the surface or shelf (L1=TFL, S1=HPL), see p.10.

**Surface** (Table) : Specify the color for the work surface, see p.12.


**Base** : Specify the color of the end panels + modesty (+ laminate front of Transaction. Module), see p.12.

**Shelf** (Transaction Module) : Specify the color of the shelf, see p.12.


**Metal** : Specify the color of the metal sections on the front (fascia and optional kickplate), see p.12.

**Options K-plate** : Metal kick plate option code (FC), add \$70, see p.10.

**Embossing** : Optional embossing on 13" H. fascia (OS), no charge.



## JUNCTION SHELF FOR COUNTER TOP MODULE



Dimensions		Product Code	Price		Specifications	
A	B		(L1)	(S1)	Cu.Ft.	lb
10	10	CC9010	130	147	0,1	3

### SPECIFY


Code L1 / S1 Shelf  
**RC2** -  -  -

Junction shelf 90° joining 2 rectangular counter top Modules 42" H.


Used to consolidate 2 straight Transaction Modules placed at 90°.

## END TRANSACTION MODULE FOR 90° CORNER CONFIGURATION - 42" H.

### FASCIA 3"



RIGHT side



Side	Dimensions			Product Code	Price		Specifications	
	A	B	C		(L1)	(S1)	Cu.Ft.	lb
Left	10	42	24	CiLS2442	608	659	6,4	40
Right	10	42	24	CiRS2442	608	659	6,4	40

### SPECIFY


Code L1 / S1 Shelf Base Metal K-Plate  
**RC2** -  -  -  -  -  -

### OPTION


End Transaction Module, 42" H. laminate front with 3" H. metal fascia.

Installs next to a rectangular or curved table. Table must have a full leg (L) on the connecting side.


The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.



### FASCIA 13"



RIGHT side



Left	10	42	24	CiLA2442	664	714	6,4	40
Right	10	42	24	CiRA2442	664	714	6,4	40

### SPECIFY


Code L1 / S1 Shelf Base Metal K-Plate Embossing  
**RC2** -  -  -  -  -  -  -

### OPTIONS


End Transaction Module, 42" H. laminate front with 13" H. metal fascia.

Installs next to a rectangular or curved table. Table must have a full leg (L) on the connecting side.

The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.



13" metal front with embossed metal option:



Specify Code : Consult the above list.

**L1/S1** : Specify the code identifying the type of finish for the shelf (L1=TFL, S1=HPL), see p.10.

**Shelf** : Specify the color of the shelf, see p.12.


**Base** : Specify the color of the end panels (and laminate front of Transaction Module), see p.12.

**Metal** : Specify the color of the metal sections on the front (fascia and optional kick plate), see p.12.

Options **K-plate** : Metal kick plate option code (FC), add \$70, see p.10.

**Embossing** : Optional embossing on 13" H. fascia (OS), no charge.

## CURVED TABLE 90° - 29" H.



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
24	29	30	RC9024		406	543	10,6	80


### SPECIFY

Code	CL/LC/CC	L1/S1	Surface	Base
RC2 -				

Curved Table 90° - 29" H. with variety of end panels configurations.  
To be used with the Transaction Modules below.

## CURVED TRANSACTION MODULE 90° - 42" H. FOR CURVED TABLE 90°

### FASCIA 3"



Dimensions		Product Code		Price		Specifications	
A	B			(L1)	(S1)	Cu.Ft.	lb
10	42	CCS9042		2195	2350	31,0	75


### SPECIFY

Code	L1 / S1	Shelf	Base	Metal	K-Plate
RC2 -					

Curved Transaction Module 90° - 42" H. laminate front with 3" H. metal fascia.  
To be used with the RC9024 curved table listed above.

The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

### FASCIA 13"



10	42	CCA9042	2322	2477	31,0	75
----	----	---------	------	------	------	----

### SPECIFY

Code	L1 / S1	Shelf	Base	Metal	K-Plate	Embossing
RC2 -						

Curved Transaction Module 90° - 42" H. laminate front with 13" H. metal fascia.  
To be used with the RC9024 curved table listed above.

The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

Specify Code : Consult the above list.

**CL/LC/CC** (Table) : Specify the code of the configuration of the end panels (**CL**, **LC** or **CC**), see p.10.

**L1/S1** : Specify the code identifying the type of finish for the surface or the shelf (**L1**=TFL, **S1**=HPL), see p.12.

**Surface** (Table) : Specify the color for the work surface, see p.12.

**Base** : Specify the color of the end panels + modesty (+ laminate front of Transaction. Module), see p.12.


**Shelf** (Transaction Module) : Specify the color of the shelf, see p.12.

**Metal** : Specify the color of the metal sections on the front (fascia and optional kick plate), see p.12.



Options **K-plate** : Metal kick plate option code (**FC**), add \$70, see p.10.

**Embossing** : Optional embossing on 13" H. fascia (**OS**), no charge.

13" metal front with  
embossed metal option:



## CURVED TABLE 45° - 29" H.



Dimensions		Product Code	Price		Specifications	
A	B		(L1)	(S1)	Cu.Ft.	lb
24	29	RC4524	406	543	10,6	75

### SPECIFY


Code CL/LC/CC L1/S1 Surface Base

RC2 -  -  -  -  -


Curved Table 45° - 29" H. with variety of end panels configurations.  
To be used with the Transaction Modules below.

## CURVED TRANSACTION MODULE 45° - 42" H. FOR CURVED TABLE 45°

### FASCIA 3"



Front with metal kick plate option:



Dimensions		Product Code	Price		Specifications	
A	B		(L1)	(S1)	Cu.Ft.	lb
10	42	CCS4542	2195	2350	22,2	75


### SPECIFY

Code L1/S1 Shelf Base Metal K-Plate


RC2 -  -  -  -  -  -

Curved Transaction Module 45° - 42" H. laminate front with 3" H. metal fascia.  
To be used with the RC4524 curved table listed above.  
The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

### FASCIA 13"



Front with metal kick plate option:



10	42	CCA4542	2322	2477	22,2	75
----	----	---------	------	------	------	----

### SPECIFY

Code L1/S1 Shelf Base Metal K-Plate Embossing

RC2 -  -  -  -  -  -  -

Curved Transaction Module 45° - 42" H. laminate front with 13" H. metal fascia.  
To be used with the RC4524 curved table listed above.  
The Module can be fitted with a metal kick plate trim. Add the code (FC), add \$70.

**Specify Code :** Consult the above list.

**CL/LC/CC (Table) :** Specify the code of the configuration of the end panels (CL, LC or CC), see p.10.

**L1/S1 :** Specify the code identifying the type of finish for the surface or the shelf (L1=TFL, S1=HPL), see p.12.

**Surface (Table) :** Specify the color for the work surface, see p.12.

**Base :** Specify the color of the end panels + modesty (+ laminate front of Transaction. Module), see p.12.


**Shelf (Transaction Module) :** Specify the color of the shelf, see p.12.

**Metal :** Specify the color of the metal sections on the front (fascia and optional kick plate), see p.12.

**Options K-plate :** Metal kick plate option code (FC), add \$70, see p.10.



**Embossing :** Optional embossing on 13" H. fascia (OS), no charge.

13" metal front with embossed metal option:



## RECTANGULAR RECEPTION TABLE - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
30	72	29	DiS3072		866	1059	8,1	125
30	66	29	DiS3066		814	1001	7,6	120
30	60	29	DiS3060		766	943	7,1	112
30	54	29	DiS3054		720	889	6,6	105
30	48	29	DiS3048		673	832	6,1	98
30	42	29	DiS3042		619	773	5,6	90
30	36	29	DiS3036		570	711	5,1	82
30	30	29	DiS3030		541	660	4,6	75
30	24	29	DiS3024		506	602	4,1	68

#### SPECIFY

Code LL/CL/LC/CC L1/S1 Surface Base Grommet

RC2 -  -  -  -  -  -

#### OPTION



Rectangular reception table - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".



Attention : These tables can not be used with a Transaction Module installed in front.

### FRONT : LAMINATE and METAL KICK PLATE



30	72	29	DiA3072	940	1133	8,1	125
30	66	29	DiA3066	888	1075	7,6	120
30	60	29	DiA3060	841	1018	7,1	112
30	54	29	DiA3054	794	964	6,6	105
30	48	29	DiA3048	747	906	6,1	98
30	42	29	DiA3042	693	847	5,6	90
30	36	29	DiA3036	644	785	5,1	82
30	30	29	DiA3030	615	735	4,6	75
30	24	29	DiA3024	580	676	4,1	68

#### SPECIFY

Code LL/CL/LC/CC L1/S1 Surface Base Metal Grommet

RC2 -  -  -  -  -  -  - FC -

#### OPTION

Rectangular reception table - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.



Attention : These tables can not be used with a Transaction Module installed in front.

Specify **Code** : Consult the above list.

**LL/CL/LC/CC** : Specify the configuration code of the end panels (**LL**, **CL**, **LC** or **CC**), see p.11.

**L1/S1** : Specify the code identifying the type of finish for the surface (**L1**=TFL, **S1**=HPL), see p.11.

**Surface** : Specify the color for the work surface, see p.12.

**Base** : Specify the color of the end panels and the laminate front, see p.12.

**Metal** : Specify the color of the metal section (kick plate), see p.12.


Option **Grommets** : Grommet option can be installed on left (**GL**), center (**GC**) or right (**GR**), add \$30 ea., see p.16.

# RC2 series

price list

## ▲ CURVED RECEPTION TABLE 90° - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
30	29	36	DCS9030		1955	2158	23,7	125

#### SPECIFY

Code  CL/LC/CC  L1/S1  Surface  Base  Grommet

**RC2** -  -  -  -  -  -

#### OPTION


Curved reception table 90° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".



**Attention : These tables can not be used with a Transaction Module installed in front.**

### FRONT : LAMINATE / METAL KICK PLATE



30	29	36	DCA9030	2029	2232	23,7	125
----	----	----	---------	------	------	------	-----

#### SPECIFY

Code  CL/LC/CC  L1/S1  Surface  Base  Metal  Grommet

**RC2** -  -  -  -  -  -  - **FC** -

#### OPTION


Curved reception table 90° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.



**Attention : These tables can not be used with a Transaction Module installed in front.**

### FRONT : METAL



30	29	36	DCM9030	950	1204	23,7	125
----	----	----	---------	-----	------	------	-----

#### SPECIFY

Code  CL/LC/CC  L1/S1  Surface  Base  Metal  Embossing  Grom.

**RC2** -  -  -  -  -  -  -  -

#### OPTIONS


Curved reception table 90° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".



**Attention : These tables can not be used with a Transaction Module installed in front.**

Metal front with  
embossed metal option:



Specify **Code** : Consult the above list.

**CL/LC/CC** : Specify the code of the configuration of the end panels (**CL**, **LC** or **CC**), see p.11.

**L1/S1** : Specify the code identifying the type of finish for the surface (**L1**=TFL, **S1**=HPL), see p.11.

**Surface** : Specify the color for the work surface, see p.12.

**Base** : Specify the color of the end panels and the laminate front, see p.12.


**Metal** : Specify the color of the metal sections (kick plate or front), see p.12.

Options **Embossing** (Metal front) : If requested, add embossing option (**OS**), without charge.

**Grommets** : Grommet option can be installed on left (**GL**) or right (**GR**), add \$30 ea., see p.16.

## ■ CURVED RECEPTION TABLE 45° - 29" H.

### FRONT : LAMINATE



Dimensions		Product Code	Price		Specifications	
A	B		(L1)	(S1)	Cu.Ft.	lb
30	29	DCS4530	1955	2158	30,1	125


SPECIFY					OPTION	
Code	CL/LC/CC	L1/S1	Surface	Base	Grommet	
RC2 -						

Curved reception table 45° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".

**Attention : These tables can not be used with a Transaction Module installed in front.**

### FRONT : LAMINATE / METAL KICK PLATE



30	29	DCA4530	2029	2232	30,1	125
----	----	---------	------	------	------	-----


SPECIFY					OPTION	
Code	CL/LC/CC	L1/S1	Surface	Base	Metal	Grommet
RC2 -						

Curved reception table 45° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>" equipped with a metal kick plate.

**Attention : These tables can not be used with a Transaction Module installed in front.**

### FRONT : METAL



30	29	DCM4530	950	1204	30,1	125
----	----	---------	-----	------	------	-----

SPECIFY					OPTIONS		
Code	CL/LC/CC	L1/S1	Surface	Base	Metal	Embossing	Grom.
RC2 -							

Curved reception table 45° - 29" H. with variety of end panel configurations.

Laminate front recessed 2-<sup>5</sup>/<sub>8</sub>".

**Attention : These tables can not be used with a Transaction Module installed in front.**

Metal front with  
embossed metal option:



**Specify Code :** Consult the above list.

**CL/LC/CC :** Specify the code of the configuration of the end panels (CL, LC or CC), see p.11.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.11.

**Surface :** Specify the color for the work surface, see p.12.

**Base :** Specify the color of the end panels and the laminate front, see p.12.


**Metal :** Specify the color of the metal sections (kickplate or front), see p.12.

**Options Embossing (Metal front) :** If requested, add embossing option (OS), without charge.

**Grommets :** Grommet option can be installed on left (GL) or right (GR), add \$30 ea., see p.16.

## CORNER RECEPTION TABLE - 29" H.

### FRONT : LAMINATE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
30	30	29	DQS3030		992	1105	4,4	120

SPECIFY					OPTION	
Code	L1 / S1	Surface	Base	Grommet		
RC2 -						


Corner table - 29" H. with half end panels.

Laminate front recessed 2<sup>-5</sup>/<sub>8</sub>".

Anodized aluminum central leg.

**Attention : These tables can not be used with a Transaction Module installed in front.**

### FRONT : LAMINATE / METAL KICK PLATE



30	30	29	DQA3030		1066	1179	4,4	120
----	----	----	---------	--	------	------	-----	-----

SPECIFY					OPTION	
Code	L1/S1	Surface	Base	Metal	Grommet	
RC2 -					FC -	

Corner table - 29" H. with half end panels.

Laminate front recessed 2<sup>-5</sup>/<sub>8</sub>" equipped with a metal kick plate.

Anodized aluminum central leg.

**Attention : These tables can not be used with a Transaction Module installed in front.**

**Specify Code :** Consult the above list.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.11.

**Surface :** Specify the color for the work surface, see p.12.


**Base :** Specify the color of the end panels and the laminate front, see p.12.

**Metal :** Specify the color of the metal sections (kick plate), see p.12.

**Option Grommets :** Grommet option can be installed on left (GL) or right (GR), add \$30 ea., see p.16.



## ACCESSORY BAR



Dimensions		Product Code	Price		Specifications	
A	B				Cu.Ft.	lb
4	70	<b>ACBM70</b>	193	For 72" module	0,5	7
4	64	<b>ACBM64</b>	181	For module 66" or more	0,4	6,4
4	58	<b>ACBM58</b>	171	For module 60" or more	0,4	5,9
4	52	<b>ACBM52</b>	162	For module 54" or more	0,4	5,3
4	46	<b>ACBM46</b>	152	For module 48" or more	0,3	4,7
4	40	<b>ACBM40</b>	142	For module 42" or more	0,3	4,1
4	34	<b>ACBM34</b>	131	For module 36" or more	0,2	3,5
4	28	<b>ACBM28</b>	122	For module 30" or more	0,2	2,9
4	22	<b>ACBM22</b>	112	For module 24" or more	0,2	2,3

### SPECIFY


Code Metal  
**RC2** -  -

Accessory bar, attaches directly onto the inside of the rectangular Transaction Module.

Can be ordered in the desired length.

Bar can be installed at desired height depending on selected accessory size.

## LOW TABLE



Dimensions			Product Code	Price		Specifications	
A	B	C		(L1)	(S1)	Cu.Ft.	lb
24	36	18	<b>TMAS2436</b>	348	456	9,9	59,4
24	24	18	<b>TMAS2424</b>	306	378	6,6	39,6

### SPECIFY

Code L1 / S1 Surface Base Metal  
**RC2** -  -  -  -  -

Low table with metal shelf.

Interior space height : 8½".

**Specify Code** : Consult the above list.


**L1/S1** : Specify the code identifying the type of finish for the surface (**L1**=TFL, **S1**=HPL), see p.11.

**Surface** (Table) : Specify the color for the surface, see p.12.

**Base** (Table) : Specify the color of the end panels, see p.12.

**Metal** (Metal shelf & Accessory bar) : Specify the color of the metal : Silver (**3090**), Ashen (**3370**), Champagne (**3311**) or Polar White (**3002**).

## TACKBOARD



Dimensions			Product Code	Price					Specifications	
A	B			Gr. 1	C.O.M./Gr2	Gr. 3	Gr. 4	Gr. 5	Cu.Ft.	lb
13	70	For 72" module	BT7013	290	329	364	389	407	1,8	18,9
13	64	For module 66" or more	BT6413	255	290	323	344	364	1,7	17,28
13	58	For module 60" or more	BT5813	212	244	268	276	282	1,5	15,66
13	52	For module 54" or more	BT5213	201	231	254	262	270	1,4	14,04
13	46	For module 48" or more	BT4613	198	224	243	253	262	1,2	12,42
13	40	For module 42" or more	BT4013	160	187	198	211	216	1,1	10,8
13	34	For module 36" or more	BT3413	145	165	182	189	200	0,9	9,18
13	28	For module 30" or more	BT2813	134	149	165	177	182	0,8	7,56
13	22	For module 24" or more	BT2213	123	132	149	158	166	0,6	5,94

### SPECIFY

Code Fabric  
AC -  -

Tackboard, attaches directly to the interior of the rectangular Transaction Module with Velcro strips.


**Specify Code :** Consult the above list.

**Fabric :** Refer to the Artopex panel fabric brochure.




## RECTANGULAR TRANSACTION UNIT

**FRONT CONFIGURATIONS**




	#1	#2	#3	#4	#5	#6
LEVEL 3	METAL	ACRYLIC	LAMINATE	METAL	ACRYLIC	LAMINATE
LEVEL 2	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	LAMINATE
LEVEL 1	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	METAL

Add "H" for a perforated motif in the metal sections (example: **2H**)



Example : Code **2H**



Dimensions					Product Code	Price - Fronts						Specifications	
						Fronts 1 and 2		Front 3		Fronts 4, 5 and 6			
A	B	C	D	E		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
24	72	30	12	42	RD12472	1711	2054	2279	2622	2060	2403	57,8	215
24	66	30	12	42	RD12466	1662	1980	2173	2490	1973	2290	52,9	198,5
24	60	30	12	42	RD12460	1603	1889	2065	2351	1886	2172	48,1	180,5
24	54	30	12	42	RD12454	1554	1815	1959	2219	1799	2059	43,3	162,4
24	48	30	12	42	RD12448	1444	1674	1794	2024	1658	1888	38,5	144,4
24	42	30	12	42	RD12442	1396	1600	1688	1891	1571	1774	33,7	126,3
24	36	30	12	42	RD12436	1341	1513	1578	1750	1485	1657	28,9	108,3
24	30	30	12	42	RD12430	1293	1438	1472	1618	1398	1543	24,1	90,2
24	24	30	12	42	RD12424	1239	1354	1365	1480	1314	1429	19,3	72,2

Rectangular counter top component (surface : 29" H., shelf 42" H.) with variety of end panel configurations.

The 54" and longer rectangular counter top components are equipped with a central support. The metal structure is equipped with levellers.

The choice of TFL or HPL (**L1/S1**) applies to the the work surfaces and shelf.

These units are factory assembled.

### SPECIFY

Code	LL/CL/LC/CC	Front	L1 / S1	Surface	Shelf	Accent	Metal	N1	N2	N3
RC3-										

**Specify Code** : Consult the above list.

**LL/CL/LC/CC** : Specify the configuration code of the end panels (**LL**, **CL**, **LC** or **CC**), see p.13.

**Front** : Specify the configuration for the front of the transaction unit (**1**, **2**, **3**, **4**, **5** or **6**), refer to chart at top of page and p.13.

\* For a metal front made with perforations, specify **1H**, **2H**, **4H** or **6H**, see above and p.13.

**L1/S1** : Specify the code identifying the type of finish for the surface and the shelf (**L1**=TFL, **S1**=HPL), see p.13.

**Surface** : Specify the color for the work surface, see p.15.

**Shelf** : Specify the color of the shelf, see p.15.

**Accent** : Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.


**Metal** : Specify the color of the metal legs, Silver (**3090**) or Polar White (**3002**), see p.15.


**N1** : Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2** : Specify the color of the **middle** level of the front depending on the selected configuration, see p.15.

**N3** : Specify the color of the **top** level of the front depending on the selected configuration, see p.15.


## INTERIOR CURVED 90° TRANSACTION UNIT

FRONT CONFIGURATIONS						
	LEVEL 3	#1	#2	#3	#4	#5
	LEVEL 2	METAL	ACRYLIC	LAMINATE	METAL	ACRYLIC
	LEVEL 1	METAL	METAL	LAMINATE	LAMINATE	LAMINATE
Add "H" for a perforated motif in the metal sections (example: <b>2H</b> )						
						Example : Code <b>2H</b>




Dimensions					Product Code	Price - Fronts						Specifications	
						Fronts 1 and 2		Front 3		Fronts 4, 5 and 6			
A	B	C	D	E		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
24	37	12	42		RCi9024CL	1521	1814	4782	5074	3668	3960	36,0	166,8

Interior curved 90° transaction unit (surface : 29" H., shelf 42" H.) w/half end panel on left and full end panel on right.  
Central support leg (inside).



24	37	12	42		<b>RCi9024LC</b>	1521	1814	4782	5074	3668	3960	36,0	166,8
----	----	----	----	--	------------------	------	------	------	------	------	------	------	-------

Interior curved 90° transaction unit (surface : 29" H., shelf 42" H.) w/full end panel on left and half end panel on right.  
Central support leg (inside).



24	37	12	42		<b>RCi9024CC</b>	1521	1814	4782	5074	3668	3960	36,0	166,8
----	----	----	----	--	------------------	------	------	------	------	------	------	------	-------

Interior curved 90° transaction unit (surface : 29" H., shelf 42" H.) w/half end panels on left and right.  
Central support leg (inside).

### SPECIFY

Code	Front	L1 / S1	Surface	Shelf	Accent	Metal	N1	N2	N3
<b>RC3</b> -									

**Specify Code** : Consult the above list.

**Front** : Specify the configuration for the front of the transaction unit (**1, 2, 3, 4, 5** or **6**), refer to chart at top of page and p.13.

\* For a metal front made with perforations, specify **1H, 2H, 4H** or **6H**, see above and p.13.

**L1/S1** : Specify the code identifying the type of finish for the surface and the shelf (**L1**=TFL, **S1**=HPL), see p.13.

**Surface** : Specify the color for the work surface, see p.15.

**Shelf** : Specify the color of the shelf, see p.15.

**Accent** : Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.

**Metal** : Specify the color of the metal legs, Silver (**3090**) or Polar White (**3002**), see p.15.


**N1** : Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2** : Specify the color of the **middle** level of the front depending on the selected configuration, see p.15.

**N3** : Specify the color of the **top** level of the front depending on the selected configuration, see p.15.


## INTERIOR CURVED 45° TRANSACTION UNIT

**FRONT CONFIGURATIONS**




	#1	#2	#3	#4	#5	#6
LEVEL 3	METAL	ACRYLIC	LAMINATE	METAL	ACRYLIC	LAMINATE
LEVEL 2	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	LAMINATE
LEVEL 1	METAL	METAL	LAMINATE	LAMINATE	LAMINATE	METAL

Add "H" for a perforated motif in the metal sections (example: **2H**)




Example : Code **2H**




Dimensions					Product Code	Price - Fronts						Specifications	
						Fronts 1 and 2		Front 3		Fronts 4, 5 and 6			
A	B	C	D	E		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
24	30	12	42		RCI4524CL	1410	1670	4683	4943	3564	3823	40,5	166,8

Interior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/half end panel on left and full end panel on right.



24	30	12	42		<b>RCI4524LC</b>	1410	1670	4683	4943	3564	3823	40,5	166,8
----	----	----	----	--	------------------	------	------	------	------	------	------	------	-------


Interior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/full end panel on left and half end panel on right.



24	30	12	42		<b>RCI4524CC</b>	1410	1670	4683	4943	3564	3823	40,5	166,8
----	----	----	----	--	------------------	------	------	------	------	------	------	------	-------

Interior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/half end panels on left and right.

## CORNER TRANSACTION UNIT



A	B	C	D										
24	30	12	42	RQI2424CC	1774	2098	2070	2393	1955	2278	24.1	168	

Corner transaction unit (surface : 29" H., shelf 42" H.) w/half end panels on left and right.

Can be used as an end component in a layout.

### SPECIFY

Code	Front	L1 / S1	Surface	Shelf	Accent	Metal	N1	N2	N3
<b>RC3</b> -									

**Specify Code** : Consult the above list.

**Front** : Specify the configuration for the front of the transaction unit (1, 2, 3, 4, 5 or 6), refer to chart at top of page and p.13.

\* For a metal front made with perforations, specify **1H, 2H, 4H or 6H**, see above and p.13.

**L1/S1** : Specify the code identifying the type of finish for the surface and the shelf (L1=TFL, S1=HPL), see p.13.

**Surface** : Specify the color for the work surface, see p.15.

**Shelf** : Specify the color of the shelf, see p.15.

**Accent** : Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.

**Metal** : Specify the color of the metal legs, Silver (**3090**) or Polar White (**3002**), see p.15.

**N1** : Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2** : Specify the color of the **middle** level of the front depending on the selected configuration, see p.15.

**N3** : Specify the color of the **top** level of the front depending on the selected configuration, see p.15.

## EXTERIOR CURVED 90° TRANSACTION UNIT


**FRONT CONFIGURATIONS**

LEVEL 3  
LEVEL 2  
LEVEL 1

#1 METAL METAL METAL  
#2 ACRYLIC METAL METAL  
#3 LAMINATE LAMINATE LAMINATE  
#4 METAL LAMINATE LAMINATE  
#5 ACRYLIC LAMINATE LAMINATE  
#6 LAMINATE LAMINATE METAL

Add "H" for a perforated motif in the metal sections (example: 2H)


Example : Code 2H



Dimensions				Product Code	Price - Fronts						Specifications	
					Fronts 1 and 2		Front 3		Fronts 4, 5 and 6			
A	B	C	D		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	Lb
24	12	42	60	RCE9024LL	2062	2585	5310	5833	4194	4718	96,3	228


Exterior curved 90° transaction unit (surface : 29" H., shelf 42" H.) with full end panels left and right and central half leg.

## EXTERIOR CURVED 45° TRANSACTION UNIT




24	12	42	RCE4524LL	1374	1587	3900	4113	3045	3258	46,2	166,8
----	----	----	-----------	------	------	------	------	------	------	------	-------

Exterior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/full end panels on left and right.




24	12	42	RCE4524CL	1374	1587	3900	4113	3045	3258	46,2	166,8
----	----	----	-----------	------	------	------	------	------	------	------	-------

Exterior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/half end panel on left and full end panel on right.  
It is not recommended to use two exterior curved 45° transaction units side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° transaction unit above.



24	12	42	RCE4524LC	1374	1587	3900	4113	3045	3258	46,2	166,8
----	----	----	-----------	------	------	------	------	------	------	------	-------

Exterior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/full end panel on left and half end panel on right.  
It is not recommended to use two exterior curved 45° transaction units side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° transaction unit above.



24	12	42	RCE4524CC	1374	1587	3900	4113	3045	3258	46,2	166,8
----	----	----	-----------	------	------	------	------	------	------	------	-------

Exterior curved 45° transaction unit (surface : 29" H., shelf 42" H.) w/half end panels on left and right.  
It is not recommended to use two exterior curved 45° transaction units side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° transaction unit above.

### SPECIFY

Code	Front	L1 / S1	Surface	Shelf	Accent	Metal	N1	N2	N3
RC3 -									

**Specify Code :** Consult the above list.

**Front :** Specify the configuration for the front of the transaction unit (1, 2, 3, 4, 5 or 6), refer to chart at top of page and p.13.

\* For a metal front made with perforations, specify 1H, 2H, 4H or 6H, see above and p.13.

**L1/S1 :** Specify the code identifying the type of finish for the surface and the shelf (L1=TFL, S1=HPL), see p.13.

**Surface :** Specify the color for the work surface, see p.15.

**Shelf :** Specify the color of the shelf, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.




**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.

**N1 :** Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2 :** Specify the color of the **middle** level of the front depending on the selected configuration, see p.15.

**N3 :** Specify the color of the **top** level of the front depending on the selected configuration, see p.15.

## RECTANGULAR RECEPTION TABLE



Dimensions				Product Code	Price - Fronts						Specifications	
					Front 7		Front 8		Front 9			
A	B	C	D		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
30	72	29		DI3072	1271	1542	1709	1980	1489	1761	39,9	179,4
30	66	29		DI3066	1237	1485	1633	1884	1435	1684	36,6	164,5
30	60	29		DI3060	1202	1428	1560	1786	1381	1607	33,2	149,5
30	54	29		DI3054	1168	1371	1485	1690	1327	1531	29,9	134,6
30	48	29		DI3048	1136	1317	1409	1589	1273	1453	26,6	119,6
30	42	29		DI3042	1102	1259	1333	1492	1219	1377	23,3	104,7
30	36	29		DI3036	1072	1206	1259	1394	1166	1301	19,9	89,7
30	30	29		DI3030	1038	1149	1184	1297	1112	1224	16,6	74,8
30	24	29		DI3024	1008	1098	1109	1199	1059	1149	13,3	59,8

Rectangular table (surface : 29" H.) with variety of end panel configurations.

Front recessed 4½".

Rectangular tables 54" and longer have a central support.

Grommet option available, see codification.

SPECIFY										OPTION
Code	LL/CL/LC/CC	Front	L1 / S1	Surface	Accent	Metal	N1	N2	Grommet	
RC3 -		-		-	-	-	-	-		

**Specify Code :** Consult the above list.

**LL/CL/LC/CC :** Specify the configuration code of the end panels (LL, CL, LC or CC), see p.14.

**Front :** Specify the configuration for the front of the transaction unit (7, 8 or 9), refer to chart at top of page and p.14.

\* For a metal front made with perforations, specify 7H or 9H, see above and p.14.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.14.

**Surface :** Specify the color for the work surface, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.

**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.



**N1 :** Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2 :** Specify the color of the **top** level of the front depending on the selected configuration, see p.15.

**Option Grommet :** Optional grommet on left (GL) or on right (GR), add 30\$ ea., see p.16.




## INTERIOR CURVED 90° RECEPTION TABLE




Dimensions		Product Code	Price - Fronts						Specifications	
			Front 7		Front 8		Front 9			
A	B		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
30	29	Ci9030CL	1150	1356	3351	3556	2237	2442	25,0	118

Interior curved 90° reception table (surface : 29" H.) with half end panel on left and full end panel on right.  
Front recessed 4½".  
Grommet option available, see codification.  
Central support leg (inside).



30	29	Ci9030LC	1150	1356	3351	3556	2237	2442	25,0	118
----	----	----------	------	------	------	------	------	------	------	-----

Interior curved 90° reception table (surface : 29" H.) with full end panel on left and half end panel on right.  
Front recessed 4½".  
Grommet option available, see codification.  
Central support leg (inside).



30	29	Ci9030CC	1150	1356	3351	3556	2237	2442	25,0	118
----	----	----------	------	------	------	------	------	------	------	-----

Interior curved 90° reception table (surface : 29" H.) with half end panels on left and right.  
Front recessed 4½".  
Grommet option available, see codification.  
Central support leg (inside).

SPECIFY									OPTION
Code	Front	L1 / S1	Surface	Accent	Metal	N1	N2	Grommet	
RC3 -	-	-	-	-	-	-	-	-	

**Specify Code :** Consult the above list.

**Front :** Specify the configuration for the front of the transaction unit (7, 8 or 9), refer to chart at top of page and p.14.

\* For a metal front made with perforations, specify 7H or 9H, see above and p.14.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.14.

**Surface :** Specify the color for the work surface, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.



**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.

**N1 :** Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2 :** Specify the color of the **top** level of the front depending on the selected configuration, see p.15.


**Option Grommet :** Optional grommet on left (GL) or on right (GR), add 30\$ ea., see p.16.

## INTERIOR CURVED 45° RECEPTION TABLE




Dimensions		Product Code	Price - Fronts						Specifications	
			Front 7		Front 8		Front 9			
A	B		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
30	29	CI4530CL	1067	1259	3281	3473	2161	2353	28,5	118

Interior curved 45° reception table (surface : 29" H.) with half end panel on left and full end panel on right.  
Front recessed 4½".  
Grommet option available, see codification.



30	29	CI4530LC	1067	1259	3281	3473	2161	2353	28,5	118
----	----	----------	------	------	------	------	------	------	------	-----


Interior curved 45° reception table (surface : 29" H.) with full end panel on left and half end panel on right.  
Front recessed 4½".  
Grommet option available, see codification.



30	29	CI4530CC	1067	1259	3281	3473	2161	2353	28,5	118
----	----	----------	------	------	------	------	------	------	------	-----

Interior curved 45° reception table (surface : 29" H.) with half end panels on left and right.  
Front recessed 4½".  
Grommet option available, see codification.

## CORNER RECEPTION TABLE



A	B	C								
30	30	29	QI3030CC	1342	1560	1572	1790	1458	1676	16,6 118

Corner reception table (surface : 29" H.) with half end panels on left and right.  
Can be used as an end unit in a set-up.  
Front recessed 4½".  
Grommet option available, see codification.

SPECIFY									OPTION
Code	Front	L1/S1	Surface	Accent	Metal	N1	N2		Grommet
RC3 -									

**Specify Code :** Consult the above list.

**Front :** Specify the configuration for the front of the transaction unit (7, 8 or 9), refer to chart at top of page and p.14.

\* For a metal front made with perforations, specify 7H or 9H, see above and p.14.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.14.

**Surface :** Specify the color for the work surface, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.



**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.

**N1 :** Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2 :** Specify the color of the **top** level of the front depending on the selected configuration, see p.15.

**Option Grommet :** Optional grommet on left (GL) or on right (GR), add 30\$ ea., see p.16.


## EXTERIOR CURVED 90° RECEPTION TABLE



Dimensions		Product Code	Price - Fronts						Specifications	
			Front 7		Front 8		Front 9			
A	B		(L1)	(S1)	(L1)	(S1)	(L1)	(S1)	Cu.Ft.	lb
30	29	CE9030LL	1636	2032	3837	4234	2722	3119	54,5	203


Exterior curved 90° reception table (surface : 29" H.) w/full end panels on left and right and central half leg.  
Front recessed 4½". Grommet option available, see codification.

## EXTERIOR CURVED 45° RECEPTION TABLE




30	29	CE4530LL	1085	1264	2780	2958	1923	2101	25,5	118
----	----	----------	------	------	------	------	------	------	------	-----

Exterior curved 45° reception table (surface : 29" H.) with half end panel on left and full end panel on right.  
Front recessed 4½". Grommet option available, see codification.




30	29	CE4530CL	1085	1264	2780	2958	1923	2101	25,5	118
----	----	----------	------	------	------	------	------	------	------	-----

Exterior curved 45° reception table (surface : 29" H.) with full end panel on left and half end panel on right.  
It is not recommended to use two exterior curved 45° tables side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° reception table above.  
Front recessed 4½". Grommet option available, see codification.



30	29	CE4530LC	1085	1264	2780	2958	1923	2101	25,5	118
----	----	----------	------	------	------	------	------	------	------	-----

Exterior curved 45° reception table (surface : 29" H.) with full end panel on left and half end panel on right.  
It is not recommended to use two exterior curved 45° tables side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° reception table above.  
Front recessed 4½". Grommet option available, see codification.



30	29	CE4530CC	1085	1264	2780	2958	1923	2101	25,5	118
----	----	----------	------	------	------	------	------	------	------	-----

Exterior curved 45° reception table (surface : 29" H.) with half end panels on left and right.  
It is not recommended to use two exterior curved 45° tables side-by-side not equipped with full end panels left and right, use instead the exterior curved 90° reception table above.  
Front recessed 4½". Grommet option available, see codification.

SPECIFY								OPTION
Code	Front	L1 / S1	Surface	Accent	Metal	N1	N2	Grommet
RC3 -								

**Specify Code :** Consult the above list.

**Front :** Specify the configuration for the front of the transaction unit (7, 8 or 9), refer to chart at top of page and p.14.

\* For a metal front made with perforations, specify 7H or 9H, see above and p.14.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.14.

**Surface :** Specify the color for the work surface, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.


**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.

**N1 :** Specify the color of the **bottom** level of the front depending on the selected configuration, see p.15.

**N2 :** Specify the color of the **top** level of the front depending on the selected configuration, see p.15.

**Option Grommet :** Optional grommet on left (GL) or on right (GR), add 30\$ ea., see p.16.

## ▲ LOW TABLE



Dimensions			Product Code		Price		Specifications	
A	B	C			(L1)	(S1)	Cu.Ft.	lb
25	36	18	TMAS2536		665	778	10,3	73
25	25	18	TMAS2525		459	537	7,2	65

### SPECIFY

Code L1 / S1 Surface Accent Metal Shelf

RC3 -  -  -  -  -  -

Low rectangular table 18" H. with laminate shelf.

**Specify Code :** Consult the above list.

**L1/S1 :** Specify the code identifying the type of finish for the surface (L1=TFL, S1=HPL), see p.140.


**Surface :** Specify the color for the table top, see p.15.

**Accent :** Specify the color for the vertical inserts between the legs (available in laminate only), see p.15.

**Metal :** Specify the color of the metal legs, Silver (3090) or Polar White (3002), see p.15.

**Shelf :** Specify the color of the shelf (available in laminate only), see p.15.

## ACCESSORY BAR



Dimensions		Product Code		Price		Specifications	
A	B					Cu.Ft.	lb
4	64½	ACBM72		186	For surfaces 72" or more	0,5	9
4	58½	ACBM66		179	For surfaces 66" or more	0,4	8
4	52½	ACBM60		174	For surfaces 60" or more	0,4	7,5
4	46½	ACBM54		167	For surfaces 54" or more	0,3	7
4	40½	ACBM48		157	For surfaces 48" or more	0,3	6
4	34½	ACBM42		151	For surfaces 42" or more	0,3	5
4	28½	ACBM36		143	For surfaces 36" or more	0,2	4
4	22½	ACBM30		137	For surfaces 30" or more	0,2	3,5
4	16½	ACBM24		130	For surfaces 24" or more	0,2	2,5

### SPECIFY

Code Metal

RC3 -  -

**Specify Code :** Consult the above list.

**Metal :** Specify the metal color (bar and supports), Silver (3090) or Polar White (3002), see p.15.

# receptions

## Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

## Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

## Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

## Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

## Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

## Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

## Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

## Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

# conditions & guarantees

## Artopex Warranty

**Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.**

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

### This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

# receptions

## SUMMARY OF UPDATES

November 15<sup>th</sup> 2017

PAGES	SECTION	PRODUCT	MODIFICATION
	Accessories		All accessories have been removed from this Price list since they are in the Accessory price list.
<b>p. 42</b>	Add-Ons	Tackboard	All of the COM fabrics becomes Grade 2

May 1<sup>st</sup> 2018

PAGES	SECTION	PRODUCT	MODIFICATION
<b>p.9</b>	Complements / RC1 Series	Finish choices chart.	Laminate and metal finishes updated.
<b>p.12</b>	Finishes / RC2 series	Finish choices chart.	Laminate and metal finishes updated.
<b>p.15</b>	Finishes / RC3 series	Finish choices chart.	Laminate and metal finishes updated.
<b>p.17</b>	Complements	Finish choices chart.	Laminate and metal finishes updated.

*Designing, manufacturing, advising, planning  
and supporting: that's the art that  
distinguishes our purpose at Artopex.*



**HEAD OFFICE**

800, Vadnais street  
Granby Quebec  
J2J 1A7  
CANADA

---

Tel. : 450 378-0189  
1 800 363-3040

Fax. : 450 378-9712

---

**artopex.com**