

TAKE OFF

Conference



USA price list

Effective November 17th 2014

UPDATED - May 1st 2018
Summary updates - p.102

artopex[®]



interactive links

index, page tabs & page references

→ document optimized for single page view


VISUAL INDEX	4
<hr/>	
GENERAL INFORMATION	
<hr/>	
description	13
finish choices chart	26
specification examples	28
typical layouts	29
<hr/>	
CONFERENCE TABLES	
<hr/>	
29" H. conference tables	33
40" and 36" H. conference tables	59
<hr/>	
MEETING TABLES	
<hr/>	
square meeting tables	64
round meeting tables	70
<hr/>	
MODULAR TABLES	
<hr/>	
surfaces for modular tables	74
legs for modular tables surfaces	82
modesty panels & hardware	90
<hr/>	
OCCASIONAL TABLES	91
<hr/>	
WORK WALLS	95
<hr/>	
COMPLEMENTS	98
<hr/>	
CONDITIONS & GUARANTEES	101
<hr/>	

Visual index

RECTANGULAR CONFERENCE TABLE - 29" H.


PANEL BASE 33

CTSP48192
CTSP48168
CTSP48144
CTSP48120
CTSP4896
CTSP3684
CTSP3672
CTSP3072
CTSP3060




X-LAMINATE BASES 34

CTSC48192
CTSC48168
CTSC48144
CTSC48120
CTSC4896
CTSC3684
CTSC3672



RECTANGULAR ARCHITECTURAL BASES 35

CTSRW48192
CTSRW48168
CTSRW48144
CTSRW48120
CTSRW4896




CTSRS48192
CTSRS48168
CTSRS48144
CTSRS48120
CTSRS4896

CTSRR48192
CTSRR48168
CTSRR48144
CTSRR48120
CTSRR4896

TRIANGULAR ARCHITECTURAL BASES 36


CTSTS48192
CTSTS48168
CTSTS48144
CTSTS48120
CTSTS4896




CTSTR48192
CTSTR48168
CTSTR48144
CTSTR48120
CTSTR4896

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE 37

CTSDR48192
CTSDR48168
CTSDR48144
CTSDR48120
CTSDR4896
CTSDR3684
CTSDR3672




CTSDS48192
CTSDS48168
CTSDS48144
CTSDS48120
CTSDS4896
CTSDS3684
CTSDS3672




METAL "T" LEGS 38

CTSX48144
CTSX48120
CTSX4896
CTSX3684
CTSX3672




CTSZ48144
CTSZ48120
CTSZ4896
CTSZ3684
CTSZ3672
CTSZ3072
CTSZ3060



BOAT-SHAPED CONFERENCE TABLES - 29" H.


PANEL BASE 39

CTBP48144
CTBP48120
CTBP4896
CTBP3684
CTBP3672




X-LAMINATE BASES 40

CTBC48144
CTBC48120
CTBC4896
CTBC3684
CTBC3672



RECTANGULAR ARCHITECTURAL BASES 41

CTBRW48144
CTBRW48120
CTBRW4896




CTBRS48144
CTBRS48120
CTBRS4896

CTBRR48144
CTBRR48120
CTBRR4896

TRIANGULAR ARCHITECTURAL BASES 42


CTBTS48144
CTBTS48120
CTBTS4896




CTBTR48144
CTBTR48120
CTBTR4896

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE 43

CTBDR48144
CTBDR48120
CTBDR4896
CTBDR3684
CTBDR3672




CTBDS48144
CTBDS48120
CTBDS4896
CTBDS3684
CTBDS3672




METAL "T" LEGS 44

CTBX48144
CTBX48120
CTBX4896
CTBX3684
CTBX3672




CTBZ48144
CTBZ48120
CTBZ4896
CTBZ3684
CTBZ3672



"RACETRACK" CONFERENCE TABLES - 29" H.


PANEL BASE 45

CTCP48192
CTCP48168
CTCP48144
CTCP48120
CTCP4896
CTCP3684
CTCP3672
CTCP3072
CTCP3060




X-LAMINATE BASES 46

CTCC48192
CTCC48168
CTCC48144
CTCC48120
CTCC4896
CTCC3684
CTCC3672



RECTANGULAR ARCHITECTURAL BASES 47

CTCRW48192
CTCRW48168
CTCRW48144
CTCRW48120
CTCRW4896




CTCRS48192
CTCRS48168
CTCRS48144
CTCRS48120
CTCRS4896

CTCRR48192
CTCRR48168
CTCRR48144
CTCRR48120
CTCRR4896

TRIANGULAR ARCHITECTURAL BASES 48


CTCTS48192
CTCTS48168
CTCTS48144
CTCTS48120
CTCTS4896




CTCTR48192
CTCTR48168
CTCTR48144
CTCTR48120
CTCTR4896

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE 49

CTCDR48192
CTCDR48168
CTCDR48144
CTCDR48120
CTCDR4896
CTCDR3684
CTCDR3672




CTCDS48192
CTCDS48168
CTCDS48144
CTCDS48120
CTCDS4896
CTCDS3684
CTCDS3672




"T" METAL LEGS 50

CTCX48144
CTCX48120
CTCX4896
CTCX3684
CTCX3672




CTCZ48144
CTCZ48120
CTCZ4896
CTCZ3684
CTCZ3672
CTCZ3072
CTCZ3060



TAPERED CONFERENCE TABLES - 29" H.


PANEL BASE 51

CTTP54120
CTTP5496




X-LAMINATE BASES 51

CTTC54120
CTTC5496



ARCHITECTURAL BASES 52


CTTS54120
CTTS5496




CTTR54120
CTTR5496

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE 53

CTTDR54120
CTTDR5496




CTTDS54120
CTTDS5496




METAL "T" LEGS 54

CTTX54120
CTTX5496



ROUND TUBULAR LEGS 54


CTTLER54120
CTTLER5496



ELLIPTICAL CONFERENCE TABLES - 29" H.


PANEL BASE 55

CTOP48144
CTOP48120
CTOP4896




TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE 56

CTODR48144
CTODR48120
CTODR4896
CTODR4284




METAL "T" LEGS 57

CTOX48144
CTOX48120
CTOX4896
CTOX4284




CTOZ48144
CTOZ48120
CTOZ4896
CTOZ4284



ROUND TUBULAR LEGS 58


CTOLER48144
CTOLER48120
CTOLER4896
CTOLER4284




RECTANGULAR TABLES - BISTRO

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" AND 36" H. 59

CTSDR403696
CTSDR403684
CTSDR403672
CTSDR363696
CTSDR363684
CTSDR363672




CTSDS403696
CTSDS403684
CTSDS403672
CTSDS363696
CTSDS363684
CTSDS363672




BOAT-SHAPED TABLES - BISTRO

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" AND 36" H. 60

CTBDR403684
CTBDR403672
CTBDR363684
CTBDR363672




CTBDS403684
CTBDS403672
CTBDS363684
CTBDS363672




"RACETRACK" TABLES - BISTRO

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" AND 36" H. 61

CTCDR403684
CTCDR403672
CTCDR363684
CTCDR363672




CTCDS403684
CTCDS403672
CTCDS363684
CTCDS363672



"OVO" TABLE - BISTRO

TUBULAR LEGS AND ROUND 40" H. AND 36" H. 62

CTUDR404284
CTUDR403672




CTUDR364284
CTUDR363672

ELLIPTICAL TABLES - BISTRO

TUBULAR LEGS AND ROUND OR SQUARE BASE PLATE - 40" AND 36" H. 63


CTODR404284
CTODR364284



SQUARE MEETING TABLES


X-LAMINATE BASE 64

TSC296060
TSC295454
TSC294848
TSC294242




ARCHITECTURAL BASE - 29" AND 24" H. 65

TSRW296060
TSRW295454
TSRW294848
TSRW294242
TSRW246060
TSRW245454
TSRW244848
TSRW244242




TSRS296060
TSRS295454
TSRS294848
TSRS294242
TSRS246060
TSRS245454
TSRS244848
TSRS244242
TSRR296060
TSRR295454
TSRR294848
TSRR294242




SQUARE BASE PLATE 40", 36", 29" AND 24" H. 66

TSDS404242
TSDS403636
TSDS403030
TSDS364242
TSDS363636
TSDS363030
TSDS294848
TSDS294242
TSDS293636
TSDS293030
TSDS244848
TSDS244242
TSDS243636
TSDS243030




ROUND TUBULAR LEGS 69

TSLER296060
TSLER295454
TSLER294848
TSLER294242
TSLER293636



TSLER293684
TSLER293672
TSLER293666



ROUND TUBULAR LEGS 73


TRLER2960
TRLER2954
TRLER2948
TRLER2942



MODULAR TABLES

RECTANGULAR SURFACES 74

MSi3678
MSi3672
MSi3666
MSi3660
MSi3654
MSi3648
MSi3078
MSi3072
MSi3066
MSi3060
MSi3054
MSi3048
MSi3042
MSi3036
MSi2472
MSi2466
MSi2460
MSi2454
MSi2448
MSi2442
MSi2436




MSi4848
MSi4242
MSi3636



RECTANGULAR & SQUARE SURFACES 75

MSS3696
MSS3690
MSS3684
MSS3678
MSS3672
MSS3666
MSS3660




MSS6060
MSS5454
MSS4848
MSS4242
MSS3636
MSS3030
MSS2424




X-METAL LEG 67

TSX294848
TSX294242



TSZ296060
TSZ295454
TSZ294848
TSZ294242
TSZ293636
TSZ293030
TSZ292424




X-LAMINATE BASE 70

TRC2960
TRC2954
TRC2948
TRC2942




TUBULAR LEG AND ROUND BASE PLATE - 40", 36", 29" AND 24" H. 71

TRDR4042
TRDR4036
TRDR4030
TRDR3642
TRDR3636
TRDR3630
TRDR2948
TRDR2942
TRDR2936
TRDR2930
TRDR2448
TRDR2442
TRDR2436
TRDR2430




SQUARE TUBULAR LEGS 68

TSLES296060
TSLES295454
TSLES294848
TSLES294242
TSLES293636



TSLES293684
TSLES293672
TSLES293666



X-METAL LEG 72

TRX2948
TRX2942




TRZ2960
TRZ2954
TRZ2948
TRZ2942
TRZ2936
TRZ2930
TRZ2924




"CRESCENT" SURFACES 76

MSC3072
MSC3060
MSC3048
MSC2472
MSC2460
MSC2448



"ARC" SURFACES 77


MSA243060
MSA243048



MSA302460
MSA302448


"TRAPEZOID" SURFACES 77

MSZ3060
MSZ2448




"HILL-TOP" SURFACES 77

MSH4060
MSH3654
MSH3248



"SOFT-SQUARE" SURFACES 78

MSQ6060
MSQ4848
MSQ4242
MSQ3636



ROUND SURFACES 79

MSR60
MSR54
MSR48
MSR42
MSR36
MSR30
MSR24



"OVO" SURFACES 80

MSU4896
MSU4284
MSU3672



TRIANGLE SURFACES 81

MST48
MST42
MST36



STANDARD LEGS 82


AC-LE291E
AC-LE294E



SLEEVE LEGS 82


AC-LE291D
AC-LE294D

AC-LE261D
AC-LE264D



CASTER FOR SLEEVE LEGS 82

AC-LELC




ROUND LEG 83

AC-LER28




SQUARE LEG 83

AC-LES28




DOUBLE "O" TECHNO BASE 84

AC-LEO2836
AC-LEO2830
AC-LEO2824



"CAGE" BASES 86

AC-LECA4122
AC-LECA3522



ANGLED WOOD LEG 87

AC-LEAW28



ANGLED METAL LEG 88

AC-LEAM28




FOLDED METAL CORNER LEG 88

AC-LECMS28




CENTRAL CABLE HOUSING 89

AC-BGF28




STIFFENERS 89

AC-RSTF64
AC-RSTF58
AC-RSTF52
AC-RSTF46
AC-RSTF40




METAL MODESTY PANEL 90

AC-MMP60
AC-MMP48




JUNCTION PLATES 90

AC-FJP2



LOCKING BRACKET 90


AC-FLP




OCCASIONAL TABLES

LAMINATE BASE 91

TMAS173030
TMAS172448
TMAS172442
TMAS172430
TMAS172424
TMAS172418
TMAS171836
TMAS171830
TMAS171824
TMAS171818



TMAB2448
TMAB2442
TMAB2436
TMAB2430
TMAB2424
TMAB1836
TMAB1830
TMAB1824




TMAR1736
TMAR1730
TMAR1724




METAL BASE 92


TMARD1730
TMARD1724




TMAED172136



TSDS173030
TSDS172424



TMASS172436
TMASS172424




"FENCES" 93

TMARFE1736
TMARFE1730




WITH FOLDED METAL CORNER TABLES 94

TMASCMS163030
TMASCMS162436
TMASCMS162424



TMARCMS1636
TMARCMS1630




WORK WALLS

UPPER WORK WALLS 95


LAMINATE

WWW7243
WWW6643
WWW6043
WWW5443
WWW4843
WWW4243
WWW3643
WWW3043
WWW7237
WWW6637
WWW6037
WWW5437
WWW4837
WWW4237
WWW3637
WWW3037




1 ACCESSORY RAIL

WWB7243
WWB6643
WWB6043
WWB5443
WWB4843
WWB4243
WWB3643
WWB3043
WWB7237
WWB6637
WWB6037
WWB5437
WWB4837
WWB4237
WWB3637
WWB3037




3 ACCESSORY RAILS

WWU7243
WWU6643
WWU6043
WWU5443
WWU4843
WWU4243
WWU3643
WWU3043
WWU7237
WWU6637
WWU6037
WWU5437
WWU4837
WWU4237
WWU3637
WWU3037




WHITE MARKER BOARD

WWL7243
WWL6643
WWL6043
WWL5443
WWL4843
WWL4243
WWL3643
WWL3043
WWL7237
WWL6637
WWL6037
WWL5437
WWL4837
WWL4237
WWL3637
WWL3037



TACKBOARD

WWT7243
WWT6643
WWT6043
WWT5443
WWT4843
WWT4243
WWT3643
WWT3043
WWT7237
WWT6637
WWT6037
WWT5437
WWT4837
WWT4237
WWT3637
WWT3037




LOWER WORK WALLS

97

LAMINATE

WBW7229
WBW6629
WBW6029
WBW5429
WBW4829
WBW4229
WBW3629
WBW3029




COMPLEMENTS

SIDEBOARDS

98


UC2136
UC2124



PROJECTOR SHELF

99


PROJ1315



LECTERN

99


LECE162046




PRESENTATION BOARDS

99

PB4845




PBS4845



FINISHING CASE

100

AC-EFB



General information

DESCRIPTION

This price list groups the meeting tables of the Take Off Collection as well as the associated accessories and complementary products.

The collection is divided into 3 furniture series: **Lima**, **Mike** and **Victor**. These series differ mainly in the thickness of the surfaces and types of edges.

TAKE OFF CONFERENCE: 3 SERIES

The Lima and Mike series

These two series are characterized by T.F.L. or H.P.L. surfaces with straight edge banding. Available in 2 thicknesses: 1" (Lima) and 1½" (Mike).

L
Lima
1"

M
Mike
1½"

The Victor series

The Victor series is characterized by its H.P.L. surfaces 1" thick (MDF) with reverse edge profiles.

V
Victor
1"



THE TAKE OFF CONFERENCE SERIES WORKS IN VARIOUS MEETING APPLICATIONS, SUCH AS :



Conference room



Work or meeting room



Training room




Gathering spaces and collaborative zones

GENERAL INFORMATION

MATERIALS

The Take Off Conference table surfaces are made of 1" (25 mm) thick pressed wood for the **Lima** series and 1 1/2" (38 mm) for the **Mike** series. The surfaces can be specified in T.F.L. or H.P.L. H.P.L. adds 1/8" (1.6 mm) to the thickness of the surface. There is a 3/32" (2.5 mm) thick PVC edge banding on the surfaces with a choice of matching or contrasting colors, fluted or striped.

The surfaces of the **Victor** series are available in H.P.L. only and are made of 1" (25 mm) thick pressed wood with a 3/8" (10 mm) contour. The surface has a 3/32" (2.5 mm) thick PVC edge banding with a choice of matching or contrasting colors but not available fluted or striped.



The architectural table bases, sideboard cases, drawer fronts and doors are made of 1 1/8" (17.5 mm) thick pressed wood. These panels have a 3/32" (2.5 mm) thick PVC edge banding in matching T.F.L. colors.

The panel and X-shaped bases, work walls (upper and lower) are made of 1" (25 mm) thick pressed wood. These panels have a 3/32" (2.5 mm) thick PVC edge banding in matching T.F.L. colors.

LAMINATE FINISHES

The available finishes are divided into 4 categories :


- The **"Surface"** finish (applied on the surfaces of tables and sideboards).
- The **"Edge Banding"** (surface contour).
- The **"Base"** finish (applied on the bases of tables, sides of sideboards, presentation board, lectern and work walls).
- The **"Front"** finish (applied on the front of drawers and sideboard doors).

Castors and internal structural or mechanical components have a black finish while metal components (legs, finishing details, etc.) are available in 4 finishes: Silver (**3090**), Polar White (**3002**), Charcoal (**3064**), Black (**3067**), as specified in the price list. Refer to the product descriptions and finish charts for more information, see p.26-27.

WOOD GRAIN DIRECTIONS

Surfaces

The wood grain runs parallel to the longest side of the surface.



CONFERENCE TABLES IN 2 SECTIONS

The wood grain is not aligned where the two surfaces meet.


LEGS, BACKS, DOORS AND FRONTS

The wood grain is positioned vertically on:

- Table bases, sides and hinged doors of sideboards, presentation boards and lectern.

The wood grain is positioned horizontally on:

- Modesty panels, drawer fronts, upper and lower work walls.



ASSEMBLY AND HARDWARE

Pre-assembled products such as sideboards, lectern and presentation boards require no assembly upon delivery except for casters and Pulls (if applicable).


Knockdown products are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. Table legs and bases are delivered with the necessary hardware for attaching to surfaces.

MEETING AND CONFERENCE TABLES

The Take Off Conference collection offers a wide range of conference tables and meeting tables tailored to many uses and spaces, in a variety of shapes and sizes.

CONFERENCE TABLES

Standard conference tables are 29" H. However, conference tables with metal legs with base plate (round or square) are available 29", 36" and 40" H.



SURFACES AND BASES

Table surfaces are available in the **Lima** Series (1" thick), the **Mike** Series (1 ½" thick) and the **Victor** series (reverse edge) with a choice of laminate bases or metal legs. The bases and legs are attached under the surface using screws. Pre-drilled holes assist the positioning during installation.

MULTI-OUTLET (OPTIONAL)

Multi-outlet can be added. Refer to the product description for available options (multi-outlet choices, position, etc). For specific details regarding the multi-outlet, see p.17.



Conference table boat-shaped 96"

MEETING TABLES

Meeting tables are 29" H. Certain models are also available in 24", 29", 36" and 40" H. Table 24" H. or "lounge" tables complete collaborative work environments and tables 36" and 40" H. suit "bistro" height meeting configurations.



SURFACES AND BASES

Table surfaces are available in the **Lima** Series (1" thick), the **Mike** Series (1 ½" thick) and the **Victor** series (reverse edge) with a choice of laminate bases or metal legs. The bases and legs are attached under the surface using screws. Pre-drilled holes assist the positioning during installation.

MULTI-OUTLET (OPTIONAL)

Multi-outlet can be added to the center of the table. Refer to the product description for available options. For specific details regarding the multi-outlet, see p.17.

Downtown Collection
Collaborative Furniture

"Lounge" table 24" H. **Mike**
1 ½" surface with tubular metal
legs with square base plate




BASES

The conference and meeting tables include the surface and base. Various models of bases and legs are available according to the type of table (conference, meeting, etc). The number of bases or legs varies according to the shape and size of the table. Levelers allow for a height adjustment of 1 1/2" (38 mm), unless otherwise indicated.

LAMINATE BASES


PANEL bases

- 1" TFL panels and 1/16" modesties.
- Modesties 6 1/2" H. are included to ensure stability and conceal conference table cabling.
- Assembly required.




RECTANGULAR Architectural Bases

- 1/16" TFL panels.
- Available in laminate, with or without metal corners (square or rounded).
- Modesties 6 1/2" H. are included to ensure stability and conceal conference table cabling.
- Cables can be passed through the base and a removable door (optional) provides convenient access inside the base.
- Square architectural bases are available for meeting tables 29" and 24" H.




X-SHAPED bases

- 1" TFL panels and 1/16" modesties.
- For tables where 3 bases are required, an X-shaped base is placed in the center.
- Modesties 6 1/2" H. are included to ensure stability and conceal conference table cabling.
- Assembly required.



TRIANGULAR Architectural Bases


- 1/16" TFL panels.
- Available with metal corners (square or rounded).
- For tables where 3 bases are required, a rectangular base is placed in the center.
- Modesties 6 1/2" H. are included to ensure stability and conceal conference table cabling.
- Cables can be passed through the base and a removable door (optional) provides convenient access inside the base.



LEGS


Tubular legs with BASE PLATES

- Round tubular (4" diam.) metal with base plate, round or square.
- The tubular leg allows for the installation of a multi-outlet and the cables can be passed through the leg to the floor.
- The size of the base plate varies according to the shape and size of the table (18", 21" or 24").
- Tubular legs with base plates are available for tables 40", 36", 29" and 24" H.



"T" and X-BASE tubular metal legs

- Round tubular (2 1/2" diam.).
- Flat metal base.



ROUND tubular legs

- Round tubular (3" diam.) metal with integrated black leveler.
- Casters* are available as an option.



SQUARE tubular legs


- Square tubular (2 1/2" x 2 1/2") metal with leveler allowing for a total height adjustment of 2".
- Casters* are available as an option.



*Black nylon casters 2 1/2" H. A table with four legs on casters includes two locking casters; a table with six legs includes three locking casters.

"T" and X-BASE tubular metal legs

- Round tubular and vertical base support.
- Meeting tables 54" and 60" long have a reinforced base to ensure stability.



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

MULTI-OUTLET (OPTIONAL)

Recessed multi-outlet are available on the Take Off Conference collection tables. The surface is pre-cut in factory but the connection box must be installed on-site.

The position and number of multi-outlet varies according to the shape and size of the table surface and the bases used. Multi-outlet must be ordered at the time of specification of the table, they cannot be ordered separately. Refer to the options listed in the product description.

MULTI-OUTLET

A range of multi-outlet responds to all user needs :


M2 Multi-outlet

- 4 1/4" diameter on the surface.
- Multi-outlet will exceed 4" under the 1" surface.
- Two power outlets and two communication outlets (RJ45, cable not included).
- Power cord: 6'.
- UL Certified.
- Black finish.




M3 Multi-outlet

- 5 1/2" x 11 1/2" on the surface.
- Multi-outlet will exceed 3" under the 1" surface.
- Three electric outlets.
- Power cord : 6'.
- Three punch outs for communication connections.
- UL Certified.
- Anodized aluminum finish.



M4 Multi-outlet

- The multi-outlet opens and closes with a switch.
- Dimensions: 4 5/8" x 16" on the surface
- Three electric outlets (power cord: 6')
- One communication outlet (RJ45)
- One phone jack (RJ11)
- Two audio jacks 3.5
- One VGA outlet
- One HDMI outlet
- One USB outlet for charging (2.1A) for charging
- Cables included for all outlets
- Canada UL Certified and UL USA
- Anodized aluminum finish
- Sensor prevents rotation when the electrical outlets and VGA are in use.




M4 MODULE CONFIGURATION

The configuration of the M4 multi-outlet cannot be modified.

M5 Multi-outlet

- 4" x 5" on the surface.
- Multi-outlet will exceed 1 1/2" under the 1" surface.
- One power outlet and one punch out for communication outlets.
- Touch retractable.
- Power cord : 6'
- UL Certified.
- Anodized aluminum finish.



M6 Multi-outlet


- 4" x 5" on the surface.
- Multi-outlet will exceed 1 1/2" under the 1" surface.
- One power outlet and two USB charging outlets.
- Touch retractable.
- Power cord: 10'.
- UL Certified.
- Anodized aluminum finish.



MULTI-OUTLET


Multi-outlet (M2, M3, M4, M5 and M6) may not be flush with the underside of certain models of tables.

A finishing case (sold separately) conceals the base of the module under the table, see complements section p.24.




CABLE MANAGEMENT

A variety of components (sold separately) allow for the routing of cables under the surfaces, along modesty panels, bases and legs. For example, wire troughs (AC-WR24 and AC-LW24) and plastic cable fasteners can be used. See Accessories price list.



MODULAR TABLES

The surfaces and legs of the modular tables are sold separately. The required number of legs to ensure maximum stability is indicated in the product description but layouts using junction plates and fewer legs are possible. Various shapes of surfaces are available in the **Lima** series (1" thick) and the **Mike** series (1 ½" thick) and sometimes in the Victor series (reverse edge).



LEGS

The legs are attached under the surface of the modular tables using screws (pre-drilled holes are provided when indicated).




Standard Leg - Table 29" H.

- Round tubular metal, 2 ½" diameter, without sleeve.
- Integrated black leveler for a height adjustment from 27 ⅝" to 28 ¾".
- 3 choices finishes: aluminum (CMW), white (CMB) or black (CMN).
- Surface will have pre-drilled holes.




Leg with sleeve - Table 26" or 29" H.

- Round tubular, 2 ½" diameter, with metal sleeve.
- Casters are available (sold separately).
- 3 choices finishes: aluminum (CMW), white (CMB) or black (CMN).
- Surface will have pre-drilled holes.




ROUND tubular legs

- Round tubular (3" diam.) metal with integrated black leveler.
- * Nylon 2 ½" H. casters are available as an option.
- Surface will have pre-drilled holes.




SQUARE tubular legs

- Square tubular (2 ½" x 2 ½") metal with leveler for a height adjustment of 2".
- * Nylon 2 ½" H. casters are available as an option.
- Surface will have pre-drilled holes.



Double "O" Techno base

- 1" x 3" tubular rectangle metal
- 24", 30" or 30" W.
- Adjustable levelers for height adjustment of 1 ½".



"Cage" base

- Square tubular 1" x 1"
- Available for 42" and 36" H. tables.
- Adjustable levelers for height adjustment of 1 ½".



Angled wood leg

- Wood leg 1 ½" x 2 ¼".
- Metal bracket.
- Adjustable levelers for height adjustment of 1 ½".
- Surface will have pre-drilled holes.




ATTENTION: The natural properties of the hard wood of this leg will result in a variation in the woodgrain and color.




Angled metal leg

- Tubular rectangle 1" x 3".
- Adjustable levelers for height adjustment of 1 ½".
- Surface will have pre-drilled holes.



Folded metal corner leg.

- Folded steel, ⅜" thick.
- Integrated leveler cover.
- Adjustable levelers for height adjustment of 1 ½".
- Surface will have pre-drilled holes.



Central cable housing

- Metal housing.
- Door for cable access.
- Adjustable levelers for height adjustment of 1 ½".

MODULAR TABLES (CONT'D)

GROMMETS OR MULTI-OUTLET (optional)

A grommet or a multi-outlet (UCC and ECC) can be installed on the edge of rectangular, square (MSI) and "crescent" (MSC) surfaces. A multi-outlet (M2, M3, M4, M5 or M6) can be installed in the center of rectangular or square surfaces (MSS).

Rectangular Grommet

The grommet with the Artopex logo has a cover with two openings :

- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for smaller wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed: 3 3/8" x 1 5/8".

The grommet is available in two plastic finishes : White (**G1C**) and Charcoal (**G2C**).

The finish must be specified in the product specification.



Rectangular grommet

UCC and ECC Multi-Outlet

The black plastic multi-outlet has:

- 2 electrical outlets with ground and 12A circuit breaker.
- 2 punch outs for communication connections.
- 1 retractable lid that can be closed when module is not in use.




Multi-outlet

M3, M4, M5 and M6 Multi-Outlet

For a complete description of these multi-outlets, see p.17.




Multi-outlet M2



Multi-outlet M3



Multi-outlet M4



Multi-outlet M5




Multi-outlet M6

Connections

The multi-outlet is available with two types of connections :

A conventional wall connection and a connection for the 1-circuit system. Both modules are UL and CSA compliant.




Conventional




1-circuit system



UCC Recessed surface outlet
with conventional wall connection



ECC Recessed surface outlet
1-circuit electrical system



AC-ECFK
Power Module



The ECC option requires the use of 1-circuit system components such as the AC-ECFK power module. For 1-circuit systems, consult the current Artopex Accessories price list.

MODULAR TABLES (CONT'D)

MODULAR TABLE ACCESSORIES

Accessories such as locking brackets, metal modesty panels, privacy screens and Take Off accessory bars are available on modular tables.

Locking bracket

The locking bracket is attached under the surface using screws. They are used to join the surfaces of two modular tables together.




Locking-bracket

Metal modesty panel

The perforated metal modesty panel is attached under the surface using screws and has a metal slot (1 1/2") at the bottom to accommodate wiring.

The modesty panel is available in two lengths :


- 48" for surfaces 48" L.
- 60" for surfaces 60" and 72" L.



Metal modesty panel

Modesty panels, privacy screens and accessory bar


Modesty panels, laminate and frosted acrylic privacy screens as well as accessory bars from the Take Off Freestanding collection are available on modular tables.



Privacy screens, accessory bar, modesty panel


To specify privacy screens, modesty panels and accessory bars on modular tables (rectangular, "crescent" and "arc"), the following rule applies:

When ordering a privacy screen, modesty panel or accessory bar, specify the **MAXIMUM** length available, **6 inches shorter than the surface length** to allow for a 3" space on each side for the installation plates of the legs.




OCCASIONAL TABLES


The occasional tables are available in various shapes in the **Lima** series (1" thick) and the **Mike** series (1 ½" thick) and the **Victor** series (reverse edge) with a choice of laminate or metal bases, unless otherwise indicated.




X-base




"Fences" Base




Laminate base




Folded metal corner tables




Laminate base - ribbon style detail



Round tubular legs with round or square base



Square tubular legs




WORK WALL PANELS

Complete the look and utility of conference, meeting and training rooms as well as lounge spaces and closed offices with the work wall panels (whitemarker board, tackboard, etc) from the Take Off Conference collection. The upper work wall can be used alone, side-by-side or with a lower work wall panel of the same length (sold separately).


The work walls are available in all "base" laminate colors with a horizontal wood grain. The edge banding is in a matching color except for the white marker board and tackboard where the edge color will correspond with the specified "base" color. Wall mounting brackets are included on all work wall panels.

UPPER WORK WALL PANEL




Different types of upper panels

- 2 heights: 43" and 37".
- 8 widths: 30" to 72" (increments of 6").
- Thickness: 2".




Laminate panel

- A monitor can be attached.




Accessory bar panel

- With one or more integrated accessory rails.
- The top and bottom of the panel are edged in a coordinated color while the sides are edged in aluminum which covers the ends of the accessory rail.
- The accessory rails have an anodized aluminum finish and are used to attach Artopex accessories and shelves (not for use with monitors).




White Marker Board panel

- The white marker board is made of high-gloss white HPL for use with dry erase markers only.




Tackboard panel

- The tackboard is covered in fabric (Refer to the current Artopex panel fabrics chart).
- Fabric is always positioned at 90° (railroad).



Fabric positioned at 90° (railroad)

LOWER WORK WALL PANEL



- Height : 29"
- 8 widths : 30" to 72" (increments of 6").
- Thickness : 2".

Lower work wall panel in laminate only

The lower work wall panel cannot be used alone; it must be specified with an upper work wall panel of the same width :

- Used with an upper work wall 43" H., the total height will be 72".
- Used with an upper work wall 37" H., the total height will be 66".

COMPLEMENTS

Practical and functional complementary products are available to complete the layout of conference or training room.


Sideboards

The sideboards are available in two sizes: 24" and 36" W. and 36" H.

They come with :


- Cutlery tray in the drawer.
- A Pull on the left side so it can be easily moved.
- Four casters, two with brakes.

The Noki lock, exclusive to Artopex, is optional on sideboards (locks the doors).



Projector Shelf

The projector shelf is 13" L. x 15 1/2" D. x 2 1/2" H. and is used on the conference table surface. It is made of 1" thick laminate with slip-resistant plastic posts, aluminum finish.



Projector shelf

Lectern

The lectern is made of laminate panels and metal posts available in 4 finishes : Silver, Polar White, Charcoal and Black.

It has:


- An angled upper shelf with document holder and a grommet for cables.
- A lower attached shelf for storage (presentation materials, etc.).

A door under the shelf provides access to a multi-outlet (AC-EPUP, included) and a support for managing access cable.

- A base with casters, two with brakes.

The AC-EPUP module includes the following:

- 3 power outlets with a ground, 12 amp circuit breaker.
- Electrical cord: 108".
- CSA Certified.



Presentation Boards


Two models of presentation boards 48" L. x 45" H. with hinged door are available.

The first model includes:

- A writing pad 20" L. x 30" H.
- White marker board (high-gloss HPL for use with dry erase markers only).
- Dry erase markers and eraser.
- A tackboard.

Second model includes all the above items as well as :


- A retractable projection screen 46" W.



Finishing case

A finishing case 6 1/4" D. x 16" L. x 4 1/4" H. can be ordered to conceal the connection box of a multi-outlet when it is visible under the table. For example, an M3 multi-outlet on a meeting table with round tubular legs.

The finishing box is attached under the surface using screws and has openings for the passing of cables to the left, right and to the floor. The box is made of folded metal in 4 finishes: Silver, Polar White, Charcoal and Black.



ACCESSORIES FOR ACCESSORY RAILS


The following accessories are available in the Accessories price list.

Shelf

The shelf attaches to the accessory rail of the work wall panel.
It is made of 1" thick TFL with a matching straight edge banding.


Depending on its length, two or three supports finished in anodized aluminum are included.

- Lengths : 24" to 72".
- Depths : 6" or 10".




Bookends

The bookends are made of folded steel and attach to the shelves
6" or 10" deep and they are sold in pairs.



Plastic and Metal Accessories

A variety of plastic and metal accessories can be used on the accessory rail.



FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list with reference to choice of colors. Some exceptions apply, see the charts below or finish cards.















***NOTE:** Colors (especially dark colors) may vary between TFL and HPL.

SURFACE		EDGE BANDS (SURFACE)		
T.F.L.	H.P.L.	EDGES REGULAR / REVERSED	EDGES FLUTED	EDGES STRIPED (NARROW)
DOLOMITE FINISH	MAT FINISH	Aluminium (0W)	Not available for Victor series	
Antique White (MAW) *	Antique White (SAW) *	Antique White (0AW) *	Aluminium (3W)	Multiply Maple (0V1)
Charcoal (MF) *	Cayenne Maple (SCM)	Black (0N) *	Antique White (3AW) *	Coordinate with this surface finishes:
Frost (MA) *	Charcoal (SF)	Carbone (0CB)	Black (3N) *	Maritime Maple - Moka
White (MBW) *	Cherry (SCH)	Cayenne Maple (0CM)	Carbon (3CB)	Douglas Pine
	Chestnut (SCG)	Charcoal (0F)	Cayenne Maple (3CM)	
	Dark Oak (SDK)	Cherry (0CH)	Charcoal (3F)	
	Douglas Pine (SDP)	Chestnut (0CG)	Cherry (3CH)	
	Frost (SA)	Dalia (0DA)	Chestnut (3CG)	
SUEDE FINISH	Honey (SHO)	Dark Oak (0DK)	Dalia (3DA)	
Cayenne Maple (MCM)	Maritime Maple (SEM)	Douglas Pine (0DP)	Dark Oak (3DK)	
Cherry (MCH)	Moka (SPM)	Frost (0A)	Douglas Pine (3DP)	
Dark Oak (MDK)	Tobacco Cherry (STC)	Galaxy (0GX)	Frost (3A)	
Honey (MHO)	White (SBW)	Gingembre (0GG)	Galaxy (3GX)	Image Actual Size 1" thick surface
SUPERMAT FINISH	Willow Grey (SWG) **	Maritime Maple (0EM)	Ginger Root (0GG)	
Chestnut (MCG)		Moka (0PM)	Honey (3HO)	
Douglas Pine (MDP)	NATURAL FINISH	Sea Salt (0SM)	Maritime Maple (3EM)	
Maritime Maple (MEM)	Carbon (MCB)	Sesame (0SE)	Moka (3PM)	EDGES STRIPED (WIDE) <i>Not available for Victor series</i> Maple Striped / Honey (0R1) Coordinate with this surface finishes: Maritime Maple - Honey
Moka (MPM)	Dalia (MDA)	Tobacco Cherry (0TC)	Sea Salt (3SM)	
Tobacco Cherry (MTC)	Galaxy (MGX)	Twilight (0TL)	Sesame (3SE)	
Willow Grey (MWG)	Ginger Root (MGG)	White (0BW)	Tobacco Cherry (3TC)	
	Sea Salt (MSM)	Willow Grey (0WG)	White (3BW)	Image Actual Size 1" thick surface
AURA FINISH	Sesame (MSE)		Willow Grey (3WG)	
Carbon (MCB)	Twilight (MTL)			
Dalia (MDA)				
Galaxy (MGX)				
Ginger Root (MGG)				
Sea Salt (MSM)				
Sesame (MSE)				
Twilight (MTL)				
* NOT AVAILABLE FOR MIKE SERIES (1 1/2" THICK SURFACE).				

** Willow Grey: Matt finish
and not supermat like
T.F.L.

1" Edge: 3 grooves
1 1/2" Edge: 5 grooves


FINISH CHOICES CHART (CONT'D) AND PULLS TYPES

				
BASE **	FRONT	LEGS / BASES ACCESSORIES	ANGLED LEGS	SIDEBOARD
T.F.L.	T.F.L.	METAL	METAL	PULLS TYPES
DOLOMITE FINISH	DOLOMITE FINISH	Black (3067) Charcoal (3064) Polar White (3002) Silver (3090)	Abyss (3113) Amber (3108) Black (3067) Charcoal (3064) Fossil (3102) Grenadine (3044) Polar White (3002) Silver (3090) Smoothie (3109) Source (3106)	
Antique White (MAW) Black (N) Charcoal (MF) Frost (MA) White (MBW)	Antique White (SAW) Black (N) Charcoal (SF) Frost (SA) White (SBW)			TN - Nickel TECHNO
SUEDE FINISH	SUEDE FINISH			
Cayenne Maple (MCM) Cherry (MCH) Dark Oak (MDK) Honey (MHO)	Cayenne Maple (CM) Cherry (CH) Dark Oak (DK) Honey (HO)			DN - Nickel DECO
SUPERMAT FINISH	SUPERMAT FINISH		WOOD	
Chestnut (MCG) Douglas Pine (MDP) Maritime Maple (MEM) Moka (MPM) Tobacco Cherry (MTC) Willow Grey (MWG)	Chestnut (MCG) Douglas Pine (MDP) Maritime Maple (MEM) Moka (MPM) Tobacco Cherry (MTC) Willow Grey (MWG)		Black Natural	J - Satin Chrome
AURA FINISH	AURA FINISH			
Carbon (MCB) Dalia (MDA) Galaxy (MGX) Ginger Root (MGG) Sea Salt (MSM) Sesame (MSE) Twilight (MTL)	Carbon (MCB) Dalia (MDA) Galaxy (MGX) Ginger Root (MGG) Sea Salt (MSM) Sesame (MSE) Twilight (MTL)			X - Aluminum
				
				YN - Brushed Nickel
				
				YA - Antique Nickel
				
				YB - Brushed Bronze

** Modesty panels have the same finish as the laminate bases.

SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.




BOAT-SHAPED CONFERENCE TABLE WITH RECTANGULAR ARCHITECTURAL BASES / Dimensions : 36" x 48" x 96"

S SPECIFY						O OPTIONS		
Serie	Code	Surface	Edge	Base	Metal	M-outlet	Positions	Door
T M	- CTBRS4896	- MGX	/ 3GX	- SM	- 3090	- M4	LR	PLPR

Series: Mike (top 1 ½")
Surface: Galaxy (T.F.L.)
Edge band: Fluted (Galaxy)
Base: Sea Salt
90° metal corners: Silver
 Multi-outlet option: Pivoting left and right
 Removable door option on both bases

Ordering code: **TM - CTBRS4896 - MGX / 3GX - SM - 3090 - M4LR - PLPR**




SQUARE MEETING TABLE WITH SQUARE TUBULAR LEGS / Dimensions : 48" x 48"

S SPECIFY						O OPTION
Serie	Code	Surface	Edge	Metal	M-outlet	Caster
T V	- TSLES294848	- SCB	/ OCB	- 3064	- M6	CA

Series: Victor (top 1", reverse edge)
Surface: Carbon (H.P.L.)
Edge band: Carbon
Legs: Charcoal
 Multi-outlet option: center USB outlet
 Casters option on all legs

Ordering code: **TV - TSLES294848 - SCB / OCB - 3064 - M6 - CA**




"CRESCENT" SURFACE FOR MODULAR TABLES / Dimensions : 24" x 60"

S SPECIFY				O OPTION
Serie	Code	Surface	Edge	Grom. or M-outlet
T L	- MSC2460	- MDP	/ OBW	- G1C

Series: Lima (top 1")
Surface: Douglas pine (T.F.L.)
Edge band: White
White grommet option: center

Ordering code: **TL - MSC2460 - MDP / OBW - G1C**



DESSERTERTE / Dimensions : 21" x 36" x 36"

S SPECIFY						O OPTION	
Serie	Code	Surface	Edge	Base	Façade	Poignée	Noki
T L	- UC2136	- SDP	/ V1	- DP	/ BW	- TN	- L

Series: Lima (top 1")
Surface: Douglas pine (H.P.L.)
Edge band: Striped / Multiply-maple
Base: Douglas pine
Fronts: White
Pulls: Nickel TECHNO - TN
 Noki electronic lock option


Ordering code: **TL - UC2136 - SDP / V1 - DP / BW - TN - L**

TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following conditions :

- 1" thick surface (T.F.L.).
- Grade 1 fabric for tackboards.
- No option added.


Refer to the price list for the various options available for each component.



LAYOUT TOC-14-01

96" Boat-shaped table with X-laminate bases
Lectern


TL-CTBC4896	\$1 289
TL-LECE162046	\$2 075
	<hr/>
	\$3 364



LAYOUT TOC-14-02

120" "Racetrack" table with tubular leg and round base plate
Presentation board


TL-CTCDR48120	\$2 313
TL-PB4845	\$1 423
	<hr/>
	\$3 736



LAYOUT TOC-14-03

144" Rectangular table with architectural bases 90° metal corners
Sideboard

TL-CTSR48144	\$3 390
TL-UC2136	\$1 058
	<hr/>
	\$4 448



LAYOUT TOC-14-04


42" x 42" Square table
Sideboard
Upper w. wall - marker board
Upper w. wall - tackboard

TL-TSDS294242	\$779
TL-UC2124	\$1 013
TL-WWL4237	\$472
TL-WWT4237	\$337
	<hr/>
	\$2 601

conference tables

price list


TYPICAL LAYOUT (CONT'D)



LAYOUT TOC-14-04

"Hill-top" surface
"Crescent" surface
Sleeve legs
Caster
Sideboard


TL-MSH4060 (2)	\$798
TL-MS3060 (2)	\$614
AC-LE294D (4)	\$2 012
AC-LELC (8)	\$424
TL-UC2136	\$1 058
	\$4 906



LAYOUT TOC-14-06

Rectangular surface
Standard legs
Junction plates


TL-MSi2442 (6)	\$1 194
AC-LE294E (4)	\$1 644
AC-FJP2 (3)	\$60
	\$2 898



LAYOUT TOC-14-07

Lower w. wall- laminate
Lower w. wall- laminate
Upper w. wall- laminate
Upper w. wall - marker board


TL-WBW3629 (2)	\$848
TL-WBW7229	\$507
TL-WWW3637 (2)	\$552
TL-WWL7237	\$710
	\$2 617



LAYOUT TOC-14-08

Lower w. wall- laminate
Lower w. wall- laminate
Upper w. wall - tackboard
Upper w. wall - laminate

TL-WBW3629 (2)	\$848
TL-WBW7229	\$507
TL-WWT3637 (2)	\$612
TL-WWW7237	\$443
	\$2 410



LAYOUT TOC-14-09

Lower w. wall- laminate
Lower w. wall- laminate
Upper w. wall- rails
Upper w. wall - laminate
Shelve *See Accessories price list.

TL-WBW3629 (2)	\$848
TL-WBW7229	\$507
TL-WWU3643 (2)	\$814
TL-WWW7243	\$509
TL-SHE1036 (4)	\$412
	\$3 090

TYPICAL LAYOUT (CONT'D)



LAYOUT TOC-14-10

Round surface
Folded metal corner leg


TL-MSR36	\$271
AC-LECMS28 (4)	\$532
	<hr/> \$803



LAYOUT TOC-14-11

Triangular surface
Angled wood leg


TL-MST36	\$271
AC-LEAW28 (3)	\$1 092
	<hr/> \$1 363



LAYOUT TOC-14-12

Square surface
"Cage" base


TL-MSS4242	\$278
AC-LECA3522	\$586
	<hr/> \$864



LAYOUT TOC-14-13

Rectangular surface
"Cage" base


TV-MSS3696	\$496
AC-LECA4122 (2)	\$1 194
	<hr/> \$1 690



LAYOUT TOC-14-14

Rectangular surface
Double "O" Techno base
Stiffeners


TL-MSi3060	\$278
AC-LEO2830 (2)	\$504
AC-RSTF52	\$81
	<hr/> \$863



LAYOUT TOC-14-15

"Ovo" surface
Angled wood leg
Stiffeners

TV-MSU4896	\$747
AC-LEAW28 (4)	\$1 456
AC-RSTF52 (2)	\$162
	<hr/> \$2 365



LAYOUT TOC-14-16

Rectangular surface
Angled metal leg
Central cable housing


TL-MSS3684	\$466
AC-LEAM28 (4)	\$448
AC-BGF28	\$231
	<hr/> \$1 145

Price list

conference tables

price list

rectangular conference tables with panel base – 29" H.




Rectangular table 29" H. with panel base.




6 1/2" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

This base requires assembly.

Multi-outlet option, see p.17.



						 L Lima 1"		 M Mike 1½"		 V Victor 1"						
Dimensions						Straight		Straight		Reverse		Multi-Outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)	
48	192	2	3	14	CTSP48192	1748	2543	-	2880	-	3663	L - C - R	23.9	304	407	
48	168	2	3	12/14	CTSP48168	1563	2308	-	2604	-	3304	L - C - R	21.2	271	361	
48	144	2	3	12	CTSP48144	1455	2081	2032	2338	-	2954	L - C - R	18.5	238	315	
48	120	2	2	10	CTSP48120	1310	1824	1770	2032	-	2573	L - C - R	14.7	188	253	
48	96	1	2	8	CTSP4896	935	1348	-	1526	-	1972	L - C - R	12.0	155	207	
36	84	1	2	6/8	CTSP3684	777	1033	-	1155	-	1511	C	9.1	115	149	
36	72	1	2	6	CTSP3672	692	906	758	1012	-	1331	C	8.1	104	133	
30	72	1	2	4	CTSP3072	633	813	716	900	-	1199	C	7.1	89	113	
30	60	1	2	4	CTSP3060	596	736	678	807	-	1071	C	6.3	79	99	

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of panels

G: Seating capacity



S SPECIFY

T Serie - Code - Surface / Edge - Base - M-Outlet Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

rectangular conference tables with x-laminate bases – 29" H.



Rectangular table 29" H. with X-laminate bases.


6 1/2" H. modesty panels are included to ensure base stability.




For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

These bases require assembly.

Multi-outlet option, see p.17.



						L Lima 1"			M Mike 1½"			V Victor 1"				
																
Dimensions						Straight		Straight		Reverse		Multi-Outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft	lb (L-V)	lb (M)
48	192	2	3	14	CTSC48192	2154	2949	–	3286	–	4069	L - C - R		24.4	322	425
48	168	2	3	12/14	CTSC48168	1964	2708	–	3004	–	3705	L - C - R		21.8	289	379
48	144	2	3	12	CTSC48144	1850	2476	2427	2732	–	3348	L - C - R		19.1	256	333
48	120	2	2	10	CTSC48120	1547	2060	2006	2268	–	2809	L - C - R		15.4	194	258
48	96	1	2	8	CTSC4896	1166	1579	–	1757	–	2203	L - C - R		12.7	161	212
36	84	1	2	6/8	CTSC3684	1002	1258	–	1381	–	1737	C		9.8	121	155
36	72	1	2	6	CTSC3672	917	1132	983	1238	–	1557	C		8.8	109	138

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

T Serie - Code - Surface / Edge - Base - M-Outlet - Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

rectangular conference tables with rectangular architectural bases – 29" H.



Rectangular table 29" H. with rectangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Three corner detailing options are available: all laminate (W), laminate with 90° metal corners (S)

or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

ALL LAMINATE

						L Lima 1"		M Mike 1 1/2"		V Victor 1"						
Dimensions						Straight		Straight		Reverse		Multi-Outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft	lb (L-V)	lb (M)
48	192	2	3	14	CTSRW48192	2827	3622	-	3959	-	4742	L - C - R		36.5	375	478
48	168	2	3	12/14	CTSRW48168	2637	3381	-	3677	-	4378	L - C - R		33.8	342	432
48	144	2	3	12	CTSRW48144	2523	3149	3100	3406	-	4022	L - C - R		31.1	309	386
48	120	2	2	10	CTSRW48120	2052	2565	2511	2773	-	3314	L - C - R		23.1	236	301
48	96	1	2	8	CTSRW4896	1671	2083	-	2262	-	2708	L - C - R		20.5	203	255

90° CORNERS

48	192	2	3	14	CTSRS48192	3694	4489	-	4826	-	5609	L - C - R		36.5	375	478
48	168	2	3	12/14	CTSRS48168	3504	4248	-	4544	-	5245	L - C - R		33.8	342	432
48	144	2	3	12	CTSRS48144	3390	4016	3967	4272	-	4888	L - C - R		31.1	309	386
48	120	2	2	10	CTSRS48120	2629	3143	3089	3351	-	3892	L - C - R		23.1	236	301
48	96	1	2	8	CTSRS4896	2248	2661	-	2839	-	3286	L - C - R		20.5	203	255


ROUNDED CORNERS

48	192	2	3	14	CTSRR48192	3694	4489	-	4826	-	5609	L - C - R		36.5	375	478
48	168	2	3	12/14	CTSRR48168	3504	4248	-	4544	-	5245	L - C - R		33.8	342	432
48	144	2	3	12	CTSRR48144	3390	4016	3967	4272	-	4888	L - C - R		31.1	309	386
48	120	2	2	10	CTSRR48120	2629	3143	3089	3351	-	3892	L - C - R		23.1	236	301
48	96	1	2	8	CTSRR4896	2248	2661	-	2839	-	3286	L - C - R		20.5	203	255

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

O OPTIONS

Serie: Code: Surface: Edge: Base: Metal: M-Outlet: Positions: Door:

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$150 ea. Ex.: For option at left and right, indicate PLPR.

conference tables

price list

rectangular conference tables with triangular architectural bases - 29" H.



Rectangular table 29" H. with triangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Two corner detailing options are available: laminate with 90° metal corners (**S**) or laminate with rounded metal corners (**R**).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

90° Corners

						L Lima 1"		M Mike 1 1/2"		V Victor 1"				
						Straight		Straight		Reverse		Multi-Outlet		
Dimensions						Straight		Straight		Reverse		Multi-Outlet		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)
48	192	2	3	14	CTSTS48192	3428	4223	-	4560	-	5343	L - C - R	36.5	353
48	168	2	3	12/14	CTSTS48168	3237	3982	-	4278	-	4979	L - C - R	33.8	320
48	144	2	3	12	CTSTS48144	3124	3750	3700	4006	-	4622	L - C - R	31.1	287
48	120	2	2	10	CTSTS48120	2363	2877	2823	3084	-	3626	L - C - R	23.1	214
48	96	1	2	8	CTSTS4896	1982	2395	-	2573	-	3020	L - C - R	20.5	181


ROUNDED CORNERS

48	192	2	3	14	CTSTR48192	3428	4223	-	4560	-	5343	L - C - R	36.5	353
48	168	2	3	12/14	CTSTR48168	3237	3982	-	4278	-	4979	L - C - R	33.8	320
48	144	2	3	12	CTSTR48144	3124	3750	3700	4006	-	4622	L - C - R	31.1	287
48	120	2	2	10	CTSTR48120	2363	2877	2823	3084	-	3626	L - C - R	23.1	214
48	96	1	2	8	CTSTR4896	1982	2395	-	2573	-	3020	L - C - R	20.5	181

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

Serie Code Surface Edge Base Metal M-Outlet Positions Door

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$165 ea. Ex.: For option at left and right, indicate PLPR.

conference tables

price list

rectangular conference tables with tubular legs and round or square base plate – 29"H.



Rectangular table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

ROUND BASE

						L Lima 1"		M Mike 1½"		V Victor 1"						
						Straight		Straight		Reverse		Multi-outlet		Specifications		
Dimensions	A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V) lb (M)
48 192	2	3	14			CTSDR48192	3392	4188	-	4524	-	5308	L - C - R	L - R	51.3	429 532
48 168	2	3	12/14			CTSDR48168	3219	3963	-	4259	-	4960	L - C - R	L - R	49.3	401 491
48 144	2	3	12			CTSDR48144	3121	3747	3697	4003	-	4619	L - C - R	L - R	47.2	373 451
48 120	2	2	10			CTSDR48120	2246	2760	2706	2968	-	3509	L - C - R	C	33.6	277 341
48 96	1	2	8			CTSDR4896	1881	2294	-	2472	-	2918	L - C - R	C	31.5	249 300
36 84	1	2	6/8			CTSDR3684	1734	1990	-	2112	-	2468	L - C - R	C	28.7	210 244
36 72	1	2	6			CTSDR3672	1654	1869	1720	1975	-	2294	L - C - R	C	27.9	200 229


SQUARE BASE

48 192	2	3	14			CTSDS48192	3392	4188	-	4524	-	5308	L - C - R	L - R	51.3	474 577
48 168	2	3	12/14			CTSDS48168	3219	3963	-	4259	-	4960	L - C - R	L - R	49.3	446 536
48 144	2	3	12			CTSDS48144	3121	3747	3697	4003	-	4619	L - C - R	L - R	47.2	418 496
48 120	2	2	10			CTSDS48120	2246	2760	2706	2968	-	3509	L - C - R	C	33.6	307 371
48 96	1	2	8			CTSDS4896	1881	2294	-	2472	-	2918	L - C - R	C	31.5	279 330
36 84	1	2	6/8			CTSDS3684	1734	1990	-	2112	-	2468	L - C - R	C	28.7	240 274
36 72	1	2	6			CTSDS3672	1654	1869	1720	1975	-	2294	L - C - R	C	27.9	230 259

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

O OPTIONS

T Serie - Code - Surface / Edge - Metal - M-outlet - Positions

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal legs: Specify the finish : Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list




rectangular conference tables with metal "T" legs - 29" H.




Rectangular table 29" H. with tubular metal legs (2½" diam.) and flat steel base.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

						L Lima 1"		M Mike 1½"		V Victor 1"						
																
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft	lb (L-V)	lb (M)
48	144	2	3	12	CTSX48144	2712	3450	3330	3706	–	4322	L - R		33.1	229	307
48	120	2	3	10	CTSX48120	2592	3207	3100	3414	–	3956	L - R		31.0	201	266
48	96	1	2	8	CTSX4896	1744	2229	–	2407	–	2853	C		22.1	153	204
36	84	1	2	6/8	CTSX3684	1429	1724	–	1846	–	2202	C		19.3	114	148
36	72	1	2	6	CTSX3672	1376	1597	1520	1704	–	2022	C		18.5	104	133



Rectangular table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

48	144	2	3	12	CTSZ48144	1741	2479	2360	2736	-	3352	L - R		33.1	229
48	120	2	3	10	CTSZ48120	1621	2236	2130	2444	-	2985	L - R		31.0	201
48	96	1	2	8	CTSZ4896	1095	1580	-	1758	-	2204	C		22.1	153
36	84	1	2	6/8	CTSZ3684	780	1075	-	1197	-	1553	C		19.3	114
36	72	1	2	6	CTSZ3672	727	948	872	1055	-	1373	C		18.5	104
30	72	1	2	4	CTSZ3072	700	889	832	978	-	1275	C		17.7	93
30	60	1	2	4	CTSZ3060	681	840	795	916	-	1176	C		17.0	85

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

Serie Code Surface Edge Metal M-outlet Positions

O OPTIONS

S Serie: L, M or V, see p.12.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26-27.

Metal legs (table CTSX...): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Metal legs (table CTSZ...): Specify the finish: Black (3067) or Chrome (3501). For the Chrome finish : Add \$77 (2 bases) or \$116 (3 bases).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.


conference tables




price list

boat-shaped conference tables with panel base - 29" H.




Boat-shaped table 29" H. with panel base.
6 1/2" H. modesty panels are included to ensure base stability.
Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.
This base requires assembly.
Multi-outlet option, see p.17.



							L Lima 1"	M Mike 1 1/2"	V Victor 1"								
																	
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft	lb (L-V)	lb (M)
36	48	144	2	3	12	CTBP48144	1540	2278	2229	2533	-	3150	L - C - R		18.5	221	291
36	48	120	2	2	10	CTBP48120	1405	2020	1966	2229	-	2769	L - C - R		14.7	174	232
36	48	96	1	2	8	CTBP4896	1058	1543	-	1723	-	2168	L - C - R		12.0	143	189
30	36	84	1	2	6/8	CTBP3684	912	1229	-	1351	-	1707	C		9.1	110	141
30	36	72	1	2	6	CTBP3672	833	1103	954	1208	-	1528	C		8.1	98	125

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)
P: Number of panels
G: Seating capacity



S SPECIFY

Series Code Surface Edge Base M-outlet Positions
T - - / - -


O OPTIONS

- S** Serie: L, M or V, see p.13.
Code: Consult the above product code list.
Surface / Edge / Base: Take Off finishes, see p.26-27.
O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).
Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.
* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

boat-shaped conference tables with x-laminate bases – 29" H.



Boat-shaped table 29" H. with X-laminate bases.


6 1/2" H. modesty panels are included to ensure base stability.

For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

These bases require assembly.

Multi-outlet option, see p.17.




							L Lima 1"		M Mike 1 1/2"		V Victor 1"						
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft	lb (L-V)	lb (M)
36	48	144	2	3	12	CTBC48144	1935	2673	2624	2928	–	3545	L - C - R		19.1	239	309
36	48	120	2	2	10	CTBC48120	1546	2160	2107	2369	–	2910	L - C - R		15.4	179	237
36	48	96	1	2	8	CTBC4896	1289	1774	–	1954	–	2399	L - C - R		12.7	149	195
30	36	84	1	2	6/8	CTBC3684	1137	1454	–	1576	–	1933	C		9.8	115	146
30	36	72	1	2	6	CTBC3672	1058	1329	1179	1433	–	1753	C		8.8	104	130

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

T Serie - Code - Surface / Edge - Base - M-outlet - Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

boat-shaped conference tables with rectangular architectural bases – 29" H.



Boat-shaped table 29" H. with rectangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Three corner detailing options are available: all laminate (W), laminate with 90° metal corners (S)

or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.




Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

ALL LAMINATE

							L Lima 1"		M Mike 1½'		V Victor 1"					
																
Dimensions							Straight		Straight		Reverse		Multi-outlet	Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
36	48	144	2	3	12	CTBRW48144	2608	3346	3297	3601	–	4219	L - C - R	31.1	292	362
36	48	120	2	2	10	CTBRW48120	2050	2665	2611	2874	–	3414	L - C - R	23.1	222	280
36	48	96	1	2	8	CTBRW4896	1794	2279	–	2459	–	2904	L - C - R	20.5	191	237

90° CORNERS

36	48	144	2	3	12	CTBRS48144	3475	4213	4164	4468	-	5085	L - C - R	31.1	292	362
36	48	120	2	2	10	CTBRS48120	2628	3243	3189	3452	-	3992	L - C - R	23.1	222	280
36	48	96	1	2	8	CTBRS4896	2372	2857	-	3036	-	3482	L - C - R	20.5	191	237


ROUNDED CORNERS

36	48	144	2	3	12	CTBRR48144	3475	4213	4164	4468	-	5085	L - C - R	31.1	292	362
36	48	120	2	2	10	CTBRR48120	2628	3243	3189	3452	-	3992	L - C - R	23.1	222	280
36	48	96	1	2	8	CTBRR4896	2372	2857	-	3036	-	3482	L - C - R	20.5	191	237

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

O OPTIONS

T - - / - - -

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$165 ea. Ex.: For option at left and right, indicate PLPR.

conference tables

price list

boat-shaped conference tables with triangular architectural bases – 29" H.



Boat-shaped table 29" H. with triangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Two corner detailing options are available: laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

90° CORNERS

							L Lima 1"		M Mike 1½"		V Victor 1"						
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)	
36	48	144	2	3	12	CTBTS48144	3209	3947	3897	4202	–	4819	L - C - R	31.1	270	340	
36	48	120	2	2	10	CTBTS48120	2362	2977	2923	3186	–	3726	L - C - R	23.1	200	258	
36	48	96	1	2	8	CTBTS4896	2105	2591	–	2770	–	3215	L - C - R	20.5	169	215	


ROUNDED CORNERS

36	48	144	2	3	12	CTBTR48144		3209	3947	3897	4202	-	4819	L - C - R		31.1	270	340
36	48	120	2	2	10	CTBTR48120		2362	2977	2923	3186	-	3726	L - C - R		23.1	200	258
36	48	96	1	2	8	CTBTR4896		2105	2591	-	2770	-	3215	L - C - R		20.5	169	215

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

Serie Code Surface Edge Base Metal M-outlet Positions Door

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$165 ea. Ex.: For option at left and right, indicate PLPR.

conference tables




price list

boat-shaped tables with tubular legs and round or square base plate – 29" H.



Boat-shaped table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
 Legs allow cable passage (from surface to floor) using the M2 multi-outlet.
 Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
 A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.


ROUND BASE

							L Lima 1"		M Mike 1½"		V Victor 1"							
																		
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications			
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)	
36	48	144	2	3	12	CTBDR48144	2949	3687	3638	3942	–	4560	L - C - R	L - R	47.2	356	426	
36	48	120	2	2	10	CTBDR48120	2218	2833	2779	3042	–	3582	L - C - R	C	33.6	262	320	
36	48	96	1	2	8	CTBDR4896	1971	2456	–	2636	–	3081	L - C - R	C	31.5	237	283	
30	36	84	1	2	6/8	CTBDR3684	1832	2148	–	2270	–	2627	L - C - R	C	28.7	204	235	
30	36	72	1	2	6	CTBDR3672	1752	2023	1873	2127	–	2448	L - C - R	C	27.9	194	221	

SQUARE BASE

36	48	144	2	3	12	CTBDS48144	2949	3687	3638	3942	-	4560	L - C - R	L - R	47.2 401 471
36	48	120	2	2	10	CTBDS48120	2218	2833	2779	3042	-	3582	L - C - R	C	33.6 292 350
36	48	96	1	2	8	CTBDS4896	1971	2456	-	2636	-	3081	L - C - R	C	31.5 267 313
30	36	84	1	2	6/8	CTBDS3684	1832	2148	-	2270	-	2627	L - C - R	C	28.7 234 265
30	36	72	1	2	6	CTBDS3672	1752	2023	1873	2127	-	2448	L - C - R	C	27.9 224 251

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)
 P: Number of legs
 G: Seating capacity



S SPECIFY

Series Code Surface Edge Metal M-outlet Positions
 T - - / - -

O OPTIONS

S Series: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list




boat-shaped tables with metal "T" legs - 29" H.




Boat-shaped table 29" H. with tubular metal legs (2 1/2" diam.) and flat steel base.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

							L Lima 1"		M Mike 1½"		V Victor 1"						
																	
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)	
36	48	144	2	3	12	CTBX48144	2908	3647	3526	3903	–	4519	L - R	33.1	212	282	
36	48	120	2	3	10	CTBX48120	2787	3402	3297	3611	–	4151	L - R	31.0	187	245	
36	48	96	1	2	8	CTBX4896	1939	2424	–	2603	–	3049	C	22.1	141	187	
30	36	84	1	2	6/8	CTBX3684	1626	1920	–	2042	–	2398	C	19.3	108	139	
30	36	72	1	2	6	CTBX3672	1573	1794	1718	1901	–	2219	C	18.5	98	125	



Boat-shaped table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

36	48	144	2	3	12	CTBZ48144	1847	2550	2435	2793	-	3422	L - R		33.1	212	282
36	48	120	2	3	10	CTBZ48120	1732	2317	2216	2516	-	3066	L - R		31.0	187	245
36	48	96	1	2	8	CTBZ4896	1230	1692	-	1862	-	2317	C		22.1	141	187
30	36	84	1	2	6/8	CTBZ3684	931	1211	-	1327	-	1690	C		19.3	108	139
30	36	72	1	2	6	CTBZ3672	881	1091	1018	1192	-	1516	C		18.5	98	125

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

Series Code Surface Edge Metal M-outlet Positions
T - - / - -

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs (table CTBX...): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

Metal legs (table CTBZ...): Specify the finish: Black (3067) or Chrome (3501). For the Chrome finish: Add \$77 (2 bases) or \$116 (3 bases).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"racetrack" tables with panel base - 29" H.



"Racetrack" table 29" H. with panel base.

6½" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

This base requires assembly.

Multi-outlet option, see p.17.

CONFERENCE TABLES

						L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft lb (L-V) lb (M)
48	192	2	3	14	CTCP48192	1808	2739	-	3075	-	3859	L - C - R		23.9 292 390
48	168	2	3	12/14	CTCP48168	1638	2504	-	2800	-	3500	L - C - R		21.2 259 344
48	144	2	3	12	CTCP48144	1540	2278	2229	2533	-	3150	L - C - R		18.5 226 298
48	120	2	2	10	CTCP48120	1405	2020	1966	2229	-	2769	L - C - R		14.7 176 235
48	96	1	2	8	CTCP4896	1058	1543	-	1723	-	2168	L - C - R		12.0 143 189
36	84	1	2	6/8	CTCP3684	912	1229	-	1351	-	1707	C		9.1 109 140
36	72	1	2	6	CTCP3672	833	1103	954	1208	-	1528	C		8.1 97 123
30	72	1	2	4	CTCP3072	780	1009	912	1096	-	1395	C		7.1 84 107
30	60	1	2	4	CTCP3060	746	932	875	1003	-	1267	C		6.3 74 92

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of panels

G: Seating capacity

L C R

S SPECIFY

O OPTIONS

Series Code Surface Edge Base M-outlet Positions
T - - / - -

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"racetrack" tables with x-laminate bases - 29" H.



"Racetrack" table 29" H. with X-laminate bases.

6 1/2" H. modesty panels are included to ensure base stability.

For a set with three bases, central base is X-shaped.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

These bases require assembly.


Multi-outlet option, see p.17.

						L Lima 1"		M Mike 1 1/2"		V Victor 1"				
Dimensions						Straight		Straight		Reverse		Multi-outlet		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		
48	192	2	3	14	CTCC48192	2214	3145	-	3480	-	4265	L - C - R	24.4	310 408
48	168	2	3	12/14	CTCC48168	2038	2904	-	3200	-	3901	L - C - R	21.8	277 362
48	144	2	3	12	CTCC48144	1935	2673	2624	2928	-	3545	L - C - R	19.1	244 316
48	120	2	2	10	CTCC48120	1641	2256	2202	2465	-	3005	L - C - R	15.4	182 241
48	96	1	2	8	CTCC4896	1289	1774	-	1954	-	2399	L - C - R	12.7	149 195
36	84	1	2	6/8	CTCC3684	1137	1454	-	1576	-	1933	C	9.8	114 145
36	72	1	2	6	CTCC3672	1058	1329	1179	1433	-	1753	C	8.8	102 128

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

O OPTIONS

T Serie - Code - Surface / Edge - Base - M-outlet - Positions

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"racetrack" tables with rectangular architectural bases - 29" H.



"Racetrack" table 29" H. with rectangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Three corner detailing options are available: all laminate (W), laminate with 90° metal corners (S)

or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

ALL LAMINATE

						L Lima 1"		M Mike 1 1/2"		V Victor 1"					
						Straight		Straight		Reverse		Multi-outlet		Specifications	
Dimensions	A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V) lb (M)
48	192	2	3	14		CTCRW48192	2888	3818	-	4154	-	4938	L - C - R	36.5	363 461
48	168	2	3	12/14		CTCRW48168	2712	3577	-	3873	-	4574	L - C - R	33.8	330 415
48	144	2	3	12		CTCRW48144	2608	3346	3297	3601	-	4219	L - C - R	31.1	297 369
48	120	2	2	10		CTCRW48120	2146	2761	2707	2970	-	3510	L - C - R	23.1	224 283
48	96	1	2	8		CTCRW4896	1794	2279	-	2459	-	2904	L - C - R	20.5	191 237

90° CORNERS

48	192	2	3	14		CTCRS48192	3754	4685	-	5020	-	5805	L - C - R	36.5	363 461
48	168	2	3	12/14		CTCRS48168	3578	4444	-	4740	-	5441	L - C - R	33.8	330 415
48	144	2	3	12		CTCRS48144	3475	4213	4164	4468	-	5085	L - C - R	31.1	297 369
48	120	2	2	10		CTCRS48120	2724	3339	3285	3548	-	4088	L - C - R	23.1	224 283
48	96	1	2	8		CTCRS4896	2372	2857	-	3036	-	3482	L - C - R	20.5	191 237

ROUNDED CORNERS

48	192	2	3	14		CTCRR48192	3754	4685	-	5020	-	5805	L - C - R	36.5	363 461
48	168	2	3	12/14		CTCRR48168	3578	4444	-	4740	-	5441	L - C - R	33.8	330 415
48	144	2	3	12		CTCRR48144	3475	4213	4164	4468	-	5085	L - C - R	31.1	297 369
48	120	2	2	10		CTCRR48120	2724	3339	3285	3548	-	4088	L - C - R	23.1	224 283
48	96	1	2	8		CTCRR4896	2372	2857	-	3036	-	3482	L - C - R	20.5	191 237

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

Series Code Surface Edge Base Metal M-outlet Positions Door

T [] - [] - [] / [] - [] - [] - [] [] - []

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-275.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$165 ea. Ex.: For option at left and right, indicate PLPR.

conference tables

price list

"racetrack" tables with triangular architectural bases- 29" H.



"Racetrack" table 29" H. with triangular architectural bases.

6 1/2" H. modesty panels are included to ensure base stability.



Two corner detailing options are available: laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

For a set with three bases, central base is rectangular.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

90° CORNERS

						L Lima 1"		M Mike 1 1/2"		V Victor 1"				
						Straight		Straight		Reverse		Multi-outlet		
Dimensions						Straight		Straight		Reverse		Multi-outlet		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		
48	192	2	3	14	CTCTS48192	3489	4420	-	4755	-	5540	L - C - R	36.5	341 439
48	168	2	3	12/14	CTCTS48168	3313	4179	-	4475	-	5176	L - C - R	33.8	308 393
48	144	2	3	12	CTCTS48144	3210	3948	3898	4203	-	4820	L - C - R	31.1	275 347
48	120	2	2	10	CTCTS48120	2459	3073	3020	3282	-	3823	L - C - R	23.1	202 261
48	96	1	2	8	CTCTS4896	2107	2592	-	2771	-	3216	L - C - R	20.5	169 215

ROUNDED CORNERS

48	192	2	3	14	CTCTR48192	3489	4420	-	4755	-	5540	L - C - R	36.5	341 439
48	168	2	3	12/14	CTCTR48168	3313	4179	-	4475	-	5176	L - C - R	33.8	308 393
48	144	2	3	12	CTCTR48144	3210	3948	3898	4203	-	4820	L - C - R	31.1	275 347
48	120	2	2	10	CTCTR48120	2459	3073	3020	3282	-	3823	L - C - R	23.1	202 261
48	96	1	2	8	CTCTR4896	2107	2592	-	2771	-	3216	L - C - R	20.5	169 215

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

Serie Code Surface Edge Base Metal M-outlet Positions Door

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: At left (PL), in center if 3 bases (PC), at right (PR). Add \$165 ea. Ex.: For option at left and right, indicate PLPR.

conference tables

price list

"racetrack" tables with tubular legs and round or square base plate - 29" H.



"Racetrack" table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
Legs allow cable passage (from surface to floor) using the M2 multi-outlet.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

ROUND BASE

						L Lima 1"		M Mike 1½"		V Victor 1"						
						Straight		Straight		Reverse				Multi-outlet		Specifications
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft lb (L-V) lb (M)		
48	192	2	3	14	CTCDR48192	3207	4137	-	4473	-	5257	L - C - R	L - R	51.3	417	515
48	168	2	3	12/14	CTCDR48168	3042	3907	-	4203	-	4904	L - C - R	L - R	49.3	389	474
48	144	2	3	12	CTCDR48144	2949	3687	3638	3942	-	4560	L - C - R	L - R	47.2	361	433
48	120	2	2	10	CTCDR48120	2313	2928	2874	3137	-	3677	L - C - R	C	33.6	265	324
48	96	1	2	8	CTCDR4896	1971	2456	-	2636	-	3081	L - C - R	C	31.5	237	283
36	84	1	2	6/8	CTCDR3684	1832	2148	-	2270	-	2627	L - C - R	C	28.7	204	234
36	72	1	2	6	CTCDR3672	1752	2023	1873	2127	-	2448	L - C - R	C	27.9	193	219


SQUARE BASE

48	192	2	3	14	CTCDS48192	3207	4137	-	4473	-	5257	L - C - R	L - R	51.3	462	560
48	168	2	3	12/14	CTCDS48168	3042	3907	-	4203	-	4904	L - C - R	L - R	49.3	434	519
48	144	2	3	12	CTCDS48144	2949	3687	3638	3942	-	4560	L - C - R	L - R	47.2	406	478
48	120	2	2	10	CTCDS48120	2313	2928	2874	3137	-	3677	L - C - R	C	33.6	295	354
48	96	1	2	8	CTCDS4896	1971	2456	-	2636	-	3081	L - C - R	C	31.5	267	313
36	84	1	2	6/8	CTCDS3684	1832	2148	-	2270	-	2627	L - C - R	C	28.7	234	264
36	72	1	2	6	CTCDS3672	1752	2023	1873	2127	-	2448	L - C - R	C	27.9	223	249

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

T - - / - -

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"racetrack" tables with "T" metal legs - 29" H.




"Racetrack" table 29" H. with tubular metal legs (2 1/2" diam.) and flat steel base.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

						L Lima 1"		M Mike 1 1/2"		V Victor 1"				
						Straight		Straight		Reverse		Multi-outlet		
Dimensions						Straight		Straight		Reverse		Multi-outlet		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Specifications	
48	144	2	3	12	CTCX48144	2908	3647	3526	3903	-	4519	L - R	33.1	217 289
48	120	2	3	10	CTCX48120	2787	3402	3297	3611	-	4151	L - R	31.0	189 248
48	96	1	2	8	CTCX4896	1939	2424	-	2603	-	3049	C	22.1	141 187
36	84	1	2	6/8	CTCX3684	1626	1920	-	2042	-	2398	C	19.3	108 138
36	72	1	2	6	CTCX3672	1573	1794	1718	1901	-	2219	C	18.5	97 123



"Racetrack" table 29" H. with tubular metal legs and vertical steel base support.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

48	144	2	3	12	CTCZ48144	1938	2676	2556	2933	-	3549	L - R	33.1	217 289
48	120	2	3	10	CTCZ48120	1818	2432	2327	2641	-	3051	L - R	31.0	189 248
48	96	1	2	8	CTCZ4896	1290	1775	-	1954	-	2400	C	22.1	141 187
36	84	1	2	6/8	CTCZ3684	977	1272	-	1393	-	1653	C	19.3	108 138
36	72	1	2	6	CTCZ3672	924	1145	1069	1252	-	1570	C	18.5	97 123
30	72	1	2	4	CTCZ3072	897	1086	1029	1175	-	1392	C	17.7	89 111
30	60	1	2	4	CTCZ3060	877	1037	992	1113	-	1373	C	17.0	80 98

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

Serie Code Surface Edge Metal M-outlet Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs (table CTCX...): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

Metal legs (table CTCZ...): Specify the finish: Black (3067) or Chrome (3501). For the Chrome finish: Add \$77 (2 bases) or \$116 (3 bases).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

tapered conference tables with panel base - 29" H.



Tapered table 29" H. with panel base.

6 1/2" H. modesty panels are included to ensure base stability.


Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

This base requires assembly.

Multi-outlet option, see p.17.

							L Lima 1"		M Mike 1 1/2"		V Victor 1"				
Dimensions							Straight		Straight		Reverse		Multi-outlet		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Specifications	
30	54	120	2	2	10	CTTP54120	1639	2503	2255	2533	-	3304	L - C - R	14.7	176 235
30	54	96	1	2	8	CTTP5496	1405	2020	-	2229	-	2691	L - C - R	12.0	143 189

tapered conference tables with x-laminate bases - 29" H.



Tapered table 29" H. with x-laminate bases.

6 1/2" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

This base requires assembly.


Multi-outlet option, see p.17.

30	54	120	2	2	10	CTTC54120	1870	2734	2486	2764	-	3535	L - C - R	15.4	182 241
30	54	96	1	2	8	CTTC5496	1636	2251	-	2460	-	2922	L - C - R	12.7	149 195

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of panels or bases

G: Seating capacity



S SPECIFY

T - - / - -

O OPTIONS

S Series: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

tapered tables with architectural bases - 29" H.



Tapered table 29" H. with one triangular and one rectangular architectural bases.



6 1/2" H. modesty panels are included to ensure base stability.

Two corner detailing options are available: laminate with 90° metal corners (S) or laminate with rounded metal corners (R).

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.




Multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from surface to the floor).



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

90° CORNERS

							L Lima 1"		M Mike 1½"		V Victor 1"					
																
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications	
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
30	54	120	2	2	10	CTTS54120	2691	3554	3307	3585	–	4356	L - C - R	23.1	202	261
30	54	96	1	2	8	CTTS5496	2461	3076	–	3285	–	3747	L - C - R	20.5	169	215


ROUNDED CORNERS

30	54	120	2	2	10	CTTR54120	2691	3554	3307	3585	-	4356	L - C - R		23.1	202
30	54	96	1	2	8	CTTR5496	2461	3076	-	3285	-	3747	L - C - R		20.5	169

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of bases

G: Seating capacity



S SPECIFY

O OPTIONS

Serie Code Surface / Edge Base Metal M-outlet Positions Door

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

Door: Option on the triangular base, add PL, for the rectangular base, add PR (+\$165 ea.). Ex.: For option on both bases, indicate PLPR.

conference tables

price list

tapered tables with tubular legs and round or square base plate – 29" H.



Tapered table 29" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.

Legs allow cable passage (from surface to floor) using the M2 multi-outlet.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

ROUND BASE

							L Lima 1"		M Mike 1½"		V Victor 1"						
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
30	54	120	2	2	10	CTTDR54120	2584	3447	3200	3478	-	4249	L - C - R	C	33,6	314	373
30	54	96	1	2	8	CTTDR5496	2313	2928	-	3137	-	3599	L - C - R	C	31.5	286	332


SQUARE BASE

30	54	120	2	2	10	CTTDS54120	2584	3447	3200	3478	-	4249	L - C - R	C	33.6	353	412
30	54	96	1	2	8	CTTDS5496	2313	2928	-	3137	-	3599	L - C - R	C	31.5	325	371

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

T - - / - -

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.




conference tables

price list


tapered tables with metal "T" legs - 29" H.



Tapered table 29" H. with tubular metal legs (2 1/2" diam.) and flat steel base.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

							L Lima 1"		M Mike 1½"		V Victor 1"					
																
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications	
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft lb (L-V) lb (M)		
30	54	120	2	3	10	CTTX54120	2518	3381	3134	3412	–	4183	L - R	31.0	189 248	
30	54	96	1	2	8	CTTX5496	2247	2862	–	3071	–	3533	C	22.1	141 187	


tapered tables with round tubular legs - 29" H.



Tapered table 29" H. with round tubular metal legs (3" diam.).
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

30	54	120	2	6	10	CTTLER54120	2236	3100	2852	3131	-	3902	L - C - R	13.6 164 223
30	54	96	1	6	6	CTTLER5496	1966	2581	-	2790	-	3252	L - C - R	11.5 136 182

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)
P: Number of legs
G: Seating capacity



S SPECIFY

Series Code Surface Edge Metal M-outlet Positions
T - - / - -

O OPTIONS

S Series: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

elliptical tables with panel base - 29" H.



Elliptical table 29" H. with panel base.

6 1/2" H. modesty panels are included to ensure base stability.

Use plastic fasteners or AC-WR24 wire trough to secure cabling to the modesty panels, see Accessories price list.

This base requires assembly.

Multi-outlet, see p.17.


CONFERENCE TABLES

						L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6		Cu.Ft lb (L-V) lb (M)
48	144	2	3	12	CTOP48144	1541	2279	2230	2534	-	3152	L - C - R		18.5 208 271
48	120	2	2	10	CTOP48120	1406	2021	1967	2230	-	2770	L - C - R		14.7 158 209
48	96	1	2	8	CTOP4896	1059	1544	-	1724	-	2169	L - C - R		12.0 131 172

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of panels

G: Seating capacity



S SPECIFY

O OPTIONS

T Serie - Code - Surface / Edge - Base - M-outlet Positions

S Series: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

elliptical tables with tubular legs and round base plate – 29" H.




Elliptical table 29" H. with tubular metal legs (4" diam.) and round base plate (24" diam.).
 Legs allow cable passage (from surface to floor) using the M2 multi-outlet.
 Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
 A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

						L Lima 1"		M Mike 1½"		V Victor 1"						
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
48	144	2	3	12	CTODR48144	2395	3133	3083	3388	-	4005	L - C - R	L - R	47.2	343	407
48	120	2	2	10	CTODR48120	2265	2880	2826	3089	-	3629	L - C - R	C	33.6	247	297
48	96	1	2	8	CTODR4896	1946	2431	-	2610	-	3056	L - C - R	C	31.5	225	265
42	84	1	2	6	CTODR4284	1805	2122	-	2244	-	2600	L - C - R	C	29.6	204	235

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

T Serie - Code - Surface / Edge - Metal - M-outlet - Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26-27.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables


price list

elliptical tables with metal "T" legs - 29" H.



Elliptical table 29" H. with tubular metal legs (2½" diam.) and flat steel base.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.


						L Lima 1"	M Mike 1½"	V Victor 1"							
						Straight		Straight		Reverse		Multi-outlet		Specifications	
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
48	144	2	3	12	CTOX48144	2910	3648	3527	3904	-	4520	L - R	33.1	199	263
48	120	2	3	10	CTOX48120	2789	3403	3298	3612	-	4153	L - R	31.0	171	222
48	96	1	2	8	CTOX4896	1940	2426	-	2604	-	3050	C	22.1	129	169
42	84	1	2	6	CTOX4284	1627	1921	-	2043	-	2441	C	20.2	108	139



Elliptical table 29" H. with tubular metal legs and vertical steel base support.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

48	144	2	3	12	CTOX48144	1939	2677	2558	2934	-	3550	L - R	33.1	199	263
48	120	2	3	10	CTOX48120	1819	2433	2328	2642	-	3182	L - R	31.0	171	222
48	96	1	2	8	CTOX4896	1291	1777	-	1955	-	2401	C	22.1	129	169
42	84	1	2	6	CTOX4284	978	1273	-	1394	-	1793	C	20.2	108	139

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)
P: Number of legs
G: Seating capacity



S SPECIFY

T - - / - -

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs (table CTOX...): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

Metal legs (table CTOZ...): Specify the finish: Black (3067) or Chrome (3501). For the Chrome finish: Add \$77 (2 bases) or \$116 (3 bases).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list




elliptical tables with round tubular legs – 29" H.



Elliptical table 29" H. with round tubular metal legs (3" diam.).

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.


A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.97.

						L Lima 1"	M Mike 1½"	V Victor 1"							
															
Dimensions						Straight		Straight		Reverse		Multi-outlet	Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2-M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
48	144	2	8	8	CTOLER48144	3080	3818	3697	4074	–	4690	L - C - R	16.7	185	249
48	120	2	6	6/8	CTOLER48120	2666	3281	3176	3490	–	4030	L - C - R	13.6	146	196
48	96	1	6	6	CTOLER4896	1521	2006	–	2185	–	2631	L - C - R	11.5	124	164
42	84	1	4	4	CTOLER4284	1208	1502	–	1624	–	2022	C	8.6	91	122

S: Number of sections (the woodgrain is not aligned where the two surfaces meet)

P: Number of legs

G: Seating capacity



S SPECIFY

O OPTIONS

T Serie - Code - Surface / Edge - Metal - M-outlet - Positions

S Série: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

rectangular tables with tubular legs and round or square base plate – 40" and 36" H.

price list






Rectangular table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square. Legs allow cable passage (from surface to floor) using the M2 multi-outlet. Multi-outlet option, see p.17. The multi-outlet will be visible under the surface. A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

CONFERENCE TABLES

ROUND BASE

40" H.

						L Lima 1"		M Mike 1½"		V Victor 1"						
																
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
36	96	1	2	8	CTSDR403696	1933	2246	–	2390	–	2803	L - C - R	C	36.0	218	263
36	84	1	2	6/8	CTSDR403684	1761	2017	–	2140	–	2496	L - C - R	C	38.5	215	249
36	72	1	2	6	CTSDR403672	1682	1896	1748	2002	–	2321	L - C - R	C	37.7	205	234

36" H.

36	96	1	2	8	CTSDR363696	1914	2229	-	2374	-	2786	L - C - R	C	32.0	216	261
36	84	1	2	6/8	CTSDR363684	1745	2001	-	2123	-	2479	L - C - R	C	33.7	213	247
36	72	1	2	6	CTSDR363672	1665	1880	1731	1986	-	2305	L - C - R	C	32.9	203	232

SQUARE BASE


40" H.

36	96	1	2	8	CTSDS403696	1933	2246	-	2390	-	2803	L - C - R	C	36.0	244	289
36	84	1	2	6/8	CTSDS403684	1761	2017	-	2140	-	2496	L - C - R	C	38.5	246	280
36	72	1	2	6	CTSDS403672	1682	1896	1748	2002	-	2321	L - C - R	C	37.7	235	264

36" H.

36	96	1	2	8	CTSDS363696	1914	2229	-	2374	-	2786	L - C - R	C	32.0	242	287
36	84	1	2	6/8	CTSDS363684	1745	2001	-	2123	-	2479	L - C - R	C	33.7	243	277
36	72	1	2	6	CTSDS363672	1665	1880	1731	1986	-	2305	L - C - R	C	32.9	233	262

S: Number of sections
P: Number of legs
G: Seating capacity



S SPECIFY

O OPTIONS

T Serie Code Surface / Edge - Metal - M-outlet Positions

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list




boat-shaped tables with tubular legs and round or square base plate – 40" and 36" H.



Boat-shaped table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square. Legs allow cable passage (from surface to floor) using the M2 multi-outlet. Multi-outlet option, see p.17. The multi-outlet will be visible under the surface. A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

ROUND BASE

40" H.

							 L Lima 1"		 M Mike 1½"		 V Victor 1"						
Dimensions							Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	C	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V)	lb (M)
30	36	84	1	2	6/8	CTBDR403684	1859	2176	–	2298	–	2654	L - C - R	C	38.5	210	241
30	36	72	1	2	6	CTBDR403672	1780	2050	1901	2155	–	2475	L - C - R	C	37.7	200	226

36" H.

30	36	84	1	2	6/8	CTBDR363684	1843	2159	-	2281	-	2638	L - C - R	C	33.7 207 238
30	36	72	1	2	6	CTBDR363672	1763	2034	1884	2138	-	2459	L - C - R	C	32.9 197 224

SQUARE BASE

40" H.

30	36	84	1	2	6/8	CTBDS403684	1859	2176	-	2298	-	2654	L - C - R	C	38.5 240 271
30	36	72	1	2	6	CTBDS403672	1780	2050	1901	2155	-	2475	L - C - R	C	37.7 230 257

36" H.

30	36	84	1	2	6/8	CTBDS363684	1843	2159	-	2281	-	2638	L - C - R	C	33.7 237 268
30	36	72	1	2	6	CTBDS363672	1763	2034	1884	2138	-	2459	L - C - R	C	32.9 227 254

S: Number of sections
P: Number of legs
G: Seating capacity



S SPECIFY

Series	Code	Surface	Edge	Metal	M-outlet	Positions
T						

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"racetrack" tables with tubular legs and round or square base plate – 40" and 36" H.



"Racetrack" table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round or square.
Legs allow cable passage (from surface to floor) using the M2 multi-outlet.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

ROUND BASE

40" H.

						L Lima 1"		M Mike 1½"		V Victor 1"					
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications	
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft	lb (L-V) lb (M)
36	84	1	2	6/8	CTCDR403684	1859	2176	-	2298	-	2654	L - C - R	C	38.5	209 240
36	72	1	2	6	CTCDR403672	1780	2050	1901	2155	-	2475	L - C - R	C	37.7	198 224

36" H.

36	84	1	2	6/8	CTCDR363684	1843	2159	-	2281	-	2638	L - C - R	C	33.7	206 237
36	72	1	2	6	CTCDR363672	1763	2034	1884	2138	-	2459	L - C - R	C	32.9	196 222

SQUARE BASE

40" H.

36	84	1	2	6/8	CTCDS403684	1859	2176	-	2298	-	2654	L - C - R	C	38.5	239 270
36	72	1	2	6	CTCDS403672	1780	2050	1901	2155	-	2475	L - C - R	C	37.7	229 255

36" H.

36	84	1	2	6/8	CTCDS363684	1843	2159	-	2281	-	2638	L - C - R	C	33.7	237 267
36	72	1	2	6	CTCDS363672	1763	2034	1884	2138	-	2459	L - C - R	C	32.9	226 252

S: Number of sections
P: Number of legs
G: Seating capacity



S SPECIFY

T - - / - -

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.


* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

"Ovo" tables with tubular legs and round base plate – 40" and 36" H.

NEW



"Ovo" table 40" or 36" H. with tubular metal legs (4" diam.) and base plate (24"), round
Legs allow for the routing of cables (from surface to floor) using the M2 multi-outlet.
Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

40" H.

						L Lima 1"		M Mike 1½"		V Victor 1"						
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications		
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft lb (L-V) lb (M)		
42	84	1	2	6/8	CTUDR404284	2233	2615	-	2767	-	2853	L - C - R	C	36.1	237	291
36	72	1	2	6	CTUDR403672	2010	2290	2094	2402	-	2493	L - C - R	C	34.5	209	249

36" H.

42	84	1	2	6/8	CTUDR364284	2090	2472	-	2622	-	2710	L - C - R	C	32.1	235	289
36	72	1	2	6	CTUDR363672	1866	2146	1950	2258	-	2350	L - C - R	C	30.5	207	247

S: Number of sections
P: Number of legs
G: Seating capacity

L C R

S SPECIFY

Serie	Code	Surface	Edge	Metal	M-outlet	Positions
T			/			

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

conference tables

price list

elliptical tables with tubular legs and round or square base plate – 40" and 36" H.



Elliptical table 40" or 36" H. with tubular metal legs (4" diam.) and round base plate (24" diam.).
 Legs allow cable passage (from surface to floor) using the M2 multi-outlet.
 Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
 A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.


40" H.

						L Lima 1"	M Mike 1½"	V Victor 1"							
Dimensions						Straight		Straight		Reverse		Multi-outlet		Specifications	
A	B	S	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	M2	M3-M4-M5-M6	Cu.Ft lb (L-V)	lb (M)
42	84	1	2	6	CTODR404284	1833	2149	-	2272	-	2628	L - C - R	C	39.4 209	240

36" H.

42	84	1	2	6	CTODR364284	1816	2133	-	2255	-	2611	L - C - R	C	34.6 207	238
----	----	---	---	---	-------------	------	------	---	------	---	------	-----------	---	----------	-----

S: Number of sections
 P: Number of legs
 G: Seating capacity



S SPECIFY

Serie	Code	Surface	Edge	Metal	M-outlet	Positions
T						

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).


Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

* The highlighted area at right shows the availability & position of the multi-outlet depending on the selected table.

meeting tables

price list

square tables with x-laminate base- 29" H.






Square table 29" H. with X-laminate base.

Use AC-WR24 or AC-LW24 wire troughs to secure cabling to the base panels, see Accessories price list.


This base requires assembly.

Centered multi-outlet option, see p.17.

This option will generate a cut-out on the base, under the surface.

				L Lima 1"		M Mike 1½"		V Victor 1"					
													
Dimensions				Straight		Straight		Reverse		Specifications			
A	B	C	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
60		29	8	TSC296060	743	1032	921	1164	–	1540	10.0	136	176
54		29	4	TSC295454	664	912	829	1021	–	1340	8.7	120	152
48		29	4	TSC294848	569	784	721	876	–	1162	7.1	97	122
42		29	4	TSC294242	508	693	649	768	–	1010	6.1	83	103

square tables with architectural base - 29" and 24" H.



Square table 29" or 24" H. with square architectural base, all laminate.

Centered multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from table top to the floor).

29" H.

60	30	29	8	TSRW296060	908	1197	1086	1329	–	1705	24.2	153	194
54	24	29	4	TSRW295454	839	1087	1004	1196	–	1515	17.0	126	158
48	24	29	4	TSRW294848	732	947	883	1038	–	1324	15.9	111	137
42	18	29	4	TSRW294242	682	867	823	942	–	1184	10.2	87	107

24" H.

60	30	29	8	TSRW246060	854	1143	1032	1275	–	1651	21.3	141	182
54	24	29	4	TSRW245454	785	1033	950	1142	–	1461	15.1	116	148
48	24	29	4	TSRW244848	678	893	829	985	–	1271	14.0	101	127
42	18	29	4	TSRW244242	628	813	769	888	–	1130	9.1	79	99

G: Seating capacity



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

S SPECIFY

T Serie - Code - Surface / Edge - Base - M-outlet - Positions

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26.

O Multi-outlet (TSC...): Round (M2 +\$330), data outlet (M5 +\$385) or USB outlet (M6 +\$660).




Multi-outlet (TSRW...): Round (M2 +\$330), recessed (M3 +\$1 133), pivoting (M4 +\$1 025), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

Door (TSRW...): (PC +\$165).

meeting tables

price list

square tables with architectural base - 29" and 24" H. [cont'd]



Square table 29" or 24" H. with square architectural base.

Two corner detailing options are available: laminate with 90° metal corners (**S**) or laminate with rounded metal corners (**R**).

Centered multi-outlet option, see p.17.

A removable door option on the base allows access to interior cabling (from table top to the floor).

90° CORNERS

29" H.

					L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions					Straight		Straight		Reverse		Specifications		
A	B	C	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
60	30	29	8	TSRS296060	1004	1372	1381	1624	-	2000	24.2	153	194
54	24	29	4	TSRS295454	958	1255	1264	1507	-	1868	17.0	126	158
48	24	29	4	TSRS294848	926	1154	1173	1328	-	1614	15.9	111	137
42	18	29	4	TSRS294242	879	1027	1112	1231	-	1473	10.2	87	107

24" H.

60	30	24	8	TSRS246060	927	1295	1300	1543	-	1920	21.3	141	182
54	24	24	4	TSRS245454	880	1177	1184	1427	-	1788	15.1	116	148
48	24	24	4	TSRS244848	849	1077	1092	1247	-	1533	14.0	101	127
42	18	24	4	TSRS244242	801	950	1032	1151	-	1393	9.1	79	99

ROUNDED CORNERS

29" H.

60	30	29	8	TSRR296060	1004	1372	1381	1624	-	2000	24.2	153	194
54	24	29	4	TSRR295454	958	1255	1264	1507	-	1868	17.0	126	158
48	24	29	4	TSRR294848	926	1154	1173	1328	-	1614	15.9	111	137
42	18	29	4	TSRR294242	879	1027	1112	1231	-	1473	10.2	87	107

G: Seating capacity



ATTENTION: Add the removable door option on the bases of conference tables with multi-outlets.

S SPECIFY

O OPTIONS

T Serie - Code - Surface / Edge - Base - Metal - M-outlet - Porte

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Metal corners (S or R): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).

Position: For more than one location, indicate the multi-outlet code and all the position codes, ex.: M2 on all three positions, the option code will be M2LCR.

Door: (PC +\$165).

meeting tables


price list

square tables with tubular leg and square base plate – 40", 36", 29" and 24" H.




Square table 40", 36", 29" or 24" H. with tubular metal legs (4" diam.) and square base plate (24").

Leg allows cable passage (from surface to floor) using the M2 multi-outlet.

Centered round multi-outlet option, see voir p.17.



40" H.

					L Lima 1"		M Mike 1½"		V Victor 1"				
													
Dimensions					Straight		Straight		Reverse		Specifications		
A	B	C	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
42	24	40	4	TSDS404242	800	943	989	1108	-	1350	19.8	129	149
36	24	40	4	TSDS403636	766	870	876	963	-	1141	18.9	117	132
30	21	40	4	TSDS403030	700	763	792	853	-	977	14.7	92	102

36" H.

42	24	36	4	TSDS364242	791	935	972	1091	-	1333	17.4	128	148
36	24	36	4	TSDS363636	733	837	864	950	-	1129	16.5	116	131
30	21	36	4	TSDS363030	713	778	780	840	-	965	12.8	90	100

29" H.

48	24	29	4	TSDS294848	785	1005	1021	1176	-	1462	15.8	140	166
42	24	29	4	TSDS294242	779	923	960	1079	-	1321	14.9	127	147
36	21	29	4	TSDS293636	722	826	853	939	-	1118	11.4	98	113
30	21	29	4	TSDS293030	702	767	769	829	-	954	10.7	89	99

24" H.

48	24	24	4	TSDS244848	759	979	982	1137	-	1423	13.7	139	165
42	24	24	4	TSDS244242	752	897	922	1041	-	1283	12.8	126	146
36	21	24	4	TSDS243636	701	805	814	901	-	1079	9.9	97	112
30	21	24	4	TSDS243030	681	746	730	791	-	915	9.2	88	98

G: Seating capacity

S SPECIFY

O OPTION

T Serie - Code - Surface / Edge - Metal - M-outlet

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.


Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Round (M2 +\$330 ea.).




meeting tables


price list

square meeting tables with x-metal leg – 29" H.



Square table 29" H. with tubular metal legs (2 ½" diam.) and flat steel base.


			L Lima 1"		M Mike 1½"		V Victor 1"				
											
Dimensions			Straight		Straight		Reverse		Specifications		
A	C	G	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft lb (L-V) lb (M)
48	29	4	TSX294848		1318	1568	1510	1640	–	1945	11.0 109 143
42	29	4	TSX294242		1264	1484	1455	1549	–	1801	10.2 93 120



Square table 29" H. with tubular metal legs and vertical steel base support.
54" and 60" tables have a reinforced base to ensure stability

60	29	8	TSZ296060	807	1090	965	1218	–	1598	23.8	146	200
54	29	4	TSZ295454	744	998	898	1099	–	1439	22.5	128	172
48	29	4	TSZ294848	674	891	815	977	–	1268	16.5	109	143
42	29	4	TSZ294242	620	815	758	881	–	1132	15.6	93	119
36	29	4	TSZ293636	523	674	646	728	–	935	11.4	80	99
30	29	4	TSZ293030	488	590	609	644	–	798	8.5	69	82
24	29	2	TSZ292424	462	524	575	578	–	683	6.1	60	68

G: Seating capacity



S SPECIFY

Series	Code	Surface	Edge	Metal
T	<input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>

- S** Serie: L, M or V, see p.13.
Code: Consult the above product code list.
Surface / Edge: Take Off finishes, see p.26.
Metal leg (table TSX...): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).
Metal leg (table TSZ...): Specify the finish: Black (3067) or Chrome (3501 +\$77).

meeting tables

price list

square & rectangular tables with square tubular legs - 29" H.


Square or rectangular table 29" H. with square tubular metal legs (2 1/2" x 2 1/2").

A stiffener is available for 54" to 72" surfaces, see p.89.




Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

Caster option, see p.82.



SQUARE TABLES

						L Lima 1"		M Mike 1 1/2"		V Victor 1"				
														
Dimensions						Straight		Straight		Reverse		Specifications		
A	B	C	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
60	60	29	4	8	TSLES296060	663	1031	1075	1328	-	1708	8.7	115	156
54	54	29	4	4	TSLES295454	633	930	1008	1209	-	1549	7.4	99	131
48	48	29	4	4	TSLES294848	602	828	925	1087	-	1378	6.3	84	110
42	42	29	4	4	TSLES294242	585	734	868	991	-	1242	5.4	71	91
36	36	29	4	4	TSLES293636	553	658	756	838	-	1045	4.5	59	74

RECTANGULAR TABLES

36	84	29	6	6/8	TSLES293684	868	1134	-	1548	-	1928	8.7	115	149
36	72	29	4	6	TSLES293672	837	1054	1118	1319	-	1659	6.9	91	120
36	66	29	4	6	TSLES293666	824	1016	1035	1197	-	1488	6.5	86	112

P: Number of legs

G: Seating capacity

S SPECIFY

T Serie - Code - Surface / Edge - Metal - M-outlet - Casters

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Centered: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.)

Casters: Caster option, add CA (table with 4 legs +\$24) (table with 6 legs +\$36).

meeting tables

price list

square & rectangular tables with round tubular legs - 29" H.


Square or rectangular table 29" H. with round tubular metal legs (3" diam.).

A stiffener is available for 54" to 72" surfaces, see p.89.

Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.


A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

Caster option, see p.82.



SQUARE TABLES

						L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions						Straight		Straight		Reverse		Specifications		
A	B	C	P	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
60	60	29	4	8	TSLER296060	904	1266	1224	1477	-	1858	8.7	111	152
54	54	29	4	4	TSLER295454	873	1165	1157	1359	-	1698	7.4	95	127
48	48	29	4	4	TSLER294848	833	1053	1075	1236	-	1528	6.3	80	106
42	42	29	4	4	TSLER294242	807	969	1018	1141	-	1392	5.4	67	87
36	36	29	4	4	TSLER293636	703	807	905	988	-	1195	4.5	55	70



RECTANGULAR TABLES

36	84	29	6	6/8	TSLER293684	1092	1359	-	1772	-	2153	8.7	111	145
36	72	29	4	6	TSLER293672	987	1203	1267	1469	-	1808	6.9	87	116
36	66	29	4	6	TSLER293666	974	1166	1185	1346	-	1638	6.5	82	108

P: Number of legs

G: Seating capacity

S SPECIFY

T Serie - Code - Surface / Edge - Metal - M-outlet - Casters

O OPTIONS

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).


O Multi-Outlet: Centered: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.)

Casters: Caster option, add CA (table with 4 legs +\$24) (table with 6 legs +\$36).

meeting tables

price list

round tables with x-laminate base - 29" H.



Round table 29" H. with X-laminate base.
Use AC-WR24 or AC-LW24 wire troughs to secure cabling to the base panels, see Accessories price list.
This base requires assembly.
Centered multi-outlet option, see p.17. This option will generate a cut-out on the base, under the surface.

				L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions		G	Code	Straight		Straight		Reverse		Specifications		
A	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
60	29	6	TRC2960	743	1032	921	1164	-	1540	10.0	117	149
54	29	5	TRC2954	664	912	829	1021	-	1340	8.7	104	130
48	29	4/5	TRC2948	569	784	721	876	-	1162	7.1	84	105
42	29	4	TRC2942	508	693	649	768	-	1010	6.1	74	90

G: Seating capacity

S SPECIFY

O OPTION

Series

Code

Surface

Edge

Base

M-outlet

T--/--


- S Serie: L, M or V, see p.13.
- Code: Consult the above product code list.
- Surface / Edge / Base: Take Off finishes, see p.26-27.
- O Multi-Outlet: Centered: round (M2 +\$330), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

meeting tables




price list

round tables with tubular leg and round base plate - 40", 36", 29" and 24" H.

Round table 40", 36", 29" or 24" H. with tubular metal legs (4" diam.) and round base plate (24").
Leg allows cable passage (from surface to floor) using the M2 multi-outlet.
Centered round multi-outlet option, see p.17.



40" H.

						L Lima 1"		M Mike 1½"		V Victor 1"				
														
Dimensions						Straight		Straight		Reverse		Specifications		
A	B	C	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.		Cu.Ft	lb (L-V)	lb (M)
42	24	40	4	TRDR4042	800	943	989	1108	-	1350		19.8	104	120
36	24	40	3/4	TRDR4036	766	870	876	963	-	1141		18.9	96	107
30	21	40	3	TRDR4030	700	763	792	853	-	977		14.7	75	83

36" H.

42 24 36	42	24	36	4	TRDR3642	791	935	972	1091	-	1333	17.4	103	119
36 24 36	36	24	36	3/4	TRDR3636	733	837	864	950	-	1129	16.5	95	106
30 21 36	30	21	36	3	TRDR3630	713	778	780	840	-	965	12.8	74	82

29" H.

48 24 29	48	24	29	4/5	TRDR2948	785	1005	1021	1176	-	1462	15.8	113	133
42 24 29	42	24	29	4	TRDR2942	779	923	960	1079	-	1321	14.9	102	118
36 21 29	36	21	29	3/4	TRDR2936	722	826	853	939	-	1118	11.4	80	91
30 21 29	30	21	29	3	TRDR2930	702	767	769	829	-	954	10.7	72	80

24" H.

48 24 24	48	24	24	4/5	TRDR2448	759	979	982	1137	-	1423	13.7	111	131
42 24 24	42	24	24	4	TRDR2442	752	897	922	1041	-	1283	12.8	100	116
36 21 24	36	21	24	3/4	TRDR2436	701	805	814	901	-	1079	9.9	79	90
30 21 24	30	21	24	3	TRDR2430	681	746	730	791	-	915	9.2	71	79

G: Seating capacity

S SPECIFY

T Serie - Code - Surface / Edge - Metal - M-outlet

O OPTION

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.


Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

O Multi-Outlet: Centered: round (M2 +\$330).

meeting tables


price list

round meeting tables with x-metal leg - 29" H.



Round table 29" H. with tubular metal legs (2 1/2" diam.) and flat steel base.

				L Lima 1"		M Mike 1 1/2"		V Victor 1"				
				Straight		Straight		Reverse				
Dimensions				T.F.L. H.P.L.		T.F.L. H.P.L.		- H.P.L.		Specifications		
A	C	G	Code							Cu.Ft lb (L-V) lb (M)		
48	29	4/5	TRX2948	1318	1568	1510	1640	-	1945	11.0	94	123
42	29	4	TRX2942	1264	1484	1455	1549	-	1801	10.2	82	104



Round table 29" H. with tubular metal legs and vertical steel base support.

54" and 60" tables have a reinforced base to ensure stability.

60	29	6	TRZ2960	807	1090	965	1218	-	1598	23.8	124	170
54	29	5	TRZ2954	744	998	898	1099	-	1439	22.5	109	147
48	29	4/5	TRZ2948	674	891	815	977	-	1268	16.5	94	123
42	29	4	TRZ2942	620	815	758	881	-	1132	15.6	82	104
36	29	3/4	TRZ2936	523	674	646	728	-	935	11.4	71	87
30	29	3	TRZ2930	488	590	609	644	-	798	8.5	62	73
24	29	2	TRZ2924	462	524	575	578	-	683	6.1	54	62

G: Seating capacity

S SPECIFY

T Serie - Code - Surface / Edge - Metal

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.


Metal leg (table TRX ...): Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

Metal leg (table TRZ ...): Specify the finish Black (3067) or Chrome (3501 +\$77).

meeting tables

price list

round meeting tables with round tubular legs – 29" H.



Round table 29" H. with 4 round tubular metal legs (3" diam.).
A stiffener is available for 54" to 60" surfaces, see p.89.
Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.
Caster option, see p.82.

				L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions				Straight		Straight		Reverse		Specifications		
A	C	G	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
60	29	6	TRLER2960	904	1266	1224	1477	–	1858	8.7	93	124
54	29	5	TRLER2954	873	1165	1157	1359	–	1698	7.4	80	105
48	29	4/5	TRLER2948	833	1053	1075	1236	–	1528	6.3	68	88
42	29	4	TRLER2942	826	969	1018	1141	–	1392	5.4	57	73

G: Seating capacity

MEETING TABLES

S SPECIFY

Series	Code	Surface	Edge	Metal	M-outlet	Casters
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

O OPTIONS


- S** Serie: L, M or V, see p.13.
Code: Consult the above product code list.
Surface / Edge: Take Off finishes, see p.26.
Metal legs: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).
O Multi-Outlet: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.).
Casters: Caster option, add CA (+\$22).

modular tables

rectangular or square surfaces

NEW

price list



Grommet or multi-outlet position


Rectangular or square surface for modular tables. A stiffener is needed for some dimensions, see p.89.

Order legs separately, individually, see p.82 to 89.

Grommet or multi-outlet option available, positioned near the edge. The multi-outlet will be visible under the surface.

A modesty panel is recommended with the grommet or multi-outlet option. Refer to p.90 and Take Off Freestanding price list.


MODULAR TABLES



Grommet or multi-outlet position

			<div>L Lima 1"</div>		<div>M Mike 1½"</div>		<div>V Victor 1"</div>				
Dimensions			Straight		Straight		Reverse		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
36	78	MSi3678	426	717	-	858	-	999	3.5	78	114
36	72	MSi3672	372	590	521	697	-	894	3.2	72	106
36	66	MSi3666	327	563	443	676	-	849	2.9	67	97
36	60	MSi3660	310	492	436	581	-	803	2.7	61	89
36	54	MSi3654	301	479	399	561	-	758	2.4	55	81
36	48	MSi3648	267	424	378	495	-	669	2.1	450	72
30	78	MSi3078	397	642	-	761	-	902	2.9	66	96
30	72	MSi3072	311	492	435	581	-	805	2.7	61	89
30	66	MSi3066	304	479	405	570	-	767	2.5	56	82
30	60	MSi3060	278	426	378	499	-	728	2.2	52	75
30	54	MSi3054	272	410	368	491	-	690	2.0	47	68
30	48	MSi3048	246	394	348	466	-	608	1.8	42	61
30	42	MSi3042	233	365	326	432	-	564	1.6	38	54
30	36	MSi3036	220	338	288	397	-	517	1.4	33	47
24	72	MSi2472	267	424	378	495	-	714	2.2	50	72
24	66	MSi2466	260	409	366	488	-	683	2.0	46	67
24	60	MSi2460	239	369	328	426	-	609	1.8	42	61
24	54	MSi2454	232	365	313	421	-	622	1.6	39	55
24	48	MSi2448	210	334	288	394	-	548	1.5	35	50
24	42	MSi2442	199	315	285	365	-	510	1.3	31	44
24	36	MSi2436	185	294	279	338	-	471	1.1	2,4	39
48	48	MSi4848	332	525	464	619	-	790	3.5	66	99
42	42	MSi4242	278	425	377	499	-	670	2.7	51	76
36	36	MSi3636	233	365	326	432	-	563	2.0	37	56

Legs available:



S SPECIFY

O OPTION

Series Code Surface Edge Grom. or M-outlet
T - - / -

S Series: L, M or V see p.13

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

O Grommet: Centered. Specify the color of the grommet, Charcoal (G2C) or White (G1C), add \$32.


Multi-Outlet: Centered: "1-circuit" (ECC +\$213), "standard" (UCC +\$213), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

modular tables

rectangular or square surfaces

NEW

price list



Multi-outlet position


Rectangular or square surface for modular tables. A stiffener is needed for some dimensions, see p.89.

Order legs separately, see p.82 to 89.

Multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.


			L Lima 1"		M Mike 1½"		V Victor 1"					
Dimensions			Straight		Straight		Reverse			Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.		Cu.Ft	lb (L-V)	lb (M)
36	96	MSS3696	496	889	-	1040	-	1136	M2-M3-M4-M5-M6	4.2	95	139
36	90	MSS3690	482	850	-	991	-	1091	M2-M3-M4-M5-M6	4.0	89	131
36	84	MSS3684	466	811	-	944	-	1012	M2-M3-M4-M5-M6	3.7	83	123
36	78	MSS3678	426	717	-	858	-	999	M2-M3-M4-M5-M6	3.5	78	114
36	72	MSS3672	372	590	521	697	-	894	M2-M3-M4-M5-M6	3.2	72	106
36	66	MSS3666	327	563	443	676	-	849	M2-M3-M4-M5-M6	2.9	67	97
36	60	MSS3660	310	492	436	581	-	803	M2-M3-M4-M5-M6	2.7	61	89



Multi-outlet position

60	60	MSS6060	397	789	529	952	-	1058	M2-M3-M4-M5-M6	4.4	98	145
54	54	MSS5454	355	672	501	807	-	920	M2-M3-M4-M5-M6	3.6	81	118
48	48	MSS4848	332	525	464	619	-	790	M2-M3-M4-M5-M6	2.8	65	95
42	42	MSS4242	278	425	377	499	-	670	M2-M3-M4-M5-M6	2.2	51	74
36	36	MSS3636	233	365	326	432	-	563	M2-M3-M4-M5-M6	1.6	39	55
30	30	MSS3030	219	332	255	375	-	508	-	1.1	28	40
24	24	MSS2424	195	268	219	297	-	435	-	0.8	20	27

Legs available:



S SPECIFY

O OPTION

T Serie - Code - Surface / Edge - M-outlet

S Serie: L, M or V, see p.13.

C Code: Consult the above product code list.

S Surface / Edge: Take Off finishes, see p.26.


O Multi-Outlet: Centered: Round (M2 +\$330 ea.), recessed (M3 +\$1 133 ea.), pivoting (M4 +\$1 025 ea.), data outlet (M5 +\$385 ea.) or USB outlet (M6 +\$660 ea.)

*Multi-outlet not available for 24" and 30" surfaces.


modular tables

price list

"crescent" surfaces




"Crescent" surface for modular tables. Order legs separately: individually or set of 4, see p.82.
A stiffener is needed, see p.89.
Grommet or multi-outlet option available, positioned near the edge. The multi-outlet will be visible under the surface.
With the grommet or multi-outlet it is suggested to order a modesty panel, see p.90 and Take Off Freestanding price list.



Grommet or multi-outlet position

		L Lima 1"		M Mike 1½"				
Dimensions		Straight		Straight		Specifications		
A	B	T.F.L. H.P.L.		T.F.L. H.P.L.		Cu.Ft lb (L-V) lb (M)		
30	72	MSC3072		344	534	479	624	3.6 60 92
30	60	MSC3060		307	459	413	534	3.0 55 83
30	48	MSC3048		278	426	402	499	2.4 44 67
24	72	MSC2472		301	463	418	535	3.0 49 74
24	60	MSC2460		270	400	361	459	2.5 44 67
24	48	MSC2448		239	369	348	426	2.0 36 54

Legs available:



S SPECIFY

O OPTION

Series	Code	Surface	Edge	Grom. or M-outlet
T <input type="text"/>	- <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>


- S** **Series:** L or M, see p.13.
Code: Consult the above product code list.
Surface / Edge: Take Off finishes, see .26.
- O** **Grommet:** Grommet option available, positioned near the edge: Specify the color of the grommet, Charcoal (**G2C**) or White (**G1C**), add \$29.
Multi-Outlet: Multi-outlet option available, positioned near the edge: "1 circuit" (**ECC** +\$213), "standard" (**UCC** +\$213), data outlet (**M5** +\$385) or USB outlet (**M6** +\$660).

modular tables

price list


"arc" surfaces

"Arc" surface for modular tables. Order legs separately: individually or set of 4, see p.82.
A stiffener is needed, see p.89.



LEFT


				L Lima 1"		M Mike 1½"				
Dimensions				Straight		Straight		Spécifications		
A	B		Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
24	30	60	MSA243060	308	459	414	535	2.7	52	79
24	30	48	MSA243048	278	426	403	499	2.2	42	64



RIGHT

30	24	60	MSA302460	308	459	414	535	2.7	52	79
30	24	48	MSA302448	278	426	403	499	2.2	42	64


"trapezoid" surfaces



"Trapezoid" surface for modular tables. Order legs separately: individually or set of 4, see p.82.
A stiffener is needed, see p.89.

30	60	MSZ3060	308	459	427	535	2.7	37	56
24	48	MSZ2448	271	400	362	459	1.8	25	36


"hill-top" surfaces



"Hill-top" surface for modular tables. Order legs separately: individually or set of 4, see p.82.
A stiffener is needed, see p.89.

40½	60	MSH4060	399	655	638	804	3.7	57	86
36½	54	MSH3654	345	535	479	625	3.0	47	70
32½	48	MSH3248	303	463	419	536	2.4	37	56

Legs available:



S SPECIFY

T Serie - Code - Surface / Edge

S Serie: L or M, see p.13.


Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

modular tables

price list

"soft-square" surfaces




Multi-outlet position

"Soft-Square" surface for modular tables. Order legs separately, see p.82-89.
A stiffener is available for some dimensions, see p.89.
Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

		L Lima 1"		M Mike 1½"				
Dimensions		Straight		Straight		Specifications		
A	B	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft lb (L-V) lb (M)		
60	60	464	806	624	936	5.4	99	152
48	48	376	616	601	757	3.5	64	98
42	42	308	459	414	535	2.7	50	76
36	36	271	400	362	459	2.0	35	54

Legs available:



S

SPECIFY

O

OPTION

Series

Code

Surface

Edge

M-outlet

T

-

-

/

-

- S

Series: L or M, see p.13.
- Code: Consult the above product code list.
- Surface / Edge: Take Off finishes, see p.26.
- O


Multi-Outlet: Centered: Round (M2 +\$330), recessed (M3 +\$1 133), pivoting (M4 +\$1 025), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

modular tables

round surfaces

NEW

price list



Multi-outlet position

Round surface for modular tables. Order legs separately, see p.82-89.


A stiffener is available for some dimensions, see p.89.

Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

		<div>L Lima 1"</div> <div></div>		<div>M Mike 1½"</div> <div></div>		<div>V Victor 1"</div> <div></div>					
Dimensions		Straight		Straight		Reverse		Specifications			
A	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Multi-outlet	Cu.Ft	lb (L-V)	lb (M)
60	MSR60	464	806	624	936	-	1058	M2-M3-M4-M5-M6	4.4	73	110
54	MSR54	407	743	642	878	-	915	M2-M3-M4-M5-M6	3.6	60	90
48	MSR48	376	616	601	757	-	803	M2-M3-M4-M5-M6	2.8	47	71
42	MSR42	308	459	414	535	-	690	M2-M3-M4-M5-M6	2.2	36	54
36	MSR36	271	400	362	459	-	590	M2-M3-M4-M5-M6	1.6	27	40
30	MSR30	264	372	307	414	-	506	-	1.1	19	28
24	MSR24	251	330	287	359	-	437	-	0.8	12	18

Legs available:



MODULAR TABLES

S SPECIFY

O OPTION

T Serie - Code - Surface / Edge - M-outlet

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.

O Multi-Outlet: Centered: Round (M2 +\$330), recessed (M3 +\$1 133), pivoting (M4 +\$1 025), data outlet (M5 +\$385) or USB outlet (M6 +\$660).


*Multi-outlet not available for 24" and 30" surfaces.

modular tables

"ovo" surfaces



price list



Multi-outlet position

"Ovo" surface for modular tables. Order legs separately, see p.82-89.

A stiffener is available for some dimensions, see p.89.


Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.

A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

			L Lima 1"		M Mike 1½"		V Victor 1"					
Dimensions			Straight		Straight		Reverse		Specifications			
A	B	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
48	96	4	MSU4896	747	1246	-	1443	-	1526	5.6	125	184
42	84	4	MSU4284	679	1060	-	1212	-	1300	4.3	97	142
36	72	4	MSU3672	455	736	546	848	-	938	3.2	72	106

D: Number of legs recommended

Legs available:



S SPECIFY

O OPTION

T Serie - Code - Surface / Edge - M-outlet

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.


O Multi-Outlet: Centered: Round (M2 +\$330), recessed (M3 +\$1 133), pivoting (M4 +\$1 025), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

modular tables

triangular surfaces



price list




Multi-outlet position

Triangular surface for modular tables. Order legs separately, see p.82-89.
Centered multi-outlet option, see p.17. The multi-outlet will be visible under the surface.
A finishing case (sold separately) covers the base of the multi-outlet under the table, see p.100.

		L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions		Straight		Straight		Reverse		Specifications		
A	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
48	MST48	376	616	601	757	-	832	3.5	47	72
42	MST42	308	459	414	535	-	712	2.7	35	55
36	MST36	271	400	362	459	-	606	2.0	24	38

Legs available:



S SPECIFY

O OPTION

T Serie - Code - Surface / Edge - M-outlet

S Serie: L or M, see p.13.

C Code: Consult the above product code list.

S Surface / Edge: Take Off finishes, see p.26.

O Multi-Outlet: Centered: Round (M2 +\$330), recessed (M3 +\$1 133), pivoting (M4 +\$1 025), data outlet (M5 +\$385) or USB outlet (M6 +\$660).

modular tables

price list

standard legs





Standard leg for 29" H. modular table. Tubular metal, 2 1/2" diameter with integrated leveler.
For 29" H. table, height adjustment from 27 5/8" to 28 3/4". Caster option not available.

SURFACE HEIGHT: 29"

	Code	Price	Specifications	
			Cu.Ft.	lb
1 leg	AC-LE291E	112	0.4	6
Set of 4 legs	AC-LE294E	411	1.7	19

sleeve legs



26" H. leg allows the unit to slide underneath all regular height surface 29" H.

Sleeve leg for 26" or 29" H. modular table. Tubular metal, 2 1/2" diameter with integrated leveler.
For 29" H. table, height adjustment from 25 5/8" to 29 1/8" (with caster, add 2 1/2").
For 26" H. table, height adjustment from 22 1/2" to 26" (with caster, add 2 1/2").
Caster option available, sold separately, see product below.

SURFACE HEIGHT: 29"

1 leg	AC-LE291D	132	0.4	6
Set of 4 legs	AC-LE294D	503	1.7	19

SURFACE HEIGHT: 26"

1 leg	AC-LE261D	132	0.4	6
Set of 4 legs	AC-LE264D	503	1.7	19

SPECIFICATION GUIDE


Surface	Size	Number of legs
Rectangular	24" to 78" L.	4 legs and stiffener.
	84" to 96" L.	6 legs or 4 legs and a central cable housing (recommended when a multi-outlet is specified).
Round	24" to 30"	4 legs.
	48" to 60" L.	4 legs and stiffener.
Triangle		3 legs.
"Ovo"		4 legs and stiffener.

S SPECIFY

Code	Metal
<input type="text"/>	<input type="text"/>

S Code: Consult the above product code list.
Metal: Specify the finish: Aluminum (**CMW**), Black (**CMN**) or White (**CMB**).

caster for sleeve legs



Braking caster for sleeve legs for modular tables, black.
Sold individually.


1 caster	AC-LELC	53	0.1	1
----------	---------	----	-----	---

modular tables

round leg




price list



Round tubular metal leg (3" diam.) with integrated leveler.
Caster option available.

A	Code	Price	Specifications	
			Cu.Ft	lb
28	AC-LER28	162	0.8	7.4

square leg



Square tubular metal leg (2 1/2" x 2 1/2") with integrated leveler.
Caster option available.

28	AC-LES28	121	0.8	6.5
----	----------	-----	-----	-----

SPECIFICATION GUIDE		
Surface	Size	Number of legs
Rectangular	24" to 78" L.	4 legs and stiffener.
	84" to 96" L.	6 legs or 4 legs and a central cable housing (recommended when a multi-outlet is specified).
Round	24" to 30"	4 legs.
	48" to 60" L.	4 legs and stiffener.
Triangle		3 legs.
"Ovo"		4 legs and stiffener.

MODULAR TABLES

S SPECIFY

Code	Metal	Caster
<input type="text"/>	- <input type="text"/>	- <input type="text"/>


- S** **Code:** Consult the above product code list.
Metal: Specify finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).
Caster: Caster option (CA), add \$6.

modular tables

double "O" techno base



price list



Double rectangular tubular metal base, 1" x 3" with integrated levelers.

A	B	Code	Price	Specifications	
				Cu.Ft	lb
36	28	AC-LEO2836	259	3.7	17
30	28	AC-LEO2830	252	3.7	15
24	28	AC-LEO2824	245	3.7	14

SPECIFICATION GUIDE		
Surface	Size	Number of legs
Rectangular and square.	72" L. Maximum	2 legs and stiffener



ATTENTION

Do not use with surfaces of the Victor series.

S SPECIFY

Code	Metal
<input type="text"/>	<input type="text"/>

S Code: Consult the above product code list.


Metal: Specify finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

modular tables

"cage" bases



price list



Metal base, 22" x 22", 1" tubular square with integrated levelers.

A	B	Code	Price	Specifications	
				Cu.Ft	lb
41	22	AC-LECA4122	597	13.6	18
35	22	AC-LECA3522	586	11.7	19

SPECIFICATION GUIDE		
Surface	Size	Base
Round	36" Minimum	1 base
	42" Maximum	
Square	30" x 30" Minimum	1 base
	42" x 42" Maximum	
Rectangular	24" P. x 48" L. Minimum	2 bases
	36" P. x 96" L. Maximum	

S SPECIFY

Code

Metal

-

S Code: Consult the above product code list.


Metal : Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

modular tables

angled wood leg



price list



Rectangular wood leg 1½" x 2 ¾" with folded metal bracket and integrated leveler.

A	Code	Price	Specifications	
			Cu.Ft	lb
28	AC-LEAW28	364	2.6	2

SPECIFICATION GUIDE		
Surface	Size	Number of leg
Rectangular	24" to 78" L.	4 legs and stiffener.
	84" to 96" L.	6 legs or 4 legs and a central cable housing (recommended when a multi-outlet is specified).
Round	24"	Do not use angled legs.
	30"	4 legs.
	48" to 60" L.	4 legs and stiffener.
Triangular		3 legs.
"Ovo"		4 legs and stiffener.



ATTENTION: The natural properties of the hard wood of this leg will result in a variation in in the woodgrain and color.

S SPECIFY

Code	Metal	Wood
<input type="text"/>	- <input type="text"/>	- <input type="text"/>


- S** **Code:** Consult the above product code list.
- Metal support:** Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).
- Wood leg:** Specify the finish: Black (306) or Natural (300).

modular tables

angled metal leg



price list



Metal leg, tubular rectangle 1" x 3" with integrated leveler.


A	Code	Price	Specifications	
			Cu.Ft	lb
28	AC-LEAM28	112	0.9	4

SPECIFICATION GUIDE		
Surface	Size	Number of leg
Rectangular	24" à 78" L.	4 legs and stiffener.
	84" à 96" L.	6 legs or 4 legs and a central cable housing (recommended when a multi-outlet is specified).
Round	24"	Do not use angled legs.
	30"	4 legs.
	48" à 60" L.	4 legs and stiffener.
Triangle		3 legs.
"Ovo"		4 legs and stiffener.

MODULAR TABLES



folded metal corner leg



Folded metal leg, 3/16" thick with integrated leveler.

28	AC-LECMS28	133	0.9	3
----	------------	-----	-----	---

SPECIFICATION GUIDE		
Surface	Size	Number of leg
Rectangular	24" à 78" L.	4 legs and stiffener.
	84" à 96" L.	4 legs and a central cable housing (recommended when a multi-outlet is specified).
Round	24"	4 legs.
	30"	4 legs.
	48" à 60" L.	4 legs and stiffener.
Triangle		3 legs.
"Ovo"		4 legs and stiffener.

S SPECIFY

Code	Metal
<input type="text"/>	<input type="text"/>

S Code: Consult the above product code list.


Metal leg: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

modular tables

central cable housing



price list



The metal central cable housing serves as support and cable management when a central multi-outlet is specified on the surface.
Can replace center legs on a table with 6 legs.
Installation hardware included.

					Specifications	
A	B	C	Code	Price	Cu.Ft	lb
28	2 3/4	12	AC-BGF28	231	0.1	11


S SPECIFY

Code

Metal

S **Code:** Consult the above product code list.
Metal: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

stiffeners



Required for tables 48" or more.
Metal Charcoal finish. Installation hardware included.

Dimensions			Surface Lenght
A	Code	Price	
64	AC-RSTF64	97	72"
58	AC-RSTF58	87	66"
52	AC-RSTF52	81	60"
46	AC-RSTF46	75	54"
40	AC-RSTF40	67	48"

ANGLED LEGS EXCEPTIONS		
Surface	Size	Stiffener
Rectangular	24 x 60	40"
	24 x 66	46"
	24 x 72	52"


"OVO" SURFACE EXCEPTIONS	
Size	Stiffener
36 x 72	2 x 40"
42 x 84	2 x 46"
48 x 96	2 x 52"

MODULAR TABLES

modular tables

price list

metal modesty panel



Perforated metal modesty panel for modular tables.
Installs under a surface, with screws.
A slot at the bottom can support wiring (width 1 1/2").

Dimensions		Code	Price	Surface Lenght	Specifications	
A	B				Cu.Ft.	lb
52½	10	AC-MMP60	128	60" to 72"	1.7	12
40½	10	AC-MMP48	114	48"	1.2	9

S SPECIFY


Code

Metal

-

S Code: Consult the above product code list.
Metal: Specify the finish: Aluminium (CMW), Black (CMN) or White (CMB).


junction plates



Metal junction plates, Black finish.
Used to join 2 surfaces side-by-side.

Pack of 2	AC-FJP2	20	0.1	1
-----------	---------	----	-----	---

locking bracket




Locking ganging bracket to be used to join 2 mobile tables to create one surface.
Black. Sold individually.

1 locking bracket	AC-FLP	23	0.1	1
-------------------	--------	----	-----	---

occasional tables


price list

laminate base




Square occasional table, 17 1/2" H.
Laminate base.

					L Lima 1"		M Mike 1 1/2"				
Dimensions					Straight		Straight		Specifications		
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft lb (L-V) lb (M)		
30	30	17 1/2		TMAS173030	292	396	384	444	10.6	59	71
24	48	17 1/2		TMAS172448	319	452	422	512	13.5	61	77
24	42	17 1/2		TMAS172442	304	420	402	473	11.8	57	70
24	30	17 1/2		TMAS172430	268	371	372	420	8.5	48	57
24	24	17 1/2		TMAS172424	234	329	323	362	6.9	43	51
24	18	17 1/2		TMAS172418	244	292	316	322	5.2	39	44
18	36	17 1/2		TMAS171836	284	387	377	435	7.7	40	48
18	30	17 1/2		TMAS171830	256	316	332	351	6.5	36	44
18	24	17 1/2		TMAS171824	244	292	316	321	5.2	33	39
18	18	17 1/2		TMAS171818	233	267	299	315	4.0	29	34



Occasional table with ribbon style detail.
Table height: 17 1/2", ribbon height: 18 1/2", ribbon width: 10".

24	48	18 1/2	17 1/2	TMAB2448	449	603	-	-	14.2	61
24	42	18 1/2	17 1/2	TMAB2442	435	571	-	-	12.4	56
24	36	18 1/2	17 1/2	TMAB2436	402	521	-	-	10.7	52
24	30	18 1/2	17 1/2	TMAB2430	386	480	-	-	9.0	48
24	24	18 1/2	17 1/2	TMAB2424	370	442	-	-	7.2	44
18	36	18 1/2	17 1/2	TMAB1836	384	460	-	-	8.1	42
18	30	18 1/2	17 1/2	TMAB1830	373	436	-	-	6.8	38
18	24	18 1/2	17 1/2	TMAB1824	363	411	-	-	5.5	35



Round occasional table, 17 1/2" H.
Laminate base.

		L Lima 1"		M Mike 1 1/2"		V Victor 1"				
Dimensions		Straight		Straight		Reverse		Specifications		
A	C	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft lb (L-V) lb (M)		
36	17 1/2	309	462	560	603	-	833	15.1	51	68
30	17 1/2	281	428	502	537	-	728	10.6	52	60
24	17 1/2	241	354	426	455	-	587	6.9	38	43

S SPECIFY

T Serie - Code - Surface / Edge - Base

Serie: L, M or V, see p.13.


Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26.

occasional tables


metal base

price list




Round occasional table 17 1/2" H. with round tubular metal leg (3" diam.) and round base plate (18" diam.).

			L Lima 1"		M Mike 1½"		V Victor 1"					
Dimensions			Straight		Straight		Reverse		Specifications			
A	B	C	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	–	H.P.L.	Cu.Ft lb (L-V)	lb (M)
30		17½	TMARD1730		680	828	901	936	–	1129	5.2 58	66
24		17½	TMARD1724		658	796	825	855	–	1030	4.8 52	57




Elliptical occasional table 17 1/2" H. with round tubular metal leg (3" diam.) and round base plate (18" diam.).

21	36	17 1/2	TMAED172136		658	806	901	946	-	1150	5	54	60
----	----	--------	-------------	--	-----	-----	-----	-----	---	------	---	----	----



Square occasional table 17 1/2" H. with round tubular metal leg (3" diam.) and square base plate (18" x 18").

30	30	17 1/2	TSDS173030		680	828	901	936	-	1129	5.2	71	81
24	24	17 1/2	TSDS172424		658	796	825	855	-	1030	4.8	63	69



Square or rectangular occasional table 17 1/2" H. with square tubular metal legs (2 1/2" x 2 1/2").

24	36	17 1/2	TMASS172436		546	662	644	758	-	910	2.5	35	45
24	24	17 1/2	TMASS172424		510	613	614	705	-	846	2.0	28	34

S SPECIFY

T Serie - Code - Surface / Edge - Metal

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.26.


Metal: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

occasional tables

"fences"



price list



Round 16" H. occasional table, "Fences" base with 1/2" tubular hoops.

				L Lima 1"		M Mike 1 1/2"		V Victor 1"				
Dimensions				Straight		Straight		Reverse		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
36	16 1/2	16	TMARFE1636	1019	1158	1066	1217	-	1311	5.4	36	49
30	16 1/2	16	TMARFE1630	899	997	933	1037	-	1134	4.8	28	35

S SPECIFY

Series	Code	Surface	Edge	Metal
T	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>

S Series: L, M or V, see p.13.
Code: Consult the above product code list.
Surface / Edge: Take Off finishes, see p.26.
Metal: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).


occasional tables

with folded metal corner legs

NEW


price list

Square table 16" H. with folded metal legs, 1/8" thick.



				L Lima 1"		M Mike 1½"		V Victor 1"				
Dimensions				Straight		Straight		Reverse		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	-	H.P.L.	Cu.Ft	lb (L-V)	lb (M)
30	30	16	TMASCMS163030	891	998	925	1038	-	1153	2.1	27	39
24	36	16	TMASCMS162436	889	991	922	1031	-	1156	2.1	26	37
24	24	16	TMASCMS162424	868	937	890	965	-	1065	1.6	19	26

Round table 16" H. with folded metal legs, 1/8" thick.



36	16	TMARCMS1636	957	1098	1004	1156	-	1247	2.8	30	43
30	16	TMARCMS1630	932	1029	965	1070	-	1156	2.1	22	30
24	16	TMARCMS1624	910	971	932	999	-	1068	1.6	16	21

S SPECIFY

T - - - -

S Serie: L, M or V, see p.13.

Code: Consult the above product code list.


Surface / Edge: Take Off finishes, see p.26.

Metal: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

work walls

price list

upper



Upper work wall. Can be used alone or placed over a lower work wall of the same width (sold separately).

Available in 5 models: all laminate, laminate with 1 or 3 accessory rail(s) (anodized aluminum finish), white marker board or tackboard.

The white marker board and tackboard edge color will be the same as the specified "base" finish.

Wood grain is horizontal. Mounting brackets included. For more information, see p.23.

43" H.



Dimensions		Code		Price				Specifications			
A	B	Laminate		1 accessory rail		3 accessory rail		White marker board		Cu.Ft	lb
72	43	WWW7243	509	WWB7243	565	WWU7243	733	WWL7243	807	6.7	109
66	43	WWW6643	458	WWB6643	514	WWU6643	681	WWL6643	734	6.2	100
60	43	WWW6043	433	WWB6043	488	WWU6043	656	WWL6043	688	5.7	91
54	43	WWW5443	408	WWB5443	464	WWU5443	575	WWL5443	641	5.1	82
48	43	WWW4843	351	WWB4843	407	WWU4843	518	WWL4843	562	4.6	73
42	43	WWW4243	326	WWB4243	382	WWU4243	460	WWL4243	513	4.0	64
36	43	WWW3643	296	WWB3643	326	WWU3643	407	WWL3643	461	3.5	55
30	43	WWW3043	271	WWB3043	301	WWU3043	382	WWL3043	415	2.9	46

37" H.

72	37	WWW7237	443	WWB7237	498	WWU7237	611	WWL7237	710	5.8	91
66	37	WWW6637	427	WWB6637	483	WWU6637	594	WWL6637	683	5.4	84
60	37	WWW6037	399	WWB6037	455	WWU6037	567	WWL6037	629	4.9	77
54	37	WWW5437	378	WWB5437	433	WWU5437	546	WWL5437	589	4.4	70
48	37	WWW4837	325	WWB4837	381	WWU4837	450	WWL4837	515	3.9	63
42	37	WWW4237	303	WWB4237	359	WWU4237	428	WWL4237	472	3.5	56
36	37	WWW3637	276	WWB3637	306	WWU3637	359	WWL3637	426	3.0	49
30	37	WWW3037	254	WWB3037	285	WWU3037	338	WWL3037	385	2.5	42

S SPECIFY

T - - -

S Code: Consult the above product code list.


Base: For all types of work walls, specify the finish. Take Off finishes, see p.27.

Fabric (tackboard): Specify the fabric, refer to current Artopex panel fabric charts.

work walls

price list

upper [cont'd]



43" H.

Dimensions		Code	Price					Specifications	
A	B	Tackboard	Gr. 1	COM / Gr. 2	Gr. 3	Gr.4	Gr. 5	Cu.Ft	lb
72	43	WWT7243	513	519	535	551	578	6.7	109
66	43	WWT6643	472	496	512	528	554	6.2	100
60	43	WWT6043	439	462	479	494	520	5.7	91
54	43	WWT5443	416	439	455	471	498	5.1	82
48	43	WWT4843	378	396	408	420	440	4.6	73
42	43	WWT4243	355	373	385	397	417	4.0	64
36	43	WWT3643	323	336	343	351	364	3.5	55
30	43	WWT3043	300	312	320	329	342	2.9	46

37" H.

72	37	WWT7237	487	494	509	526	552	5.8	91
66	37	WWT6637	448	472	488	504	530	5.4	84
60	37	WWT6037	416	440	455	472	498	4.9	77
54	37	WWT5437	394	418	433	450	476	4.4	70
48	37	WWT4837	359	376	388	400	420	3.9	63
42	37	WWT4237	337	354	366	378	398	3.5	56
36	37	WWT3637	306	318	326	333	347	3.0	49
30	37	WWT3037	284	296	304	312	326	2.5	42

S SPECIFY

T - - -

S Code: Consult the above product code list.


Base: For all types of work walls, specify the finish. Take Off finishes, see p.27.

Fabric (tackboard): Specify the fabric, refer to current Artopex panel fabric charts.

work walls

price list

lower



Lower work wall. Cannot be used alone. Must be placed under an upper work wall of the same width (sold separately).
Available in laminate, wood grain is horizontal. Mounting brackets included.
When placed under a 43" H. upper work wall, the total height will be 72" (same height as the 72" H cabinet).
When placed under a 37" H. upper work wall, the total height will be 66" (same height as the 66" H cabinet).

29" H.


Dimensions		Code		Specifications	
A	B	Laminate	Price	Cu.Ft	lb
72	29	WBW7229	507	4.6	68
66	29	WBW6629	497	4.3	63
60	29	WBW6029	488	3.9	58
54	29	WBW5429	479	3.5	53
48	29	WBW4829	469	3.1	48
42	29	WBW4229	433	2.8	43
36	29	WBW3629	424	2.4	38
30	29	WBW3029	414	2.0	33

S SPECIFY


T - -

S **Code:** Consult the above product code list.
Base: Specify the finish: Take Off finishes, see p.27.


storage




Cabinets



Bookcases




29" or 35" H. credenza



30" or 36" wide storage

Many storage units (credenza, cabinets, bookcase...etc.) with different configurations and dimensions are offered in the Take Off Freestanding Collection. Refer to current Take Off Freestanding price list for details and complete offering.

sideboards



Sideboard on casters (2 braking) with lateral Pull on left side.
1 adjustable shelf in the storage section.
Cutlery tray in the drawer.
Optional Noki electronic lock. Locks the door(s).

				L Lima 1"		M Mike 1½"				
				Straight		Straight				
Dimensions				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Specifications		
A	B	C	Code					Cu.Ft	lb (L-V)	lb (M)
21	36	36	UC2136	1058	1123	1196	1366	17.7	137	147
21	24	36	UC2124	1013	1082	1147	1294	12.1	92	98

S SPECIFY

Serie Code Surface Edge Base Fronts Pull Noki
 T - - / - / - -

O OPTION

S Serie: L or M, see p.13.


Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.26-27.

Pulls: Pulls included, specify the type, see p.27.

O Noki: Electronic lock option, add L (+\$66).

projector shelf



Projector shelf to be used on a conference table. Height: 2 ½".
1" thick laminate shelf.
Slip-resistant plastic posts, aluminum finish.


Dimensions			Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft
13	15½		PROJ1315	177	212	0.5

S SPECIFY

Series	Code	Surface	Edge
T L	-		/

S Code: Consult the above product code list.
Surface / Edge: Take Off finishes, see p.26.
FLUTED edge not available on this product.


lectern



Lectern on casters (4 including 2 braking), metal and laminate structure.
Angled document holder, with black grommet.
1 fixed shelf and door for interior cable access.
Includes a multi-outlet (AC-EPUP) and a harness for extra cabling.


16	20	46	LECE162046	2075	-	11.0	53
----	----	----	------------	------	---	------	----

presentation boards



Presentation board with hinged doors.
Includes a tackboard, marker board, markers, eraser and writing pad.
* Use only dry erase markers on marker board (Ozonite).

48	45	PB4845	1423	-	6.0	98
----	----	--------	------	---	-----	----



Presentation board with hinged doors.
Includes a retractable projection screen, tackboard, marker board, markers, eraser and writing pad.
* Use only dry erase markers on marker board (Ozonite).


48	45	PBS4845	1798	-	6.0	108
----	----	---------	------	---	-----	-----

S SPECIFY

Series	Code	Base	Metal
T L	-		/

S Code: Consult the above product code list.
Base: Take Off finishes, see p.26.
Metal (lectern): Specify the structure finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

finishing case



Metal finishing case.
Installs under a surface with screws.
Covers the base of the multi-outlet modules (M2, M3, M4, M5 or M6), see p.17.
Cut-outs at each end and at the bottom for cable passage.

Dimensions						Specifications	
A	B	C	Code	Price		Cu.Ft	lb
6¼	16	6¼	AC-EFB	79		0.4	3

S SPECIFY

Code		Metal	
	-		

S Code: Consult the above product code list.
Metal: Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Lock

Mechanism and parts under warranty for 5 years, and 1 year warranty on labor.

Artopex Warranty

Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

UPDATE SUMMARY

May 1st 2018

PAGES	SECTION	PRODUCT	MODIFICATION
			Discontinued accessories have been removed from this price list since they are in the Accessories price list. Shelves, Bookends, power bar, grommet, wire trough, cables fasteners and flexible wire manager.
p.3	Table of contents		Title: Accessories is change for: Complements in all the price list.
p.17	General informations	M4 multi-outlet	Description change.
p.26-27	General informations	Finish choices chart.	New metal finish colors.
p.27	General informations	Finish choices chart.	Refer to the current Artopex laminate cards for new colors and changes.
p.33-73	Conference tables, meeting tables and modular tables.	M4 multi-outlet	Price increase for M4 multi-outlet; \$1 025.
p.56	Conference tables	Ellipse	Title correction, CAN & USA.
p.59	Conference tables	Rectangular tables with tubular legs and round or square base plate - 40" and 36" H.	New dimensions available.
p.62	Conference tables	"Ovo" tables with tubular legs and round base plate - 40" and 36" H.	New products
p.74	Modular tables	Rectangular surfaces	New dimensions available.
p.75	Modular tables	Rectangular and square surfaces	New dimensions available.
p.79	Modular tables	Round surfaces	New dimensions available.
p.80	Modular tables	"Ovo" surfaces	New form
p.81	Modular tables	Triangular surfaces	New form
p.83-89	Modular tables	Legs	New legs available; round, square, Double "O" Techno base, "Cages" base, angled wood, angled metal, folded metal corner, central cable housing.
p.89	Modular tables	Stiffener	New dimensions available.
p.93	Occasional tables	"Fences"	New products
p.94	Occasional tables	With folded metal corner legs	New products
p.96	Work wall	Upper	COM fabric are now grade 2.
p.99	Complements	Presentation board	Description change.

*Designing, manufacturing, advising, planning
and supporting: that's the art that
distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais Street
Granby, Quebec
J2J 1A7
CANADA

Tel.: 450 378-0189
1 800 363-3040

Fax.: 450 378-9712

artopex.com