

# TAKE OFF

Freestanding



**USA**  
**price list**  
effective May 1<sup>st</sup> 2014

**UPDATED - May 1<sup>st</sup> 2018**  
Update summary - p.94

**artopex<sup>®</sup>**















## interactive links

page tabs & page references

→ document optimized for dual page viewing



	TABLE OF CONTENTS	3
	VISUAL INDEX	4
	GENERAL INFORMATION	46
	DESKS / TABLES L- M	A1
	STORAGE	B1
	HUTCHES & TOP STORAGE	C1
	TABLES & STORAGE / LAYERING	D1
	SHARED TABLES & STORAGE / BENCHING	E1
	SCREENS AND COMPLEMENTS	F1
	ELECTRICITY	G1
	CONDITIONS & GUARANTEES	93



## Visual index




# take off FREESTANDING


## visual index

### ASSEMBLED RECTANGULAR DESKS A2


Di3672U  
Di3072U  
Di3066U  
Di3060U  
Di2472U  
Di2466U  
Di2460U  
Di2172U  
Di2166U  
Di2160U




Di3672T  
Di3072T  
Di3066T  
Di3060T  
Di2472T  
Di2466T  
Di2460T  
Di2172T  
Di2166T  
Di2160T




Di3672N  
Di3072N  
Di3066N  
Di3060N  
Di3048N  
Di2472N  
Di2466N  
Di2460N  
Di2448N  
Di2172N  
Di2166N  
Di2160N



Di3672F  
Di3072F  
Di3066F  
Di3060F  
Di2472F  
Di2466F  
Di2460F  
Di2172F  
Di2166F  
Di2160F




Di3672V  
Di3072V  
Di3066V  
Di3060V  
Di2472V  
Di2466V  
Di2460V  
Di2172V  
Di2166V  
Di2160V




### ASSEMBLED BOW FRONT DESKS WITH CURVED INTERIOR ACCESS A8


DC3672Y




Di3672Y  
Di3072Y  
Di3066Y  
Di3060Y  
Di2472Y  
Di2466Y  
Di2460Y  
Di2172Y  
Di2166Y  
Di2160Y




Di3672W  
Di3072W  
Di3066W  
Di3060W  
Di2472W  
Di2466W  
Di2460W  
Di2172W  
Di2166W  
Di2160W




DC3672U




DC3672P




Di3672Z  
Di3072Z  
Di3066Z  
Di3060Z  
Di2472Z  
Di2466Z  
Di2460Z  
Di2172Z  
Di2166Z  
Di2160Z




Di3672P  
Di3072P  
Di3066P  
Di3060P  
Di2472P  
Di2466P  
Di2460P  
Di2172P  
Di2166P  
Di2160P




DC3672S




Di3672S  
Di3072S  
Di3066S  
Di3060S  
Di2472S  
Di2466S  
Di2460S  
Di2172S  
Di2166S  
Di2160S



Di3672M  
Di3072M  
Di3066M  
Di3060M  
Di3048M  
Di2472M  
Di2466M  
Di2460M  
Di2448M  
Di2172M  
Di2166M  
Di2160M



DC3672T






# take off FREESTANDING


## visual index

### ASSEMBLED BOW FRONT DESKS A10


DD3672Y  
DD3666Y  
DD3660Y




DD3672U  
DD3666U  
DD3660U




DD3672P  
DD3666P  
DD3660P




DD3672S  
DD3666S  
DD3660S




DD3672T  
DD3666T  
DD3660T



DD3672M  
DD3666M  
DD3660M




DD3672N  
DD3666N  
DD3660N




### ASSEMBLED OFFSET BOW FRONT DESKS A12

DFL3072S  
DFL3066S  
DFL3060S




DFR3072T  
DFR3066T  
DFR3060T




### ASSEMBLED RETURNS A13


RET2460  
RET2454  
RET2448  
RET2442  
RET2436  
RET2430  
RET2148  
RET2142  
RET2136  
RET2130




RES2460  
RES2454  
RES2448  
RES2442  
RES2436  
RES2430  
RES2148  
RES2142  
RES2136  
RES2130




REW2460  
REW2454  
REW2448  
REW2442  
REW2436  
REW2430  
REW2148  
REW2142  
REW2136  
REW2130




REV2460  
REV2454  
REV2448  
REV2442  
REV2436  
REV2430  
REV2148  
REV2142  
REV2136  
REV2130



REN2460  
REN2454  
REN2448  
REN2442  
REN2436  
REN2430  
REN2148  
REN2142  
REN2136  
REN2130




REM2460  
REM2454  
REM2448  
REM2442  
REM2436  
REM2430  
REM2148  
REM2142  
REM2136  
REM2130




### REVERSIBLE RETURNS A16

RER2460  
RER2454  
RER2448  
RER2442  
RER2436  
RER2430  
RER2148  
RER2142  
RER2136  
RER2130  
RER1836  
RER1830



### BRIDGE RETURNS A16

REB2448  
REB2442  
REB2436  
REB2430  
REB2148  
REB2142  
REB2136  
REB2130  
REB1848  
REB1842  
REB1836  
REB1830






# take off FREESTANDING

## visual index

### CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (LEFT PEDESTAL) A17

#### DESKS


RDS3072  
RDS3066



RDW3072  
RDW3066

RDN3072  
RDN3066


RDV3072  
RDV3066



#### RETURNS

RDRS2460  
RDRS2448  
RDRS2442


RDM3072  
RDM3066



RDRV2460  
RDRV2448  
RDRV2442


#### RETURNS

RDRT2460  
RDRT2448  
RDRT2442




RDRM2460  
RDRM2448  
RDRM2442

RDRW2460  
RDRW2448  
RDRW2442




RDRN2460  
RDRN2448  
RDRN2442










### CLOSED RECEPTION DESKS WITH CURVED COUNTERTOP (RIGHT PEDESTAL) A18

#### DESKS

RDT3072  
RDT3066




RSQ1284  
RSQ1278  
RSQ1272  
RSQ1266  
RSQ1260  
RSQ1254  
RSQ1248  
RSQ1242  
RSQ1236  
RSQ1230  
RSQ1224




### COUNTERTOP EXTENSIONS A20

RSR1284  
RSR1278  
RSR1272  
RSR1266  
RSR1260  
RSR1254  
RSR1248  
RSR1242  
RSR1236  
RSR1230  
RSR1224




RSL1284  
RSL1278  
RSL1272  
RSL1266  
RSL1260  
RSL1254  
RSL1248  
RSL1242  
RSL1236  
RSL1230  
RSL1224



### RECTANGULAR TABLES (FULL END PANELS) A21

Ti3684LL  
Ti3678LL  
Ti3672LL  
Ti3666LL  
Ti3660LL  
Ti3654LL  
Ti3648LL  
Ti3084LL  
Ti3078LL  
Ti3072LL  
Ti3066LL  
Ti3060LL  
Ti3054LL  
Ti3048LL  
Ti3042LL  
Ti3036LL  
Ti3030LL  
Ti3024LL



Ti2484LL  
Ti2478LL  
Ti2472LL  
Ti2466LL  
Ti2460LL  
Ti2454LL  
Ti2448LL  
Ti2442LL  
Ti2436LL  
Ti2430LL  
Ti2424LL  
Ti2184LL  
Ti2178LL  
Ti2172LL  
Ti2166LL




# take off FREESTANDING

## visual index

### RECTANGULAR TABLES (FULL END PANELS) (CONT'D) A22


Ti2160LL  
Ti2154LL  
Ti2148LL  
Ti2142LL  
Ti2136LL  
Ti2130LL  
Ti2124LL




Ti1884LL  
Ti1878LL  
Ti1872LL  
Ti1866LL  
Ti1860LL  
Ti1854LL  
Ti1848LL  
Ti1842LL  
Ti1836LL  
Ti1830LL  
Ti1824LL

### RECTANGULAR TABLES (RECESSED END PANELS) A23


Ti3084 ...  
Ti3078 ...  
Ti3072 ...  
Ti3066 ...  
Ti3060 ...  
Ti3054 ...  
Ti3048 ...  
Ti3042 ...  
Ti3036 ...  
Ti3030 ...  
Ti3024 ...  
Ti2484 ...  
Ti2478 ...  
Ti2472 ...  
Ti2466 ...  
Ti2460 ...  
Ti2454 ...  
Ti2448 ...  
Ti2442 ...  
Ti2436 ...  
Ti2430 ...  
Ti2424 ...  
Ti2184 ...  
Ti2178 ...  
Ti2172 ...  
Ti2166 ...  
Ti2160 ...  
Ti2154 ...  
Ti2148 ...  
Ti2142 ...  
Ti2136 ...  
Ti2130 ...  
Ti2124 ...  
Ti1884 ...  
Ti1878 ...  
Ti1872 ...  
Ti1866 ...



CL



LC




CC

Ti1860 ...  
Ti1854 ...  
Ti1848 ...  
Ti1842 ...  
Ti1836 ...  
Ti1830 ...  
Ti1824 ...


### BOW FRONT TABLES WITH CURVED INTERIOR ACCESS A25

TC364284LL  
TC364272LL  
TC303684LL  
TC303672LL




### BOW FRONT TABLES A25

TD364284LL  
TD364278LL  
TD364272LL  
TD303684LL  
TD303678LL  
TD303672LL  
TD303666LL  
TD303660LL




### OFFSET BOW FRONT TABLES A26

TFL3072  
TFL3066  
TFL3060




TFR3072  
TFR3066  
TFR3060




### OFFSET BOW FRONT TABLES WITH INTEGRATED HALF-RETURN A26

TJL367224  
TJL366624  
TJL366024




TJR367224  
TJR366624  
TJR366024




B

### BOW FRONT TABLES WITH CURVED INTERIOR ACCESS AND INTEGRATED HALF RETURN A27

TCL427224  
TCL427221  
TCL427218  
TCL426618




TCR427224  
TCR427221  
TCR427218  
TCR426618




### RECTANGULAR TABLES WITH INTEGRATED HALF-RETURN A27

TCOL30488424  
TCOL30487824  
TCOL30487224  
TCOL30486624  
TCOL30486024  
TCOL30427224  
TCOL30426624  
TCOL30426024




TCOR48308424  
TCOR48307824  
TCOR48307224  
TCOR48306624  
TCOR48306024  
TCOR42307224  
TCOR42306624  
TCOR42306024




### CONNECTING TABLES A28

TV36247224 ...  
TV36246624 ...  
TV36246024 ...  
TV30187221 ...  
TV30187218 ...  
TV30186621 ...  
TV30186618 ...  
TV30186021 ...  
TV30186018 ...  
TV30184821 ...  
TV30184818 ...  
TV24184218 ...




LL




LC

TV24367224 ...  
TV24366624 ...  
TV24366024 ...  
TV18307221 ...  
TV18307218 ...  
TV18306621 ...  
TV18306618 ...  
TV18306021 ...  
TV18306018 ...  
TV18304821 ...  
TV18304818 ...  
TV18244218 ...



LL



LC




# take off FREESTANDING

## visual index

### DUAL DEPTH TABLES


A29

TW302472 ...  
TW302466 ...  
TW302460 ...  
TW302454 ...  
TW302448 ...  
TW302442 ...  
TW302436 ...  
TW302430 ...  
TW302424 ...




LC

TW241872 ...  
TW241866 ...  
TW241860 ...  
TW241854 ...  
TW241848 ...  
TW241842 ...  
TW241836 ...  
TW241830 ...  
TW241824 ...




CC

TW211872 ...  
TW211866 ...  
TW211860 ...  
TW211854 ...  
TW211848 ...  
TW211842 ...  
TW211836 ...  
TW211830 ...  
TW211824 ...



CL

TW243072 ...  
TW243066 ...  
TW243060 ...  
TW243054 ...  
TW243048 ...  
TW243042 ...  
TW243036 ...  
TW243030 ...  
TW243024 ...




CC

TW182472 ...  
TW182466 ...  
TW182460 ...  
TW182454 ...  
TW182448 ...  
TW182442 ...  
TW182436 ...  
TW182430 ...  
TW182424 ...  
TW182172 ...  
TW182166 ...  
TW182160 ...  
TW182154 ...  
TW182148 ...  
TW182142 ...  
TW182136 ...  
TW182130 ...  
TW182124 ...

### 90° CORNER TABLES

A31


CS3048CC  
CS3042CC  
CS2448CC  
CS2442CC  
CS2436CC  
CS1836CC




### 90° RIGHT EXTENDED CORNER TABLES

A32


CS24243672 ...  
CS24243666 ...  
CS24243660 ...  
CS21213672 ...  
CS21213666 ...  
CS21213660 ...




CL




LC




CC



CL



LC




CC

CS24247236 ...  
CS24246636 ...  
CS24246036 ...  
CS21217236 ...  
CS21216636 ...  
CS21216036 ...


### 90° CORNER TABLES WITH CURVED INTERIOR ACCESS

A33


CO30304848 ...  
CO30244848 ...  
CO24304848 ...  
CO24244848 ...  
CO24244242 ...  
CO24243636 ...



CL



LC




CC


### 90° RIGHT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS

A34


CO30304884 ...  
CO30304878 ...  
CO30304872 ...  
CO30304866 ...  
CO30304860 ...  
CO30244884 ...  
CO30244878 ...  
CO30244872 ...  
CO30244866 ...  
CO30244860 ...  
CO30244284 ...  
CO30244278 ...  
CO30244272 ...  
CO30244266 ...  
CO30244260 ...  
CO30244248 ...



CL



LC




CC

CO24304884 ...  
CO24304878 ...  
CO24304872 ...  
CO24304866 ...  
CO24304860 ...  
CO24244884 ...  
CO24244878 ...  
CO24244872 ...  
CO24244866 ...  
CO24244860 ...  
CO24244284 ...  
CO24244278 ...  
CO24244272 ...  
CO24244266 ...  
CO24244260 ...  
CO24244248 ...




### 90° LEFT EXTENDED CORNER TABLES WITH CURVED INTERIOR ACCESS A35


CO30308448 ...  
CO30307848 ...  
CO30307248 ...  
CO30306648 ...  
CO30306048 ...  
CO30248448 ...  
CO30247848 ...  
CO30247248 ...  
CO30246648 ...  
CO30246048 ...  
CO24308448 ...  
CO24308442 ...  
CO24307848 ...  
CO24307842 ...  
CO24307248 ...  
CO24307242 ...  
CO24306648 ...  
CO24306642 ...  
CO24306048 ...  
CO24306042 ...  
CO24304842 ...  
CO24248448 ...  
CO24248442 ...  
CO24247848 ...  
CO24247842 ...  
CO24247248 ...  
CO24247242 ...  
CO24246648 ...  
CO24246642 ...  
CO24246048 ...  
CO24246042 ...  
CO24244842 ...



LC




CC




CC

### 90° EXTENDED CORNER TABLES WITH ERGONOMIC INTERIOR ACCESS A36

CE24187236 ...  
CE24186636 ...  
CE24186036 ...




LC




CC

CE18243672 ...  
CE18243666 ...  
CE18243660 ...




CL



CC


### "D" SHAPED TABLES WITH MODESTY PANEL (TUBULAR LEG) A37

DM3684A  
DM3678A  
DM3672A  
DM3666A  
DM3084A  
DM3078A  
DM3072A  
DM3066A  
DM3060A  
DM3048A




### "D" SHAPED TABLES WITH "T" END PANEL (TUBULAR LEG) A38

DT3678B  
DT3672B  
DT3660B  
DT3084B  
DT3078B  
DT3072B  
DT3066B  
DT3060B  
DT3054B  
DT3048B  
DT3042B  
DT2472B  
DT2466B  
DT2460B  
DT2448B




### "D" SHAPED TABLES WITH "T" END PANEL (TUBULAR LEGS WITH BASE PLATE) A39

DT3678 ...  
DT3672 ...  
DT3660 ...  
DT3084 ...  
DT3078 ...  
DT3072 ...  
DT3066 ...  
DT3060 ...  
DT3054 ...  
DT3048 ...  
DT2472 ...  
DT2466 ...  
DT2460 ...  
DT2448 ...




C



D


### "D" SHAPED TABLES - SURFACE SUPPORTED (TUBULAR LEG) A40

DS3672A  
DS3660A  
DS3072A  
DS3066A  
DS3060A  
DS3054A  
DS3048A  
DS3042A  
DS3036A  
DS3030A  
DS2472A  
DS2466A  
DS2460A  
DS2454A  
DS2448A  
DS2442A  
DS2436A  
DS2430A




### "D" SHAPED TABLES - SURFACE SUPPORTED (TUBULAR LEG WITH BASE PLATE) A41

DS3672 ...  
DS3660 ...  
DS3072 ...  
DS3066 ...  
DS3060 ...  
DS3054 ...  
DS3048 ...  
DS2472 ...  
DS2466 ...  
DS2460 ...  
DS2454 ...  
DS2448 ...




C




D

### "D" SHAPED ARCHED OR RECTANGULAR TABLES WITH MODESTY PANEL (TUBULAR LEG) A42

DMA3684A  
DMA3678A  
DMA3672A  
DMA3666A  
DMA3084A  
DMA3078A  
DMA3072A  
DMA3066A  
DMA3060A  
DMA3048A



DMi3684A  
DMi3678A  
DMi3672A  
DMi3666A  
DMi3084A  
DMi3078A  
DMi3072A  
DMi3066A  
DMi3060A  
DMi3048A







# take off FREESTANDING

"D" SHAPED ARCHED OR RECTANGULAR  
TABLES WITH "T" END PANEL  
(TUBULAR LEG) **A43**

DTA3678B  
DTA3672B  
DTA3660B  
DTA3084B  
DTA3078B  
DTA3072B  
DTA3066B  
DTA3060B  
DTA3054B  
DTA3048B  
DTA2472B  
DTA2466B  
DTA2460B  
DTA2448B




DTi3678B  
DTi3672B  
DTi3660B  
DTi3084B  
DTi3078B  
DTi3072B  
DTi3066B  
DTi3060B  
DTi3054B  
DTi3048B  
DTi2472B  
DTi2466B  
DTi2460B  
DTi2448B




"D" SHAPED ARCHED OR RECTANGULAR  
TABLES WITH "T" END PANEL  
(TUBULAR LEGS WITH BASE PLATE) **A44**

DTA3678 ...  
DTA3672 ...  
DTA3660 ...  
DTA3084 ...  
DTA3078 ...  
DTA3072 ...  
DTA3066 ...  
DTA3060 ...  
DTA3054 ...  
DTA3048 ...  
DTA2472 ...  
DTA2466 ...  
DTA2460 ...  
DTA2448 ...




DTi3678 ...  
DTi3672 ...  
DTi3660 ...  
DTi3084 ...  
DTi3078 ...  
DTi3072 ...  
DTi3066 ...  
DTi3060 ...  
DTi3054 ...  
DTi3048 ...



DTi2472 ...  
DTi2466 ...  
DTi2460 ...  
DTi2448 ...


"D" SHAPED ARCHED TABLES  
WITH "T" END PANEL  
(TUBULAR LEGS) **A45**

DTA3678 ...  
DTA3672 ...  
DTA3660 ...  
DTA3084 ...  
DTA3078 ...  
DTA3072 ...  
DTA3066 ...  
DTA3060 ...  
DTA3054 ...  
DTA3048 ...  
DTA2472 ...  
DTA2466 ...  
DTA2460 ...  
DTA2448 ...





"D" SHAPED RECTANGULAR TABLES WITH  
"T" END PANEL (TUBULAR LEGS AND  
DOUBLE « O » TECHNO BASE LEG) **A46**

DTi3678 ...  
DTi3672 ...  
DTi3660 ...  
DTi3084 ...  
DTi3078 ...  
DTi3072 ...  
DTi3066 ...  
DTi3060 ...  
DTi3054 ...  
DTi3048 ...  
DTi2472 ...  
DTi2466 ...  
DTi2460 ...  
DTi2448 ...



"D" SHAPED RECTANGULAR TABLES WITH  
"T" END PANEL (FOLDED METAL CORNER  
LEGS AND ANGLED METAL LEGS) **A47**


DTi3678 ...  
DTi3672 ...  
DTi3660 ...  
DTi3084 ...  
DTi3078 ...  
DTi3072 ...  
DTi3066 ...  
DTi3060 ...  
DTi3054 ...  
DTi3048 ...  
DTi2472 ...  
DTi2466 ...  
DTi2460 ...  
DTi2448 ...



## visual index


"D" SHAPED RECTANGULAR TABLES WITH  
"T" END PANEL (ANGLED WOOD LEGS) **A48**

DTi3678N  
DTi3672N  
DTi3660N  
DTi3084N  
DTi3078N  
DTi3072N  
DTi3066N  
DTi3060N  
DTi3054N  
DTi3048N  
DTi2472N  
DTi2466N  
DTi2460N  
DTi2448N




"D" SHAPED ARCHED OR RECTANGULAR  
TABLES WITH "T" END PANEL  
(MONOLITHIC BASE) **A49**

DTA3678G  
DTA3672G  
DTA3660G  
DTA3084G  
DTA3078G  
DTA3072G  
DTA3066G  
DTA3060G  
DTA3054G  
DTA3048G  
DTA2472G  
DTA2466G  
DTA2460G  
DTA2448G



DTi3678G  
DTi3672G  
DTi3660G  
DTi3084G  
DTi3078G  
DTi3072G  
DTi3066G  
DTi3060G  
DTi3054G  
DTi3048G  
DTi2472G  
DTi2466G  
DTi2460G  
DTi2448G







### "D" SHAPED ARCHED OR RECTANGULAR TABLES - SURFACE SUPPORTED (TUBULAR LEG)

A50

DSA3672A  
DSA3660A  
DSA3072A  
DSA3066A  
DSA3060A  
DSA3054A  
DSA3048A  
DSA3042A  
DSA3036A  
DSA3030A  
DSA2472A  
DSA2466A  
DSA2460A  
DSA2454A  
DSA2448A  
DSA2442A  
DSA2436A  
DSA2430A




DSi3672A  
DSi3660A  
DSi3072A  
DSi3066A  
DSi3060A  
DSi3054A  
DSi3048A  
DSi3042A  
DSi3036A  
DSi3030A  
DSi2472A  
DSi2466A  
DSi2460A  
DSi2454A  
DSi2448A  
DSi2442A  
DSi2436A  
DSi2430A




### "D" SHAPED ARCHED OR RECTANGULAR TABLES - SURFACE SUPPORTED (TUBULAR LEG WITH BASE PLATE)

A51

DSA3672 ...  
DSA3660 ...  
DSA3072 ...  
DSA3066 ...  
DSA3060 ...  
DSA3054 ...  
DSA3048 ...  
DSA2472 ...  
DSA2466 ...  
DSA2460 ...  
DSA2454 ...  
DSA2448 ...




DSi3672 ...  
DSi3660 ...  
DSi3072 ...  
DSi3066 ...  
DSi3060 ...  
DSi3054 ...  
DSi3048 ...  
DSi2472 ...  
DSi2466 ...  
DSi2460 ...  
DSi2454 ...  
DSi2448 ...



### "D" SHAPED ARCHED TABLES - SURFACE MOUNTED (TUBULAR LEGS)

A52


DSA3672 ...  
DSA3660 ...  
DSA3072 ...  
DSA3066 ...  
DSA3060 ...  
DSA3054 ...  
DSA3048 ...  
DSA3042 ...  
DSA2472 ...  
DSA2466 ...  
DSA2460 ...  
DSA2454 ...  
DSA2448 ...  
DSA2442 ...



### "D" SHAPED RECTANGULAR TABLES - SURFACE MOUNTED (TUBULAR LEGS AND DOUBLE "O" TECHNO BASE)

A53



DSi3672 ...  
DSi3660 ...  
DSi3072 ...  
DSi3066 ...  
DSi3060 ...  
DSi3054 ...  
DSi3048 ...  
DSi3042 ...  
DSi2472 ...  
DSi2466 ...  
DSi2460 ...  
DSi2454 ...  
DSi2448 ...  
DSi2442 ...



### "D" SHAPED RECTANGULAR TABLES - SURFACE MOUNTED (FOLDED METAL CORNER LEGS AND ANGLED METAL LEGS)

A54


DSi3672 ...  
DSi3660 ...  
DSi3072 ...  
DSi3066 ...  
DSi3060 ...  
DSi3054 ...  
DSi3048 ...  
DSi3042 ...  
DSi2472 ...  
DSi2466 ...  
DSi2460 ...  
DSi2454 ...  
DSi2448 ...  
DSi2442 ...



### "D" SHAPED RECTANGULAR TABLES - SURFACE MOUNTED (ANGLED WOOD LEGS)

A55


DSi3678N  
DSi3672N  
DSi3660N  
DSi3084N  
DSi3078N  
DSi3072N  
DSi3066N  
DSi3060N  
DSi3054N  
DSi3048N  
DSi2472N  
DSi2466N  
DSi2460N  
DSi2448N



### "D" SHAPED ARCHED OR RECTANGULAR TABLES - SURFACE MOUNTED (MONOLITHIC BASE)

A56

DSA3672G  
DSA3660G  
DSA3072G  
DSA3066G  
DSA3060G  
DSA3054G  
DSA3048G  
DSA2472G  
DSA2466G  
DSA2460G  
DSA2454G  
DSA2448G



DSi3672G  
DSi3660G  
DSi3072G  
DSi3066G  
DSi3060G  
DSi3054G  
DSi3048G

DSi2472G  
DSi2466G  
DSi2460G  
DSi2454G  
DSi2448G




# take off FREESTANDING


## visual index

### "P" SHAPED TABLES WITH MODESTY PANEL (TUBULAR LEG) A57

PML364284  
PML364278  
PML364272  
PML303684  
PML303678  
PML303672  
PML303666  
PML303660




PMR364284  
PMR364278  
PMR364272  
PMR303684  
PMR303678  
PMR303672  
PMR303666  
PMR303660




### "P" SHAPED TABLES WITH "T" END PANEL (TUBULAR LEG) A58

PTL303672  
PTL303666  
PTL303660




PTR303672  
PTR303666  
PTR303660




### "P" SHAPED TABLES - SURFACE SUPPORTED (TUBULAR LEG) A59

PSL303672  
PSL303666  
PSL303660  
PSL243060  
PSL243054  
PSL243048




PSR303672  
PSR303666  
PSR303660  
PSR243060  
PSR243054  
PSR243048




### "L" SHAPED TABLES WITH MODESTY PANEL (TUBULAR LEG) A60

LML54368424  
LML54367824  
LML54367224  
LML48308424  
LML48307824  
LML48307224  
LML48306624  
LML48306024  
LML42307224  
LML42306624  
LML42306024




LMR54368424  
LMR54367824  
LMR54367224  
LMR48308424  
LMR48307824  
LMR48307224  
LMR48306624  
LMR48306024  
LMR42307224  
LMR42306624  
LMR42306024




### "PL" SHAPED TABLES WITH MODESTY PANEL (TUBULAR LEG) A61

PLL487224  
PLL487218  
PLL486624  
PLL486618  
PLL486024  
PLL486018  
PLL427224  
PLL427218  
PLL426624  
PLL426618  
PLL426024  
PLL426018




PLR487224  
PLR487218  
PLR486624  
PLR486618  
PLR486024  
PLR486018  
PLR427224  
PLR427218  
PLR426624  
PLR426618  
PLR426024  
PLR426018




### "SHARK" TABLES WITH MODESTY PANEL (TUBULAR LEG) A62

SHL487824  
SHL427224  
SHL426624  
SHL426618  
SHL426018  
SHL366618  
SHL366018




SHR487824  
SHR427224  
SHR426624  
SHR426618  
SHR426018  
SHR366618  
SHR366018




### "TEARDROP" END SURFACES (TUBULAR LEG) A63

XTL36  
XTL30  
XTL24




XTR36  
XTR30  
XTR24




### SHARED MEETING SURFACES A63

XC60  
XC54  
XC48




### ASSEMBLED CREDENZAS - 29" H. B2


CZFD247229  
CZFD246029  
CZFD217229  
CZFD216029



CZDF247229  
CZDF246029  
CZDF217229  
CZDF216029



CZDD247229  
CZDD246029  
CZDD217229  
CZDD216029






# take off FREESTANDING


## visual index

### ASSEMBLED CREDENZAS - 29" H.(CONT'D) B2


CZFF247229  
CZFF246029  
CZFF217229  
CZFF216029




CZFO247229  
CZFO246029  
CZFO217229  
CZFO216029




CZOF247229  
CZOF246029  
CZOF217229  
CZOF216029




CZDO247229  
CZDO246029  
CZDO217229  
CZDO216029




CZOD247229  
CZOD246029  
CZOD217229  
CZOD216029




CZCO247229  
CZCO246029  
CZCO217229  
CZCO216029



CZOC247229  
CZOC246029  
CZOC217229  
CZOC216029




CZC247229  
CZC246029  
CZC217229  
CZC216029



### STORAGE UNITS - 29" H. B5

SFF243629  
SFF243029  
SFF213629  
SFF213029



SUUFF243629  
SUUFF243029  
SUUFF213629  
SUUFF213029

SDD243629  
SDD243029  
SDD213629  
SDD213029

SBDD243629  
SBDD243029  
SBDD213629  
SBDD213029

SDUUF243629  
SDUUF243029  
SDUUF213629  
SDUUF213029

SUUF243629  
SUUF243029  
SUUF213629  
SUUF213029










SDO243629  
SDO243029  
SDO213629  
SDO213029

SOD243629  
SOD243029  
SOD213629  
SOD213029

### SINGLE CABINETS B7


SDL241850  
SDL241841  
SDL241835  
SDL241829  
SDL211850  
SDL211841  
SDL211835  
SDL211829

SDR241850  
SDR241841  
SDR241835  
SDR241829  
SDR211850  
SDR211841  
SDR211835  
SDR211829




### ASSEMBLED CREDENZAS - 35" H. B8


CZ4D247235  
CZ4D246035  
CZ4D217235  
CZ4D216035




CZDOD247235  
CZDOD246035  
CZDOD217235  
CZDOD216035



CZ2B4D247235  
CZ2B4D246035  
CZ2B4D217235  
CZ2B4D216035




CZDUFFD247235  
CZDUFFD246035  
CZDUFFD217235  
CZDUFFD216035




### STORAGE UNITS - 35" H. B9


SDUFF243635  
SDUFF243035  
SDUFF213635  
SDUFF213035




SUFFD243635  
SUFFD243035  
SUFFD213635  
SUFFD213035



SDD243635  
SDD243035  
SDD213635  
SDD213035




SUDD243635  
SUDD243035  
SUDD213635  
SUDD213035



### STORAGE UNITS - 41" H. B10

SFFF243641  
SFFF243041  
SFFF213641  
SFFF213041






# take off FREESTANDING


## visual index

SDD243641  
SDD243041  
SDD213641  
SDD213041




GLOSS WHITE

SDDL3F243672  
SDDL3F243072  
SDDL3F213672  
SDDL3F243666  
SDDL3F243066  
SDDL3F213666  
SDDL3F213066



ACRYLIC

SOD243641  
SOD243041  
SOD213641  
SOD213041




SDDGiC3F243672  
SDDGiC3F243072  
SDDGiC3F213672  
SDDGiC3F213072  
SDDGiC3F243666  
SDDGiC3F243066  
SDDGiC3F213666  
SDDGiC3F213066

LATERAL FILE CABINETS WITH  
4 DRAWERS - 53" H.

B11

S4F243653  
S4F243053  
S4F213653  
S4F213053




TRADITIONAL FRAME

SDDGiA3F243672  
SDDGiA3F243072  
SDDGiA3F213672  
SDDGiA3F213072  
SDDGiA3F243666  
SDDGiA3F243066  
SDDGiA3F213666  
SDDGiA3F213066

COMBINED STORAGE UNITS -  
72" AND 66" H.

B11

SDD3F243672  
SDD3F243072  
SDD3F213672  
SDD3F213072  
SDD3F243666  
SDD3F243066  
SDD3F213666  
SDD3F213066



COMBINED STORAGE UNITS -  
72", 66" AND 50" H.


B13

SOFF243672  
SOFF243072  
SOFF213672  
SOFF213072  
SOFF243666  
SOFF243066  
SOFF213666  
SOFF213066  
SOFF243650  
SOFF243050  
SOFF213650  
SOFF213050

CONTEMPORARY FRAME

LAMINATE


SDDM3F243672  
SDDM3F243072  
SDDM3F213672  
SDDM3F213072  
SDDM3F243666  
SDDM3F243066  
SDDM3F213666  
SDDM3F213066



COMBINED STORAGE UNITS -  
72" AND 66" H.

B13


SDDFF243672  
SDDFF243072  
SDDFF213672  
SDDFF213072  
SDDFF243666  
SDDFF243066  
SDDFF213666  
SDDFF213066



CONTEMPORARY FRAME


LAMINATE

SDDMFF243672  
SDDMFF243072  
SDDMFF213672  
SDDMFF213072  
SDDMFF243666  
SDDMFF243066  
SDDMFF213666  
SDDMFF213066




GLOSS WHITE

SDDLFF243672  
SDDLFF243072  
SDDLFF213672  
SDDLFF213072  
SDDLFF243666  
SDDLFF243066  
SDDLFF213666  
SDDLFF213066




ACRYLIC

SDDGICFF243672  
SDDGICFF243072  
SDDGICFF213672  
SDDGICFF213072  
SDDGICFF243666  
SDDGICFF243066  
SDDGICFF213666  
SDDGICFF213066



TRADITIONAL FRAME


SDDGIAFF243672  
SDDGIAFF243072  
SDDGIAFF213672  
SDDGIAFF213072  
SDDGIAFF243666  
SDDGIAFF243066  
SDDGIAFF213666  
SDDGIAFF213066



COMBINED STORAGE UNITS -  
72", 66" AND 50" H.

B15

SODD243672  
SODD243072  
SODD213672  
SODD213072  
SODD243666  
SODD243066  
SODD213666  
SODD213066  
SODD243650  
SODD243050  
SODD213650  
SODD213050






### COMBINED STORAGE UNITS - 72" AND 66" H.

B15


S4D243672  
S4D243072  
S4D213672  
S4D213072  
S4D243666  
S4D243066  
S4D213666  
S4D213066



#### CONTEMPORARY FRAME


#### LAMINATE

SDDMDD243672  
SDDMDD243072  
SDDMDD213672  
SDDMDD213072  
SDDMDD243666  
SDDMDD243066  
SDDMDD213666  
SDDMDD213066




#### GLOSS WHITE

SDDLDD243672  
SDDLDD243072  
SDDLDD213672  
SDDLDD213072  
SDDLDD243666  
SDDLDD243066  
SDDLDD213666  
SDDLDD213066




#### ACRYLIC

SDDGICDD243672  
SDDGICDD243072  
SDDGICDD213672  
SDDGICDD213072  
SDDGICDD243666  
SDDGICDD243066  
SDDGICDD213666  
SDDGICDD213066



#### TRADITIONAL FRAME

SDDGIADD243672  
SDDGIADD243072  
SDDGIADD213672  
SDDGIADD213072  
SDDGIADD243666  
SDDGIADD243066  
SDDGIADD213666  
SDDGIADD213066





### CABINETS - 72", 66" AND 50" H.

B17

#### SHELVES

SDD243672  
SDD243072  
SDD213672  
SDD213072  
SDD243666  
SDD243066  
SDD213666  
SDD213066  
SDD243650  
SDD213650  
SDD213050




#### WARDROBE ON THE LEFT

SWD243672  
SWD243072  
SWD213672  
SWD213072  
SWD243666  
SWD243066  
SWD213666  
SWD213066

#### WARDROBE ON THE RIGHT

SDW243672  
SDW243072  
SDW213672  
SDW213072  
SDW243666  
SDW243066  
SDW213666  
SDW213066





#### CONTEMPORARY FRAME

#### LAMINATE


#### SHELVES

SDDM243672  
SDDM243072  
SDDM213672  
SDDM213072  
SDDM243666  
SDDM243066  
SDDM213666  
SDDM213066  
SDDM243650  
SDDM243050  
SDDM213650  
SDDM213050




### WARDROBE ON THE LEFT

SWDM243672  
SWDM243072  
SWDM213672  
SWDM213072  
SWDM243666  
SWDM243066  
SWDM213666  
SWDM213066



### WARDROBE ON THE RIGHT



SDWM243672  
SDWM243072  
SDWM213672  
SDWM213072  
SDWM243666  
SDWM243066  
SDWM213666  
SDWM213066



#### GLOSS WHITE


#### SHELVES

SDDL243672  
SDDL243072  
SDDL213672  
SDDL213072  
SDDL243666  
SDDL243066  
SDDL213666  
SDDL213066  
SDDL243650  
SDDL243050  
SDDL213650  
SDDL213050




### WARDROBE ON THE LEFT

SWDL243672  
SWDL243072  
SWDL213672  
SWDL213072  
SWDL243666  
SWDL243066  
SWDL213666  
SWDL213066



### WARDROBE ON THE RIGHT

SDWL243672  
SDWL243072  
SDWL213672  
SDWL213072  
SDWL243666  
SDWL243066  
SDWL213666  
SDWL213066







### ACRYLIC


#### SHELVES

SDDGiC243672  
SDDGiC243072  
SDDGiC213672  
SDDGiC213072  
SDDGiC243666  
SDDGiC243066  
SDDGiC213666  
SDDGiC213066  
SDDGiC243650  
SDDGiC213650  
SDDGiC213050




#### WARDROBE ON THE LEFT

SWDGiC243672  
SWDGiC243072  
SWDGiC213672  
SWDGiC213072  
SWDGiC243666  
SWDGiC243066  
SWDGiC213666  
SWDGiC213066



#### WARDROBE ON THE RIGHT


SDWGiC243672  
SDWGiC243072  
SDWGiC213672  
SDWGiC213072  
SDWGiC243666  
SDWGiC243066  
SDWGiC213666  
SDWGiC213066



### TRADITIONAL FRAME


#### SHELVES

SDDGiA243672  
SDDGiA243072  
SDDGiA213672  
SDDGiA213072  
SDDGiA243666  
SDDGiA243066  
SDDGiA213666  
SDDGiA213066  
SDDGiA243650  
SDDGiA243050  
SDDGiA213650  
SDDGiA213050



#### WARDROBE ON THE LEFT


SWDGiA243672  
SWDGiA243072  
SWDGiA213672  
SWDGiA213072  
SWDGiA243666  
SWDGiA243066



SWDGiA213666  
SWDGiA213066

#### WARDROBE ON THE RIGHT

SDWGiA243672  
SDWGiA243072  
SDWGiA213672  
SDWGiA213072  
SDWGiA243666  
SDWGiA243066  
SDWGiA213666  
SDWGiA213066





SINGLE DOOR CABINETS -  
72", 66" AND 50" H.

B21


#### SHELVES, DOOR ON THE LEFT

SDO243672  
SDO243072  
SDO213672  
SDO213072  
SDO243666  
SDO243066  
SDO213666  
SDO213066  
SDO243650  
SDO243050  
SDO213650  
SDO213050





#### WARDROBE ON THE LEFT

SWO243672  
SWO243072  
SWO213672  
SWO213072  
SWO243666  
SWO243066  
SWO213666  
SWO213066




#### SHELVES, DOOR ON THE RIGHT

SOD243672  
SOD243072  
SOD213672  
SOD213072  
SOD243666  
SOD243066  
SOD213666  
SOD213066  
SOD243650  
SOD243050  
SOD213650  
SOD213050



#### WARDROBE ON THE RIGHT

SOW243672  
SOW243072  
SOW213672  
SOW213072





SOW243666  
SOW243066  
SOW213666  
SOW213066

#### CONTEMPORARY FRAME

#### LAMINATE


#### SHELVES, DOOR ON THE LEFT

SDOM243672  
SDOM243072  
SDOM213672  
SDOM213072  
SDOM243666  
SDOM243066  
SDOM213666  
SDOM213066  
SDOM243650  
SDOM243050  
SDOM213650  
SDOM213050



#### WARDROBE ON THE LEFT



SWOM243672  
SWOM243072  
SWOM213672  
SWOM213072  
SWOM243666  
SWOM243066  
SWOM213666  
SWOM213066



#### GLOSS WHITE


#### SHELVES, DOOR ON THE LEFT

SDOL243672  
SDOL243072  
SDOL213672  
SDOL213072  
SDOL243666  
SDOL243066  
SDOL213666  
SDOL213066  
SDOL243650  
SDOL243050  
SDOL213650  
SDOL213050



#### WARDROBE ON THE LEFT

SWOL243672  
SWOL243072  
SWOL213672  
SWOL213072  
SWOL243666  
SWOL243066  
SWOL213666  
SWOL213066





# take off FREESTANDING

## visual index

SINGLE DOOR CABINETS -  
72", 66" AND 50" H. (CONT'D)



B24

### CONTEMPORARY FRAME

#### LAMINATE


#### SHELVES, DOOR ON THE RIGHT

SODM243672  
SODM243072  
SODM213672  
SODM213072  
SODM243666  
SODM243066  
SODM213666  
SODM213066  
SODM243650  
SODM243050  
SODM213650  
SODM213050



#### WARDROBE ON THE RIGHT


SOWM243672  
SOWM243072  
SOWM213672  
SOWM213072  
SOWM243666  
SOWM243066  
SOWM213666  
SOWM213066



#### GLOSS WHITE


#### SHELVES, DOOR ON THE RIGHT

SODL243672  
SODL243072  
SODL213672  
SODL213072  
SODL243666  
SODL243066  
SODL213666  
SODL213066  
SODL243650  
SODL243050  
SODL213650  
SODL213050



#### WARDROBE ON THE RIGHT



SOWL243672  
SOWL243072  
SOWL213672  
SOWL213072  
SOWL243666  
SOWL243066  
SOWL213666  
SOWL213066



### ACRYLIC


#### SHELVES, DOOR ON THE LEFT

SDOGiC243672  
SDOGiC243072  
SDOGiC213672  
SDOGiC213072  
SDOGiC243666  
SDOGiC243066  
SDOGiC213666  
SDOGiC213066  
SDOGiC243650  
SDOGiC243050  
SDOGiC213650  
SDOGiC213050



#### WARDROBE ON THE LEFT


SWOGiC243672  
SWOGiC243072  
SWOGiC213672  
SWOGiC213072  
SWOGiC243666  
SWOGiC243066  
SWOGiC213666  
SWOGiC213066



### ACRYLIC


#### SHELVES, DOOR ON THE RIGHT

SODGiC243672  
SODGiC243072  
SODGiC213672  
SODGiC213072  
SODGiC243666  
SODGiC243066  
SODGiC213666  
SODGiC213066  
SODGiC243650  
SODGiC243050  
SODGiC213650  
SODGiC213050



#### WARDROBE ON THE RIGHT



SOWGiC243672  
SOWGiC243072  
SOWGiC213672  
SOWGiC213072  
SOWGiC243666  
SOWGiC243066  
SOWGiC213666  
SOWGiC213066



### TRADITIONAL FRAME


#### SHELVES, DOOR ON THE LEFT

SDOGiA243672  
SDOGiA243072  
SDOGiA213672  
SDOGiA213072  
SDOGiA243666  
SDOGiA243066  
SDOGiA213666  
SDOGiA213066  
SDOGiA243650  
SDOGiA243050  
SDOGiA213650  
SDOGiA213050



#### WARDROBE ON THE LEFT



SWOGiA243672  
SWOGiA243072  
SWOGiA213672  
SWOGiA213072  
SWOGiA243666  
SWOGiA243066  
SWOGiA213666  
SWOGiA213066



### TRADITIONAL FRAME


#### SHELVES, DOOR ON THE RIGHT

SODGiA243672  
SODGiA243072  
SODGiA213672  
SODGiA213072  
SODGiA243666  
SODGiA243066  
SODGiA213666  
SODGiA213066  
SODGiA243650  
SODGiA243050  
SODGiA213650  
SODGiA213050



#### WARDROBE ON THE RIGHT

SOWGiA243672  
SOWGiA243072  
SOWGiA213672  
SOWGiA213072  
SOWGiA243666  
SOWGiA243066  
SOWGiA213666  
SOWGiA213066






### SINGLE DOOR CABINETS WITH SHELVES - LEFT

B29


SDL242472  
SDL212472  
SDL242466  
SDL212466



#### CONTEMPORARY FRAME

#### LAMINATE

SDML242472  
SDML212472  
SDML242466  
SDML212466




#### GLOSS WHITE

SDLL242472  
SDLL212472  
SDLL242466  
SDLL212466


#### ACRYLIC

SDGiCL242472  
SDGiCL212472  
SDGiCL242466  
SDGiCL212466



#### TRADITIONAL FRAME


SDGiAL242472  
SDGiAL212472  
SDGiAL242466  
SDGiAL212466



### SINGLE DOOR CABINETS WITH SHELVES - RIGHT

B30


SDR242472  
SDR212472  
SDR242466  
SDR212466



#### CONTEMPORARY FRAME

#### LAMINATE

SDMR242472  
SDMR212472  
SDMR242466  
SDMR212466



### GLOSS WHITE

SDLR242472  
SDLR212472  
SDLR242466  
SDLR212466


#### ACRYLIC

SDGiCR242472  
SDGiCR212472  
SDGiCR242466  
SDGiCR212466



#### TRADITIONAL FRAME


SDGiAR242472  
SDGiAR212472  
SDGiAR242466  
SDGiAR212466



### SINGLE DOOR CABINETS WITH WARDROBE - LEFT

B31

SWL242472  
SWL212472  
SWL242466  
SWL212466



#### CONTEMPORARY FRAME

#### LAMINATE

SWML242472  
SWML212472  
SWML242466  
SWML212466



### GLOSS WHITE

SWLL242472  
SWLL212472  
SWLL242466  
SWLL212466


#### ACRYLIC

SWGICL242472  
SWGICL212472  
SWGICL242466  
SWGICL212466



#### TRADITIONAL FRAME


SWGIAL242472  
SWGIAL212472  
SWGIAL242466  
SWGIAL212466



### SINGLE DOOR CABINETS WITH WARDROBE - RIGHT

B32


SWR242472  
SWR212472  
SWR242466  
SWR212466



#### CONTEMPORARY FRAME

#### LAMINATE

SWMR242472  
SWMR212472  
SWMR242466  
SWMR212466




#### GLOSS WHITE

SWLR242472  
SWLR212472  
SWLR242466  
SWLR212466


#### ACRYLIC

SWGICR242472  
SWGICR212472  
SWGICR242466  
SWGICR212466



#### TRADITIONAL FRAME


SWGiar242472  
SWGiar212472  
SWGiar242466  
SWGiar212466




### COMBINED STORAGE UNITS 50" H.

B33

SWDUF242450  
SWDUF212450




SDUFW242450  
SDUFW212450



#### CONTEMPORARY FRAME

#### LAMINATE

SWDUFM242450  
SWDUFM212450





# take off FREESTANDING

## visual index

### COMBINED STORAGE UNITS 50" H. (CONT'D)

B33

GLOSS WHITE

SWDUFL242450  
SWDUFL212450

LAMINATE

SDUFWM242450  
SDUFWM212450

GLOSS WHITE

SDUFWL242450  
SDUFWL212450

CONTEMPORARY FRAME

ACRYLIC

SWDUGiC242450  
SWDUGiC212450

SDUFWGiC242450  
SDUFWGiC212450

TRADITIONAL FRAME

SWDUGiA242450  
SWDUGiA212450

SDUFWGiA242450  
SDUFWGiA212450

CONTEMPORARY FRAME

LAMINATE

SWDUUFM242466  
SWDUUFM212466

GLOSS WHITE

SWDUUFL242466  
SWDUUFL212466

LAMINATE

SDUUFWM242466  
SDUUFWM212466

GLOSS WHITE

SDUUFWL242466  
SDUUFWL212466

CONTEMPORARY FRAME

ACRYLIC

SWDUUFGiC242466  
SWDUUFGiC212466

ACRYLIC

SDUUFWGiC242466  
SDUUFWGiC212466

TRADITIONAL FRAME

SWDUUFGiA242466  
SWDUUFGiA212466

SDFFW242466  
SDFFW212466

CONTEMPORARY FRAME

LAMINATE

SWDFFM242466  
SWDFFM212466

GLOSS WHITE

SWDFFL242466  
SWDFFL212466

LAMINATE

SDFFWM242466  
SDFFWM212466

GLOSS WHITE

SDFFWL242466  
SDFFWL212466

CONTEMPORARY FRAME

ACRYLIC

SWDFFGiC242466  
SWDFFGiC212466

ACRYLIC

SDFFWGiC242466  
SDFFWGiC212466

TRADITIONAL FRAME

SWDFFGiA242466  
SWDFFGiA212466

### COMBINED STORAGE UNITS 66" H.

B35

SWDUUF242466  
SWDUUF212466

SDUUFW242466  
SDUUFW212466

### COMBINED STORAGE UNITS 66" H.

B37

SWDFF242466  
SWDFF212466

SDFFWGiA242466  
SDFFWGiA212466




# take off FREESTANDING

## visual index

### COMBINED STORAGE 72" H.


B39

SWDUFF242472  
SWDUFF212472



### TRADITIONAL FRAME


SWDUFFGiA242472  
SWDUFFGiA212472




### TACKBOARDS

B42


BTL1735  
BTL1726  
BTL1720



SDUFFW242472  
SDUFFW212472




SDUFFWGiA242472  
SDUFFWGiA212472



### BOOKCASES

B43


BK243684  
BK243672  
BK243666  
BK243650  
BK243641  
BK243629



### CONTEMPORARY FRAME

LAMINATE


SWDUFFM242472  
SWDUFFM212472



### 2-WAY CABINETS - 66" AND 50" H.

B41


SOUUFL241866  
SOUUFL211866  
SOUUFL241850  
SOUUFL211850




BK243084  
BK243072  
BK243066  
BK243050  
BK243041  
BK243029

GLOSS WHITE

SWDUFFL242472  
SWDUFFL212472



SOUUFR241866  
SOUUFR211866  
SOUUFR241850  
SOUUFR211850




BK213684  
BK213672  
BK213666  
BK213650  
BK213641  
BK213629

LAMINATE


SDUFFWM242472  
SDUFFWM212472

GLOSS WHITE

SDUFFWL242472  
SDUFFWL212472



SOFFL241866  
SOFFL211866  
SOFFL241850  
SOFFL211850




BK213084  
BK213072  
BK213066  
BK213050  
BK213041  
BK213029


### CONTEMPORARY FRAME

ACRYLIC


SWDUFFGiC242472  
SWDUFFGiC212472



SOFFR241866  
SOFFR211866  
SOFFR241850  
SOFFR211850



BK123684  
BK123672  
BK123666  
BK123650  
BK123641  
BK123629




### 2-WAY CABINETS - 50" H.

B42


SDUFFWGiC242472  
SDUFFWGiC212472

SOUFL241850  
SOUFL211850



BK123084  
BK123072  
BK123066  
BK123050  
BK123041  
BK123029

SOUFR241850  
SOUFR211850





# take off FREESTANDING



## visual index

### CORNER BOOKCASES


B44

FP4U

BKC3029



FSUUY



BKC2472

BKC2466

BKC2450

BKC2441


BKC2435

BKC2429


### FREESTANDING PEDESTALS - WITHOUT TOP - INTEGRATED RECYCLING BIN

B47

FPUUY



FSFY



BKC2172

BKC2166


BKC2150

BKC2141

BKC2135

BKC2129


FPFY



### MOBILE PEDESTALS

B50

MPUUF1520



BKC1272

BKC1266

BKC1250


BKC1241

BKC1229


### SUPPORT PEDESTALS

B48

FSPUUF



MPFF1520




### EXTRA SHELVES

B45


STS ...

BTS ...


BKS ...



FSPFF



MPUF1520



### SUSPENDED PEDESTALS ON THE WORK SURFACE

B46

SPUU



### SUPPORT PEDESTALS IN METAL


B48

FP45-28-6612

FP45-22-6612

FP45-28-1212


FP45-22-1212



### CUSHIONS FOR MOBILE PEDESTALS

B50

CUS2015



SPF




FP47-28-6612

FP47-22-6612

FP47-28-1212

FP47-22-1212



### CABINETS - WITHOUT TOPS

B51


CABINET

LDN2436


LDN2430

LDN2136

LDN2130




SPUUU




### FREESTANDING PEDESTALS 29" H.

B49

SPUF



FSUUF




LATERAL FILE

LFN2436

LFN2430

LFN2136


LFN2130




### FREESTANDING PEDESTALS - WITHOUT TOP

B47

FPUUF



FSFF




### COMBINED STORAGE

LCNL2436


LCNL2430

LCNL2136


LCNL2130



FPFF



FS4U




LUUFDN2436

LUUFDN2430

LUUFDN2136

LUUFDN2130






# take off FREESTANDING

## visual index


LDUUFN2436  
LDUUFN2430  
LDUUFN2136  
LDUUFN2130



### STORAGE TOPS FOR 27 1/2" H. OR METAL LATERAL FILING

B53

LTOP24108  
LTOP24102  
LTOP2490  
LTOP2484  
LTOP2478  
LTOP2472  
LTOP2466  
LTOP2460  
LTOP2454  
LTOP2448  
LTOP2442  
LTOP2436  
LTOP2430



LTOP21108  
LTOP21102  
LTOP2190  
LTOP2184  
LTOP2178  
LTOP2172  
LTOP2166  
LTOP2160  
LTOP2154  
LTOP2148  
LTOP2142  
LTOP2136  
LTOP2130


LTOP18108  
LTOP1890  
LTOP1884  
LTOP1878  
LTOP1872  
LTOP1866  
LTOP1860  
LTOP1842  
LTOP1836  
LTOP1830

### HUTCHES WITH LAMINATE LEGS

#### OPEN HUTCHES

C2

HO8443  
HO7843  
HO7243  
HO6643  
HO6043  
HO5443  
HO4843  
HO4243  
HO3643  
HO3043




HO2443  
HO8437  
HO7837  
HO7237  
HO6637  
HO6037  
HO5437  
HO4837  
HO4237  
HO3637  
HO3037  
HO2437

#### HUTCHES WITH HINGED DOORS

C3

HD8443  
HD7843  
HD7243  
HD6643  
HD6043  
HD5443  
HD4843  
HD4243  
HD3643  
HD3043  
HD2443




HD8437  
HD7837  
HD7237  
HD6637  
HD6037  
HD5437  
HD4837  
HD4237  
HD3637  
HD3037  
HD2437

#### CONTEMPORARY FRAME

#### LAMINATE

HDM8443  
HDM7843  
HDM7243  
HDM6643  
HDM6043  
HDM5443  
HDM4843  
HDM4243  
HDM3643  
HDM3043  
HDM2443

HDM8437  
HDM7837  
HDM7237  
HDM6637  
HDM6037  
HDM5437  
HDM4837  
HDM4237



HDM3637  
HDM3037  
HDM2437

#### GLOSS WHITE



HDL8443  
HDL7843  
HDL7243  
HDL6643  
HDL6043  
HDL5443  
HDL4843  
HDL4243  
HDL3643  
HDL3043  
HDL2443

HDL8437  
HDL7837  
HDL7237  
HDL6637  
HDL6037  
HDL5437  
HDL4837  
HDL4237  
HDL3637  
HDL3037  
HDL2437

#### ACRYLIC

HDGIC8443  
HDGIC7843  
HDGIC7243  
HDGIC6643  
HDGIC6043  
HDGIC5443  
HDGIC4843  
HDGIC4243  
HDGIC3643  
HDGIC3043  
HDGIC2443

HDGIC8437  
HDGIC7837  
HDGIC7237  
HDGIC6637  
HDGIC6037  
HDGIC5437  
HDGIC4837  
HDGIC4237  
HDGIC3637  
HDGIC3037  
HDGIC2437






### HUTCHES WITH HINGED DOORS (CONT'D)

C6


GLOSS WHITE

#### TRADITIONAL FRAME

HDGIA8443  
HDGIA7843  
HDGIA7243  
HDGIA6643  
HDGIA6043  
HDGIA5443  
HDGIA4843  
HDGIA4243  
HDGIA3643  
HDGIA3043  
HDGIA2443  
HDGIA8437  
HDGIA7837  
HDGIA7237  
HDGIA6637  
HDGIA6037  
HDGIA5437  
HDGIA4837  
HDGIA4237  
HDGIA3637  
HDGIA3037  
HDGIA2437




HHL7243  
HHL6643  
HHL6043  
HHL5443  
HHL4843  
HHL4243  
HHL7237



HHL6637  
HHL6037  
HHL5437  
HHL4837  
HHL4237

#### ACRYLIC


HHGiC7243  
HHGiC6643  
HHGiC6043  
HHGiC5443  
HHGiC4843  
HHGiC4243  
HHGiC7237  
HHGiC6637  
HHGiC6037  
HHGiC5437  
HHGiC4837  
HHGiC4237



### HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

C7


HH7243  
HH6643  
HH6043  
HH5443  
HH4843  
HH4243



HH7237  
HH6637  
HH6037  
HH5437  
HH4837  
HH4237

#### TRADITIONAL FRAME


HHGiA7243  
HHGiA6643  
HHGiA6043  
HHGiA5443  
HHGiA4843  
HHGiA4243  
HHGiA7237  
HHGiA6637  
HHGiA6037  
HHGiA5437  
HHGiA4837  
HHGiA4237



#### CONTEMPORARY FRAME

#### LAMINATE

HHM7243  
HHM6643  
HHM6043  
HHM5443  
HHM4843  
HHM4243




HHM7237  
HHM6637  
HHM6037  
HHM5437  
HHM4837  
HHM4237

### HUTCHES WITH FLIPPER DOOR(S)

C9


HF7243  
HF6643  
HF6043  
HF5443  
HF4843  
HF4243  
HF3643  
HF3043  
HF2443



HF7237  
HF6637  
HF6037  
HF5437  
HF4837  
HF4237  
HF3637  
HF3037  
HF2437

### HUTCHES WITH PIVOT-LIFT DOOR(S) C10

HU7243  
HU6643  
HU6043  
HU5443  
HU4843  
HU4243  
HU3643  
HU3043  
HU2443




HU7237  
HU6637  
HU6037  
HU5437  
HU4837  
HU4237  
HU3637  
HU3037  
HU2437

#### CONTEMPORARY FRAME

#### LAMINATE

HUM7243  
HUM6643  
HUM6043  
HUM5443  
HUM4843  
HUM4243  
HUM3643  
HUM3043  
HUM2443




HUM7237  
HUM6637  
HUM6037  
HUM5437  
HUM4837  
HUM4237  
HUM3637  
HUM3037  
HUM2437



### GLOSS WHITE


HUL7243  
HUL6643  
HUL6043  
HUL5443  
HUL4843  
HUL4243  
HUL3643  
HUL3043  
HUL2443



HUL7237  
HUL6637  
HUL6037  
HUL5437  
HUL4837  
HUL4237  
HUL3637  
HUL3037  
HUL2437

### ACRYLIC


HUGiC7243  
HUGiC6643  
HUGiC6043  
HUGiC5443  
HUGiC4843  
HUGiC4243  
HUGiC3643  
HUGiC3043  
HUGiC2443



HUGiC7237  
HUGiC6637  
HUGiC6037  
HUGiC5437  
HUGiC4837  
HUGiC4237  
HUGiC3637  
HUGiC3037  
HUGiC2437

### TRADITIONAL FRAME

HUGiA7243  
HUGiA6643  
HUGiA6043  
HUGiA5443  
HUGiA4843  
HUGiA4243  
HUGiA3643  
HUGiA3043  
HUGiA2443




HUGiA7237  
HUGiA6637  
HUGiA6037  
HUGiA5437  
HUGiA4837  
HUGiA4237  
HUGiA3637  
HUGiA3037  
HUGiA2437

## HUTCHES WITH METAL LEGS

### OPEN HUTCHES

C14

HO8443  
HO7843  
HO7243  
HO6643  
HO6043  
HO5443  
HO4843  
HO4243  
HO3643  
HO3043  
HO2443




HO8437  
HO7837  
HO7237  
HO6637  
HO6037  
HO5437  
HO4837  
HO4237  
HO3637  
HO3037  
HO2437

### HUTCHES WITH HINGED DOORS

C15

HD8443  
HD7843  
HD7243  
HD6643  
HD6043  
HD5443  
HD4843  
HD4243  
HD3643  
HD3043  
HD2443




HD8437  
HD7837  
HD7237  
HD6637  
HD6037  
HD5437  
HD4837  
HD4237  
HD3637  
HD3037  
HD2437

### CONTEMPORARY FRAME

#### LAMINATE


HDM8443  
HDM7843  
HDM7243  
HDM6643  
HDM6043  
HDM5443  
HDM4843  
HDM4243  
HDM3643  
HDM3043  
HDM2443



HDM8437  
HDM7837  
HDM7237  
HDM6637  
HDM6037  
HDM5437  
HDM4837  
HDM4237  
HDM3637  
HDM3037  
HDM2437

#### GLOSS WHITE

HDL8443  
HDL7843  
HDL7243  
HDL6643  
HDL6043  
HDL5443  
HDL4843  
HDL4243  
HDL3643  
HDL3043  
HDL2443



HDL8437  
HDL7837  
HDL7237  
HDL6637  
HDL6037  
HDL5437  
HDL4837  
HDL4237  
HDL3637  
HDL3037  
HDL2437




### HUTCHES WITH HINGED DOORS (CONT'D)

C17

#### ACRYLIC

HDGiC8443  
HDGiC7843  
HDGiC7243  
HDGiC6643  
HDGiC6043  
HDGiC5443  
HDGiC4843  
HDGiC4243  
HDGiC3643  
HDGiC3043  
HDGiC2443




HDGiC8437  
HDGiC7837  
HDGiC7237  
HDGiC6637  
HDGiC6037  
HDGiC5437  
HDGiC4837  
HDGiC4237  
HDGiC3637  
HDGiC3037  
HDGiC2437

#### TRADITIONAL FRAME

#### ACRYLIC

HDGiA8443  
HDGiA7843  
HDGiA7243  
HDGiA6643  
HDGiA6043  
HDGiA5443  
HDGiA4843  
HDGiA4243  
HDGiA3643  
HDGiA3043  
HDGiA2443




HDGiA8437  
HDGiA7837  
HDGiA7237  
HDGiA6637  
HDGiA6037  
HDGiA5437  
HDGiA4837  
HDGiA4237  
HDGiA3637  
HDGiA3037  
HDGiA2437

### HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

C19

HH7243  
HH6643  
HH6043  
HH5443  
HH4843  
HH4243




HH7237  
HH6637  
HH6037  
HH5437  
HH4837  
HH4237

#### CONTEMPORARY FRAME

#### LAMINATE


HHM7243  
HHM6643  
HHM6043  
HHM5443  
HHM4843  
HHM4243



HHM7237  
HHM6637  
HHM6037  
HHM5437  
HHM4837  
HHM4237

#### GLOSS WHITE


HHL7243  
HHL6643  
HHL6043  
HHL5443  
HHL4843  
HHL4243



HHL7237  
HHL6637  
HHL6037  
HHL5437  
HHL4837  
HHL4237

#### ACRYLIC

HHGiC7243  
HHGiC6643  
HHGiC6043  
HHGiC5443  
HHGiC4843  
HHGiC4243




HHGiC7237  
HHGiC6637  
HHGiC6037

HHGiC5437  
HHGiC4837  
HHGiC4237

#### TRADITIONAL FRAME


HHGiA7243  
HHGiA6643  
HHGiA6043  
HHGiA5443  
HHGiA4843  
HHGiA4243



HHGiA7237  
HHGiA6637  
HHGiA6037  
HHGiA5437  
HHGiA4837  
HHGiA4237

### HUTCHES WITH FLIPPER DOOR(S) C21


HF7243  
HF6643  
HF6043  
HF5443  
HF4843  
HF4243  
HF3643  
HF3043  
HF2443



HF7237  
HF6637  
HF6037  
HF5437  
HF4837  
HF4237  
HF3637  
HF3037  
HF2437

### HUTCHES WITH PIVOT-LIFT DOOR(S) C22

HU7243  
HU6643  
HU6043  
HU5443  
HU4843  
HU4243  
HU3643  
HU3043  
HU2443



HU7237  
HU6637  
HU6037  
HU5437  
HU4837  
HU4237  
HU3637  
HU3037  
HU2437




# take off FREESTANDING

## visual index

### CONTEMPORARY FRAME

#### LAMINATE


HUM7243  
HUM6643  
HUM6043  
HUM5443  
HUM4843  
HUM4243  
HUM3643  
HUM3043  
HUM2443



HUM7237  
HUM6637  
HUM6037  
HUM5437  
HUM4837  
HUM4237  
HUM3637  
HUM3037  
HUM2437

#### GLOSS WHITE


HUL7243  
HUL6643  
HUL6043  
HUL5443  
HUL4843  
HUL4243  
HUL3643  
HUL3043  
HUL2443



HUL7237  
HUL6637  
HUL6037  
HUL5437  
HUL4837  
HUL4237  
HUL3637  
HUL3037  
HUL2437

#### ACRYLIC

HUGiC7243  
HUGiC6643  
HUGiC6043  
HUGiC5443  
HUGiC4843  
HUGiC4243  
HUGiC3643  
HUGiC3043  
HUGiC2443




HUGiC7237  
HUGiC6637  
HUGiC6037  
HUGiC5437  
HUGiC4837  
HUGiC4237

HUGiC3637  
HUGiC3037  
HUGiC2437

### TRADITIONAL FRAME

HUGiA7243  
HUGiA6643  
HUGiA6043  
HUGiA5443  
HUGiA4843  
HUGiA4243  
HUGiA3643  
HUGiA3043  
HUGiA2443




HUGiA7237  
HUGiA6637  
HUGiA6037  
HUGiA5437  
HUGiA4837  
HUGiA4237  
HUGiA3637  
HUGiA3037  
HUGiA2437

### MODULAR HUTCHES

C26

HM8427  
HM7827  
HM7227  
HM6627  
HM6027  
HM5427  
HM4827  
HM4227  
HM3627  
HM3027




HM8421  
HM7821  
HM7221  
HM6621  
HM6021  
HM5421  
HM4821  
HM4221  
HM3621

### STORAGE MODULES FOR MODULAR HUTCHES

C27

HB42




HB30



### CONTEMPORARY FRAME

#### LAMINATE

HBM42




HBM30



#### GLOSS WHITE

HBL42




HBL30



#### ACRYLIC

HBGiC42




HBGiC30



### TRADITIONAL FRAME

HBGiA42




HBGiA30



### OPEN WALL-MOUNTED HUTCHES

C29

HW07216  
HW06616  
HW06016  
HW05416  
HW04816  
HW04216  
HW03616  
HW03016  
HW02416






### WALL-MOUNTED HUTCHES WITH HINGED DOORS

C29


HWD7216  
HWD6616  
HWD6016  
HWD5416  
HWD4816  
HWD4216  
HWD3616  
HWD3016  
HWD2416



### CONTEMPORARY FRAME


#### LAMINATE

HWDM7216  
HWDM6616  
HWDM6016  
HWDM5416  
HWDM4816  
HWDM4216  
HWDM3616  
HWDM3016  
HWDM2416




#### GLOSS WHITE

HWDL7216  
HWDL6616  
HWDL6016  
HWDL5416  
HWDL4816  
HWDL4216  
HWDL3616  
HWDL3016  
HWDL2416




#### ACRYLIC

HWdGiC7216  
HWdGiC6616  
HWdGiC6016  
HWdGiC5416  
HWdGiC4816  
HWdGiC4216  
HWdGiC3616  
HWdGiC3016  
HWdGiC2416



### TRADITIONAL FRAME


HWdGiA7216  
HWdGiA6616  
HWdGiA6016  
HWdGiA5416  
HWdGiA4816  
HWdGiA4216  
HWdGiA3616  
HWdGiA3016  
HWdGiA2416



### WALL-MOUNTED HUTCHES WITH CENTRAL OPENING AND HINGED DOORS

C31


HWH7216  
HWH6616  
HWH6016  
HWH5416  
HWH4816  
HWH4216



### CONTEMPORARY FRAME


#### LAMINATE

HWHM7216  
HWHM6616  
HWHM6016  
HWHM5416  
HWHM4816  
HWHM4216




#### GLOSS WHITE

HWHL7216  
HWHL6616  
HWHL6016  
HWHL5416  
HWHL4816  
HWHL4216




#### ACRYLIC

HWHGic7216  
HWHGic6616  
HWHGic6016  
HWHGic5416  
HWHGic4816  
HWHGic4216



### TRADITIONAL FRAME


HWHGIA7216  
HWHGIA6616  
HWHGIA6016  
HWHGIA5416  
HWHGIA4816  
HWHGIA4216



### WALL-MOUNTED HUTCHES WITH FLIPPER DOOR(S)

C33


HWF7216  
HWF6616  
HWF6016  
HWF5416  
HWF4816  
HWF4216  
HWF3616  
HWF3016  
HWF2416



### WALL-MOUNTED HUTCHES WITH PIVOT-LIFT DOOR(S)

C33


HWU7216  
HWU6616  
HWU6016  
HWU5416  
HWU4816  
HWU4216  
HWU3616  
HWU3016  
HWU2416



### CONTEMPORARY FRAME


#### LAMINATE

HWUM7216  
HWUM6616  
HWUM6016  
HWUM5416  
HWUM4816  
HWUM4216  
HWUM3616  
HWUM3016  
HWUM2416




#### GLOSS WHITE

HWUL7216  
HWUL6616  
HWUL6016  
HWUL5416  
HWUL4816  
HWUL4216  
HWUL3616  
HWUL3016  
HWUL2416




#### ACRYLIC

HWUGic7216  
HWUGic6616  
HWUGic6016  
HWUGic5416  
HWUGic4816  
HWUGic4216  
HWUGic3616  
HWUGic3016  
HWUGic2416



### TRADITIONAL FRAME

HWUGIA7216  
HWUGIA6616  
HWUGIA6016  
HWUGIA5416  
HWUGIA4816  
HWUGIA4216  
HWUGIA3616  
HWUGIA3016  
HWUGIA2416






### WALL-MOUNTED MODULES

C35

GLOSS WHITE

HWB107207  
HWB106607  
HWB106007  
HWB105407  
HWB104807  
HWB104207  
HWB103607  
HWB103007  
HWB102407




HPDDL3643  
HPDDL3043  
HPDDL3637  
HPDDL3037

HPDOL3643  
HPDOL3043  
HPDOL3637  
HPDOL3037

### BOOKCASE HUTCHES

C35

HBK3643  
HBK3043  
HBK3637  
HBK3037



HPODL3643  
HPODL3043  
HPODL3637  
HPODL3037


ACRYLIC

HPDDGiC3643  
HPDDGiC3043  
HPDDGiC3637  
HPDDGiC3037


### BOOKCASE HUTCHES WITH DOOR(S)

C36


HPDD3643  
HPDD3043  
HPDD3637  
HPDD3037



HPDO3643  
HPDO3043  
HPDO3637  
HPDO3037



HPOD3643  
HPOD3043  
HPOD3637  
HPOD3037



HPODGiC3643  
HPODGiC3043  
HPODGiC3637  
HPODGiC3037


TRADITIONAL FRAME

HPDDGiA3643  
HPDDGiA3043  
HPDDGiA3637  
HPDDGiA3037


### CONTEMPORARY FRAME

#### LAMINATE


HPDDM3643  
HPDDM3043  
HPDDM3637  
HPDDM3037



HPDOM3643  
HPDOM3043  
HPDOM3637  
HPDOM3037




HPODM3643  
HPODM3043  
HPODM3637  
HPODM3037



### CORNER ROUNDED BOOKCASE HUTCHES

C40

HC43  
HC37




### TACKBOARDS FOR 43" H. HUTCHES

C41


#### WITHOUT PIGEONHOLE

BT8225  
BT7625  
BT7025  
BT6425  
BT5825  
BT5225  
BT4625  
BT4025  
BT3425  
BT2825  
BT2225



#### WITH PIGEONHOLE

BT8221  
BT7621  
BT7021  
BT6421  
BT5821  
BT5221  
BT4621  
BT4021  
BT3421  
BT2821  
BT2221




### TACKBOARDS FOR 37" H. HUTCHES

C42


#### WITHOUT PIGEONHOLE

BT8219  
BT7619  
BT7019  
BT6419  
BT5819  
BT5219  
BT4619  
BT4019  
BT3419  
BT2819  
BT2219



#### WITH PIGEONHOLE

BT8215  
BT7615  
BT7015  
BT6415  
BT5815  
BT5215  
BT4615  
BT4015  
BT3415  
BT2815  
BT2215






### TACKBOARDS FOR MODULAR HUTCHES C43


27" H.

BT8219  
BT7619  
BT7019  
BT6419  
BT5819  
BT5219  
BT4619  
BT4019  
BT3419  
BT2819  
BT2219



21" H.


BT8213  
BT7613  
BT7013  
BT6413  
BT5813  
BT5213  
BT4613  
BT4013  
BT3413  
BT2813  
BT2213



### WALL MOUNT BRACKETS FOR HUTCHE-TYPE TACKBOARDS

C43


BTHK



### PIGEONHOLE UNITS

C44

PiH82  
PiH76  
PiH70  
PiH64  
PiH58  
PiH52  
PiH46  
PiH40  
PiH34  
PiH28  
PiH22




## LAYERING

### RECTANGULAR TABLES (COMBINED MATERIAL END PANELS)

D2

TiX3684LL  
TiX3678LL  
TiX3672LL  
TiX3666LL  
TiX3660LL




TiX3654LL  
TiX3648LL  
TiX3084 ...  
TiX3078 ...  
TiX3072 ...  
TiX3066 ...  
TiX3060 ...  
TiX3054 ...  
TiX3048 ...  
TiX3042 ...  
TiX3036 ...  
TiX3030 ...  
TiX3024 ...  
TiX2484 ...  
TiX2478 ...  
TiX2472 ...  
TiX2466 ...  
TiX2460 ...  
TiX2454 ...  
TiX2448 ...  
TiX2442 ...  
TiX2436 ...  
TiX2430 ...  
TiX2424 ...


### RECTANGULAR TABLES (PERFORATED METAL END PANELS)

D3


TiM3684LL  
TiM3678LL  
TiM3672LL  
TiM3666LL  
TiM3660LL  
TiM3654LL  
TiM3648LL  
TiM3084 ...  
TiM3078 ...  
TiM3072 ...  
TiM3066 ...  
TiM3060 ...  
TiM3054 ...  
TiM3048 ...  
TiM3042 ...  
TiM3036 ...  
TiM3030 ...  
TiM3024 ...  
TiM2484 ...  
TiM2478 ...  
TiM2472 ...  
TiM2466 ...  
TiM2460 ...  
TiM2454 ...  
TiM2448 ...  
TiM2442 ...  
TiM2436 ...  
TiM2430 ...  
TiM2424 ...




LC




CL



LL



LC




CL


### RECTANGULAR TABLES (OPEN END PANELS)

D4


TiO3684LL  
TiO3678LL  
TiO3672LL  
TiO3666LL  
TiO3660LL  
TiO3654LL  
TiO3648LL  
TiO3084 ...  
TiO3078 ...  
TiO3072 ...  
TiO3066 ...  
TiO3060 ...  
TiO3054 ...  
TiO3048 ...  
TiO3042 ...  
TiO3036 ...  
TiO3030 ...  
TiO3024 ...  
TiO2484 ...  
TiO2478 ...  
TiO2472 ...  
TiO2466 ...  
TiO2460 ...  
TiO2454 ...  
TiO2448 ...  
TiO2442 ...  
TiO2436 ...  
TiO2430 ...  
TiO2424 ...



LL



LC




CL


### RECTANGULAR TABLES AND CORNER TABLES (OPEN "CC" END PANELS)

D5

TiO3084CC  
TiO3078CC  
TiO3072CC  
TiO3066CC  
TiO3060CC  
TiO3054CC  
TiO3048CC  
TiO3042CC  
TiO3036CC  
TiO3030CC  
TiO3024CC  
TiO2484CC  
TiO2478CC  
TiO2472CC  
TiO2466CC  
TiO2460CC  
TiO2454CC  
TiO2448CC  
TiO2442CC  
TiO2436CC  
TiO2430CC  
TiO2424CC




CSO3048CC  
CSO3042CC  
CSO2448CC  
CSO2442CC  
CSO2436CC  
CSO1836CC






### REVERSIBLE RETURNS (COMBINED MATERIAL END PANELS) D6

RERX2460  
RERX2454  
RERX2448  
RERX2442  
RERX2436  
RERX2430  
RERX2148  
RERX2142  
RERX2136  
RERX2130  
RERX1848  
RERX1842  
RERX1836  
RERX1830




### REVERSIBLE RETURNS (PERFORATED METAL END PANELS) D6

RERM2460  
RERM2454  
RERM2448  
RERM2442  
RERM2436  
RERM2430  
RERM2148  
RERM2142  
RERM2136  
RERM2130  
RERM1848  
RERM1842  
RERM1836  
RERM1830




### REVERSIBLE RETURNS (OPEN END PANELS) D7

RERO2460  
RERO2454  
RERO2448  
RERO2442  
RERO2436  
RERO2430  
RERO2148  
RERO2142  
RERO2136  
RERO2130  
RERO1848  
RERO1842  
RERO1836  
RERO1830



### BRIDGE-RETURNS D7


REB2448  
REB2442  
REB2436  
REB2430  
REB2148  
REB2142



REB2136  
REB2130  
REB1848  
REB1842  
REB1836  
REB1830


### BRIDGE-SURFACES D8

REBS2448  
REBS2442  
REBS2436  
REBS2430  
REBS2148  
REBS2142  
REBS2136  
REBS2130  
REBS1848  
REBS1842  
REBS1836  
REBS1830




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (FULL END PANELS) D9

DPi3684L  
DPi3678L  
DPi3672L  
DPi3666L  
DPi3660L  
DPi3084L  
DPi3078L  
DPi3072L  
DPi3066L  
DPi3060L  
DPi2484L  
DPi2478L  
DPi2472L  
DPi2466L  
DPi2460L




DPi3684R  
DPi3678R  
DPi3672R  
DPi3666R  
DPi3660R  
DPi3084R  
DPi3078R  
DPi3072R  
DPi3066R  
DPi3060R  
DPi2484R  
DPi2478R  
DPi2472R  
DPi2466R  
DPi2460R




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (COMBINED MATERIAL END PANELS) D10

DPiX3684L  
DPiX3678L  
DPiX3672L  
DPiX3666L  
DPiX3660L  
DPiX3084L  
DPiX3078L  
DPiX3072L  
DPiX3066L  
DPiX3060L  
DPiX2484L  
DPiX2478L  
DPiX2472L  
DPiX2466L  
DPiX2460L




DPiX3684R  
DPiX3678R  
DPiX3672R  
DPiX3666R  
DPiX3660R  
DPiX3084R  
DPiX3078R  
DPiX3072R  
DPiX3066R  
DPiX3060R  
DPiX2484R  
DPiX2478R  
DPiX2472R  
DPiX2466R  
DPiX2460R




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (PERFORATED METAL END PANELS) D11

DPiM3684L  
DPiM3678L  
DPiM3672L  
DPiM3666L  
DPiM3660L  
DPiM3084L  
DPiM3078L  
DPiM3072L  
DPiM3066L  
DPiM3060L  
DPiM2484L  
DPiM2478L  
DPiM2472L  
DPiM2466L  
DPiM2460L



DPiM3684R  
DPiM3678R  
DPiM3672R  
DPiM3666R  
DPiM3660R  
DPiM3084R  
DPiM3078R  
DPiM3072R



DPiM3066R  
DPiM3060R  
DPiM2484R  
DPiM2478R  
DPiM2472R  
DPiM2466R  
DPiM2460R





### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (OPEN END PANELS) D12


DPiO3684L  
DPiO3678L  
DPiO3672L  
DPiO3666L  
DPiO3660L  
DPiO3084L  
DPiO3078L  
DPiO3072L  
DPiO3066L  
DPiO3060L  
DPiO2484L  
DPiO2478L  
DPiO2472L  
DPiO2466L  
DPiO2460L




DPiO3684R  
DPiO3678R  
DPiO3672R  
DPiO3666R  
DPiO3660R  
DPiO3084R  
DPiO3078R  
DPiO3072R  
DPiO3066R  
DPiO3060R  
DPiO2484R  
DPiO2478R  
DPiO2472R  
DPiO2466R  
DPiO2460R

### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (OPEN END PANELS) D13

REEP2472L  
REEP2466L  
REEP2460L  
REEP2172L  
REEP2166L  
REEP2160L  
REEP1872L  
REEP1866L  
REEP1860L




REEP2472R  
REEP2466R  
REEP2460R  
REEP2172R  
REEP2166R  
REEP2160R  
REEP1872R  
REEP1866R  
REEP1860R




### "D" SHAPED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG) D14

DLDA3684L  
DLDA3678L  
DLDA3672L  
DLDA3084L  
DLDA3078L  
DLDA3072L  
DLDA2484L  
DLDA2478L  
DLDA2472L




DLDA3684R  
DLDA3678R  
DLDA3672R  
DLDA3084R  
DLDA3078R  
DLDA3072R  
DLDA2484R  
DLDA2478R  
DLDA2472R



### "D" SHAPED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) D15


DLDC3684L  
DLDC3678L  
DLDC3672L  
DLDC3084L  
DLDC3078L  
DLDC3072L  
DLDC2484L  
DLDC2478L  
DLDC2472L



DLDD3684L  
DLDD3678L  
DLDD3672L  
DLDD3084L  
DLDD3078L  
DLDD3072L  
DLDD2484L  
DLDD2478L  
DLDD2472L

DLDC3684R  
DLDC3678R  
DLDC3672R  
DLDC3084R  
DLDC3078R  
DLDC3072R  
DLDC2484R  
DLDC2478R  
DLDC2472R


DLDD3684R  
DLDD3678R  
DLDD3672R  
DLDD3084R



DLDD3078R  
DLDD3072R  
DLDD2484R  
DLDD2478R  
DLDD2472R


### "D" SHAPED SURFACE-MOUNTED LAYERING TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG) D16

DADA3684  
DADA3678  
DADA3672  
DADA3084  
DADA3078  
DADA3072  
DADA2484  
DADA2478  
DADA2472




### "D" SHAPED SURFACE-MOUNTED LAYERING TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE) D16

DADC3684  
DADC3678  
DADC3672  
DADC3084  
DADC3078  
DADC3072  
DADC2484  
DADC2478  
DADC2472  
DADD3684  
DADD3678  
DADD3672  
DADD3084  
DADD3078  
DADD3072  
DADD2484  
DADD2478  
DADD2472




### ARCHED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG) D17

DLAA3684L  
DLAA3678L  
DLAA3672L  
DLAA3084L  
DLAA3078L  
DLAA3072L  
DLAA2484L  
DLAA2478L  
DLAA2472L



DLAA3684R  
DLAA3678R  
DLAA3672R  
DLAA3084R  
DLAA3078R  
DLAA3072R

DLAA2484R  
DLAA2478R  
DLAA2472R






# take off FREESTANDING


## ARCHED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) D18

DLAC3684L  
DLAC3678L  
DLAC3672L  
DLAC3084L  
DLAC3078L  
DLAC3072L  
DLAC2484L  
DLAC2478L  
DLAC2472L



DLAD3684L  
DLAD3678L  
DLAD3672L  
DLAD3084L  
DLAD3078L  
DLAD3072L  
DLAD2484L  
DLAD2478L  
DLAD2472L


DLAC3684R  
DLAC3678R  
DLAC3672R  
DLAC3084R  
DLAC3078R  
DLAC3072R  
DLAC2484R  
DLAC2478R  
DLAC2472R



DLAD3684R  
DLAD3678R  
DLAD3672R  
DLAD3084R  
DLAD3078R  
DLAD3072R  
DLAD2484R  
DLAD2478R  
DLAD2472R

## ARCHED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEGS) D19


DLAE3684L  
DLAE3678L  
DLAE3672L  
DLAE3084L  
DLAE3078L  
DLAE3072L  
DLAE2484L  
DLAE2478L  
DLAE2472L



DLAF3684L  
DLAF3678L  
DLAF3672L  
DLAF3084L  
DLAF3078L

DLAF3072L  
DLAF2484L  
DLAF2478L  
DLAF2472L


DLAE3684R  
DLAE3678R  
DLAE3672R  
DLAE3084R  
DLAE3078R  
DLAE3072R  
DLAE2484R  
DLAE2478R  
DLAE2472R




DLAF3684R  
DLAF3678R  
DLAF3672R  
DLAF3084R  
DLAF3078R  
DLAF3072R  
DLAF2484R  
DLAF2478R  
DLAF2472R

## ARCHED SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (MONOLITHIC BASE) D20

DLAG3684L  
DLAG3678L  
DLAG3672L  
DLAG3084L  
DLAG3078L  
DLAG3072L  
DLAG2484L  
DLAG2478L  
DLAG2472L




DLAG3684R  
DLAG3678R  
DLAG3672R  
DLAG3084R  
DLAG3078R  
DLAG3072R  
DLAG2484R  
DLAG2478R  
DLAG2472R



## ARCHED SURFACE-MOUNTED LAYERING TABLE WITH ADJUSTABLE SUPPORT (TUBULAR LEG) D21


DAAA3684  
DAAA3678  
DAAA3672  
DAAA3084  
DAAA3078  
DAAA3072  
DAAA2484  
DAAA2478  
DAAA2472



## visual index

## ARCHED SURFACE-MOUNTED LAYERING TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE) D22


DAAC3684  
DAAC3678  
DAAC3672  
DAAC3084  
DAAC3078  
DAAC3072  
DAAC2484  
DAAC2478  
DAAC2472




DAAD3684  
DAAD3678  
DAAD3672  
DAAD3084  
DAAD3078  
DAAD3072  
DAAD2484  
DAAD2478  
DAAD2472

## RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG) D23

DLiA3684L  
DLiA3678L  
DLiA3672L  
DLiA3084L  
DLiA3078L  
DLiA3072L  
DLiA2484L  
DLiA2478L  
DLiA2472L




DLiA3684R  
DLiA3678R  
DLiA3672R  
DLiA3084R  
DLiA3078R  
DLiA3072R  
DLiA2484R  
DLiA2478R  
DLiA2472R



## RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) D24

DLiC3684L  
DLiC3678L  
DLiC3672L  
DLiC3084L  
DLiC3078L  
DLiC3072L  
DLiC2484L  
DLiC2478L  
DLiC2472L






# take off FREESTANDING

## visual index

### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEG WITH BASE) (CONT'D) D24


DLiD3684L  
DLiD3678L  
DLiD3672L  
DLiD3084L  
DLiD3078L  
DLiD3072L  
DLiD2484L  
DLiD2478L  
DLiD2472L



DLiF3684R  
DLiF3678R  
DLiF3672R  
DLiF3084R  
DLiF3078R  
DLiF3072R  
DLiF2484R  
DLiF2478R  
DLiF2472R


### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (DOUBLE "O" TECHNO BASE LEG) D26

DLiM3684L  
DLiM3678L  
DLiM3672L  
DLiM3084L  
DLiM3078L  
DLiM3072L  
DLiM2484L  
DLiM2478L  
DLiM2472L




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (ANGLED METAL LEGS) D28

DLiK3684L  
DLiK3678L  
DLiK3672L  
DLiK3084L  
DLiK3078L  
DLiK3072L  
DLiK2484L  
DLiK2478L  
DLiK2472L




DLiC3684R  
DLiC3678R  
DLiC3672R  
DLiC3084R  
DLiC3078R  
DLiC3072R  
DLiC2484R  
DLiC2478R  
DLiC2472R

DLiK3684R  
DLiK3678R  
DLiK3672R  
DLiK3084R  
DLiK3078R  
DLiK3072R  
DLiK2484R  
DLiK2478R  
DLiK2472R




DLiD3684R  
DLiD3678R  
DLiD3672R  
DLiD3084R  
DLiD3078R

DLiM3684R  
DLiM3678R  
DLiM3672R  
DLiM3084R  
DLiM3078R  
DLiM3072R  
DLiM2484R  
DLiM2478R  
DLiM2472R




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (ANGLED WOOD LEGS) D29

DLiN3684L  
DLiN3678L  
DLiN3672L  
DLiN3084L  
DLiN3078L  
DLiN3072L  
DLiN2484L  
DLiN2478L  
DLiN2472L




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (TUBULAR LEGS) D25

DLiE3684L  
DLiE3678L  
DLiE3672L  
DLiE3084L  
DLiE3078L  
DLiE3072L  
DLiE2484L  
DLiE2478L  
DLiE2472L




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (FOLDED METAL CORNER LEG) D27

DLiJ3684L  
DLiJ3678L  
DLiJ3672L  
DLiJ3084L  
DLiJ3078L  
DLiJ3072L  
DLiJ2484L  
DLiJ2478L  
DLiJ2472L




DLiN3684R  
DLiN3678R  
DLiN3672R  
DLiN3084R  
DLiN3078R  
DLiN3072R  
DLiN2484R  
DLiN2478R  
DLiN2472R




DLiF3684L  
DLiF3678L  
DLiF3672L  
DLiF3084L  
DLiF3078L  
DLiF3072L  
DLiF2484L  
DLiF2478L  
DLiF2472L

DLiJ3684R  
DLiJ3678R  
DLiJ3672R  
DLiJ3084R  
DLiJ3078R  
DLiJ3072R  
DLiJ2484R  
DLiJ2478R




DLiE3684R  
DLiE3678R  
DLiE3672R  
DLiE3084R  
DLiE3078R  
DLiE3072R  
DLiE2484R  
DLiE2478R  
DLiE2472R






### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH "L" SUPPORT (MONOLITHIC BASE) D30

DLiG3684L  
DLiG3678L  
DLiG3672L  
DLiG3084L  
DLiG3078L  
DLiG3072L  
DLiG2484L  
DLiG2478L  
DLiG2472L




DLiG3684R  
DLiG3678R  
DLiG3672R  
DLiG3084R  
DLiG3078R  
DLiG3072R  
DLiG2484R  
DLiG2478R  
DLiG2472R




### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG) D31

DAiA3684  
DAiA3678  
DAiA3672  
DAiA3084  
DAiA3078  
DAiA3072  
DAiA2484  
DAiA2478  
DAiA2472



### RECTANGULAR SURFACE-MOUNTED LAYERING TABLES WITH ADJUSTABLE SUPPORT (TUBULAR LEG WITH BASE) D32


DAiC3684  
DAiC3678  
DAiC3672  
DAiC3084  
DAiC3078  
DAiC3072  
DAiC2484  
DAiC2478  
DAiC2472




DAiD3684  
DAiD3678  
DAiD3672  
DAiD3084  
DAiD3078  
DAiD3072  
DAiD2484  
DAiD2478  
DAiD2472

### OPEN CREDENZAS 23" H. D33


CZOO247223  
CZOO246023  
CZOO217223  
CZOO216023




CZUFO247223  
CZUFO246023  
CZUFO217223  
CZUFO216023




CZOUF247223  
CZOUF246023  
CZOUF217223  
CZOUF216023




CZDUFO247223  
CZDUFO246023  
CZDUFO217223  
CZDUFO216023




CZOUFD247223  
CZOUFD246023  
CZOUFD217223  
CZOUFD216023




CZDDO247223  
CZDDO246023  
CZDDO217223  
CZDDO216023




CZODD247223  
CZODD246023  
CZODD217223  
CZODD216023




CZUFUF247223  
CZUFUF246023  
CZUFUF217223  
CZUFUF216023




CZ4D247223  
CZ4D246023  
CZ4D217223  
CZ4D216023



CZUFDD247223  
CZUFDD246023  
CZUFDD217223  
CZUFDD216023




CZDDUF247223  
CZDDUF246023  
CZDDUF217223  
CZDDUF216023




### STORAGE UNITS - 23" H. D36


CZO243623  
CZO243023  
CZO213623  
CZO213023



CZDD243623  
CZDD243023  
CZDD213623  
CZDD213023




CZUF243623  
CZUF243023  
CZUF213623  
CZUF213023




### STORAGE FOR LAYERING TABLE D37

PiD151805




PiS171805



### CUSHION FOR STORAGE UNITS D37

CUS2472  
CUS2460  
CUS2436  
CUS2430  
CUS2172  
CUS2160  
CUS2136  
CUS2130





### SHARED BENCHING TABLES

8 SURFACES


6 SURFACES

**CLOSED SHARED BENCHING TABLES -  
2-SIDED - FULL END PANELS** E2

1 SURFACE : SEE RECTANGULAR  
TABLES


2 SURFACES

BC2i3072  
BC2i3066  
BC2i3060  
BC2i3054  
BC2i3048  
BC2i3042  
BC2i3036




BC8i3072  
BC8i3066  
BC8i3060  
BC8i3054  
BC8i3048  
BC8i3042  
BC8i3036

BC8i3072  
BC8i3066  
BC8i3060  
BC8i3054  
BC8i3048  
BC8i3042  
BC8i3036



BC6iX3072  
BC6iX3066  
BC6iX3060  
BC6iX3054  
BC6iX3048  
BC6iX3042  
BC6iX3036


BC6iX2472  
BC6iX2466  
BC6iX2460  
BC6iX2454  
BC6iX2448  
BC6iX2442  
BC6iX2436



BC2i2472  
BC2i2466  
BC2i2460  
BC2i2454  
BC2i2448  
BC2i2442  
BC2i2436

4 SURFACES

BC4i3072  
BC4i3066  
BC4i3060  
BC4i3054  
BC4i3048  
BC4i3042  
BC4i3036




**CLOSED SHARED BENCHING TABLES - 2-SIDED  
- COMBINED MATERIAL END PANELS** E5

1 SURFACE : SEE RECTANGULAR  
TABLES

2 SURFACES


BC2iX3072  
BC2iX3066  
BC2iX3060  
BC2iX3054  
BC2iX3048  
BC2iX3042  
BC2iX3036  
BC2iX2472  
BC2iX2466  
BC2iX2460  
BC2iX2454  
BC2iX2448  
BC2iX2442  
BC2iX2436



8 SURFACES

BC8iX3072  
BC8iX3066  
BC8iX3060  
BC8iX3054  
BC8iX3048  
BC8iX3042  
BC8iX3036

BC8iX2472  
BC8iX2466  
BC8iX2460  
BC8iX2454  
BC8iX2448  
BC8iX2442  
BC8iX2436




BC4i2472  
BC4i2466  
BC4i2460  
BC4i2454  
BC4i2448  
BC4i2442  
BC4i2436

6 SURFACES

BC6i3072  
BC6i3066  
BC6i3060  
BC6i3054  
BC6i3048  
BC6i3042  
BC6i3036


BC6i2472  
BC6i2466  
BC6i2460  
BC6i2454  
BC6i2448  
BC6i2442  
BC6i2436



4 SURFACES

BC4iX3072  
BC4iX3066  
BC4iX3060  
BC4iX3054  
BC4iX3048  
BC4iX3042  
BC4iX3036

BC4iX2472  
BC4iX2466  
BC4iX2460  
BC4iX2454  
BC4iX2448  
BC4iX2442  
BC4iX2436




1 SURFACE : SEE RECTANGULAR  
TABLES

2 SURFACES

BC2iM3072  
BC2iM3066  
BC2iM3060  
BC2iM3054  
BC2iM3048  
BC2iM3042  
BC2iM3036

BC2iM2472  
BC2iM2466  
BC2iM2460  
BC2iM2454  
BC2iM2448  
BC2iM2442  
BC2iM2436




**CLOSED SHARED BENCHING TABLES -  
2-SIDED - PERFORATED METAL END PANEL E8**



### 4 SURFACES

BC4iM3072  
BC4iM3066  
BC4iM3060  
BC4iM3054  
BC4iM3048  
BC4iM3042  
BC4iM3036




BC4iM2472  
BC4iM2466  
BC4iM2460  
BC4iM2454  
BC4iM2448  
BC4iM2442  
BC4iM2436

### 6 SURFACES

BC6iM3072  
BC6iM3066  
BC6iM3060  
BC4iM3054  
BC6iM3048  
BC6iM3042  
BC6iM3036


BC6iM2472  
BC6iM2466  
BC6iM2460  
BC6iM2454  
BC6iM2448  
BC6iM2442  
BC6iM2436



### 8 SURFACES

BC8iM3072  
BC8iM3066  
BC8iM3060  
BC8iM3054  
BC8iM3048  
BC8iM3042  
BC8iM3036

BC8iM2472  
BC8iM2466  
BC8iM2460  
BC8iM2454  
BC8iM2448  
BC8iM2442  
BC8iM2436




### CLOSED SHARED BENCHING TABLES - 2-SIDED - OPEN METAL END PANELS E11

1 SURFACE : SEE RECTANGULAR  
TABLES

### 2 SURFACES


BC2iO3072  
BC2iO3066  
BC2iO3060  
BC2iO3054  
BC2iO3048  
BC2iO3042  
BC2iO3036



BC2iO2472  
BC2iO2466  
BC2iO2460  
BC2iO2454  
BC2iO2448  
BC2iO2442  
BC2iO2436

### 4 SURFACES

BC4iO3072  
BC4iO3066  
BC4iO3060  
BC4iO3054  
BC4iO3048  
BC4iO3042  
BC4iO3036




BC4iO2472  
BC4iO2466  
BC4iO2460  
BC4iO2454  
BC4iO2448  
BC4iO2442  
BC4iO2436

### 6 SURFACES

BC6iO3072  
BC6iO3066  
BC6iO3060  
BC6iO3054  
BC6iO3048  
BC6iO3042  
BC6iO3036


BC6iO2472  
BC6iO2466  
BC6iO2460  
BC6iO2454  
BC6iO2448  
BC6iO2442  
BC6iO2436



### 8 SURFACES

BC8iO3072  
BC8iO3066  
BC8iO3060  
BC8iO3054  
BC8iO3048  
BC8iO3042  
BC8iO3036


BC8iO2472  
BC8iO2466  
BC8iO2460  
BC8iO2454  
BC8iO2448  
BC8iO2442  
BC8iO2436



### OPEN SHARED BENCHING TABLE - 1-SIDED - FULL END PANELS E14

### 1 SURFACE

BCO1i2872  
BCO1i2866  
BCO1i2860  
BCO1i2854  
BCO1i2848  
BCO1i2842  
BCO1i2836




BCO1i2272  
BCO1i2266  
BCO1i2260  
BCO1i2254  
BCO1i2248  
BCO1i2242  
BCO1i2236

### OPEN SHARED BENCHING TABLES - 2-SIDED - FULL END PANELS E15

### 2 SURFACES

BCO2i2872  
BCO2i2866  
BCO2i2860  
BCO2i2854  
BCO2i2848  
BCO2i2842  
BCO2i2836



BCO2i2272  
BCO2i2266  
BCO2i2260  
BCO2i2254  
BCO2i2248  
BCO2i2242  
BCO2i2236




# take off FREESTANDING

## visual index

### OPEN SHARED BENCHING TABLES - 2-SIDED - FULL END PANELS (CONT'D) E16

#### 4 SURFACES

BCO4i2872  
BCO4i2866  
BCO4i2860  
BCO4i2854  
BCO4i2848  
BCO4i2842  
BCO4i2836




BCO4i2272  
BCO4i2266  
BCO4i2260  
BCO4i2254  
BCO4i2248  
BCO4i2242  
BCO4i2236

### OPEN SHARED BENCHING TABLE - 1-SIDED - COMBINED MATERIAL END PANELS E19

#### 1 SURFACE

BCO1iX2872  
BCO1iX2866  
BCO1iX2860  
BCO1iX2854  
BCO1iX2848  
BCO1iX2842  
BCO1iX2836




BCO1iX2272  
BCO1iX2266  
BCO1iX2260  
BCO1iX2254  
BCO1iX2248  
BCO1iX2242  
BCO1iX2236

#### 6 SURFACES

BCO6iX2872  
BCO6iX2866  
BCO6iX2860  
BCO6iX2854  
BCO6iX2848  
BCO6iX2842  
BCO6iX2836


BCO6iX2272  
BCO6iX2266  
BCO6iX2260  
BCO6iX2254  
BCO6iX2248  
BCO6iX2242  
BCO6iX2236



#### 6 SURFACES

BCO6i2872  
BCO6i2866  
BCO6i2860  
BCO6i2854  
BCO6i2848  
BCO6i2842  
BCO6i2836


BCO6i2272  
BCO6i2266  
BCO6i2260  
BCO6i2254  
BCO6i2248  
BCO6i2242  
BCO6i2236



### OPEN SHARED BENCHING TABLES - 2-SIDED - COMBINED MATERIAL END PANELS E20

#### 2 SURFACES

BCO2iX2872  
BCO2iX2866  
BCO2iX2860  
BCO2iX2854  
BCO2iX2848  
BCO2iX2842  
BCO2iX2836




BCO2iX2272  
BCO2iX2266  
BCO2iX2260  
BCO2iX2254  
BCO2iX2248  
BCO2iX2242  
BCO2iX2236

#### 8 SURFACES

BCO8iX2872  
BCO8iX2866  
BCO8iX2860  
BCO8iX2854  
BCO8iX2848  
BCO8iX2842  
BCO8iX2836


BCO8iX2272  
BCO8iX2266  
BCO8iX2260  
BCO8iX2254  
BCO8iX2248  
BCO8iX2242  
BCO8iX2236



#### 8 SURFACES


BCO8i2872  
BCO8i2866  
BCO8i2860  
BCO8i2854  
BCO8i2848  
BCO8i2842  
BCO8i2836

BCO8i2272  
BCO8i2266  
BCO8i2260  
BCO8i2254  
BCO8i2248  
BCO8i2242  
BCO8i2236



#### 4 SURFACES

BCO4iX2872  
BCO4iX2866  
BCO4iX2860  
BCO4iX2854  
BCO4iX2848  
BCO4iX2842  
BCO4iX2836




BCO4iX2272  
BCO4iX2266  
BCO4iX2260  
BCO4iX2254  
BCO4iX2248  
BCO4iX2242  
BCO4iX2236

### OPEN SHARED BENCHING TABLE - 1-SIDED - PERFORATED METAL END PANEL E24

#### 1 SURFACE

BCO1iM2872  
BCO1iM2866  
BCO1iM2860  
BCO1iM2854  
BCO1iM2848  
BCO1iM2842  
BCO1iM2836

BCO1iM2272  
BCO1iM2266  
BCO1iM2260  
BCO1iM2254  
BCO1iM2248  
BCO1iM2242  
BCO1iM2236






# take off FREESTANDING

## visual index

### OPEN SHARED BENCHING TABLES - 2-SIDED - PERFORATED METAL END PANEL E25

#### 2 SURFACES


BCO2iM2872  
BCO2iM2866  
BCO2iM2860  
BCO2iM2854  
BCO2iM2848  
BCO2iM2842  
BCO2iM2836



BCO2iM2272  
BCO2iM2266  
BCO2iM2260  
BCO2iM2254  
BCO2iM2248  
BCO2iM2242  
BCO2iM2236

#### 4 SURFACES

BCO4iM2872  
BCO4iM2866  
BCO4iM2860  
BCO4iM2854  
BCO4iM2848  
BCO4iM2842  
BCO4iM2836




BCO4iM2272  
BCO4iM2266  
BCO4iM2260  
BCO4iM2254  
BCO4iM2248  
BCO4iM2242  
BCO4iM2236

#### 6 SURFACES

BCO6iM2872  
BCO6iM2866  
BCO6iM2860  
BCO6iM2854  
BCO6iM2848  
BCO6iM2842  
BCO6iM2836


BCO6iM2272  
BCO6iM2266  
BCO6iM2260  
BCO6iM2254  
BCO6iM2248  
BCO6iM2242  
BCO6iM2236



#### 8 SURFACES

BCO8iM2872  
BCO8iM2866  
BCO8iM2860  
BCO8iM2854  
BCO8iM2848  
BCO8iM2842  
BCO8iM2836


BCO8iM2272  
BCO8iM2266  
BCO8iM2260  
BCO8iM2254  
BCO8iM2248  
BCO8iM2242  
BCO8iM2236



### OPEN SHARED BENCHING TABLE - 1-SIDED - OPEN METAL END PANELS E29

#### 1 SURFACE

BCO1iO2872  
BCO1iO2866  
BCO1iO2860  
BCO1iO2854  
BCO1iO2848  
BCO1iO2842  
BCO1iO2836




BCO1iO2272  
BCO1iO2266  
BCO1iO2260  
BCO1iO2254  
BCO1iO2248  
BCO1iO2242  
BCO1iO2236

### OPEN SHARED BENCHING TABLES - 2-SIDED - OPEN METAL END PANELS E30

#### 2 SURFACES

BCO2iO2872  
BCO2iO2866  
BCO2iO2860  
BCO2iO2854  
BCO2iO2848  
BCO2iO2842  
BCO2iO2836




BCO2iO2272  
BCO2iO2266  
BCO2iO2260  
BCO2iO2254  
BCO2iO2248  
BCO2iO2242  
BCO2iO2236

#### 4 SURFACES

BCO4iO2872  
BCO4iO2866  
BCO4iO2860  
BCO4iO2854  
BCO4iO2848  
BCO4iO2842  
BCO4iO2836


BCO4iO2272  
BCO4iO2266  
BCO4iO2260  
BCO4iO2254  
BCO4iO2248  
BCO4iO2242  
BCO4iO2236



#### 6 SURFACES

BCO6iO2872  
BCO6iO2866  
BCO6iO2860  
BCO6iO2854  
BCO6iO2848  
BCO6iO2842  
BCO6iO2836


BCO6iO2272  
BCO6iO2266  
BCO6iO2260  
BCO6iO2254  
BCO6iO2248  
BCO6iO2242  
BCO6iO2236



#### 8 SURFACES

BCO8iO2872  
BCO8iO2866  
BCO8iO2860  
BCO8iO2854  
BCO8iO2848  
BCO8iO2842  
BCO8iO2836

BCO8iO2272  
BCO8iO2266  
BCO8iO2260  
BCO8iO2254  
BCO8iO2248  
BCO8iO2242  
BCO8iO2236






# take off FREESTANDING

## visual index

### SHARED BENCHING TABLE WITH DOOR - 1-SIDED - FULL END PANELS E34

#### 1 SURFACE

BCD1i2672  
BCD1i2666  
BCD1i2660  
BCD1i2654  
BCD1i2648  
BCD1i2642  
BCD1i2636




BCD1i2072  
BCD1i2066  
BCD1i2060  
BCD1i2054  
BCD1i2048  
BCD1i2042  
BCD1i2036

### SHARED BENCHING TABLES WITH DOOR - 2-SIDED - FULL END PANELS E35

#### 2 SURFACES


BCD2i2672  
BCD2i2666  
BCD2i2660  
BCD2i2654  
BCD2i2648  
BCD2i2642  
BCD2i2636



BCD2i2072  
BCD2i2066  
BCD2i2060  
BCD2i2054  
BCD2i2048  
BCD2i2042  
BCD2i2036

#### 4 SURFACES

BCD4i2672  
BCD4i2666  
BCD4i2660  
BCD4i2654  
BCD4i2648  
BCD4i2642  
BCD4i2636




BCD4i2072  
BCD4i2066  
BCD4i2060  
BCD4i2054  
BCD4i2048  
BCD4i2042  
BCD4i2036

### 6 SURFACES

BCD6i2672  
BCD6i2666  
BCD6i2660  
BCD6i2654  
BCD6i2648  
BCD6i2642  
BCD6i2636


BCD6i2072  
BCD6i2066  
BCD6i2060  
BCD6i2054  
BCD6i2048  
BCD6i2042  
BCD6i2036



### 8 SURFACES

BCD8i2672  
BCD8i2666  
BCD8i2660  
BCD8i2654  
BCD8i2648  
BCD8i2642  
BCD8i2636


BCD8i2072  
BCD8i2066  
BCD8i2060  
BCD8i2054  
BCD8i2048  
BCD8i2042  
BCD8i2036



### SHARED BENCHING TABLE WITH DOOR - 1-SIDED - COMBINED MATERIAL END PANELS E39

#### 1 SURFACE

BCD1iX2672  
BCD1iX2666  
BCD1iX2660  
BCD1iX2654  
BCD1iX2648  
BCD1iX2642  
BCD1iX2636




BCD1iX2072  
BCD1iX2066  
BCD1iX2060  
BCD1iX2054  
BCD1iX2048  
BCD1iX2042  
BCD1iX2036

### SHARED BENCHING TABLES WITH DOOR - 2-SIDED- COMBINED MATERIAL END PANELS E40


#### 2 SURFACES

BCD2iX2672  
BCD2iX2666  
BCD2iX2660  
BCD2iX2654  
BCD2iX2648  
BCD2iX2642  
BCD2iX2636  
BCD2iX2072  
BCD2iX2066  
BCD2iX2060  
BCD2iX2054  
BCD2iX2048  
BCD2iX2042  
BCD2iX2036



#### 4 SURFACES

BCD4iX2672  
BCD4iX2666  
BCD4iX2660  
BCD4iX2654  
BCD4iX2648  
BCD4iX2642  
BCD4iX2636




BCD4iX2072  
BCD4iX2066  
BCD4iX2060  
BCD4iX2054  
BCD4iX2048  
BCD4iX2042  
BCD4iX2036

#### 6 SURFACES

BCD6iX2672  
BCD6iX2666  
BCD6iX2660  
BCD6iX2654  
BCD6iX2648  
BCD6iX2642  
BCD6iX2636

BCD6iX2072  
BCD6iX2066  
BCD6iX2060  
BCD6iX2054  
BCD6iX2048  
BCD6iX2042  
BCD6iX2036






# take off FREESTANDING

## visual index

### 8 SURFACES

BCD8iX2672  
BCD8iX2666  
BCD8iX2660  
BCD8iX2654  
BCD8iX2648  
BCD8iX2642  
BCD8iX2636


BCD8iX2072  
BCD8iX2066  
BCD8iX2060  
BCD8iX2054  
BCD8iX2048  
BCD8iX2042  
BCD8iX2036



SHARED BENCHING TABLE WITH DOOR -  
1-SIDED - PERFORATED METAL END PANEL E44

### 1 SURFACE

BCD1iM2672  
BCD1iM2666  
BCD1iM2660  
BCD1iM2654  
BCD1iM2648  
BCD1iM2642  
BCD1iM2636




BCD1iM2072  
BCD1iM2066  
BCD1iM2060  
BCD1iM2054  
BCD1iM2048  
BCD1iM2042  
BCD1iM2036

SHARED BENCHING TABLES WITH DOOR -  
2-SIDED - PERFORATED METAL END PANEL E45

### 2 SURFACES


BCD2iM2672  
BCD2iM2666  
BCD2iM2660  
BCD2iM2654  
BCD2iM2648  
BCD2iM2642  
BCD2iM2636



BCD2iM2072  
BCD2iM2066  
BCD2iM2060  
BCD2iM2054  
BCD2iM2048  
BCD2iM2042  
BCD2iM2036

### 4 SURFACES


BCD4iM2672  
BCD4iM2666  
BCD4iM2660  
BCD4iM2654  
BCD4iM2648  
BCD4iM2642  
BCD4iM2636



BCD4iM2272  
BCD4iM2266  
BCD4iM2260  
BCD4iM2254  
BCD4iM2248  
BCD4iM2242  
BCD4iM2236

### 6 SURFACES


BCD6iM2672  
BCD6iM2666  
BCD6iM2660  
BCD6iM2654  
BCD6iM2648  
BCD6iM2642  
BCD6iM2636  
BCD6iM2072  
BCD6iM2066  
BCD6iM2060  
BCD6iM2054  
BCD6iM2048  
BCD6iM2042  
BCD6iM2036



### 8 SURFACES

BCD8iM2672  
BCD8iM2666  
BCD8iM2660  
BCD8iM2654  
BCD8iM2648  
BCD8iM2642  
BCD8iM2636


BCD8iM2072  
BCD8iM2066  
BCD8iM2060  
BCD8iM2054  
BCD8iM2048  
BCD8iM2042  
BCD8iM2036



### SHARED BENCHING TABLE WITH DOOR - 1-SIDED - OPEN METAL END PANEL E49

### 1 SURFACE

BCD1iO2672  
BCD1iO2666  
BCD1iO2660  
BCD1iO2654  
BCD1iO2648  
BCD1iO2642  
BCD1iO2636




BCD1iO2072  
BCD1iO2066  
BCD1iO2060  
BCD1iO2054  
BCD1iO2048  
BCD1iO2042  
BCD1iO2036

### SHARED BENCHING TABLES WITH DOOR - 2-SIDED - OPEN METAL END PANEL E50


### 2 SURFACES

BCD2iO2672  
BCD2iO2666  
BCD2iO2660  
BCD2iO2654  
BCD2iO2648  
BCD2iO2642  
BCD2iO2636  
BCD2iO2072  
BCD2iO2066  
BCD2iO2060  
BCD2iO2054  
BCD2iO2048  
BCD2iO2042  
BCD2iO2036



### 4 SURFACES

BCD4iO2672  
BCD4iO2666  
BCD4iO2660  
BCD4iO2654  
BCD4iO2648  
BCD4iO2642  
BCD4iO2636



BCD4iO2072  
BCD4iO2066  
BCD4iO2060  
BCD4iO2054  
BCD4iO2048  
BCD4iO2042  
BCD4iO2036



# take off FREESTANDING


## visual index

### SHARED BENCHING TABLES WITH DOOR - 2-SIDED - OPEN METAL END PANELS (CONT'D) E52

#### 6 SURFACES

BCD6iO2672  
BCD6iO2666  
BCD6iO2660  
BCD6iO2654  
BCD6iO2648  
BCD6iO2642  
BCD6iO2636


BCD6iO2072  
BCD6iO2066  
BCD6iO2060  
BCD6iO2054  
BCD6iO2048  
BCD6iO2042  
BCD6iO2036



#### 8 SURFACES


BCD8iO2672  
BCD8iO2666  
BCD8iO2660  
BCD8iO2654  
BCD8iO2648  
BCD8iO2642  
BCD8iO2636

BCD8iO2072  
BCD8iO2066  
BCD8iO2060  
BCD8iO2054  
BCD8iO2048  
BCD8iO2042  
BCD8iO2036




### 120° CLOSED SHARED BENCHING TABLES - FULL END PANELS E54

BC3CV3048  
BC3CV3042  
BC3CV3036  
BC3CV2448  
BC3CV2442  
BC3CV2436




### 120° CLOSED SHARED BENCHING TABLES - COMBINED MATERIAL END PANELS E54

BC3CVX3048  
BC3CVX3042  
BC3CVX3036  
BC3CVX2448  
BC3CVX2442  
BC3CVX2436




### 120° CLOSED SHARED BENCHING TABLES - PERFORATED METAL END PANELS E55

BC3CVM3048  
BC3CVM3042  
BC3CVM3036  
BC3CVM2448  
BC3CVM2442  
BC3CVM2436




### 120° CLOSED SHARED BENCHING TABLES - OPEN METAL END PANELS E55

BC3CVO3048  
BC3CVO3042  
BC3CVO3036  
BC3CVO2448  
BC3CVO2442  
BC3CVO2436




### COLLABORATIVE SURFACE EXTENSION E56

ETMO3060  
ETMO3048  
ETMO2460  
ETMO2448




### SURFACE EXTENSION E57

ETO1460  
ETO1448




### STORAGE EXTENSION E57

ESOO1460  
ESOO1448




### SHARED END-OF-RUN STORAGE UNITS E58

FBPUUF156029  
FBPUUF154829




FBPUF156023  
FBPUF154823




### CUSHION FOR SHARED END-OF-RUN STORAGE UNITS E58

CUS1560  
CUS1548




### OPEN LOW HUTCHES - 21" H. E59

HTCO7221  
HTCO6621  
HTCO6021  
HTCO5421  
HTCO4821  
HTCO4221  
HTCO3621  
HTCO3021  
HTCO2421




### OPEN LOW HUTCHES WITH SHARED ACCESS - 21" H. E59

HTCRO7221  
HTCRO6621  
HTCRO6021  
HTCRO5421  
HTCRO4821  
HTCRO4221  
HTCRO3621  
HTCRO3021




HTCOR7221  
HTCOR6621  
HTCOR6021  
HTCOR5421  
HTCOR4821  
HTCOR4221  
HTCOR3621  
HTCOR3021




### LOW HUTCHES WITH SLIDING DOORS - 21" H. E60

HTCGi7221  
HTCGi6621  
HTCGi6021  
HTCGi5421  
HTCGi4821  
HTCGi4221  
HTCGi3621  
HTCGi3021



HTCGiO7221  
HTCGiO6621  
HTCGiO6021  
HTCGiO5421  
HTCGiO4821  
HTCGiO4221  
HTCGiO3621  
HTCGiO3021






# take off FREESTANDING


## visual index

HTCOGi7221  
HTCOGi6621  
HTCOGi6021  
HTCOGi5421  
HTCOGi4821  
HTCOGi4221  
HTCOGi3621  
HTCOGi3021




HA5406A  
HA4806A  
HA4206A  
HA3606A  
HA3006A  
HA2406A

HA7206C  
HA6606C  
HA6006C  
HA5406C  
HA4806C  
HA4206C  
HA3606C  
HA3006C  
HA2406C




PPUN1372  
PPUN1366  
PPUN1360  
PPUN1354  
PPUN1348  
PPUN1342  
PPUN1336  
PPUN1330  
PPUN1324




### LOW HUTCHES WITH SLIDING DOOR AND SHARED ACCESS - 21" H. E61

HTCGiR7221  
HTCGiR6621  
HTCGiR6021  
HTCGiR5421  
HTCGiR4821  
HTCGiR4221  
HTCGiR3621  
HTCGiR3021




### END-OF-RUN BOOKCASE - 50" H. E63

BKP151650




### FROSTED ACRYLIC PRIVACY SCREENS F3

PPOVGiA1572  
PPOVGiA1566  
PPOVGiA1560  
PPOVGiA1554  
PPOVGiA1548  
PPOVGiA1542  
PPOVGiA1536  
PPOVGiA1530  
PPOVGiA1524  
PPOVGiA1518




HTCRGi7221  
HTCRGi6621  
HTCRGi6021  
HTCRGi5421  
HTCRGi4821  
HTCRGi4221  
HTCRGi3621  
HTCRGi3021




### FREESTANDING PEDESTALS 25" H. FOR SHARED BENCHING TABLES 24" D. E63

FSLUUF25




PPFRGiA2972  
PPFRGiA2966  
PPFRGiA2960  
PPFRGiA2954  
PPFRGiA2948  
PPFRGiA2942  
PPFRGiA2936  
PPFRGiA2930  
PPFRGiA2924




### TACKBOARDS FOR LOW HUTCHES WITH SHARED ACCESS 21" H. E61


BTL3414  
BTL3114  
BTL2814  
BTL2514  
BTL2214  
BTL1914  
BTL1614  
BTL1314



FSLFF25




PPUNGiA1372  
PPUNGiA1366  
PPUNGiA1360  
PPUNGiA1354  
PPUNGiA1348  
PPUNGiA1342  
PPUNGiA1336  
PPUNGiA1330  
PPUNGiA1324



### LAMINATE PRIVACY SCREENS F2


PPOV1572  
PPOV1566  
PPOV1560  
PPOV1554  
PPOV1548  
PPOV1542  
PPOV1536  
PPOV1530  
PPOV1524  
PPOV1518



## SCREENS FOR SHARED BENCHING TABLES OPEN OR WITH DOORS ONLY


### LAMINATE PRIVACY SCREENS OR HIGH-GLOSS WHITE BOARD F4

PPLM1867  
PPLM1861  
PPLM1855  
PPLM1849  
PPLM1843  
PPLM1837  
PPLM1831




### SHELVES WITH INTEGRATED PIGEONHOLE UNIT - 13" H. E62

HMA7213  
HMA6613  
HMA6013  
HMA5413  
HMA4813  
HMA4213  
HMA3613  
HMA3013  
HMA2413




### SHELVES - 6" H. E62

HA7206A  
HA6606A  
HA6006A



PPFR2972  
PPFR2966  
PPFR2960  
PPFR2954  
PPFR2948  
PPFR2942  
PPFR2936  
PPFR2930  
PPFR2924






### GLASS PRIVACY SCREEN

F4

#### CLEAR

PPCLG1867  
PPCLG1861  
PPCLG1855  
PPCLG1849  
PPCLG1843




#### FROSTED

PPGiG1867  
PPGiG1861  
PPGiG1855  
PPGiG1849  
PPGiG1843

### PRIVACY SCREEN IN NON-TACKABLE FABRIC

F5


PPFA1867  
PPFA1861  
PPFA1855  
PPFA1849  
PPFA1843  
PPFA1837  
PPFA1831



### PRIVACY TACKBOARD SCREEN

F5


PPBTL1867  
PPBTL1861  
PPBTL1855  
PPBTL1849  
PPBTL1843  
PPBTL1837  
PPBTL1831



### ACCESSORY BAR

F6


ACBC65  
ACBC59  
ACBC53  
ACBC47  
ACBC41  
ACBC35  
ACBC29



### TACKBOARD FOR LAMINATE PRIVACY SCREENS

F6


BTL7109  
BTL6509  
BTL5909  
BTL5309  
BTL4709  
BTL4109  
BTL3509  
BTL2909  
BTL2309  
BTL1709




### LATERAL SCREENS IN METAL

F7

DSMLR1526  
DSMLR1520  
DSMLL1526  
DSMLL1520




DSMLAR1532  
DSMLAR1526  
DSMLAL1532  
DSMLAL1526




### LATERAL FABRIC SCREENS - NON-TACKABLE

F8

DSFAR1526  
DSFAR1520  
DSFAL1526  
DSFAL1520




DSFAAR1532  
DSFAAR1526  
DSFAAL1532  
DSFAAL1526




### LATERAL SCREEN TACKBOARD

F9

DSBTLR1526  
DSBTLR1520  
DSBTLL1526  
DSBTLL1520




DSBTLAR1532  
DSBTLAR1526  
DSBTLAL1532  
DSBTLAL1526



### CENTER CAP FOR 1-SIDED SHARED BENCH- ING TABLES - OPEN OR WITH DOOR

F10


HC67BCOD  
HC61BCOD  
HC53BCOD  
HC49BCOD  
HC43BCOD  
HC37BCOD  
HC31BCOD



### REMOVABLE CENTER CAP FOR OPEN SHARED BENCHING TABLES

F10


HC67BCO  
HC61BCO  
HC55BCO  
HC49BCO  
HC43BCO  
HC37BCO  
HC31BCO



### CENTER CAP FOR SHARED BENCHING TABLES WITH DOORS

F10

HC67BCD  
HC61BCD  
HC55BCD  
HC49BCD  
HC43BCD  
HC37BCD  
HC31BCD




### COMPLEMENTS

F11


#### ACCESSORY PANEL

#### ASASP




#### OFFICE SUPPLY TRAY

#### BCPAP



#### MARKER BOARD PANEL


#### AC-ASWBA



#### CORNER SHELF

F12


#### JC1414



#### STIFFENERS

F12


AC-RSTF64  
AC-RSTF52  
AC-RSTF46



#### JUNCTION PLATES

F12

#### AC-FJP2






## ELECTRICITY

### CABLE TRAYS

G2


WCMC68  
WCMC62  
WCMC56  
WCMC50  
WCMC44  
WCMC38  
WCMC32  
WCMC26  
WCMC20



### OUTLET SUPPORT

G2

E2-EDS




## ELECTRICAL SYSTEMS 4-CIRCUITS

### ELECTRICAL DISTRIBUTION SYSTEMS - 1-SIDED

G2


WCMA58  
WCMA52  
WCMA46  
WCMA40  
WCMA34  
WCMA28  
WCMA22  
WCMA16



### CABLING SUPPORTS FOR ELECTRICAL DISTRIBUTION SYSTEMS - 1-SIDED

G3


WCMA58  
WCMA52  
WCMA46  
WCMA40  
WCMA34  
WCMA28  
WCMA22  
WCMA16



### ELECTRICAL DISTRIBUTION SYSTEM - 2-SIDED

G3


WCMBB22  
WCMBB16



### CABLING TRAY FOR SHARED BENCHING TABLES

G3


WCMBC66  
WCMBC60  
WCMBC54  
WCMBC48  
WCMBC42  
WCMBC36  
WCMBC30



### OUTLETS

G4

E2-ER1  
E2-ER2  
E2-ER3  
E2-ER4  
E2-USB



### JUMPERS

G4

E2-EJT82  
E2-EJT76  
E2-EJT70  
E2-EJT64  
E2-EJT58

E2-EJT52  
E2-EJT47  
E2-EJT35  
E2-EJT21  
E2-EJT18



### CONNECTOR

G4

IE-I



### FASTENERS FOR JUMPER

G4


E2-EJB5



### WALL AND GROUND POWER CONNECTOR

G5

E2-ECJO




## visual index


### CEILING POWER CONNECTORS

G5

E2-EC15




E2-EC18



### OUTLET FOR POWER FEED CONNECTOR E2-EC18

G5


E2-ECWD



### CABLING POLE ABOVE THE SURFACE FOR SHARED BENCHING OPEN OR WITH DOORS

G6


A5-EPBC144  
A5-EPBC96



### CABLING POLE FOR CLOSED SHARED BENCHING TABLES WITH METAL LEGS

G6


A5-EPB23



### CABLING POLE FOR CREDENZA OR SHARED BENCHING TABLES 1 SIDE (FULL END PANELS)

G6

A5-EPEU23  
A5-EPEU22





# General information

## GENERAL INFORMATION

---

description and series	47
applications and components	48
general specifications	49
noki electronic locks	50
grommet	51
multi-outlet	52
desks and tables	53
choice of supports and bridge return	54
convergent tables and end surfaces	55
reception desks	56
storage	57
storage units and bookcases	58
pedestals	59
hutches	60
tackboards, bookcase hutches and wall mounted modules	61
surface supported layering tables	62
shared benching tables	64
shared benching tables - 1-sided	65
privacy screens	66
privacy screen and accessory bars	67
privacy screen for shared benching tables, open or with doors	68
lateral screens for shared benching tables	69
surface and storage for shared benching tables	70
screens and complements	72
electricity	73
cabling trays	74
finishing caps and cabling pole	82
pulls, frames and fabrics	83
finish choices chart	84
specification chart	86
specification examples	90
typical layouts	91



DESCRIPTION

With its rectilinear and contemporary design, combination of materials (textured laminate finishes, metal, etc.), various options (legs, pulls, etc.), choice of components (storage, layering or benching tables, etc.) and exclusive features (Noki electronic lock), Take Off meets current office environment requirements by uniting outstanding design, quality and function.

The collection is divided into 4 series of freestanding furniture: **Lima, Mike, Sierra and Tango**. These series differ mainly in the thickness of the surfaces, the options of materials (laminate, combined, metal). The 4 series share a maximum of features, including sizes, finishes, choice of pulls, etc. It is therefore possible, if required, to harmoniously combine components from each series within a configuration.



TAKE OFF : 4 SERIES

The Lima and Mike Series

Pre-assembled laminate furniture (desks, credenzas, storage, etc.) and modular components (returns, tables, etc.).

Classic linear design and uniform height (29" H) allow for the quick configuration of workstations. These series are usually suited to closed office configurations.

<b>L</b> Lima	<b>M</b> Mike
1"	1½"



The Sierra and Tango Series

Modular furniture mixing laminate and metal. Components allow for configurations adapted to new working styles (layering S-T, benching S, etc.).

Contemporary linear design with the possibility of surface supported "layering" workstations (29" and 23" H.) particularly for use in open and shared workspaces.

<b>S</b> Sierra	<b>T</b> Tango
1"	1½"







### APPLICATIONS AND COMPONENTS

From the reception area to private office, through to open space layouts, the Take Off Collection of freestanding furniture offers an infinite number of solutions to meet all workplace needs. Examples of applications :


#### Uniform-Height Workstation (29" H.)



#### Layering workstation (29" and 23" H.)



#### Multi-user workstation and shared storage





### GENERAL SPECIFICATIONS

#### Materials

Work surfaces, storage tops and floor supports are made of 1" (25 mm) thick pressed wood for the **Lima** and **Sierra** series; 1½" (38 mm) thick for the **Mike** and **Tango** series. Surfaces can be ordered in either Thermally Fused or High Pressure Laminate. Add ⅛" (1.6 mm) to the thickness of high pressure laminate surfaces.

There is a PVC ⅜" (2.5 mm) thick edge banding on the work surfaces and tops of storage with a choice of matching or contrasting colors, striped or fluted. Other components such as the floor supports also have a PVC ⅜" (2.5 mm) thick edge banding (matching T.F.L. colors).

As a general rule, the panels, sides and backs of storage units, modesty panels and drawer fronts are made of ⅞" (17.5 mm) thick pressed wood and are edged with PVC ⅜" (2.5 mm) thick edge banding (matching T.F.L. colors).

#### Laminate Finishes

The available finishes are divided into 4 categories:

- The **"Surface"** finish (applied on the surfaces of desks, tables or storage).
- The type of **"Edge Banding"** (surface contour).
- The **"Base"** finish (applied on the sides and back of desks, tables or storage).
- The **"Front"** finish (applied on the front of the desk drawers or fronts/doors of storage).


Casters, accessories and internal structural or mechanical components have a Black finish while metal components (legs, panel supports, structure, etc.) are available in 4 finishes: Silver (3090), Polar White (3002), Charcoal (3064), Black (3067).

Refer to the product descriptions and finish charts for more information, [see p.84-85](#).

#### Wood Grain Direction

##### Surfaces

The wood grain generally runs parallel to the longest side of the surface while tables with symmetrical surfaces have the wood grain positioned at 45°.




##### Legs, backs, doors and fronts

The wood grain is positioned vertically on:

- table and desks legs.
- sides of storage.
- backs of tables, desks and storage.
- hinged doors.

horizontally on:

- flipper or pivot-lift doors.
- drawer fronts.
- back of hutches.
- modesty panels.



#### Assembly and Hardware

**Assembled products** such as **desks, returns with pedestal, credenzas, cabinets and storage** as well as **all pedestals** require no assembly upon delivery except for levelers and pulls.

**Knockdown products** are delivered with the necessary hardware (brackets and screws) pre-assembled to the parts. The **bridge returns and returns without pedestal, junction surfaces and various tables with choice of legs or half legs** are delivered with the necessary hardware for attaching to adjacent surfaces.

All furniture is equipped with adjustable levelers except bridge returns (to be added during installation).



### GENERAL SPECIFICATIONS (CONT'D)

#### Doors

The doors have hinges that allow for a 110° opening. They are also available with other door opening mechanisms : flipper doors, flipper doors with soft-closing option and pivot-lift doors.

#### Drawers

The drawers are equipped with a progressive slide comprised of ball bearings with a total extension of 16", 18" or 22". The weight capacity is 100 pounds for the 6" and 12" drawers on pedestals and cabinets and 150 pounds for lateral file drawers. All drawer slides meet BIFMA Standards.

#### Interlock

Certain storage units have an Interlock system. Interlock is a blocking mechanism that allows for the opening of only one drawer at a time to eliminate the possibility of the filing unit tipping over.

#### Accessories for drawers

Storage units that include at least one 6" utility drawer come with a pencil tray that can be installed either width or length wise.

File drawers have PVC rails along the top for hanging letter or legal size files. A filing bar (letter size) is included with all desks and combined storage units with filing drawers (12"). Filing bars (letter size) must be ordered separately for surface attached, freestanding and mobile pedestals. Front-to-back filing bars are also available. Refer to the Accessory price list for more details.

#### Pulls

Pulls are included on storage units such as credenzas, filing cabinets and cabinets. However, it is necessary to specify the desired type.

Pulls are not included on pedestals (suspended, freestanding or mobile) or assembled desks. Pulls can be added as an option.

Hutch doors do not have pulls, a space behind the door allows for opening. For the types of pulls available, [see p.83](#).


#### Kick plate

Storage units (pedestals, credenzas, cabinets, etc.) have a full length kick plate that is flush with the front or doors.


#### Locks: Noki Electronic locks / Locks & keys

In the Take Off Collection, storage and desk drawers are equipped with the chrome-finished Noki, the electronic lock exclusive to Artopex. With some products, such as hutches and bookcase hutches, a Noki electronic lock can be added as an option by specifying it in the "Lock" column of the code. Key locks and keyed-alike are also available as an option (no upcharge).

Noki is a simple and efficient locking system.




Pencil tray installed either width or length



Kick plate flush with fronts

Kick plate



Locks are not available on doors with aluminum frames unless specified in the product description.

- A unique combination per user, department or storage unit as required (more than 9,000 combinations).
- A forgotten code, an absent user ... use the master key or an authorized person may obtain a master code from Artopex.
- After four attempts to open with a wrong code, a brief alarm sounds.
- Powered by batteries (included), easy access change batteries.



### GROMMET

Factory-installed rectangular grommets are included on tables, returns and bridge returns and are optional on desks and closed shared benching tables as well as credenzas and storage 29" H. or less. To specify products with no grommets, use the **"NG"** option (no upcharge).

The grommet with the Artopex logo has a cover with two openings:

- The first opening is for large cables (screen, computer, lamp, etc.).
- The second opening is for smaller wires (cell, USB plug, etc.).
- Dimensions of opening when the cover is removed : 3¾" x 1¾".




The grommet is available in two plastic finishes : White (**G1**) and Charcoal (**G2**). The finish must be specified in the product specification.


#### Products with grommets

Rectangular tables, returns and bridge returns 42" long or less have 1 grommet at the center and items 48" or more are fitted with 2 grommets. The corner tables have 1 grommet positioned at the center back unless one side measures 60" or more, then 2 grommets are aligned on this side. Modular tables have 1 grommet.

##### 1- Position of grommets on TABLES and CORNERS



##### 2- Position of grommets on RETURNS




##### 3- Position of grommet on CONVERGENT and LAYERED TABLES




#### Products without grommets (optional grommets)

It is possible to add grommets on desks and certain other products when the option is indicated. The finish and the grommet position must be specified in the product specification. For example, if a white grommet (**G1**) positioned to the left (**L**) and right (**R**) is required, add the code **G1LR** under the "Grommet Options" section. For credenzas and storage, the option includes 3 or 4 grommets according to the length of the item, for the open shared benching tables - 1-sided - full end panels, this option includes 2 grommets on each leg. The illustrations below explain the position of the grommet according to the item.


##### 1) Position of grommets on DESKS and RECEPTION DESKS



##### 2) Position of grommets on CREDENZAS and STORAGE 29"H. or less



##### 3) Position of grommets on full end panels of SHARED BENCHING TABLES - 1-SIDED.



The placement of pedestals under the desk could affect cable passage.





### MULTI-OUTLET (OPTIONAL)

A recessed multi-outlet can be ordered on the majority of products. The surface has a pre-drilled hole but the multi-outlet must be installed on site.

The black plastic multi-outlet has:

- 2 electrical outlets with ground and 13AMP circuit-breaker.
- 2 openings for telecommunications adapter.
- The retractable lid can be closed when not in use.


Specify the type and location of the multi-outlet under the "Options" section (M-Outlet).

#### Types

The multi-outlet is available with two types of connections:

A conventional wall connection and a connection for the 1-circuit system.


Both multi-outlets are UL and CSA compliant.



Conventional




1-circuit system




Recessed multi-outlet

Recessed multi-outlet **UC**  
1-circuit with conventional connections



Recessed multi-outlet **EC**  
1-circuit electrical system



**AC-ECFK**  
Power module




- A clearance of 5" is required behind a pedestal to install a multi-outlet. Refer to the specification chart on [pages 88-89](#) for the clearance requirements for the different pedestals.


- The EC option requires the use of 1-circuit system components such as the AC-ECFK power supply.
- **Warning!** The installation of the 4-circuit power system, 1-sided (AC-WCMA\_) **is not possible** with the UCC and ECC options.
- The installation of the 4-circuit power system, 1-sided (AC-WCMA\_) **is possible** with the UCL/UCR and ECL/ECR options but it must be specified **26" shorter** than the length of the surface. Example : For a 72" surface, specify the AC-WCMA46.

The illustrations below explain the position of the multi-outlets according to the surface type.


#### Multi-outlets positions on DESKS, RETURNS with pedestals and RECEPTION DESKS



#### Multi-outlets positions on CONVERGENT and LAYERED TABLES



#### Multi-outlet positions on RETURNS without pedestals, TABLES and CORNERS





### DESKS AND TABLES

The Take Off work surface height is 29" for the **Lima** and **Sierra** series and 29½" for the **Mike** and **Tango** series unless otherwise indicated. A ¼" space between modesty panel and underside of knockdown table surfaces allows for the installation of a privacy panel or an accessory bar.

#### Modesty Panel (back)

##### Tables Lima / Mike

**Lima** and **Mike** series tables and desks have a standard modesty panel (back), full height (28").

On **assembled desks**, the modesty panel is recessed:



- 11" on desks 36" in depth.
- 5" on desks 30" in depth.
- Flush on desks 24" or less.

A modesty panel can be ordered with a rounded accent at the base, 1" thick and is the same color as the work surface. Option available on desks 30" in depth or more.

For knockdown tables, the modesty panel is recessed :

- 11" on tables 36" in depth.
- Flush on tables 30" in depth or less (unless otherwise indicated).

A modesty panel can be ordered recessed (5") on 30" tables or ordered shorter: 9" or 18" high (no upcharge). These two options cannot be combined and the availability varies depending on the product. Refer to the option choices for each product.




**Corner tables** with a full height modesty panel have a leveler installed at the connection of two panels for stability.

Those with 18" or 9" high modesty panels have a 1"x 1" black metal leg in the back corner.

#### Sierra / Tango Tables

**Sierra** and **Tango** series tables with **combined, perforated metal and open metal end panels** have a standard modesty panel, flush, and 4" from the floor. Shorter modesty panels are available: 9" or 18" high (no upcharge).



The **corner tables** have a 2½" x 2½" metal leg in the back corner. The finish is coordinated with the open half-legs.



### CHOICE OF SUPPORTS

Different models of legs are available according to the type of table and the selected series (**Lima**, **Mike**, **Sierra** and **Tango**). Levelers allow for an adjustment of 1½" (38 mm) in height, unless otherwise indicated. The metal legs or legs with metal components are available in a choice of 4 finishes : Silver, Polar White, Charcoal or Black. The laminate legs are available in all the "base" laminate finishes.



**LAMINATE end panels \***  
1" Thermally Fused laminate panel.



**COMBINED end panel, metal-laminate \***  
Frame of 1"x 3" metal tubes with Thermally Fused laminate panel insertion.  
**Sierra / Tango** series only.



**PERFORATED METAL end panel \***  
Frame of 1" x 3" metal tubes with a perforated metal panel insertion.  
**Sierra / Tango** series only.




**OPEN METAL end panel \***  
Frame of 1" x 3" metal tubes.  
**Sierra / Tango** series only.




**MONOLITHIC leg**  
4" x 12" rectangular base panels made of 1" thermally fused laminate.

\* Half-legs of knockdown **Lima** and **Mike** tables are always in **Thermally Fused laminate** while half-legs of knockdown **Sierra** and **Tango** tables are open metal end panels.



Lima / Mike



Sierra / Tango



**ROUND 2½" leg**  
Tubular metal leg, 2½" diameter allowing for a height adjustment of 13/16".



**ROUND 4" leg**  
Metal telescopic leg, 4" in diameter allowing for a height adjustment of 4".




**TUBULAR leg WITH BASE PLATE**  
Round 4" diameter tubular leg with round or square base plate. The plate is 18" in diameter or 18" x 18".  
Height adjustment from 27" to 30" H. Under the surface.



**TUBULAR leg set**  
(2) round tubular metal legs, 2½" diameter allowing for a height adjustment of 13/16".  
**OR** (2) square tubular metal legs, 2 ½" x 2 ½" with a height adjustment of 2".



**DOUBLE "O" TECHNO base**  
1" x 3" rectangle tubular metal.



**FOLDED METAL CORNER leg set**  
(2) 3" x 3" folded steel legs, 3/16" thick.



**ANGLED METAL leg set**  
(2) 1" x 3" rectangle tubular metal.



**ANGLED WOOD leg set**  
(2) 1½" x 2 ¾" wood legs with folded metal brackets.



The natural properties of the hard wood of this leg will result in a variation in the woodgrain and color.

### BRIDGE RETURN

The rectangular bridge return is composed of a surface and a modesty that do not touch the floor once assembled. It is held in place using junction plates and "Z" fasteners (included) to secure the modesty panel to the adjacent units. The height of the regular bridge is 29" for **Lima** and **Sierra** series and 29½" for **Mike** and **Tango** unless otherwise indicated. The bridge return is delivered unassembled and a privacy panel or accessory bar can be installed on it using the ¼" space between the modesty panel and the top.



It is not possible to attach a suspended pedestal to a bridge return.


The modesty panel of the bridge return in the **Lima** and **Mike** series is full height, and in the **Sierra** and **Tango** series, it is 4" from the floor to align with the modesty panel of tables with combined, perforated metal or open metal ends panels with which it is assembled.

#### Modesty panel (option)

Modesty panels are available 9" or 18" H. as an option (no charge).

#### Bridge return without modesty panel

This surface is attached to adjacent surfaces using junction plates (included) and allows the joining of two tables, a table and a credenza or table and a desk. This surface may also be supported by support pedestals.





### CONVERGENT TABLES

Convergent tables serve as the main work surface or meeting surface of a workstation. They must be attached to an adjacent component (bridge return, credenza ...) and are available in a variety of shapes : "D" shaped arched, rectangular "P" shaped, "L" shaped and in "Shark" shaped with a choice of metal, wood or laminate legs.

#### Modesty panel (back)

The modesty panel on convergent tables is 12" H. and is the same laminate finish as the "base".

#### "T" end panel

The "T" end panel on convergent tables has a clearance for the passage of cables through the grommet.


#### Multi-Outlet (optional)

Recessed multi-outlet are available on convergent tables. The surface has a pre-drilled hole but the multi-outlet must be installed on site. The specification of a multi-outlet automatically replaces the existing grommet, [see p.51](#).


#### Stiffener

A stiffener is recommended for surface supported tables 54" or more.


#### Convergent tables



"L" shaped tables




"P" shaped tables




"Shark" shaped tables


#### Surface supported tables




Arched table




Rectangular tables




"D" shaped table




"D" shaped tables



Monolithic base



Angled wood legs





Double "O" Techno base leg

### END SURFACES

The end surfaces ("teardrop" table and meeting surfaces) are placed at the end of a table or two tables back-to-back.

The end surface is attached using junction plates (included) and has a telescopic metal leg, 4" in diameter allowing for a height adjustment of 4". The leg is available in 4 finishes: Silver, Polar White, Charcoal and Black.






### RECEPTION DESKS

Closed reception desks with rounded shelves are available in the **Lima** series (1" thick) or the **Mike** series (1½" thick). The shelves will have the same features as work surfaces (finish, edge band and thickness) but the finish of the drawer fronts of the pedestals must be specified.

The return of the main unit as well as certain shelves must be specified separately. Information on how to order these products is available in the product descriptions of the price list.


#### Surface and shelf heights

The illustration below shows the different heights (surface/shelf). Add ½" for the **Mike** series.



#### Transaction shelf

It is possible to convert a rectangular desk (or table) into a reception desk using the transaction shelf. It is attached with double-sided adhesive tape on to the work surface. Once installed on a surface 29" in height, the transaction shelf is at 42" H. An extension can be added on the return, left or right.





### STORAGE


The Take Off Collection offers storage in numerous configurations: with drawers, with door(s) or a combination of both and in various dimensions. For further information on storage construction, [see p.49-50](#).

#### Grommets (option)

Rectangular Artopex grommets can be specified as an option on the surface and sides of credenzas and storage units 29" H. or less to allow for the passage of cables. [voir p.51](#).

#### Privacy panel and accessory bar

A 1/4" space between the surface and back of credenzas and storage units 29" H. or less allows for the installation of a privacy panel or an accessory bar for metal or plastic accessories.



Maximum length of the privacy panel = total length of the unit minus 6"  
OR  
Maximum length of the privacy panel when installed  
on a unit with a division (in the construction) = 1/2 the length of the unit minus 6"

#### Credenzas

Assembled credenzas are available in different configurations with the following features:

- Two depths: 21" and 24".
- Two widths: 60" and 72".
- Two surface thicknesses: 1" and 1 1/2".

#### Sierra and Tango Series


Assembled credenzas 23" H. are available in many configurations of doors and / or drawers with or without an open section.

Credenzas in the Sierra series (1" surface) serve as support for tables to create surface supported "layering" workstations. Grommets are optional on the surface and sides, [see p.51](#).


#### Lima and Mike Series

Assembled credenzas 29" and 35" H. are available in many configurations of doors and / or drawers, or doors with an open section and adjustable shelves.


Accessory bar with metal Artopex accessories




41" H.




35" H.



29" H.




23" H.





### STORAGE UNITS

Storage units are available in various configurations (shelves, drawers, wardrobe, etc.) and heights. Pulls and at least one Noki electronic lock (depending on configuration) are included. A key lock is available as an option (no upcharge). Storage units have 1 door, opening left or right.



#### Storage Unit heights

When positioned next to a credenza + hutch configuration:

- Storage unit 66" H. will be flush with the hutch 37" H.
- Storage unit 72" H. will be flush with the hutch 43" H.



The products must have the same surface thickness, either 1" or 1½".

#### Door Styles

Depending on the configuration of the storage, different door styles are available: all laminate or aluminum frame with choice of interior material, [see p.83](#). Refer to price list for exceptions.

#### Door Styles

Depending on the configuration of the storage, different door styles are available: all laminate or aluminum frame with choice of interior material, [see p.83](#). Refer to price list for exceptions.


#### 2-Way Cabinets

2-way cabinets units are 18½" wide and 21" or 24" deep. They are positioned at the end of a credenza or storage unit 23" or 29" H. and are configured with drawers and an open space (left or right) with adjustable shelf or shelves. The section above the drawers has the same laminate finish as the "base".

It is possible to order extra shelves and a tackboard may be added on the section above the drawers.



2-way cabinet



### BOOKCASES


Regular or corner bookcases are available in many sizes (depths : 12", 21", 24"). The shelves and sides of the bookcases are made of 1" laminate panels and the surfaces can be specified 1" (Lima series) or 1½" (series Mike) laminate.

It is recommended to place bookcases that are 12" D. and 41" H. or more as well as corner bookcases over 41" H. against a wall or back-to-back with other storage.

#### Shelves

Storage units and bookcases with shelves have holes for height adjustment. Shelves are 1" laminate and have the same finish as the base.

Additional shelves can be ordered for certain storage, see product description for details.






### PEDESTALS

The Take Off Collection includes many types of pedestals (with or without tops, fixed or mobile...) in various configurations. The Noki electronic lock is always included with laminate pedestals. Key locks, keyed-alike and pulls are optional.


#### Suspended Pedestals

Suspended pedestals can be attached under the majority of surfaces. Refer to the price list for exceptions.




#### Freestanding pedestals - 29" H.

Freestanding pedestals 29" H. can be put adjacent to a table or storage of the same depth, 24" D. They are available with a 1" (Lima series) or 1½" (Mike series) top.




#### Support metal pedestals

Support metal pedestals attach under a surface. Key lock included; the Noki electronic lock and keyed-alike locks are offered as an option with no upcharge. Locks are available in current Artopex metal finishes and with 2 styles of pulls: integrated central pull in aluminum or full width.




#### Surfaces for Storage - 27½" H.

Surfaces are available in lengths from 30" to 108" and can be installed on storage without tops 21" or 24" deep.




#### Recycling pedestal

The recycling pedestal is available with or without a top. It is equipped with an opening for inserting paper for recycling and includes a removable bin.




#### Support pedestals

Support pedestals do not have tops. They are 24" deep and are attached under a surface or table of the same depth.



#### Mobile pedestals

Mobile pedestals (with casters) can be positioned under a surface positioned at 29" H. A cushion may be added on the top.





### HUTCHES

#### Supports

The various models of hutches in the Take Off Collection are available with laminate panel legs or open metal legs. The metal legs are available in a choice of 4 finishes: Silver, Polar White, Charcoal or Black.

#### Doors

Different styles of doors are available depending on the hutch configuration: all laminate or with an aluminum frame and choice of interior panel material. See possibilities on [p.83](#).

#### Types of mechanisms (some exceptions apply):

- Hinged (with 110° hinges).
- Standard flipper.\*
- Flipper with "Easy-Down" option (with dampers).\*
- Pivot-lift (107° vertical assisted opening and soft closing with dampers).



\* The flipper mechanism is not available on aluminum frame doors. Refer to price list for details.

#### Lock

The Noki electronic lock, the key lock and keyed-alike lock are available as an option on certain hutch models. Refer to the product description.

#### Clearance under the hutch

It is important to check the height clearance under the hutch (shown in the price list) as the space available varies by model, with or without a horizontal pigeon-hole unit. This will influence the choice of a tackboard.

#### Cable passage

Hutches feature two elements allowing for the passage of cables :

- There is an opening with a removable cap (black) at the back top center. This allows for the passage of the wire from the light installed under the hutch if no horizontal pigeon-hole unit is installed.
- The back bottom of the hutch has a horizontal grommet (black) that can accommodate all sizes of cables and their connection plug (except oversized adaptors).



#### Pigeonhole units

Available in various models, the Take Off Collection pigeonholes (refer to accessories price list) units can be positioned under any hutch with a vertical clearance of at least 20". Letter or legal size documents can be stored depending on the model. A vertical pigeonhole unit is also available for storing binders or other rigid materials.


The horizontal pigeonhole units can simply be placed on the surface or attached under the hutch. It is always 2" shorter in length than the nominal dimension.





\* Horizontal pigeonhole units cannot be used on hutches with open metal legs.



Flipper door




Pivot-lift




Vertical pigeonhole units

Horizontal pigeonhole units




On surface



Attached under hutch

### MODULAR HUTCHES

Modular hutches have an integrated horizontal pigeonhole unit upon which one or more storage modules for modular storage hutches can be installed. The module can be installed in various positions and two modules can be installed facing opposite directions.



Hutch 27" H. - Total height: 43"  
Hutch 21" H. - Total height: 37"






### TACKBOARDS

Tackboards can be installed on various models of freestanding hutches. Wall hanging supports are available to hang a tackboard directly to the wall (under a wall mounted hutch for example). Refer to the current Artopex charts for the selection of fabrics available.

#### Round tackboard

A round tackboard of 1/4" thick Marmoleum (12" diameter) is also available in the Accessory price list and can be attached using double-sided tape (included) to any vertical laminate panel. Available in red or charcoal.



### BOOKCASE HUTCHES

Bookcase hutches are placed on credenzas or other storage. They have adjustable shelves and open bookcase hutches have a horizontal grommet (black) at the base to accommodate all sizes of cables and their connection plug (except oversized adapters).

#### Doors

Different door styles are available: all laminate or with aluminum frame and choice of interior. See possibilities on [p.83](#).

#### Dimensions

Bookcase hutches are available in two widths: 30" and 36" and in the same heights and depths as freestanding hutches.


#### Modularity with different height Credenzas / Storage

**TOTAL HEIGHT** for Lima/ Sierra (Add 1" for Mike/Tango series)

84" H.	78" H.	72" H.	66" H.	60" H.

#### Lock (option)

The Noki electronic lock, key lock and keyed-alike locks are optional on bookcase hutches with laminate doors only (without aluminum frame).




### WALL MOUNTED MODULES

Wall mounted modules are constructed entirely of 1" Thermally Fused Laminate and can be specified in all laminate finishes. They attach to the wall with wall mounting brackets (included) and can support a normal, non-excessive weight load.

- Interior: 5 1/2" H x 9" D.
- Module 54" or more with a central divider.

Maximum load :



- Modules 48" long or less - 50 lbs.
- Modules 54" long or more - 100 lbs.






### SURFACE SUPPORTED LAYERING TABLES - FIXED HEIGHT



**Sierra** and **Tango** series tables allow for **layering**. Available in left or right versions, they are installed over **Sierra** credenzas 23" H. preferably aligned with the open section and are available in three shapes: rectangular, arched and "D". Various leg options are available according to the surface shape and the type of support selected.



Choice of surfaces and end panels with **LONG** laminate support :



Choice of surfaces and legs with **SHORT** laminate support :




#### Laminate Support

The laminate support is a 5" H. "L" construction with an end support\* and a long or short back depending on the leg model. It attaches to a Sierra 23" H. credenza using the included hardware.

A 1/4" space between the underside of the surface and the back allows for the installation of a privacy panel, accessory bar or modesty panel for use with the short laminate support. Exceptions apply for certain types of tables (dimensions, surface shape, leg model). Refer to the specification charts on [pages 86-87](#).


**\* A privacy panel or accessory bar cannot be used on the part that is placed on the credenza (end support).**



#### Individual drawer and pigeonhole shelf

The layered tables with laminate supports can accommodate small 5" H. storage: drawer or pigeonhole shelf.

The drawer has side pulls and is placed under left or right work surfaces. It also includes a Noki electronic lock and a grommet 1 1/8" in diameter at the rear for the passage of cables for connecting small devices such as a cell phone, tablet, laptop, etc.



For surfaces 21" deep or less, installing a drawer or a pigeonhole prevents the cables from passing through the grommet to the floor.

The laminate pigeonhole is 17" L. x 4 5/8" H. It can be placed under left or right layering surfaces. It has two filing spaces for letter or legal size documents.



Inside drawer dimension :  
12" W. x 15" D. x 2" H.




Can accommodate letter or legal size documents.




### SURFACE SUPPORTED LAYERING TABLES - ADJUSTABLE HEIGHT

**Sierra** and **Tango** series tables are available with a height adjustable metal bracket.



Surface and leg choices with **ADJUSTABLE** metal support :




Mechanical height adjustment 28" to 31" H.



#### Adjustable metal support

The adjustable metal support is 18" L. x 1 1/4" D. x 5" H. and is available with the leg models shown above. The support is attached under the surface and on the credenza with screws and allows for a mechanical adjustment from 28" to 31" high. It is available in the same finishes as the legs : Silver, Polar White, Charcoal or Black.

The metal support permits the installation of a privacy panel, accessory bar or modesty panel. Exceptions apply for certain types of tables (dimensions), surface shape, leg model). Refer to the specification charts on [pages 86-87](#).




#### Stiffener

It is recommended to use a stiffener on surfaces 54" L. or more, [see p.F12](#).

### SURFACE SUPPORTED LAYERING RETURNS

Layering returns in the **Sierra** and **Tango** series have a long laminate support and are installed on **Sierra** credenzas 23" H. before being attached to a table or desk using junction plates (included).

A 1/4" space between the underside of the surface and the back allows for the installation of a privacy panel or accessory bar. But a privacy panel or accessory bar cannot be installed on the end support (part that is installed on the credenza).





### SHARED BENCHING TABLES


Shared benching tables allows configuration of 2, 4, 6 and 8 users. They are offered in depths of 48" and 60" with rectangular surfaces 1" thick (**Sierra**). Surfaces rest on a structure composed of legs, metal crosspieces and, depending on the model chosen, one or more central modesty panels 18" in height. The legs are available in laminate, combined material, perforated metal or open metal.

### CLOSED SHARED BENCHING TABLES


Closed shared benching tables have 1/4" space between surfaces. This space is used for privacy screen installation, see pages F2-F3. Grommet and multi-outlet options are available.

Closed shared benching tables are also available with 120° work surfaces (three users). The structure of these shared benching tables are supported by a round tubular support at the center.


**Position of grommets on SHARED BENCHING TABLES (multi-outlets are always in the center).**




Surface 36" or less





Surface 42" or more



Surface 36" or more



Surface 42" or more






The same choice of grommets or multi-outlets option will be applied to all surfaces of the workstation.

### OPEN SHARED BENCHING TABLES


Open shared benching tables have a 3" opening between the surfaces. The finishing caps are installed at the center and at each end of the opening. This opening is used for cabling and privacy screen installation, see p. F4-F5. Grommets are not available for these tables; however, a multi-outlet (**ECC** or **UCC**) at the center is available as an option.

If no privacy screen is installed, a removable cap can be ordered separately to reduce the space between the surfaces, but still allowing access for cabling.

Also available for shared benching table - 1-sided.



Multi-outlet options






### SHARED BENCHING TABLES WITH DOORS

The shared benching tables with doors have an 8 1/2" opening between the surfaces and finishing caps are installed at the center and at each end of the opening. This opening includes a door facing each surface allowing for cables to pass through and easy access to the electrical system installed underneath the work surface. Grommets and multi-outlets are not available for these tables. On the other hand, the space left between the 2 doors allows privacy screen installation, see p. F4-F5.

If no privacy screen is installed, a central finishing cap can be ordered separately to cover the opening.


Also available for shared benching table - 1-sided.








1-SIDED SHARED BENCHING TABLES


1-sided benching tables are ideal when an obstacle (a column, low wall, pipes, etc.) prevents the use of a regular shared benching table. The 1-sided table can be used along a wall for a uniform overview of the configuration.



 **Warning :** 1-sided shared benching tables are 25 5/8" or 31 5/8" deep to allow for the installation of privacy panels on 1-sided shared benching tables - open or with door.

1-SIDED SHARED BENCHING TABLES - MODESTY PANELS



 **Warning :** As with layering tables with metal legs, the full modesty panel on 1-sided benching tables is 4 inches from the floor.



### PRIVACY SCREENS

Tables, credenzas and certain storage 29" H. or less in the Take Off Collection are constructed with a 1/4" space between the surface and the back allowing for the installation of a privacy screens, accessory bar or modesty panel.

#### Types of privacy screens

Privacy screens are available in two heights : 15" or 28" H.

The height of 28" H. serves as both a privacy screen and modesty screen on modular tables, layering tables or supported tables.


#### Laminate

Laminate screen 1 1/8" thick, in all "base" laminate finishes.

#### Translucent

Acrylic screen 1/4" thick, translucent finish, frosted on one side.

The screens are equipped with metal brackets that are attached beneath the surface using screws. Panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three support brackets to ensure rigidity.




#### Accessories for laminate privacy screens

Accessories can be installed on the privacy screens to complete the workstations. Refer to the Accessories price list.

#### Marker board

The magnetic marker board 10" H. x 17 1/4" L. is made of folded steel with a high-gloss white enamel paint for writing with dry erase markers only. An integrated trough holds markers.




#### Tackboards

Rectangular fabric tackboards 9" H. and in various lengths are attached to the laminate privacy screens with Velcro ®. Refer to the current Artopex card for the complete selection of fabrics available.

#### Accessory bar

A pre-drilled accessory bar can be attached with screws to a privacy screen (PPLM, PPOV or PPFR). The bar is the same length as the tackboards for privacy screen and is available in 10 colors, see p.85 for the metal colors available.. A maximum of 3 bars on each side can be installed on a PPLM screen and 2 on PPOV and PPFR screens.




#### Accessory panel

The accessory panel 10" H. x 17 1/4" L. is made of folded steel with three slots 15 1/4" wide for installing metal or plastic Artopex accessories.




It is not possible to install the horizontal trays (plastic or metal) on the accessory panel.





### PRIVACY SCREEN AND ACCESSORY BARS


The accessory bars are made of  $\frac{3}{4}$ " thick anodized aluminum in two heights: 8" or 12" H. They are equipped with two metal support brackets that attach under the surface using screws. A variety of plastic and metal Artopex accessories can be installed. Accessories can be installed on both sides of the bar. Refer to the Accessories price list.



#### Specifying privacy screens and accessory bars

To specify privacy screens or accessory bars on freestanding tables (rectangular, corner, connecting, etc.), surface supported layering rectangular tables with a long laminate support, shared benching tables, the general rule is (except for assembled desks):

The **MAXIMUM length** must be specified **6" less** than the length of the surface on which the privacy screen or the accessory bar is installed in order to keep a clearance of 3" on each side.



A  $\frac{1}{4}$ " space between surfaces (front and sides of closed shared benching tables) allows for privacy screen and accessory bar installation.



- It is not possible to install a screen or accessory bar at the end of a surface if a pedestal is attached.
- Exceptions apply for certain other types of tables according to dimensions, surface shape, or leg model.

For more details, refer to the specification tables on [pages 86-87](#).

### MODESTY PANELS

Modesty panels 13 $\frac{1}{2}$ " H. can be added to the tables (supported, layering). Once installed, a clearance of 1" H. under the surface allows the passage of cables.

#### Types of modesty panels


##### Laminate

Laminate panel  $\frac{1}{16}$ " thick in all laminate "base" finishes.

##### Translucent

Acrylic panel  $\frac{1}{4}$ " thick, translucent finish, frosted on one side.

The panels are equipped with metal support brackets attached beneath a surface using screws. The panels 54" or less are equipped with two metal support brackets and panels 60" or more are equipped with three brackets to ensure rigidity. The metal support brackets are available in 10 colors, [see page 85](#) for the metal colors available.




For the **MAXIMUM length** of modesty panel that can be installed on tables of the Take Off Collection, refer to the specification chart on [page 86-87](#).



## PRIVACY SCREENS FOR OPEN OR WITH DOORS SHARED BENCHING TABLES

The privacy screens can only be installed on shared benching tables open or with doors, since the space between the surfaces and the doors provides room to install it. The screens are available in 7 lengths and have a height of 18 1/4", with 15 1/4" visible above the surface. The screens are fixed to the benching table with 2 supports included. They also have a bracket that allows for the vertical adjustment of the screen.

### Screens are available several finishes :




#### **Laminated or high-gloss white marker board**

Laminate screen 1 1/8" thick.

Laminate finish, refer to the current Artopex laminate finishes card.


Marker board finish (SBL); high-gloss white marker board



#### **Frosted glass :**

Glass screen, 6mm thick.

Glass finish, clear or frosted.




#### **Fabric - non tackable :**

Screen 1 1/8" thick composed of 3/8" laminate covered in fabric on each side.



The visible laminate contour is available in black, white and frost.

Fabric, refer to the current Artopex panel fabric card.



#### **Tackboard :**

Screen 1" thick composed of 3/8" laminate in the middle and tackable screen in rough charcoal colored felt or covered in fabric on each side. The visible laminate contour is available in black, white or frost. Fabric, refer to the current Artopex panel fabric card.






### LATERAL SCREENS FOR SHARED BENCHING TABLES


The lateral screens below can be installed on all types of shared benching tables, on the ends or in the  $\frac{1}{4}$ " space between the surfaces. Two models are available (equal to or greater than the surface), in 3 finishes (metal, fabric or tackboard), with a height of  $15\frac{1}{4}$ " visible above the surface. To properly insert the screen under the surface, the screen must be ordered either right or left, according to the placement.

Screens are available in 2 models :


#### Screen flush with the front of the surface



#### Screen 6" in the front of the surface




Screens are available in 3 finishes :




#### Metal :

Metal structure  $\frac{1}{8}$ " thick with grooved option, to hang accessories.  
Available in 10 colors, [see p. 85](#) for the metal colors available.




#### Fabric - non-tackable :

Lateral fabric screens are  $\frac{7}{16}$ " thick.  
The screen is composed of a metal structure  $\frac{1}{8}$ " thick with fabric on each side.  
Fabric, refer to the current Artopex panel fabric card.



#### Tackboard :

Lateral tackboard screens are  $\frac{11}{16}$ " thick. The screen is composed of a metal structure  $\frac{1}{8}$ " thick with a tackable panel in rough charcoal colored felt or covered in fabric on each side.  
Fabric, refer to the current Artopex panel fabric card.




Grooved option


Screen positions on the different types of shared tables.

\* Illustrated screens are flush with the front of the surface.



#### Closed shared benching tables



#### Shared benching tables with doors




#### Open shared benching tables






### SURFACE EXTENSIONS FOR SHARED BENCHING TABLES

The surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all types of legs. The surface is composed of 1" thick laminate available in lengths of 48¼" and 60¼". The surface comes with a middle support, metal finish must be specified.




### STORAGE EXTENSION FOR SHARED BENCHING TABLES

The open storage extension is installed on the end of shared benching tables, closed (**BC**), open (**BCO**) or with doors (**BCD**) and with all the different types of legs. Composed of laminate of 1" thick and is offered in lengths of 48¼" and 60¼".



### COLLABORATIVE SURFACE EXTENSION FOR SHARED BENCHING TABLES

The collaborative surface extension is installed on the end of a shared benching table, closed (**BC**), open (**BCO**) or with doors (**BCD**), with all the different types of legs. The surface is composed of 1" thick laminate panels available in lengths of 48¼" and 60¼", and in depths of 24" and 30". The surface includes one metal U leg made of 1" x 3" metal tube, finish must be specified.



### SHARED STORAGE FOR SHARED BENCHING TABLES


Storage completes the shared benching table layout by dividing the space according to the privacy level required and storage needs. The storage may also be used with the other tables, credenzas, etc. of the Take Off Collection.




#### Low Hutches

Low hutches 15" D. x 21" H. are available in various lengths and configurations. Installed on a surface 29" H., the total height will be 50" H. Tackboards can be installed on the open low hutches with shared access.

#### 1-sided hutches



#### Shared access hutches





### SHARED STORAGE FOR SHARED BENCHING TABLES (CONT'D)

#### Shelves

Thermally Fused Laminate shelves 6" H. with 1" thick tops can be installed on the work surfaces. Personal shelves have a structural bar at the back and shared shelves have a central structural bar. Installed on a surface 29" H., the total height is 35" H.

#### Shelves with pigeonhole units


Shelves with Thermally Fused Laminate pigeonholes units 13" H. with 1" thick tops and a central structural bar can be installed on the work surfaces. The pigeonholes units are open and accessible from both sides. Installed on a surface 29" H., the total height is 42" H. All shelves can be attached using a double-sided adhesive tape.

All shelves can be installed with a double face tape.


#### End-of-run

The end-of-run bookcase is 50" H. and is attached to a low hutch 21" H. using the included hardware.

- A) 1 wardrobe space with silver finish hook.
- B) 2 open spaces (one with an adjustable shelf).
- C) 1 small shared storage space (9" W. x 5" H. x 7" D.).





#### Shelf choices



#### Shared pedestals

A shared pedestal can be placed to the left or right, at the end of shared benching tables or at the end of two back-to-back tables. This allows two users to have one common bookcase area with an adjustable shelf or shelves and personal storage drawers. Depending on the product height, each user will have:

1 utility drawer / 1 file drawer or 2 utility drawers / 1 file drawer.



A cushion may be added on the top of the pedestal.



#### Pedestals

Types of pedestal that can be used under shared benching tables :


##### Tables 48" P.

- Mobile pedestal 21" H. (UF)
- Pedestal 25" H. (see p.E63)

##### Tables 60" P.

- Mobile pedestal 21" ou 27" H.
- Pedestal without a top\*
- Suspended pedestal\*

\* Pedestals without top or suspended must be installed close to full width laminate end panels.




48" D. tables cannot be specified with pedestals without top or suspended pedestals.



### SCREENS AND ACCESSORIES


#### Divider screens

Refer to the Accessories price list.



#### Translucent screens with square brackets

Translucent screens with square brackets can be attached to a work surface or on top of laminate storage using anchors. They are composed of metal anchors with a brushed nickel finish that grip an acrylic panel  $\frac{1}{4}$ " thick, translucent finish, frosted on one side. Refer to the Accessories price list.



#### Storage case



The storage case is made of folded metal and is attached under a surface using screws. It can be used to store binders or books. Refer to the Accessories price list.

Storage space:  $7\frac{1}{2}$ " W. x 12" H. x 12" D.

#### Office supply tray for open or with doors shared benching tables

The office supply tray is a metal accessory for small office supplies (pencils, eraser, scissors, etc). The tray is designed to be installed underneath shared benching table surfaces, open or with doors, at the desired location in the front of the surface.

If installed on shared benching table with doors, the tray will be concealed by the door. The inner dimension of the tray are  $9"x3"x\frac{3}{4}"$  high. Metal finish must be specified.



Open table  
(BCO)

Table with door  
(BCD)





### ELECTRICAL WIRING AND MANAGEMENT

The Take Off Collection offers a variety of solutions to provide electricity and cable management in one or more workstations. Cables trays specific to 1-circuit and 4-circuit electrical systems are available in this price list. Refer to the Accessories price list to order multi-outlet for conventional electrical outlets, cable conduits and fasteners.

#### Multi-outlet with conventional electrical outlet (refer to the Accessories price list to order)

Multi-outlet are available with a conventional 120V electrical outlet :




##### EPI Multi-Outlet

- Attaches to a 1/2" to 1 1/2" surface with screw claws.
- 2 Electrical outlets 15 AMP.
- 2 USB charger outlet 2.1AMP. rechargeable.
- Electrical cord is 72" long.
- Aluminum finish outer casing and white finished interior case.




##### EPU Multi-Outlet

- Installs under a surface with screws.
- 2 Electrical outlets 12 amp with a ground and circuit-breaker.
- 1 **RJ-11** outlet for telephone-modem-fax.
- 1 **RJ-45** computer outlet Category 5.
- Connector and telecom. wiring included.
- Electrical cord is 108" long.
- Communication cables are 162" long.
- Black plastic casing.



##### ECM Mobile Outlet

- Installs under a surface using the **E2-EDT** support or the cable tray **ACWCMC**.
- 2 Electrical outlets.
- Electrical cord is 108" long.
- Black plastic casing.



#### Grommets

To facilitate the passage of cables, the Artopex rectangular grommet is provided standard on the tables and returns.

See p.51 for more details.

This same grommets are also optional on :


- Assembled desks and reception desks, see p.51.
- Closed shared benching tables, see p.64.
- Full end panels for 1-sided shared benching table open or with door, see p.51.
- Storage units and credenzas 29" H. or less where indicated as an option in the price list, see p.51.

Round grommets are also available (sold separately, installed on site in the desired location) to add access for the passage of cables in furniture, refer to the Accessories price list.

#### Cable management

To complete an installation and to facilitate cable management, cable conduits and fasteners are available in the Accessories price list:

- The plastic **cable conduits** are attached with double-sided tape. They can accomodate cables in order to run them along modesties and other components.
- The **plastic fasteners** (single or double) attach under the surface using screws in order to hold the cables.






### CABLE TRAYS AND 1-CIRCUIT SYSTEM

#### Cable Trays

The cable trays are attached under the surface using screws. They are made of metal with a silver finish and have openings for movable outlets (**AC-ECM**, **AC-ECMK**) or adaptor plates (**AC-ERF**, **E2-ERD**), not included.

Cable trays can support several types of wiring and cable and plug access is possible from both sides and ends. They are available in different lengths and have been designed to accommodate the components of the 1-circuit electrical system. Cable trays cannot support the components of the 4-circuit electrical system.

32" or more: 4 openings on each side.



26" or less: 2 openings on each side.



#### 1-circuit electrical system (see Accessories price list for order)



Includes two types of surface outlets (recessed or movable), jumpers and power supply module, the 1-circuit electrical system is ideal for a simple installation that does not require an electrician and offers reconfiguration flexibility.

- Powered by a **standard 120v** outlet from the wall or floor.
- A **maximum of 8 surface outlets** (16 individual outlets) can be connected to a system.


\* Recessed surface outlet (**EC**) cannot be ordered separately, it is an option on work surfaces only.  
See p.52.

#### Electricity and cable management


A 5" H. space between the underside of surfaces and the top of the modesty panel allows for the installation of cable trays for the cables of the 1-circuit electrical system (p.47) or 4-circuit electrical distribution system 4 - 2-sided, see p.G3.




**EPIK**  
Movable surface outlet




**ECMK**  
Movable outlet




**EC \***  
Recessed surface outlet



**EPOSK**  
Movable surface outlet



**ECEJK**  
Jumper




**ECFK**  
Power supply module

### 1-CIRCUIT ELECTRICAL SYSTEM UNDER CLOSED SHARED BENCHING TABLES (specification)



- The cable tray must be **attached to the center** of the section and at the center of the surfaces. Pre-drilled holes are provided.
- **1 cable tray** is required per shared section (2 facing surfaces).
- Refer to the price list to determine the **required length** (AC-WCMC\_), see p.G2.








### CABLING TRAY FOR SHARED BENCHING TABLES OPEN OR WITH DOORS

The cabling tray allows for management of electrical and communication cables. It attaches to the modesty panel and provides quick and easy access to cables. Once installed, the cabling tray also doubles as a stiffener and reinforces the modesty panel when a privacy screen is installed. The tray's asymmetrical shape allows for the installation of a tray on both sides of the modesty.

Metal finish must be specified.





### OUTLET SUPPORT

The outlet support is designed for moveable power outlets (**AC-ECM**, **AC-ECMK**) or a telecommunication plate (**E2-ERD**).

The support can be installed on top of the modesty of shared benching tables open or with doors. Black finish.

Size of opening : 2 1/2" x 1 1/8".




### 4-CIRCUIT ELECTRICAL SYSTEM - 1-SIDED

The 4-circuit electrical system is installed under the workstation surface but is not available for shared benching tables. It includes a bracket with 1 electrical harness and 1 front in metal with a silver finish. The front conceals the harness, part of the shielded cabling and communication cables (if added). It is provided with openings for the double electrical outlets and faceplates (not included).


The system is available in different lengths and designed to accommodate the components of the 4-circuit electrical system such as: the jumpers to connect the harnesses, the cables for power supply, etc.

**Electrical system - 1-sided AC-WCMA\_**



Features of cabling trays with one front:

- 28" or more: 2 spaces for double outlets and 2 openings
- 22": 1 space for double outlet and 2 openings
- 16": 1 space for double outlet




**Warning!** The installation of the 4-circuit electrical system, 1-sided (**AC-WCMA\_**) is not possible with the **UCC** and **ECC** multi-outlet options. The installation of the system is possible with the **UCL/UCR** and **ECL/ECR** options but it must be specified 26" shorter than the length of the surface. Example : For a 72" surface, specify the **AC-WCMA46**.



### 4-CIRCUIT ELECTRICAL SYSTEM - 1-SIDED (CONT'D)

#### Cable supports



The metal cable support with silver finish is sold separately and is installed on the front of the 4-circuit electrical system (no hardware required). It allows the management of cables that are plugged into the outlets.



#### Integrated electric system

It is an 8-cable electrical system and 4 circuits of 20A (U.S.) 15A (CAN) each.

- Rated power of grounded circuit: At single-phase current of 120/240V, 20A, 60HZ or three-phase current of 120/208V, 20A, 60HZ.
- Double outlet capacity: 15A (U.S. and CAN).
- Maximum use of double outlets: 13 (U.S.) or 12 (CAN) per circuit, for a total of 52 (U.S.) or 48 (CAN) on each power supply.




- **SURFACES AGAINST A WALL or TABLES WITH MODESTY PANEL** (specification)



- The 1-sided electrical system must be **attached under the surface and against the modesty panel**.
- Refer to the price list to determine the **required length (AC-WCMA\_)**, see p.G2.


To calculate the **length of jumpers** (cables) required:

- Refer to the **shaded part** of the specification charts, see p.78-79.
- Always specify the **jumper that is the longest and closest to the required length**.  
Example: For 54", order the 58" long jumper or **E2-EJT58**.



#### 1 - Example to provide electricity to a workstation with tables PLACED BACK-TO-BACK

4-circuit system  
2 x AC-WCMA34




Use the jumper **E2-EJT18** to connect electrical systems of tables with modesty panels that are placed back-to-back.

A round grommet 2½" in diameter can be ordered and installed on site so the cable can pass through modesty panel, see accessories price list.



4-CIRCUIT ELECTRICAL SYSTEM - 1-SIDED (CONT'D)

2 - Example to provide electricity to a workstation with TABLES PLACED END-TO-END



Use specification charts [p.88-89](#) to calculate the length of the jumper:


Table 72" = 30" length under the table

Table 48" = 18" length under the table

30" + 18" = **48" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT52**

3 - Example for providing electricity to a workstation with a PERPENDICULAR TABLE



Use specification charts [see p.88-89](#) to calculate the length of the jumper:

Table 60" = 48" length under the table

Table 48" = 18" length under the table

48" + 18" = **66" cable length required**

Specify the longest jumper that is closest to the required length: **E2-EJT70**




### SPECIFICATION CHARTS – Length of Jumpers (cables)

To calculate the length of jumpers (E2-EJT...) required according to the model and dimensions of a table and according to the type of cable installation: continuous, or at 90°, refer to the shaded area of the following charts.


#### Rectangular tables

Continuous cable




A \ B	18" - 21" - 24" - 30" or 36"
84"	36"
78"	33"
72"	30"
66"	27"
60"	24"
54"	21"
48"	18"
42"	15"
36"	15"
30"	12"
DISTANCE UNDER THE TABLE	

90° cable




A \ B	18"	21"	24"	30"
84"	48"	51"	54"	60"
78"	45"	48"	51"	57"
72"	42"	45"	48"	54"
66"	39"	42"	45"	51"
60"	36"	39"	42"	48"
54"	33"	36"	39"	45"
48"	30"	33"	36"	42"
42"	27"	30"	33"	39"
36"	27"	30"	33"	39"
30"	24"	27"	30"	36"
DISTANCE UNDER THE TABLE				

#### Connecting tables



A \ B x C	24"x 36"
72"	60"
66"	57"
60"	54"
DISTANCE UNDER THE TABLE	

#### Rectangular tables (recessed back)




A \ B	30"	36"
84"	55"	55"
78"	52"	52"
72"	49"	49"
66"	46"	46"
60"	43"	43"
54"	40"	40"
48"	37"	37"
42"	34"	-
36"	34"	-
30"	31"	-
DISTANCE UNDER THE TABLE		



SPECIFICATION CHARTS – Length of Jumpers (cables) (CONT'D)


90° corner tables



A	X	Y
48" x 48"	60"	18"
42" x 42"	51"	15"
36" x 36"	45"	15"


DISTANCE UNDER THE TABLE

Extended corner tables



A x B	X	Y
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"


DISTANCE UNDER THE TABLE



A x B	X	Y
48" x 84"	78"	36"
48" x 78"	75"	33"
48" x 72"	72"	30"
48" x 66"	69"	27"
48" x 60"	66"	24"
42" x 84"	72"	36"
42" x 78"	69"	33"
42" x 72"	66"	30"
42" x 66"	63"	27"
42" x 60"	60"	24"
36" x 72"	60"	30"
36" x 66"	57"	27"
36" x 60"	54"	24"

DISTANCE UNDER THE TABLE


Extended Corner Tables (recessed back)



B x C	30" x 42"	30" x 48"
A		
84"	67"	73"
78"	64"	70"
72"	61"	67"
66"	58"	64"
60"	55"	61"

DISTANCE UNDER THE TABLE


Asymmetrical tables/integrated half-return



B x C	30" x 36"
A	
72"	55"
66"	52"
60"	49"

DISTANCE UNDER THE TABLE

Tables with 1 rounded side, curved int.



B x C	30" x 42"
A	
72"	61"
66"	58"

DISTANCE UNDER THE TABLE



4-CIRCUIT ELECTRICAL SYSTEM - 1-SIDED (CONT'D)


• SURFACE SUPPORTED LAYERING TABLES (specification)



- The 1-sided system must be **attached under the surface and against the modesty panel.**
- To establish the **required length (AC-WCMA\_)** use the "X" distance (image below) and consult the price list, **see p.G2.**

- To calculate the length of jumpers (cables) required:
- Refer to the **shaded part** of the specification charts, below.
  - Always specify **the jumper that is the longest and closest to the required length.**


Example: For 54", specify the 58" long jumper: **E2-EJT58**



SPECIFICATION CHARTS - Jumper Length (cables)


To calculate the length of the jumper required (**E2-EJT...**), refer to the shaded area of the following charts:

Rectangular surface supported layering tables



A \ B	24" - 30" - 36"	
	24"	30"
84"	44"	
78"	41"	
72"	38"	
66"	35"	
60"	35"	
DISTANCE UNDER THE TABLE		


Storage units or credenzas (with optional grommet)



A \ B	21" - 24"	
	21"	24"
72"	72"	
60"	60"	
36"	36"	
30"	30"	
INTERIOR DISTANCE STORAGE UNIT/CREDENZA		



**Do not specify a multi-outlet option to the positions indicated below if a 4-circuit distribution system must be installed.**






4-CIRCUIT ELECTRICAL SYSTEM - 2-SIDED


The 4-circuit electrical system is installed on the top of the modesty of all types of benching tables. It contains 1 electrical harness with support and 2 metal fronts (finish must be specified). The system is available in 2 lengths, 16" and 22", and is designed to be used with the 4-circuit electrical components. The double outlets or the USB outlets are not included, must be ordered separately.

16" long : 1 space for outlet on each side. For tables 36" and 42" in length.  
22" long : 2 spaces for outlets on each side. For tables 48" and 72" in length.




**SPECIFICATION TABLE - Jumper length (cables)**  
To calculate the length of the jumper (E2-EJT...) required for use with shared tables, please refer to the shaded part of the chart below.

Rectangular shared benching tables



A \ B		48" x 60"
72"		E2-EJT64
66"		E2-EJT58
60"		E2-EJT52
54"		E2-EJT47
48"		E2-EJT47
42"		E2-EJT35
36"		E2-EJT35
		CABLE REQUIRED

120° shared benching tables




A	E	X
48"	2 x E2-EJT35	18"
42"	2 x E2-EJT35	15"
36"	2 x E2-EJT35	15"
	CABLE REQUIRED	DISTANCE UNDER THE TABLE




### FINISHING CAPS AND CABLING POLE FOR SHARED BENCHING OPEN OR WITH DOORS

Caps installed in the center and on the ends of the shared benching tables are used for finishing as well as for installing a cabling pole. When ordering, the color of the caps must be specified, as well as the model of the cap and the required position of the cabling pole :




The cabling pole is used to supply power from the ceiling to the surface (8' or 12' H). The pole has an internal movable PVC divider used to separate the ceiling power cables from the communications cables.





### CABLING POLE FOR CREDENZAS OR SHARED BENCHING TABLES - 1-SIDED (FULL END PANELS)

Grommets are available on the laminate end panel of credenzas or shared benching 1-sided for the installation of a cabling pole.



### CABLING POLE FOR SHARED BENCHING TABLES CLOSED, PERFORATED METAL, OPEN METAL OR COMBINED MATERIAL END PANELS

Cabling pole attaches on the metal central leg of the shared benching tables closed with 2 fasteners.



Cabling pole internal divider



PULLS

Different styles of pulls are available on most storage and furniture with pedestals or with integrated storage. Pulls all have predrilled holes 5" (128 mm) center-to-center.

Some components such as credenzas, lateral files and storage units must have pulls and it is important to specify the type in the line of code. In the case of desks and pedestals, this is an option that must be added (\$22 per drawer). Specify this option under the "Pull" column of the line of coding.



TN - Nickel TECHNO



DN - Nickel DECO



J - Satin Chrome



X - Aluminum



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze

FRAMES

Doors with contemporary or traditional style aluminum frames with a choice of interior panel, are available on hutches and most storage 50" H. or more. The codes are listed in the product description, some restrictions apply, refer to the price list. \*The high-gloss white finish is a high pressure laminate finish that can be written on with dry erase markers only.



Contemporary/Laminate



Contemporary/High-Gloss White



Contemporary/Frosted Acrylic



Traditional/Frosted Acrylic

FABRICS

For a complete selection of available fabrics, refer to current Artopex fabric card.







### FINISH CHOICES CHART



This is the coding system to use in the specific fields of the list price with reference to choice of colors.  
Some exceptions apply, see the charts below or finish charts.

Colors, especially dark colors, may vary between Thermo Fused Laminate (T.F.L.) and High Pressure Laminate (H.P.L.).

SURFACE		EDGE BANDS (surface)		
				
T.F.L.	H.P.L.	REGULAR Edges	FLUTED Edges	STRIPED (NARROW) Edges
<b>DOLOMITE FINISH</b>	<b>MATT FINISH</b>	Aluminum (0W)	Aluminum (0W)	Multiply Maple (0V1)
White (MBW) *	White (SBW)	White (0BW)	White (0BW)	Coordinate with this surface finishes:
Antique White (MAW) *	Antique White (SAW) *	Antique White (0AW) *	Antique White (0AW) *	Maritime Maple - Moka
Charcoal (MF) *	Cherry (SCH)	Carbon (0CB)	Carbon (0CB)	Douglas Pine
Frost (MA) *	Tobacco Cherry (STC)	Cherry (0CH)	Cherry (0CH)	
<b>SUEDE FINISH</b>	Chestnut (SCG)	Tobacco Cherry (0TC)	Tobacco Cherry (0TC)	Image Actual Size 1" thick surface
Cherry (MCH)	Dark Oak (SDK)	Chestnut (0CG)	Chestnut (0CG)	
Dark Oak (MDK)	Cayenne Maple (SCM)	Dark Oak (0DK)	Dark Oak (0DK)	
Cayenne Maple (MCM)	Maritime Maple (SEM)	Dalia (0DA)	Dalia (0DA)	
Honey (MHO)	Charcoal (SF)	Cayenne Maple (0CM)	Cayenne Maple (0CM)	
	Frost (SA)	Maritime Maple (0EM)	Maritime Maple (0EM)	
<b>SUPERMAT FINISH</b>	Willow Grey (SWG) **	Charcoal (0F)	Charcoal (0F)	
Chestnut (MCG)	Honey (SHO)	Galaxy (0GX)	Galaxy (0GX)	
Tobacco Cherry (MTC)	Moka (SPM)	Ginger Root (0GG)	Ginger Root (0GG)	
Maritime Maple (MEM)	Douglas Pine (SDP)	Frost (0A)	Frost (0A)	<b>STRIPED (WIDE) Edges</b>
Willow Grey (MWG)		Willow Grey (0WG)	Willow Grey (0WG)	Maple/Honey Striped (0R1)
Moka (MPM)	<b>NATURAL FINISH</b>	Honey (0HO)	Honey (0HO)	Coordinate with surface finishes:
Douglas Pine (MDP)	Carbon (SCB)	Moka (0PM)	Moka (0PM)	Coordinate with surface finishes:
	Dalia (SDA)	Black (0N) *	Black (0N) *	
<b>AURA FINISH</b>	Galaxy (SGX)	Douglas Pine (0DP)	Douglas Pine (0DP)	Image actual size 1" thick surface
Carbon (MCB)	Ginger Root (SGG)	Sea Salt (0SM)	Sea Salt (0SM)	
Dalia (MDA)	Sea Salt (SSM)	Sesame (0SE)	Sesame (0SE)	
Galaxy (MGX)	Sesame (SSE)	Twilight (0TL)	Twilight (0TL)	
Ginger Root (MGG)	Twilight (STL)			
Sea Salt (MSM)				
Sesame (MSE)				
Twilight (MTL)				
* NOT AVAILABLE FOR THE MIKE AND TANGO SERIES (SURFACE 1½" THICK).				


\*\* Willow Grey : Matte finish, and not Supermat like T.F.L.

1" Edge: 3 grooves  
1½" Edge: 5 grooves









### FINISH CHOICES CHART (CONT'D)

Some products have specific finish choices due to the nature of their components.



Metal pedestals, refer to the Metal price list.


							
BASE	FRONT	PRIVACY SCREEN / COMPLEMENTS / PEDESTALS		LEGS / SUPPORT STRUCTURE	METAL LEGS		
T.F.L.	T.F.L.	T.F.L.	METAL	METAL	METAL		
DOLOMITE FINISH	DOLOMITE FINISH	DOLOMITE FINISH	Abyss (3113) Amber (3108) Silver (3090) Polar White (3002) Fossil (3102) Charcoal (3064) Grenadine (3044) Black (3067) Smoothie (3109) Source (3106)	Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)	Abyss (3113) Amber (3108) Silver (3090) Polar White (3002) Fossil (3102) Charcoal (3064) Grenadine (3044) Black (3067) Smoothie (3109) Source (3106)		
White (BW)	White (BW)	White (BW)					
Antique White (AW)	Antique White (AW)	Antique White (AW)					
Charcoal (F)	Charcoal (F)	Charcoal (F)					
Frost (A)	Frost (A)	Frost (A)					
Black (N)	Black (N)	Black (N)					
SUEDE FINISH	SUEDE FINISH	SUEDE FINISH					
Cherry (CH)	Cherry (CH)	Cherry (CH)					
Dark Oak (DK)	Dark Oak (DK)	Dark Oak (DK)					
Cayenne Maple (CM)	Cayenne Maple (CM)	Cayenne Maple (CM)					
Honey (HO)	Honey (HO)	Honey (HO)					
SUPERMAT FINISH	SUPERMAT FINISH	SUPERMAT FINISH					
Tobacco Cherry (TC)	Tobacco Cherry (TC)	Tobacco Cherry (TC)					
Chestnut (CG)	Chestnut (CG)	Chestnut (CG)					
Maritime Maple (EM)	Maritime Maple (EM)	Maritime Maple (EM)					
Willow Grey (WG)	Willow Grey (WG)	Willow Grey (WG)					
Moka (PM)	Moka (PM)	Moka (PM)					
Douglas Pine (DP)	Douglas Pine (DP)	Douglas Pine (DP)					
AURA FINISH	AURA FINISH	AURA FINISH					
Carbon (CB)	Carbon (CB)	Carbon (CB)					
Dalia (DA)	Dalia (DA)	Dalia (DA)					
Galaxy (GX)	Galaxy (GX)	Galaxy (GX)					
Ginger Root (GG)	Ginger Root (GG)	Ginger Root (GG)					
Sea Salt (SM)	Sea Salt (SM)	Sea Salt (SM)					
Sesame (SE)	Sesame (SE)	Sesame (SE)					
Twilight (TL)	Twilight (TL)	Twilight (TL)					
							
					ANGLED WOOD LEGS		
					WOOD		
					Natural (300)		
					Black (306)		













### SPECIFICATION CHARTS – PRIVACY PANELS AND ACCESSORY BARS

The tables below indicate the **MAXIMUM length** of the privacy panel or accessory bar that can be installed on the different models of tables of the Take Off Collection.

LENGTH of the surface = length indicated in the price list.



CONVERGENT or SUPPORTED tables							
Types of legs:							
Surface Shape:		Tubular 4"	Base plate round or square	Monolithic	Tubular round or square	Double O, folded corner leg, angled metal or wood	
<b>"D" SHAPED</b> 	36" P. 30" P.	Maximum length = Surface length minus 24"	-	-	-	 Convergent table	
			-	-	-		
			-	-	-		
	24" P.	Maximum length = Surface length minus 18"	-	-	-		
			-	-	-		
			-	-	-		
<b>ARCHED</b> 	Maximum length = Surface length minus 12"			Maximum length = Surface length minus 18"		-	 Supported table
<b>RECTANGULAR</b> 	Maximum length = Surface length minus 6"			Maximum length = Surface length minus 12"		-	



Surface supported layering tables SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep						
Types of legs:						
Surface Shape:	Tubular 4"	Base plate round or square	Monolithic	Tubular round or square	Double O, folded corner leg, angled metal or wood	
<b>"D" SHAPED</b> 	36 x 84	MAXIMUM length = 60"	-	-	-	<b>Surface supported laminate support</b> 
	36 x 78	MAXIMUM length = 54"	-	-	-	
	36 x 72	MAXIMUM length = 48"	-	-	-	
	30 x 84	MAXIMUM length = 60"	-	-	-	
	30 x 78	MAXIMUM length = 54"	-	-	-	
	30 x 72	MAXIMUM length = 48"	-	-	-	
	24 x 84	MAXIMUM length = 66"	-	-	-	
	24 x 78	MAXIMUM length = 60"	-	-	-	
	24 x 72	MAXIMUM length = 54"	-	-	-	
<b>ARCHED</b> 	Maximum length = Surface length minus 12"		Maximum length = Surface length minus 18"		-	<b>Surface supported metal support</b> 
<b>RECTANGULAR</b> 	Maximum length = Surface length minus 6"		Maximum length = Surface length minus 12"		-	















### SPECIFICATION CHARTS – DOUBLE SCREENS AND MODESTY PANELS

The charts below indicate the **MAXIMUM length** of the double screen or modesty panels that can be installed on the different models of tables of the Take Off Collection.









LENGTH of the surface = length indicated in the price list.




CONVERGENT or SUPPORTED tables						
Types of legs:		 Tubular 4"	 Base plate round or square	 Monolithic	 Tubular round or square	 Double O, folded corner leg, angled metal or wood
Surface Shape:						
<b>"D" SHAPED</b> 	36" P.	Maximum length = Surface length minus <b>24"</b>	-	-	-	 Convergent table
	30" P.		-	-	-	
			-	-	-	
	24" P.	Maximum length = Surface length minus <b>18"</b>	-	-	-	
			-	-	-	
			-	-	-	
<b>ARCHED</b> 		Maximum length = Surface length minus <b>12"</b>	Maximum length = Surface length minus <b>18"</b>		-	 Supported table
<b>RECTANGULAR</b> 		Maximum length = Surface length minus <b>6"</b>	Maximum length = Surface length minus <b>12"</b>			
<i>Modesty panels cannot be used with CONVERGENT "D" shaped tables 42" or less, as well as arched or rectangular SUPPORTED tables of 30" as the smallest panel is 24" L.</i>						




Modesty panels cannot be used with CONVERGENT "D" shaped tables 42" or less, as well as arched or rectangular SUPPORTED tables of 30" as the smallest panel is 24" L.



Surface supported layering tables						
SHORT laminate or ADJUSTABLE metal support on Sierra credenzas 21" or 24" deep						
Types of legs:						
Surface Shape:		Tubular 4"	Base plate round or square	Monolithic	Tubular round or square	Double O, folded corner leg, angled metal or wood
<b>"D" SHAPED</b> 	36 x 84	MAXIMUM length = 36"		-	-	-
	36 x 78	MAXIMUM length = 30"		-	-	-
	36 x 72	MAXIMUM length = 24"		-	-	-
	30 x 84	MAXIMUM length = 36"		-	-	-
	30 x 78	MAXIMUM length = 30"		-	-	-
	30 x 72	MAXIMUM length = 24"		-	-	-
	24 x 84	MAXIMUM length = 42"		-	-	-
	24 x 78	MAXIMUM length = 36"		-	-	-
	24 x 72	MAXIMUM length = 30"		-	-	-
<b>ARCHED</b> 	Maximum length = Surface length minus 36"			Maximum length = Surface length minus 42"		-
<b>RECTANGULAR</b> 	Maximum length = Surface length minus 30"			Maximum length = Surface length minus 36"		

Surface supported laminate support



Surface supported metal support




























## SPECIFICATION CHART – INTERIOR CLEARANCE FOR LAMINATE STORAGE


### INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of **LAMINATE** storage units. This chart illustrates the clearance available under the desks and tables.

SURFACE depth	LAMINATE STORAGE UNIT depth			
	18"	20"	21"	24"
18"	Does not fit	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	 3/8" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 3 3/8" Space	 2 3/8" Space	Does not fit
30"	 11 1/4" Space	 9 3/8" Space	 8 3/8" Space	 5 3/8" Space
30" (modesty recessed 5")	 6 1/2" Space	 4 3/4" Space	 3 5/8" Space	 5/8" Space
36"	 17 1/4" Space	 15 3/8" Space	 14 3/8" Space	 11 3/8" Space
36" (modesty recessed 11")	 6 1/2" Space	 4 3/4" Space	 3 5/8" Space	 5/8" Space

### INTERIOR CLEARANCE (vertical) UNDER THE SURFACES

Pictured is the vertical space used when a LAMINATE storage unit is placed under a surface 29" H.


















### SPECIFICATION CHART – INTERIOR CLEARANCE FOR METAL STORAGE


#### INTERIOR CLEARANCE (horizontal) UNDER THE SURFACE

The tables and desks of the Take Off Collection are available with different interior clearances for the placement of **METAL** storage units. Refer to the Metal storage price list for the available products with the exception of the **FP45/47** pedestal that is available in this price list on [p.B48](#).

SURFACE depth	METAL STORAGE UNIT depth		
	18"	22"	28"
18"	Does not fit	Does not fit	Does not fit
21"	 2 1/4" Space	Does not fit	Does not fit
24"	 5 1/4" Space	 1 1/4" Space	Does not fit
30"	 11 1/4" Space	 7 1/4" Space	 1 1/4" Space
30" (modesty recessed 5")	 6 3/8" Space	 2 3/8" Space	Does not fit
36"	 17 1/4" Space	 13 1/4" Space	 7 1/4" Space
36" (modesty recessed 11")	 6 3/8" Space	 2 3/8" Space	Does not fit

#### INTERIOR CLEARANCE (Vertical) UNDER THE SURFACES

Pictured is the vertical space used when a METAL storage unit (with drawers 6" or 12") is placed under a surface 29" H.



\* Other types of 2-drawer lateral files with metal or laminate fronts come into interference with the surface.




### SPECIFICATION EXAMPLES

Here are some examples of codes applied to different products.

#### ASSEMBLED DESK WITH RIGHT-SIDE PEDESTAL

Dimensions : 30" x 36" x 72"



Ordering code :

**TM-DD3672T-STL/3TL-SM/SM-TN-G2L-JJ**

**Series :** Mike (top 1½")  
**Surface :** Twilight (HPL)  
**Edge band :** Fluted (Twilight)  
**Base :** Sea Salt

**Drawer fronts:** Sea Salt  
**Pull options:** Nickel TECHNO- TN  
**Grommet option:** Charcoal, left  
**Modesty option:** With rounded accent


#### SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Mod.
T M	- DD3672T	- STL	/ 3TL	- SM	/ SM	- TN	- G2L	-	- JJ

#### OPTIONS

#### RECTANGULAR SHARED BENCHING TABLES WITH COMBINED END PANELS

Dimensions : 60" x 144"



Ordering code :

**TS-BC4IX3072-MGX/0GX-GX-3002-G1LR-ECC**

**Series:** Sierra (top 1")  
**Surface:** Galaxy (TFL)  
**Edge band:** Galaxy  
**Base:** Galaxy  
**Metal:** White

**Grommet option:** White, left and right  
**Multi-outlet option:** 1-circuit multi-outlet, center.


#### SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T S	- BC4IX3072	- MGX	/ 0GX	- GX	/ 3002	- G1LR	- ECC

#### OPTIONS

#### CREDENZA WITH DRAWERS – 23" H.

Dimensions : 21" x 72" x 23"



Ordering code :

**TS-CZOUF217223-MDP/0DP-DP/BW-YN-G14**

**Series:** Sierra (top 1")  
**Surface:** Douglas Pine (T.F.L.)  
**Edge band:** Douglas Pine  
**Base:** Douglas Pine

**Drawer fronts:** White  
**Pulls option:** Brushed Nickel - YN  
**Grommet option:** White


#### SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T S	- CZOUF217223	- MDP	/ 0DP	- DP	/ BW	- YN	- G14	-

#### OPTIONS

#### BOOKCASE HUTCH – 2 DOORS

Dimensions : 14" x 36" x 37"



Ordering code :

**TL-HPDD3637-MDP/V1-DP/DP-YN-L**

**Series:** Lima (top 1")  
**Surface:** Douglas Pine (T.F.L.)  
**Edge band:** Striped/Multiply-Maple  
**Base:** Douglas Pine  
**Fronts:** Douglas Pine

**Fronts:** Douglas Pine  
**Pulls option:** Brushed Nickel - YN  
**Noki electronic lock option**


#### SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T L	- HPDD3637	- MDP	/ V1	- DP	/ DP	- YN	- L

#### OPTION

#### HUTCH WITH FLIPPER DOORS, METAL LEGS, CONTEMPORARY ALUMINUM FRAME, LAMINATE INTERIOR

Dimensions : 14" x 72" x 43"



Ordering code :

**TS-HUM7243-GX/CB-3090**

**Series:** Sierra  
**Base:** Galaxy (T.F.L.)  
**Fronts:** Carbon  
**Metal:** Silver

#### SPECIFY

Series	Code	Base	Fronts	Metal
T S	- HUM7243	- GX	/ CB	- 3090



### TYPICAL LAYOUTS

Prices shown for the typical layouts are based on the following specifications:

- 1" thick surface.
- Grade 1 fabric on cushions.
- No options added.

Refer to the price list for the various options available for each component.

Layout TO-14-01

TL-SWDUFF212472	Combined storage 72" H.	1 474 \$
TL-HWD7216	Wall mounted hutch	723 \$
TS-CZUF0217223	Credenza 23" H. - drawers	1 245 \$
TS-REEP2172L	Surface-mounted return - left	260 \$
TL-Di3072T	Rectangular desk - single pedestal UUF	1 008 \$
		<b>4 710 \$</b>

Layout TO-14-02

TS-HF7237	Hutch 37" H. - metal legs	1 469 \$
TL-CZCO217229	Credenza 29" H. - combined storage unit	1 148 \$
TL-REB2148	Bridge return	291 \$
TL-DT13072G	Rectangular table - monolithic laminate base	621 \$
		<b>3 529 \$</b>

Layout TO-14-03

TL-SDDGiCFF213672	Combined storage 72" H. - contemp. frame acry.	2 406 \$
TL-HDGiC7243	Hutch - contemporary frame / acrylic	1 931 \$
TL-Ti2172LL	Rectangular table - full end panels	538 \$
TL-FPUUF	Freestanding pedestal - without top / with pulls	654 \$
TL-DS2460C	"D" shaped table - round base	492 \$
		<b>6 021 \$</b>

Layout TO-14-04

TL-SDO213650	Single door cabinet 50" H.	1 008 \$
TL-RER2142	Reversible return	334 \$
TL-FPUUY	Freestanding pedestal with recycling bin	616 \$
TL-DTA3072F	"D" shaped table (arched) - square legs	702 \$
		<b>2 660 \$</b>

Layout TO-14-05


TS-CZDD213623	Storage 23" H. - doors	723 \$
TL-HWUGiC7216	Wall mounted hutch pivot lift - cont. frame/acrylic	1 848 \$
TS-DPiX3072L	Left surface mounted table - combined material	716 \$
TS-CZOUF217223	Credenza 23" H. - drawers	1 245 \$
TL-HPDD3643	Bookcase hutch 43" H.	715 \$
TS-CZUF213623	Storage 23" H. - drawers	764 \$
		<b>5 011 \$</b>


Layout TO-14-06

TL-SOUFL211850	2-Way cabinet 50" H. - left	973 \$
TS-CZOO217223 (2)	Open credenza 23" H.	1 710 \$
TL-SOUFR211850	2-Way cabinet 50" H. - right	973 \$
TS-DPiO3072R	Right surface mounted table - open metal	658 \$
TS-DPiO3072L	Left surface mounted table - open metal	658 \$
TS-PPOV1566	Laminate privacy panel	298 \$
		<b>5 270 \$</b>




### TYPICAL LAYOUTS (CONT'D)






**Layout TO-14-07**


TS-DAiD3078 (2)	Surface mounted table adjust. height - square base	1 654 \$
TS-CZOUF217223	Credenza 23" H. - drawers	1 245 \$
TL-HPDD3643	Bookcase hutch 43" H.	715 \$
TS-CZUF213623	Storage 23" H. - drawers	764 \$
TS-CZUFO217223	Credenza 23" H. - drawers	1 245 \$
		<b>5 623 \$</b>






**Layout TO-14-08**


TS-CZUFO217223 (3)	Credenza 23" H. - drawers	3 735 \$
TS-DPiX3072R (3)	Right surface mounted table - comb. material	2 148 \$
TL-HWF7216 (3)	Wall mounted hutch	2 448 \$
		<b>8 331 \$</b>






**Layout TO-14-09**


TS-BC2iO3072	Rect. shared benching tables - open metal	1 743 \$
TS-PPOV1566	Laminate privacy screen	298 \$
TL-MPUF1520 (2)	Mobile pedestal	1 064 \$
		<b>3 105 \$</b>






**Layout TO-14-10**


TS-BC3CVM3048	120° shared benching tables - perforated metal	4 310 \$
TS-PPOVGiA1542 (3)	Frosted acrylic privacy screen	855 \$
		<b>5 165 \$</b>






**Layout TO-14-11**

TS-BC4i3060	Rect. shared benching tables- full end panels	2 739 \$
TS-FBPUF156023 (2)	Shared end-of-run storage unit	2 462 \$
TL-CUS1560 (2)	Cushion	950 \$
TL-HMA6013 (2)	Shelf with integrated pigeonhole unit	1 198 \$
		<b>7 349 \$</b>





**Layout TO-14-12**

TS-BC6iX3072	Rect. shared benching tables - comb. material	4 683 \$
TS-CZDUFO217223 (3)	Credenza 23" H. - doors and drawers	3 261 \$
TS-CZOUFD217223 (3)	Credenza 23" H. - drawers and doors	3 261 \$
TS-PPOVGiA1566 (3)	Frosted acrylic privacy panel	1 182 \$
		<b>12 387 \$</b>



# Desks / tables L-M

## DESKS AND RETURNS

---

assembled desks	A2
assembled returns	A13
reversible returns and bridge returns	A16

## RECEPTION

---

reception desks	A17
countertops	A19

## TABLE [LAMINATE BASE]

---

rectangular tables	A21
bow front tables	A25
offset bow front tables	A26
tables with integrated half-return	A27
connecting tables	A28
dual depth tables	A29
90° corner tables	A31

## TABLE [LEGS]

---

"D" shaped tables	A37
"D" shaped arched or rectangular tables	A42
"P" shaped tables	A57
"L" shaped tables	A60
"PL" shaped tables	A61
"shark" shaped tables	A62
"teardrop" shaped tables and shared meeting surfaces	A63




# desks / tables L-M

## assembled rectangular desks


price list

Rectangular desk with double pedestals (6" & 12" drawers).  
Desks with depths of 21" and 24" can be used as credenzas.  
Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672U	1492	1707	1726	1865	50.3	296	337
30	72	Di3072U	1458	1651	1669	1795	42.5	287	321
30	66	Di3066U	1417	1606	1623	1749	39.0	253	284
30	60	Di3060U	1403	1518	1535	1658	39.0	242	271
24	72	Di2472U	1386	1494	1509	1620	34.0	264	291
24	66	Di2466U	1356	1454	1461	1580	31.2	257	282
24	60	Di2460U	1282	1412	1428	1538	28.4	249	272
21	72	Di2172U	1363	1433	1437	1553	30.7	244	266
21	66	Di2166U	1327	1396	1405	1516	30.7	237	258
21	60	Di2160U	1253	1360	1373	1480	25.6	218	250

Rectangular desk with double pedestals (12" drawers).  
Desks with depths of 21" and 24" can be used as credenzas.  
12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all the drawers.



36	72	Di3672F	1492	1707	1726	1865	50.3	299	340	
30	72	Di3072F	1458	1651	1669	1795	42.5	276	310	
30	66	Di3066F	1417	1606	1623	1749	39.0	268	299	
30	60	Di3060F	1403	1518	1535	1658	39.0	259	288	
24	72	Di2472F	1386	1494	1509	1620	34.0	254	281	
24	66	Di2466F	1356	1454	1461	1580	31.2	246	271	
24	60	Di2460F	1282	1412	1428	1538	28.4	239	261	
21	72	Di2172F	1363	1433	1437	1553	30.7	233	256	
21	66	Di2166F	1327	1396	1405	1516	30.7	227	248	
21	60	Di2160F	1253	1360	1373	1480	25.6	220	239	

### S SPECIFY

### O OPTIONS

Series Code Surface Edge Base Fronts Pull Grommet M-Outlet Modesty Lock

T  -  -  /  -  /  -  -  -  -  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, see p.84-85.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.

Multi-Outlet: Option of standard multi-outlet, centered (UCC), add \$213, p.52.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.






# desks / tables L-M


## assembled rectangular desks

price list



Rectangular desk with double pedestals (3 drawers at left and 2 drawers at right).  
Desks with depths of 21" and 24" can be used as credenzas.  
Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672Y	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Y	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Y	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Y	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Y	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Y	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Y	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Y	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Y	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Y	1253	1360	1373	1480	25.6	226	245



Rectangular desk with double pedestals (2 drawers at left and 3 drawers at right).  
Desks with depths of 21" and 24" can be used as credenzas.  
Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

36	72	Di3672Z	1492	1707	1726	1865	50.3	304	345
30	72	Di3072Z	1458	1651	1669	1795	42.5	281	315
30	66	Di3066Z	1417	1606	1623	1749	39.0	273	304
30	60	Di3060Z	1403	1518	1535	1658	39.0	264	293
24	72	Di2472Z	1386	1494	1509	1620	34.0	259	286
24	66	Di2466Z	1356	1454	1461	1580	31.2	251	276
24	60	Di2460Z	1282	1412	1428	1538	28.4	244	267
21	72	Di2172Z	1363	1433	1437	1553	30.7	239	261
21	66	Di2166Z	1327	1396	1405	1516	30.7	232	253
21	60	Di2160Z	1253	1360	1373	1480	25.6	226	245

### S SPECIFY

### O OPTIONS

Series Code Surface Edge Base Fronts Pull Grommet M-Outlet Modesty Lock

T  -  -  /  -  /  -  -  -  -  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, see p.84-85.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

Grommet: White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.


or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.

Multi-Outlet: Option of standard multi-outlet, centered (UCC), add \$213, p.52.

Modesty panel (tables 30" or 36" deep): Option of modesty panel with curved base detail (JJ), add \$83.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.





# desks / tables L-M


## assembled rectangular desks

price list

Rectangular desk with single left pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.




			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672S	1100	1296	1167	1417	50.3	247	288
30	72	Di3072S	1056	1238	1133	1343	42.5	218	254
30	66	Di3066S	1023	1197	1114	1305	39.0	207	239
30	60	Di3060S	957	1121	1046	1220	39.0	197	225
24	72	Di2472S	937	1096	1016	1188	34.0	221	248
24	66	Di2466S	871	1016	944	1101	31.2	214	239
24	60	Di2460S	836	957	891	1034	28.4	206	229
21	72	Di2172S	878	1004	935	1086	30.7	201	223
21	66	Di2166S	815	932	868	1005	30.7	194	215
21	60	Di2160S	789	894	837	963	25.6	175	207

Rectangular desk with single right pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



36	72	Di3672T	1100	1296	1167	1417	50.3	247	288
30	72	Di3072T	1056	1238	1133	1343	42.5	218	254
30	66	Di3066T	1023	1197	1114	1305	39.0	207	239
30	60	Di3060T	957	1121	1046	1220	39.0	197	225
24	72	Di2472T	937	1096	1016	1188	34.0	221	248
24	66	Di2466T	871	1016	944	1101	31.2	214	239
24	60	Di2460T	836	957	891	1034	28.4	206	229
21	72	Di2172T	878	1004	935	1086	30.7	201	223
21	66	Di2166T	815	932	868	1005	30.7	194	215
21	60	Di2160T	789	894	837	963	25.6	175	207

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T										

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.


**Multi-Outlet (Di\_\_S):** Option of standard multi-outlet (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.

**Multi-Outlet (Di\_\_T):** Option of standard multi-outlet (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.

**Modesty panel (tables 30" or 36" deep):** Option of modesty panel with curved base detail (JJ), add \$83.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.





# desks / tables L-M


## assembled rectangular desks

price list

Rectangular desk with single left pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.




			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672V	1100	1296	1167	1417	50.3	252	293
30	72	Di3072V	1056	1238	1133	1343	42.5	229	263
30	66	Di3066V	1023	1197	1114	1305	39.0	221	252
30	60	Di3060V	957	1121	1046	1220	39.0	212	241
24	72	Di2472V	937	1096	1016	1188	34.0	207	234
24	66	Di2466V	871	1016	944	1101	31.2	199	224
24	60	Di2460V	836	957	891	1034	28.4	192	214
21	72	Di2172V	878	1004	935	1086	30.7	186	209
21	66	Di2166V	815	932	868	1005	30.7	180	201
21	60	Di2160V	789	894	837	963	25.6	173	192

Rectangular desk with single right pedestal.

12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.



36	72	Di3672W	1100	1296	1167	1417	50.3	252	293
30	72	Di3072W	1056	1238	1133	1343	42.5	229	263
30	66	Di3066W	1023	1197	1114	1305	39.0	221	252
30	60	Di3060W	957	1121	1046	1220	39.0	212	241
24	72	Di2472W	937	1096	1016	1188	34.0	207	234
24	66	Di2466W	871	1016	944	1101	31.2	199	224
24	60	Di2460W	836	957	891	1034	28.4	192	214
21	72	Di2172W	878	1004	935	1086	30.7	186	209
21	66	Di2166W	815	932	868	1005	30.7	180	201
21	60	Di2160W	789	894	837	963	25.6	173	192

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**O** **Pull:** Pull options, specify type, add \$22 per drawer, p.83.

**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.


**Multi-Outlet (Di\_\_S):** Option of standard multi-outlet (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.

**Multi-Outlet (Di\_\_T):** Option of standard multi-outlet (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.

**Modesty panel (tables 30" or 36" deep):** Option of modesty panel with curved base detail (JJ), add \$83.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.





desks / tables L-M


assembled rectangular desks

price list

Rectangular desk with double suspended pedestals.

Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.




		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672P	1286	1491	1394	1643	50.3	263	304
30	72	Di3072P	1235	1432	1365	1569	42.5	230	264
30	66	Di3066P	1210	1394	1339	1529	39.0	222	253
30	60	Di3060P	1148	1322	1274	1448	39.0	212	240
24	72	Di2472P	1142	1320	1287	1426	34.0	224	251
24	66	Di2466P	1113	1258	1234	1367	31.2	216	241
24	60	Di2460P	1045	1199	1166	1298	28.4	209	231
21	72	Di2172P	1130	1307	1268	1415	30.7	186	210
21	66	Di2166P	1090	1249	1217	1344	30.7	181	196
21	60	Di2160P	1040	1184	1155	1279	25.6	175	189

S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T										

O OPTIONS

- S** Series: L or M see specifications p.47.
- Code:** Consult the above product code list.
- Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.
- O** Pull: Pull options, specify type, add \$22 per drawer, p.83.
- Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.  
or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.
- Multi-Outlet:** Option of standard multi-outlet, centered (UCC), add \$213, p.52.
- Modesty panel (tables 30" or 36" deep):** Option of modesty panel with curved base detail (JJ), add \$83.  
or Option of 18" high (U18) modesty panel, option free of charge, see p.53.
- Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.






# desks / tables L-M

## assembled rectangular desks

price list




Rectangular desk with single left suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	Di3672M	996	1189	1058	1309	50.3	231	272
30	72	Di3072M	972	1137	1042	1245	42.5	203	239
30	66	Di3066M	954	1099	1015	1206	39.0	192	223
30	60	Di3060M	848	1009	935	1109	39.0	181	210
30	48	Di3048M	792	939	888	1026	28.7	160	183
24	72	Di2472M	950	1016	977	1082	34.0	192	219
24	66	Di2466M	811	968	908	1053	31.2	184	209
24	60	Di2460M	798	946	897	1034	28.4	177	199
24	48	Di2448M	736	873	837	948	23.4	137	156
21	72	Di2172M	822	992	936	1005	30.7	159	182
21	66	Di2166M	773	932	879	953	30.7	149	164
21	60	Di2160M	760	905	809	1021	25.6	143	157



Rectangular desk with single right suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

36	72	Di3672N	996	1189	1058	1309	50.3	231	272
30	72	Di3072N	972	1137	1042	1245	42.5	203	239
30	66	Di3066N	954	1099	1015	1206	39.0	192	223
30	60	Di3060N	848	1009	935	1109	39.0	181	210
30	48	Di3048N	792	939	888	1026	28.7	160	183
24	72	Di2472N	950	1016	977	1082	34.0	192	219
24	66	Di2466N	811	968	908	1053	31.2	184	209
24	60	Di2460N	798	946	897	1034	28.4	177	199
24	48	Di2448N	736	873	837	948	23.4	137	156
21	72	Di2172N	822	992	936	1005	30.7	159	182
21	66	Di2166N	773	932	879	953	30.7	149	164
21	60	Di2160N	760	905	809	1021	25.6	143	157

### S SPECIFY

Series Code Surface Edge Base Fronts Pull Grommet M-Outlet Modesty Lock

T  -  -  /  -  /  -  -  -  -  -

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.

**Multi-Outlet (Di\_\_S):** Option of standard multi-outlet (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.


**Multi-Outlet (Di\_\_T):** Option of standard multi-outlet (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.

**Modesty panel (tables 30" or 36" deep):** Option of modesty panel with curved base detail (JJ), add \$83.

or Option of 18" high (U18) modesty panel, option free of charge, see p.53.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.






# desks / tables L-M

assembled bow front desks with curved interior access


price list



36" wide bow front desk (curved interior access) with double pedestals.  
Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DC3672Y		1515	1731	1638	1888	50.3 272 308

30	36	72	DC3672U		1515	1731	1638	1888	50.3 272 308
----	----	----	---------	--	------	------	------	------	--------------



36" wide bow front desk (curved interior access) with double suspended pedestals.  
Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.


30	36	72	DC3672P		1306	1513	1425	1673	50.3 241 278
----	----	----	---------	--	------	------	------	------	--------------

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T										

## O OPTIONS

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.  
**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.  
**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.  
or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.  
**Multi-Outlet:** Option of standard multi-outlet, centered (UCC), add \$213, p.52.  
**Modesty panel (tables 30" or 36" deep):** Option of modesty panel with curved base detail (JJ), add \$83.  
or (DC\_P): Option of 18" high (U18) modesty panel, option free of charge.  
**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.







# desks / tables L-M

price list

*assembled bow front desks with curved interior access*

36" wide bow front desk (curved interior access) with single pedestal (left or right).  
Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.  
Grommet or multi-outlet module option is available at center or the opposite side of the pedestal.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DC3672S		1121	1320	1190	1441	50.3 226 263

30	36	72	DC3672T		1121	1320	1190	1441	50.3 226 263
----	----	----	---------	--	------	------	------	------	--------------

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**O** **Pull:** Pull options, specify type, add \$22 per drawer, p.83.

**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.

or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.


**Multi-Outlet Module (DC\_\_S):** Option of standard multi-outlet module (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.

**Multi-Outlet Module (DC\_\_T):** Option of standard multi-outlet module (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.

**Modesty panel:** Option of modesty panel with curved base detail (JJ), add \$83.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.






# desks / tables L-M


## assembled bow front desks

price list


Bow front desk with double pedestals.  
Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 bottom drawers.



				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	36	72	DD3672Y	1485	1697	1607	1858	50.3	272	308
30	36	66	DD3666Y	1460	1665	1587	1817	50.3	263	297
30	36	60	DD3660Y	1407	1599	1538	1746	42.1	255	285



30	36	72	DD3672U	1485	1697	1607	1858	50.3	276	314
30	36	66	DD3666U	1460	1665	1587	1817	50.3	264	299
30	36	60	DD3660U	1407	1599	1538	1746	42.1	253	285



Bow front desk with double suspended pedestals.  
Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.


30	36	72	DD3672P	1274	1473	1383	1618	50.3	245	283
30	36	66	DD3666P	1254	1449	1370	1599	50.3	233	269
30	36	60	DD3660P	1190	1376	1326	1533	42.1	222	254

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTIONS

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.  
**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.  
**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.  
or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.  
**Multi-Outlet:** Option of standard multi-outlet, centered (UCC), add \$213, p.29.  
**Modesty panel:** Option of modesty panel with curved base detail (JJ), add \$83.  
or (DD\_P): Option of 18" high (U18) modesty panel, option free of charge, see p. 53.  
**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.






desks / tables L-M


assembled bow front desks

price list


Bow front desk with single pedestal (left or right).  
Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	DD3672S		1089	1286	1158	1409	50.3 230 268
30	36	66	DD3666S		1065	1256	1142	1371	50.3 218 254
30	36	60	DD3660S		998	1174	1077	1285	42.1 207 239




30	36	72	DD3672T		1089	1286	1158	1409	50.3 230 268
30	36	66	DD3666T		1065	1256	1142	1371	50.3 218 254
30	36	60	DD3660T		998	1174	1077	1285	42.1 207 239



Bow front desk with single suspended pedestal (left or right).  
Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

30	36	72	DD3672M		989	1183	1052	1301	50.3 215 253
30	36	66	DD3666M		950	1135	1019	1247	50.3 203 238
30	36	60	DD3660M		912	1088	985	1194	42.1 192 224




30	36	72	DD3672N		989	1183	1052	1301	50.3 215 253
30	36	66	DD3666N		950	1135	1019	1247	50.3 203 238
30	36	60	DD3660N		912	1088	985	1194	42.1 192 224

S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T			/		/					

O OPTIONS

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.  
**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.  
**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.  
or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.  
**Multi-Outlet (DD\_\_S-M):** Option of standard multi-outlet (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.  
**Multi-Outlet (DD\_\_T-N):** Option of standard multi-outlet (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.  
**Modesty panel:** Option of modesty panel with curved base detail (JJ), add \$83.  
or (DD\_M) (DD\_N): Option of 18" high (U18) modesty panel, option free of charge, see p.53.  
**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.






# desks / tables L-M


assembled offset bow front desks

price list

Offset bow front desk with single pedestal (left or right).  
The bow front overhangs by 6".  
Pencil tray included in the top 6" drawer. 12" drawer includes a filing bar for side-to-side filing.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.



				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	24	DFL3072S	1123	1376	1212	1514	50.3	230	268
30	66	18	DFL3066S	1097	1339	1191	1467	50.3	218	254
30	60	18	DFL3060S	1026	1249	1122	1373	42.1	207	239




30	72	24	DFR3072T	1123	1376	1212	1514	50.3	230	268
30	66	18	DFR3066T	1097	1339	1191	1467	50.3	218	254
30	60	18	DFR3060T	1026	1249	1122	1373	42.1	207	239

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	M-Outlet	Modesty	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTIONS

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.  
**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.  
**Grommet:** White grommet option (G1...) at left ...L, centered ...C and/or at right ...R, add \$32 ea.  
or Charcoal grommet option (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 ea., p.51.  
**Multi-Outlet (DFL\_\_S):** Option of standard multi-outlet (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.  
**Multi-Outlet (DFR\_\_T):** Option of standard multi-outlet (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.  
**Modesty panel:** Option of modesty panel with curved base detail (JJ), add \$83.  
**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.





# desks / tables L-M

assembled returns

price list

29" H. assembled return (right or left) with 3-drawer pedestal.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.


Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.


Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 bottom drawers.

## Multi-Outlet (right return):

- 48" and more: Standard multi-outlet option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.
- 42" and 36": Standard multi-outlet option at left (UCL), add \$213.
- 30": Multi-outlet option not available.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	RET2460	849	1010	891	1029	28.9	146	167
24	54	RET2454	826	978	871	996	26.1	139	159
24	48	RET2448	803	946	851	963	23.4	133	151
24	42	RET2442	780	914	832	930	23.4	126	142
24	36	RET2436	768	881	812	891	17.8	119	133
24	30	RET2430	755	848	791	853	17.8	111	123
21	48	RET2148	788	926	836	930	20.5	127	143
21	42	RET2142	766	894	814	899	18.3	120	134
21	36	RET2136	754	866	795	865	15.8	113	125
21	30	RET2130	743	837	778	831	15.8	105	115



## Multi-Outlet (left return):

- 48" and more: Standard multi-outlet option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.
- 42" and 36": Standard multi-outlet option at right (UCR), add \$213.
- 30": Multi-outlet option not available.

24	60	RES2460	849	1010	891	1029	28.9	146	167
24	54	RES2454	826	978	871	996	26.1	139	159
24	48	RES2448	803	946	851	963	23.4	133	151
24	42	RES2442	780	914	832	930	23.4	126	142
24	36	RES2436	768	881	812	891	17.8	119	133
24	30	RES2430	755	848	791	853	17.8	111	123
21	48	RES2148	788	926	836	930	20.5	127	143
21	42	RES2142	766	894	814	899	18.3	120	134
21	36	RES2136	754	866	795	865	15.8	113	125
21	30	RES2130	743	837	778	831	15.8	105	115

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grommet	Pull	M-Outlet	Lock
T			/		/				

## O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, see p.84-85.

**O** Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

Pull: Pull options, specify type, add \$22 per drawer, p.83.

Multi-Outlet: Option of standard multi-outlet, as per above specifications, add \$213 ea., p.52.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# desks / tables L-M


assembled returns

price list


29" H. assembled return (right or left) with 2 drawer pedestal.  
 12" drawers include a filing bar for side-to-side filing.  
 Returns 48" and longer have 2 grommets included.  
 Returns 42" and less have 1 grommet included on the opposite side of the pedestal.  
 Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

## Multi-Outlet (right return):

- 48" and more: Standard multi-outlet option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.52.
- 42" and 36": Standard multi-outlet option at left (UCL).
- 30": Multi-outlet option not available.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	REW2460	849	1010	891	1029	28.9	150	171
24	54	REW2454	826	978	871	996	26.1	143	163
24	48	REW2448	803	946	851	963	23.4	133	151
24	42	REW2442	780	914	832	930	23.4	126	142
24	36	REW2436	768	881	812	891	17.8	119	133
24	30	REW2430	755	848	791	853	17.8	111	123
21	48	REW2148	788	926	836	930	20.5	127	143
21	42	REW2142	766	894	814	899	18.3	120	134
21	36	REW2136	754	866	795	865	15.8	113	125
21	30	REW2130	743	837	778	831	15.8	105	115



## Multi-Outlet (left return):

- 48" and more: Standard multi-outlet option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.52.
- 42" and 36": Standard multi-outlet option at right (UCR).
- 30": Multi-outlet option not available.

24	60	REV2460	849	1010	891	1029	28.9	150	171	
24	54	REV2454	826	978	871	996	26.1	143	163	
24	48	REV2448	803	946	851	963	23.4	133	151	
24	42	REV2442	780	914	832	930	23.4	126	142	
24	36	REV2436	768	881	812	891	17.8	119	133	
24	30	REV2430	755	848	791	853	17.8	111	123	
21	48	REV2148	788	926	836	930	20.5	127	143	
21	42	REV2142	766	894	814	899	18.3	120	134	
21	36	REV2136	754	866	795	865	15.8	113	125	
21	30	REV2130	743	837	778	831	15.8	105	115	

## S SPECIFY

Series  Code  Surface  / Edge  - Base  / Fronts  - Grommet  - Pull  - M-Outlet  - Lock

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

**Multi-Outlet:** Option of standard multi-outlet, as per above specifications, add \$213 ea., p.52.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# desks / tables L-M

assembled returns

price list

29" H. assembled return (right or left) with 2-drawer suspended pedestal.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.


Returns 48" and longer have 2 grommets included.

Returns 42" and less have 1 grommet included on the opposite side of the pedestal.

Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 drawers.

## Multi-Outlet (right return):


- 48" and more: Standard multi-outlet option (UC...) at left ...L and/or centered ...C, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet option at left (UCL).
- 30": Multi-outlet option not available.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	REN2460	743	894	859	999	28.9	135	156
24	54	REN2454	717	865	835	960	26.1	128	148
24	48	REN2448	692	835	811	922	23.4	123	141
24	42	REN2442	667	805	787	883	23.4	116	132
24	36	REN2436	653	773	766	845	17.8	109	123
24	30	REN2430	640	740	746	807	17.8	101	113
21	48	REN2148	667	806	787	887	20.5	117	133
21	42	REN2142	656	778	768	853	18.3	110	124
21	36	REN2136	644	749	750	818	15.8	103	115
21	30	REN2130	633	721	732	785	15.8	95	105

## Multi-Outlet (left return):

- 48" and more: Standard multi-outlet option (UC...) centered ...C and/or at right ...R, add \$213 ea., p.29.
- 42" and 36": Standard multi-outlet option at right (UCR).
- 30": Multi-outlet option not available.



24	60	REM2460	743	894	859	999	28.9	135	156
24	54	REM2454	717	865	835	960	26.1	128	148
24	48	REM2448	692	835	811	922	23.4	123	141
24	42	REM2442	667	805	787	883	23.4	116	132
24	36	REM2436	653	773	766	845	17.8	109	123
24	30	REM2430	640	740	746	807	17.8	101	113
21	48	REM2148	667	806	787	887	20.5	117	133
21	42	REM2142	656	778	768	853	18.3	110	124
21	36	REM2136	644	749	750	818	15.8	103	115
21	30	REM2130	633	721	732	785	15.8	95	105

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grommet	Pull	M-Outlet	Modesty	Lock
T										

## O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, see p.84-85.

Pull: Pull options, specify type, add \$22 per drawer, p.83.

**O** Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

Multi-Outlet: Option of standard multi-outlet, as per above specifications, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) modesty panel, no charge, see p.53.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# desks / tables L-M

## reversible returns


price list

29" H. reversible return.

Returns 42" and less have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to Accessories price list.



		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	RER2460	457	627	572	695	5.1	91	112
24	54	RER2454	424	585	541	645	4.6	84	104
24	48	RER2448	391	543	510	594	4.2	78	96
24	42	RER2442	358	502	480	543	3.9	70	86
24	36	RER2436	327	462	461	512	3.5	63	78
24	30	RER2430	304	431	451	498	3.2	56	68
21	48	RER2148	382	527	502	572	3.8	72	88
21	42	RER2142	350	487	464	525	3.5	64	78
21	36	RER2136	321	435	443	496	3.2	57	70
21	30	RER2130	297	422	430	485	2.9	50	60
18	36	RER1836	315	453	438	494	2.7	51	63
18	30	RER1830	293	413	425	472	2.4	44	53

## bridge returns


29" H. bridge return.

Bridge returns cannot accommodate suspended pedestals.

Returns 42" and less have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to Accessories price list.



24	48	REB2448	311	448	397	497	2.8	60	78
24	42	REB2442	299	406	369	448	2.5	52	68
24	36	REB2436	287	374	349	416	2.1	45	60
24	30	REB2430	276	334	339	402	1.8	38	50
21	48	REB2148	305	437	386	482	2.5	56	72
21	42	REB2142	294	397	359	432	2.2	48	62
21	36	REB2136	282	365	339	402	1.9	41	54
21	30	REB2130	270	323	328	386	1.6	34	44
18	48	REB1848	299	426	375	466	2.2	52	67
18	42	REB1842	287	386	348	417	1.9	44	57
18	36	REB1836	276	354	328	391	1.6	37	49
18	30	REB1830	264	312	317	374	1.3	30	39

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet Modesty

T  -  -  /  -  -  -  -  -

### O OPTIONS

**S Series:** L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On returns 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge.




# desks / tables L-M

price list

## closed reception desks with curved countertop [left pedestal]

### DESK



Reception desk with pedestal at left, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.


Noki locks standard, key locks available as an option (no upcharge). Will lock 2 bottom drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	42	RDS3072		1428	1709	1517	1835	58.9 293 345
30	66	42	RDS3066		1393	1653	1448	1730	58.9 283 319

30	72	42	RDV3072		1428	1709	1517	1835	58.9 293 345
30	66	42	RDV3066		1393	1653	1448	1730	58.9 283 319

30	72	42	RDM3072		1349	1615	1429	1741	58.9 278 330
30	66	42	RDM3066		1328	1560	1354	1636	58.9 268 304

### RIGHT RETURN



Right return with right pedestal for reception desk with pedestal at left.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock 2 bottom drawers.

24	60	41	RDRT2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRT2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRT2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRW2460		1066	1249	1128	1278	39.2 187 205
24	48	41	RDRW2448		1008	1151	1056	1166	31.6 167 181
24	42	41	RDRW2442		975	1107	1025	1123	31.6 156 169

24	60	41	RDRN2460		960	1143	1022	1173	39.2 172 190
24	48	41	RDRN2448		902	1045	950	1060	31.6 152 166
24	42	41	RDRN2442		869	1001	920	1018	31.6 141 154

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grommet	Pull	M-Outlet	Modesty	Lock
T			/		/					

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Pull: Pull options, specify type, add \$22 per drawer, p.83.

Multi-Outlet - DESK: Option of standard multi-outlet at right (UCR) or centered (UCC), add \$213 ea., p.52.

Multi-Outlet - RETURN: (48" & 60") Option of standard multi-outlet at left (UCL) or centered (UCC), add \$213 ea.

or (42") Option of standard multi-outlet at left (UCL), add \$213 ea., p.52.

Modesty panel (RDM-RDRN): Option of 18" high (U18) modesty panel, no charge, p.53.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.




# desks / tables L-M

price list

## closed reception desks with curved countertop [right pedestal]

### DESK



Reception desk with pedestal at right, curved countertop and 2 grommets included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.


Noki locks standard, key locks available as an option (no upcharge). Will lock 2 bottom drawers.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	72	42	RDT3072	1428	1709	1517	1835	58.9	293	345
30	66	42	RDT3066	1393	1653	1448	1730	58.9	283	319

30	72	42	RDW3072	1428	1709	1517	1835	58.9	293	345
30	66	42	RDW3066	1393	1653	1448	1730	58.9	283	319

30	72	42	RDN3072	1349	1615	1429	1741	58.9	278	330
30	66	42	RDN3066	1328	1560	1354	1636	58.9	268	304

### LEFT RETURN



Left return with left pedestal for reception desk with pedestal at right.

Returns 48" and 60" long have 2 grommets included. Return 42" long has 1 centered grommet included.

Pencil tray included in the 6" top drawer. The 12" file drawer includes a lateral filing bar.

Noki locks standard, key locks available as an option (no upcharge). Will lock 2 bottom drawers.

24	60	41	RDRS2460	1066	1249	1128	1278	39.2	187	205
24	48	41	RDRS2448	1008	1151	1056	1166	31.6	167	181
24	42	41	RDRS2442	975	1107	1025	1123	31.6	156	169

24	60	41	RDRV2460	1066	1249	1128	1278	39.2	187	205
24	48	41	RDRV2448	1008	1151	1056	1166	31.6	167	181
24	42	41	RDRV2442	975	1107	1025	1123	31.6	156	169

24	60	41	RDRM2460	960	1143	1022	1173	39.2	172	190
24	48	41	RDRM2448	902	1045	950	1060	31.6	152	166
24	42	41	RDRM2442	869	1001	920	1018	31.6	141	154

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Grommet	Pull	M-Outlet	Modesty	Lock
T			/		/					

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** **Pull:** Pull options, specify type, add \$22 per drawer, p.83.

**Multi-Outlet - DESK:** Option of standard multi-outlet at right (UCR) or centered (UCC), add \$213 ea., p.52.

**Multi-Outlet - RETURN:** (48" & 60") Option of standard multi-outlet at left (UCL) or centered (UCC), add \$213 ea.

or (42") Option of standard multi-outlet at left (UCL), add \$213 ea., p.52.

**Modesty panel (RDM-RDRN):** Option of 18" high (U18) modesty panel, no charge, p.53.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.




# desks / tables L-M

price list

countertops [to convert a regular desk into a reception desk]

Countertop with bow front transforms a regular desk into a reception desk.


Attaches to the surface with double sided tape.



			L Lima 1"		M Mike 1½"					
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	RSB1284	373	515	—	567	11.0	61	77
12	78	13	RSB1278	365	497	—	547	10.2	57	72
12	72	13	RSB1272	356	481	422	526	9.5	53	67
12	66	13	RSB1266	345	458	404	499	8.7	50	62
12	60	13	RSB1260	334	436	388	475	7.9	46	58
12	54	13	RSB1254	326	419	376	454	7.1	42	53
12	48	13	RSB1248	318	402	364	433	6.4	38	48
12	42	13	RSB1242	309	384	350	413	5.6	35	43
12	36	13	RSB1236	303	367	339	393	4.8	31	38
12	30	13	RSB1230	295	351	327	373	4.0	27	33
12	24	13	RSB1224	285	333	315	352	3.2	24	28

Rectangular countertop transforms a regular desk into a reception desk.

Attaches to the surface with double sided tape.



12	84	13	RSQ1284	347	462	—	506	9.0	55	68
12	78	13	RSQ1278	338	446	—	485	8.3	51	64
12	72	13	RSQ1272	330	428	382	465	7.7	48	59
12	66	13	RSQ1266	319	409	366	442	7.1	45	55
12	60	13	RSQ1260	309	392	352	422	6.4	41	51
12	54	13	RSQ1254	301	374	340	402	5.8	38	46
12	48	13	RSQ1248	293	358	328	381	5.2	35	42
12	42	13	RSQ1242	284	339	314	360	4.5	32	38
12	36	13	RSQ1236	277	323	303	340	3.9	28	34
12	30	13	RSQ1230	270	306	290	320	3.3	25	30
12	24	13	RSQ1224	261	289	278	299	2.6	22	26

## S SPECIFY

Series Code Surface Edge Base

T  -  -  /  -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base : Take Off finishes, see p.84-85.





# desks / tables L-M

price list

countertop extensions (add to elongate a reception countertop)

## RIGHT SHELF



Right extension countertop, to be used with a countertop for a reception desk.  
Attaches to the surface with double sided tape and 2 flat junction plates, included.



				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
12	84	13	RSR1284	330	444	—	488	9.0	50	64
12	78	13	RSR1278	320	427	—	469	8.3	47	59
12	72	13	RSR1272	312	410	364	448	7.7	44	55
12	66	13	RSR1266	303	393	349	426	7.1	40	51
12	60	13	RSR1260	292	374	336	405	6.4	37	47
12	54	13	RSR1254	284	358	323	384	5.8	34	42
12	48	13	RSR1248	276	340	310	364	5.2	31	38
12	42	13	RSR1242	267	322	297	342	4.5	27	34
12	36	13	RSR1236	261	306	286	323	3.9	24	30
12	30	13	RSR1230	251	289	274	303	3.3	21	25
12	24	13	RSR1224	243	272	261	282	2.6	17	21

## LEFT SHELF

Left extension countertop, to be used with a countertop for a reception desk.  
Attaches to the surface with double sided tape and 2 flat junction plates, included.



12	84	13	RSL1284	330	444	—	488	9.0	50	64
12	78	13	RSL1278	320	427	—	469	8.3	47	59
12	72	13	RSL1272	312	410	364	448	7.7	44	55
12	66	13	RSL1266	303	393	349	426	7.1	40	51
12	60	13	RSL1260	292	374	336	405	6.4	37	47
12	54	13	RSL1254	284	358	323	384	5.8	34	42
12	48	13	RSL1248	276	340	310	364	5.2	31	38
12	42	13	RSL1242	267	322	297	342	4.5	27	34
12	36	13	RSL1236	261	306	286	323	3.9	24	30
12	30	13	RSL1230	251	289	274	303	3.3	21	25
12	24	13	RSL1224	243	272	261	282	2.6	17	21

## S SPECIFY

Series  Code  Surface  Edge  Base


**S** Series: L or M see specifications p.47.  
 Code: Consult the above product code list.  
 Surface / Edge / Base: Take Off finishes, see p.84-85.



# desks / tables L-M

## rectangular tables [full end panels]

price list



Rectangular table with full end panels.

Recessed (11") modesty panel on tables 36" deep ("A" dimension).

Tables 42" and less in length have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	Ti3684LL	729	1005	—	1111	11.1	193	241
36	78	Ti3678LL	712	959	—	1056	10.5	183	227
36	72	Ti3672LL	693	912	777	1001	9.8	173	214
36	66	Ti3666LL	641	886	748	967	9.2	163	201
36	60	Ti3660LL	611	839	715	913	8.6	153	188
36	54	Ti3654LL	580	798	693	872	8.0	143	174
36	48	Ti3648LL	550	752	671	831	7.4	134	161
30	84	Ti3084LL	672	920	—	1010	9.2	168	208
30	78	Ti3078LL	657	880	—	964	8.7	159	196
30	72	Ti3072LL	640	842	730	919	8.1	150	185
30	66	Ti3066LL	609	803	697	869	7.6	142	173
30	60	Ti3060LL	581	763	668	824	7.1	133	162
30	54	Ti3054LL	554	729	651	792	6.6	125	150
30	48	Ti3048LL	526	692	634	758	6.1	116	139
30	42	Ti3042LL	493	651	593	701	5.6	107	127
30	36	Ti3036LL	462	609	558	651	5.1	99	116
30	30	Ti3030LL	454	578	539	618	4.6	90	104
30	24	Ti3024LL	439	538	514	580	4.1	80	92
24	84	Ti2484LL	609	829	—	905	7.4	143	175
24	78	Ti2478LL	596	798	—	868	7.0	136	165
24	72	Ti2472LL	583	767	681	831	6.5	128	155
24	66	Ti2466LL	561	726	650	788	6.1	120	145
24	60	Ti2460LL	524	692	619	745	5.7	113	136
24	54	Ti2454LL	499	660	597	710	5.3	105	126
24	48	Ti2448LL	482	635	584	684	4.9	98	116
24	42	Ti2442LL	449	593	556	635	4.5	90	106
24	36	Ti2436LL	418	552	536	603	4.1	83	96
24	30	Ti2430LL	394	523	526	589	3.7	75	87
24	24	Ti2424LL	371	494	509	560	3.3	68	77

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet Modesty

T  -  -  /  -  -  -  -  -

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18), 9" high (U9) or recessed (R) modesty panel, no charge, see p.53.

"R" option: Offered on tables where dimension "A" is 30", the modesty panel is recessed 5".

"R" option: Not available when the modesty panel is 18" or 9" high (options U18 & U9).



# desks / tables L-M

price list

## rectangular tables [full end panels] [cont'd]


Rectangular table with full end panels.

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	84	Ti2184LL	586	789	—	855	6.7	120	147
21	78	Ti2178LL	575	761	—	822	6.3	114	139
21	72	Ti2172LL	563	734	658	789	5.9	108	130
21	66	Ti2166LL	542	693	630	750	5.6	101	122
21	60	Ti2160LL	507	662	600	710	5.2	95	114
21	54	Ti2154LL	484	634	579	678	4.9	88	105
21	48	Ti2148LL	466	611	569	657	4.5	82	97
21	42	Ti2142LL	435	572	534	609	4.2	75	88
21	36	Ti2136LL	405	549	514	581	3.8	69	80
21	30	Ti2130LL	382	507	499	569	3.4	62	72
21	24	Ti2124LL	361	482	472	550	3.1	56	63
18	84	Ti1884LL	564	746	—	804	6.0	109	132
18	78	Ti1878LL	554	721	—	776	5.7	103	124
18	72	Ti1872LL	545	697	635	747	5.3	97	117
18	66	Ti1866LL	524	661	607	711	5.0	91	109
18	60	Ti1860LL	490	634	579	673	4.7	85	102
18	54	Ti1854LL	470	607	560	658	4.4	79	94
18	48	Ti1848LL	450	587	554	629	4.1	73	86
18	42	Ti1842LL	420	552	518	598	3.8	67	79
18	36	Ti1836LL	393	531	502	572	3.5	61	71
18	30	Ti1830LL	371	490	488	550	3.2	56	64
18	24	Ti1824LL	351	468	450	528	2.9	50	56

### S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base -  Grommet -  M-Outlet -  Modesty

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18), or 9" high (U9), no charge, see p.53.



# desks / tables L-M

price list




rectangular tables [recessed end panels]

Rectangular table with with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	84	Ti3084	672	920	—	1010	9.2	154	194
30	78	Ti3078	657	880	—	964	8.7	145	182
30	72	Ti3072	640	842	730	919	8.1	136	171
30	66	Ti3066	609	803	697	869	7.6	128	159
30	60	Ti3060	581	763	668	824	7.1	119	148
30	54	Ti3054	554	729	651	792	6.6	111	136
30	48	Ti3048	526	692	634	758	6.1	102	125
30	42	Ti3042	493	651	593	701	5.6	93	113
30	36	Ti3036	462	609	558	651	5.1	85	102
30	30	Ti3030	454	578	539	618	4.6	76	90
30	24	Ti3024	439	538	514	580	4.1	67	78
24	84	Ti2484	609	829	—	905	7.4	134	166
24	78	Ti2478	596	798	—	868	7.0	126	156
24	72	Ti2472	583	767	681	831	6.5	119	146
24	66	Ti2466	561	726	650	788	6.1	111	136
24	60	Ti2460	524	692	619	745	5.7	103	126
24	54	Ti2454	499	660	597	710	5.3	96	117
24	48	Ti2448	482	635	584	684	4.9	88	107
24	42	Ti2442	449	593	556	635	4.5	81	97
24	36	Ti2436	418	552	536	603	4.1	73	87
24	30	Ti2430	394	523	526	589	3.7	66	77
24	24	Ti2424	371	494	509	560	3.3	58	67

## S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (CL), (LC) or (CC).

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.



# desks / tables L-M

price list

rectangular tables (recessed end panels - cont'd)




Rectangular table with with one recessed end panel and one full end-panel (CL - LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

Tables 18" cannot accommodate pedestals.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
21	84	Ti2184	586	789	—	855	6.7	114	140
21	78	Ti2178	575	761	—	822	6.3	107	132
21	72	Ti2172	563	734	658	789	5.9	101	124
21	66	Ti2166	542	693	630	750	5.6	95	115
21	60	Ti2160	507	662	600	710	5.2	88	107
21	54	Ti2154	484	634	579	678	4.9	82	99
21	48	Ti2148	466	611	569	657	4.5	75	90
21	42	Ti2142	435	572	534	609	4.2	69	82
21	36	Ti2136	405	549	514	581	3.8	62	74
21	30	Ti2130	382	507	499	569	3.4	56	65
21	24	Ti2124	361	482	472	550	3.1	49	57
18	84	Ti1884	564	746	—	804	6.0	105	128
18	78	Ti1878	554	721	—	776	5.7	99	120
18	72	Ti1872	545	697	635	747	5.3	93	112
18	66	Ti1866	524	661	607	711	5.0	87	105
18	60	Ti1860	490	634	579	673	4.7	81	97
18	54	Ti1854	470	607	560	658	4.4	75	90
18	48	Ti1848	450	587	554	629	4.1	69	82
18	42	Ti1842	420	552	518	598	3.8	63	75
18	36	Ti1836	393	531	502	572	3.5	57	67
18	30	Ti1830	371	490	488	550	3.2	51	59
18	24	Ti1824	351	468	450	528	2.9	45	52

## S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (CL), (LC) or (CC).

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** **Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.



# desks / tables L-M

price list

## bow front tables with curved interior access


Bow front table with curved interior access.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



					L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price		Specifications			
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
36	42	84	18	TC364284LL	846	1166	—	1288	12.5	198	249	
36	42	72	18	TC364272LL	801	1056	895	1158	11.0	178	222	
30	36	84	18	TC303684LL	784	1036	—	1139	10.6	173	215	
30	36	72	18	TC303672LL	737	974	836	1062	9.3	155	191	

## bow front tables


Bow front table.

11" recessed modesty panel on tables 36" deep ("A" dimension).

5" recessed modesty panel on tables 30" deep ("A" dimension).

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



36	42	84	TD364284LL	837	1154	—	1279	12.5	204	257
36	42	78	TD364278LL	816	1104	—	1221	11.8	193	243
36	42	72	TD364272LL	798	1055	862	1164	11.0	182	228
30	36	84	TD303684LL	776	1035	—	1143	10.6	177	222
30	36	78	TD303678LL	750	1010	—	1120	10.0	168	209
30	36	72	TD303672LL	732	961	803	1063	9.3	158	197
30	36	66	TD303666LL	700	924	783	1022	8.7	149	184
30	36	60	TD303660LL	667	880	777	997	8.1	140	172

### S SPECIFY

Series	Code	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T							

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) modesty panel, no charge, see p.53.



# desks / tables L-M

price list



## offset bow front tables

Offset bow front table (left or right).

The offset overhangs by 8"; 5" recessed modesty panel.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



					L Lima 1"		M Mike 1½"				
Dimensions					Code		Price		Price		Specifications
A	B	C	D	E			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	72	24			TFL3072		771	1021	862	1125	9.7 163 203
30	66	18			TFL3066		748	966	827	1060	9.1 154 190
30	60	18			TFL3060		726	910	793	996	8.5 144 176

30	72	24			TFR3072		771	1021	862	1125	9.7 163 203
30	66	18			TFR3066		748	966	827	1060	9.1 154 190
30	60	18			TFR3060		726	910	793	996	8.5 144 176



## offset bow front tables with integrated half-return

Bow front table (left or right) with integrated half return.

The offset overhangs by 8"; 5" recessed modesty panel.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



30	36	72	24	24	TJL367224		770	1092	902	1217	11.4 178 220
30	36	66	18	24	TJL366624		735	1045	865	1166	10.7 167 206
30	36	60	18	24	TJL366024		700	993	827	1130	10.0 157 192

30	36	72	24	24	TJR367224		770	1092	902	1217	11.4 178 220
30	36	66	18	24	TJR366624		735	1045	865	1166	10.7 167 206
30	36	60	18	24	TJR366024		700	993	827	1130	10.0 157 192

### S SPECIFY

Series	Code	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T							

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) modesty panel, no charge, see p.53.



# desks / tables L-M

price list



## bow front tables with curved interior access and integrated half-return

Bow front table (left or right) with curved interior access and integrated half return.

The offset overhangs by 6"; 5" recessed modesty panel.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



						L Lima 1"		M Mike 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	42	72	24	17	TCL427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	TCL427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	TCL427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	TCL426618	813	1086	914	1194	11.7	178	219

30	42	72	24	17	TCR427224	849	1180	971	1304	12.5	189	234
30	42	72	21	20	TCR427221	849	1180	971	1304	12.5	189	234
30	42	72	18	23	TCR427218	849	1180	971	1304	12.5	189	234
30	42	66	18	17	TCR426618	813	1086	914	1194	11.7	178	219



## rectangular tables with integrated half-return

Rectangular table (left or right) with integrated half return.

5" recessed modesty panel.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



30	48	84	24	TCOL30488424	955	1327	—	1441	15.5	232	289
30	48	78	24	TCOL30487824	920	1279	—	1390	14.5	218	270
30	48	72	24	TCOL30487224	884	1232	1009	1368	13.6	204	252
30	48	66	24	TCOL30486624	868	1206	982	1346	12.6	184	228
30	48	60	24	TCOL30486024	854	1179	956	1319	11.7	165	204
30	42	72	24	TCOL30427224	849	1155	971	1304	12.5	165	204
30	42	66	24	TCOL30426624	814	1133	934	1253	11.6	156	192
30	42	60	24	TCOL30426024	779	1081	897	1217	10.7	144	175

48	30	84	24	TCOR48308424	955	1327	—	1441	15.5	232	289
48	30	78	24	TCOR48307824	920	1279	—	1390	14.5	218	270
48	30	72	24	TCOR48307224	884	1232	1009	1368	13.6	204	252
48	30	66	24	TCOR48306624	868	1206	982	1346	12.6	184	228
48	30	60	24	TCOR48306024	854	1179	956	1319	11.7	165	204
42	30	72	24	TCOR42307224	849	1155	945	1265	12.5	165	204
42	30	66	24	TCOR42306624	814	1133	934	1253	11.6	156	192
42	30	60	24	TCOR42306024	779	1081	897	1217	10.7	144	175

### S SPECIFY

Series	Code	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T							

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of single-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel (TCL-TCR): Option of 18" high (U18) modesty panel, no charge.

Modesty panel (TCOL-TCOR): Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.



# desks / tables L-M

## connecting tables



price list

Left connecting table, available with 2 full end panels (LL) or full / recessed end panels (LC).



Table 42" long has 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



					L Lima 1"		M Mike 1½"				
Dimensions		Code			Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	24	72	24	TV36247224	685	910	755	993	9.8	149	182
36	24	66	24	TV36246624	664	861	725	938	9.2	141	171
36	24	60	24	TV36246024	616	814	694	882	8.6	132	159
30	18	72	21	TV30187221	630	832	707	905	8.6	129	157
30	18	72	18	TV30187218	630	832	707	905	8.6	129	157
30	18	66	21	TV30186621	613	791	681	858	8.1	122	147
30	18	66	18	TV30186618	613	791	681	858	8.1	122	147
30	18	60	21	TV30186021	595	751	656	811	7.6	114	137
30	18	60	18	TV30186018	595	751	656	811	7.6	114	137
30	18	48	21	TV30184821	539	677	608	734	6.6	98	117
30	18	48	18	TV30184818	539	677	608	734	6.6	98	117
24	18	42	18	TV24184218	470	593	547	635	5.4	80	93



Right connecting table, available with 2 full end panels (LL) or recessed / full end panels (CL).

Table 42" long has 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

24	36	72	24	TV24367224	685	910	755	993	9.8	149	182
24	36	66	24	TV24366624	664	861	725	938	9.2	141	171
24	36	60	24	TV24366024	616	814	694	882	8.6	132	159
18	30	72	21	TV18307221	630	832	707	905	8.6	129	157
18	30	72	18	TV18307218	630	832	707	905	8.6	129	157
18	30	66	21	TV18306621	613	791	681	858	8.1	122	147
18	30	66	18	TV18306618	613	791	681	858	8.1	122	147
18	30	60	21	TV18306021	595	751	656	811	7.6	114	137
18	30	60	18	TV18306018	595	751	656	811	7.6	114	137
18	30	48	21	TV18304821	539	677	608	734	6.6	98	117
18	30	48	18	TV18304818	539	677	608	734	6.6	98	117
18	24	42	18	TV18244218	470	593	547	635	5.4	80	93

### S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T								

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) modesty panel, no charge, see p.53.



# desks / tables L-M

## dual depth tables


price list

Left dual depth table, available with full / recessed end panels (LC) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	24	72	55½	TW302472		684	864	752	941	8.1 135 168
30	24	66	49½	TW302466		652	825	721	892	7.6 126 157
30	24	60	43½	TW302460		624	787	689	845	7.1 118 145
30	24	54	37½	TW302454		595	751	673	814	6.6 109 134
30	24	48	31½	TW302448		582	714	656	780	6.1 100 123
30	24	42	25½	TW302442		531	672	614	722	5.6 92 111
30	24	36	19½	TW302436		499	631	579	672	5.1 83 100
30	24	30	16	TW302430		493	598	562	640	4.6 75 88
30	24	24	10	TW302424		475	559	537	593	4.1 66 77
24	18	72	55½	TW241872		607	788	710	859	6.5 117 144
24	18	66	49½	TW241866		579	750	679	816	6.1 110 134
24	18	60	43½	TW241860		552	713	662	788	5.7 102 124
24	18	54	37½	TW241854		515	661	607	719	5.3 94 114
24	18	48	31½	TW241848		476	609	551	651	4.9 87 104
24	18	42	25½	TW241842		447	573	535	618	4.5 79 95
24	18	36	19½	TW241836		421	540	528	607	4.1 72 85
24	18	30	16	TW241830		394	508	510	573	3.7 65 76
24	18	24	10	TW241824		380	475	490	536	3.3 57 66
21	18	72	61¼	TW211872		592	769	694	825	5.9 100 122
21	18	66	55¼	TW211866		563	734	674	794	5.6 98 118
21	18	60	49¼	TW211860		534	695	655	771	5.2 95 114
21	18	54	43¼	TW211854		498	642	603	700	4.9 87 101
21	18	48	37¼	TW211848		461	589	540	628	4.5 81 97
21	18	42	31¼	TW211842		430	552	528	605	4.2 74 88
21	18	36	25¼	TW211836		405	524	514	578	3.8 67 79
21	18	30	19¼	TW211830		383	493	496	545	3.4 60 70
21	18	24	13¼	TW211824		370	464	476	516	3.1 53 61

### S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (LC) or (CC).

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** **Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.



# desks / tables L-M

## dual depth tables [cont'd]



price list

Right dual depth table, available with recessed / full end panels (CL) or 2 recessed end panels (CC).

Tables 42" and less in length have 1 central grommet included.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	30	72	55½	TW243072	684	864	752	941	8.1	135	168
24	30	66	49½	TW243066	652	825	721	892	7.6	126	157
24	30	60	43½	TW243060	624	787	689	845	7.1	118	145
24	30	54	37½	TW243054	595	751	673	814	6.6	109	134
24	30	48	31½	TW243048	582	714	656	780	6.1	100	123
24	30	42	25½	TW243042	531	672	614	722	5.6	92	111
24	30	36	19½	TW243036	499	631	579	672	5.1	83	100
24	30	30	16	TW243030	493	598	562	640	4.6	75	88
24	30	24	10	TW243024	475	559	537	593	4.1	66	77
18	24	72	55½	TW182472	607	788	710	859	6.5	117	144
18	24	66	49½	TW182466	579	750	679	816	6.1	110	134
18	24	60	43½	TW182460	552	713	662	788	5.7	102	124
18	24	54	37½	TW182454	515	661	607	719	5.3	94	114
18	24	48	31½	TW182448	476	609	551	651	4.9	87	104
18	24	42	25½	TW182442	447	573	535	618	4.5	79	95
18	24	36	19½	TW182436	421	540	528	607	4.1	72	85
18	24	30	16	TW182430	394	508	510	573	3.7	65	76
18	24	24	10	TW182424	380	475	490	536	3.3	57	66
18	21	72	61¼	TW182172	592	769	694	825	5.9	100	122
18	21	66	55¼	TW182166	563	734	674	794	5.6	98	118
18	21	60	49¼	TW182160	534	695	655	771	5.2	95	114
18	21	54	43¼	TW182154	498	642	603	700	4.9	87	101
18	21	48	37¼	TW182148	461	589	540	628	4.5	81	97
18	21	42	31¼	TW182142	430	552	528	605	4.2	74	88
18	21	36	25¼	TW182136	405	524	514	578	3.8	67	79
18	21	30	19¼	TW182130	383	493	496	545	3.4	60	70
18	21	24	13¼	TW182124	370	464	476	516	3.1	53	61

### S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T								

### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (LC) or (CC).

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** **Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.




# desks / tables L-M

## 90° corner tables

price list

90° corner table with recessed end panels.  
For corners **CS3042CC** and **CS2436CC**: the "D" dimension of 17" limits the keyboard choices.  
Woodgrain is positioned at a 45° angle on these surfaces.  
1-circuit or standard multi-outlet option available.  
The **(EC)** option requires the use of the **AC-ECFK** power module (1-circuit system), refer to the Accessories price list.



					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	25½	CS3048CC	811	1044	979	1183	8.6	135	169
30	30	42	17	CS3042CC	744	949	916	1073	7.2	115	141
24	24	48	34	CS2448CC	781	1010	945	1148	8.6	131	163
24	24	42	25½	CS2442CC	714	915	882	1038	7.2	112	137
24	24	36	17	CS2436CC	642	813	809	924	6.0	94	113
18	18	36	25½	CS1836CC	609	781	776	890	6.0	91	109

### S SPECIFY

Series	Code	Surface	Edge	Base	Grommet	M.Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTIONS


- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**End panels:** Specify end panel configuration: **(LC)** or **(CC)**.  
**Surface / Edge / Base:** Take Off finishes, see p.84-85.
- O** **Grommet:** Specify the color of the grommet, White **(G1)** or Charcoal **(G2)** or "No Grommet" **(NG)** option, no charge, p.51.  
**Multi-Outlet:** Option of 1-circuit multi-outlet **(EC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.  
or option of standard multi-outlet **(UC...)** at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.52.  
**Modesty panel:** Option of 18" high **(U18)** or 9" high **(U9)** modesty panel, no charge, see p.53.  
Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).




# desks / tables L-M

## 90° right extended corner tables


price list



**CL**



**LC**




**CC**


90° right extended corner table with one recessed end panel and one full end-panel (**CL/LC**) or 2 recessed end panels (**CC**)  
1-circuit or standard multi-outlet option available.

The (**EC**) option requires the use of the **AC-ECFK** power module (1-circuit system), refer to the Accessories price list.


				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	24	36	72	CS24243672		869	1120	1031	1260	11.8 151 185
24	24	36	66	CS24243666		842	1081	1009	1219	11.0 143 175
24	24	36	60	CS24243660		822	1033	978	1162	10.1 132 161
21	21	36	72	CS21213672		869	1120	1031	1260	11.8 144 175
21	21	36	66	CS21213666		842	1081	1009	1219	11.0 136 166
21	21	36	60	CS21213660		822	1033	978	1162	10.1 126 153



**CL**



**LC**



**CC**

90° left extended corner table with one recessed end panel and one full end-panel (**CL/LC**) or 2 recessed end panels (**CC**)  
1-circuit or standard multi-outlet option available.

The (**EC**) option requires the use of the **AC-ECFK** power module (1-circuit system), refer to the Accessories price list.

24	24	72	36	CS24247236	869	1120	1031	1260	11.8	151	185
24	24	66	36	CS24246636	842	1081	1009	1219	11.0	143	175
24	24	60	36	CS24246036	822	1033	978	1162	10.1	132	161
21	21	72	36	CS21217236	869	1120	1031	1260	11.8	144	175
21	21	66	36	CS21216636	842	1081	1009	1219	11.0	136	166
21	21	60	36	CS21216036	822	1033	978	1162	10.1	126	153

### S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T								

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" (**NG**) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (**EC**...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (**UC**...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, no charge, see p.53.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).




# desks / tables L-M

price list


90° corner tables with curved interior access

90° corner table (curved int. access) with one recessed end panel and one full end-panel (**CL/LC**) or 2 recessed end panels (**CC**).  
Woodgrain is positioned at a 45° angle on these surfaces.  
1-circuit or standard multi-outlet option available.


The (**EC**) option requires the use of the **AC-ECFK** power module (1-circuit system), refer to the Accessories price list.



**CL**



**LC**



**CC**

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	48	48	CO30304848	911	1219	1090	1353	9.8	146	178
30	24	48	48	CO30244848	899	1206	1047	1332	9.4	144	175
24	30	48	48	CO24304848	899	1206	1047	1332	9.8	142	172
24	24	48	48	CO24244848	886	1194	1004	1310	9.4	134	163
24	24	42	42	CO24244242	837	1096	939	1186	8.0	118	142
24	24	36	36	CO24243636	721	963	832	1068	6.8	102	124
18	18	36	36	CO18183636	672	878	787	950	6.8	92	107

## S SPECIFY

Series	Code	Legs	Surface	Edge	Base	Grommet	M-Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Grommet:** Specify the color of the grommet, White (**G1**) or Charcoal (**G2**) or "No Grommet" (**NG**) option, no charge, p.51.

**O** **Multi-Outlet:** Option of 1-circuit multi-outlet (**EC**...) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea.

or option of standard multi-outlet (**UC**...) at left ...**L**, centered ...**C** and/or at right ...**R**, add \$213 ea., p.52.

**Modesty panel:** Option of 18" high (**U18**) or 9" high (**U9**) modesty panel, no charge, see p.53.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).



# desks / tables L-M

price list

90° right extended corner tables with curved interior access


90° right extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC)

or 2 recessed end panels (CC)

2 grommets are aligned on the side 60" or longer.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	30	48	84	CO30304884		1035	1438	—	1643	15.5 232 289
30	30	48	78	CO30304878		1009	1374	—	1569	14.5 218 270
30	30	48	72	CO30304872		983	1309	1187	1493	13.6 204 252
30	30	48	66	CO30304866		939	1236	1132	1412	12.6 184 228
30	30	48	60	CO30304860		895	1166	1077	1332	11.7 165 204
30	24	48	84	CO30244884		997	1387	—	1533	15.1 202 250
30	24	48	78	CO30244878		971	1322	—	1458	14.1 189 234
30	24	48	72	CO30244872		945	1258	1128	1383	13.2 173 214
30	24	48	66	CO30244866		901	1187	1047	1302	12.2 164 202
30	24	48	60	CO30244860		858	1117	967	1221	11.3 153 187
30	24	42	84	CO30244284		920	1287	—	1409	14.3 188 234
30	24	42	78	CO30244278		898	1231	—	1343	13.4 177 219
30	24	42	72	CO30244272		875	1175	1009	1277	12.5 165 204
30	24	42	66	CO30244266		840	1111	960	1206	11.6 156 192
30	24	42	60	CO30244260		806	1047	910	1134	10.7 144 175
30	24	42	48	CO30244248		718	933	839	1018	8.9 128 155
24	30	48	84	CO24304884		997	1387	—	1533	15.5 202 250
24	30	48	78	CO24304878		971	1322	—	1458	14.5 189 234
24	30	48	72	CO24304872		945	1258	1128	1383	13.6 173 214
24	30	48	66	CO24304866		901	1187	1047	1302	12.6 164 202
24	30	48	60	CO24304860		858	1117	967	1221	11.7 153 187
24	24	48	84	CO24244884		997	1387	—	1533	15.1 197 245
24	24	48	78	CO24244878		971	1322	—	1458	14.1 184 229
24	24	48	72	CO24244872		945	1258	1128	1383	13.2 168 209
24	24	48	66	CO24244866		901	1187	1047	1302	12.2 159 197
24	24	48	60	CO24244860		858	1117	967	1221	11.3 148 182
24	24	42	84	CO24244284		920	1287	—	1409	14.3 188 234
24	24	42	78	CO24244278		898	1231	—	1343	13.4 177 219
24	24	42	72	CO24244272		875	1175	1009	1277	12.5 165 204
24	24	42	66	CO24244266		840	1111	960	1206	11.6 156 192
24	24	42	60	CO24244260		806	1047	910	1134	10.7 144 175
24	24	42	48	CO24244248		718	933	839	1018	8.9 128 155

## S SPECIFY

Series Code Legs Surface Edge Base Grommet M-Outlet Modesty

T  -   -  /  -  -  -  -  -

## O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.

Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).



# desks / tables L-M

price list


## 90° left extended corner tables with curved interior access

90° left extended corner table (curved interior access) with one recessed end panel and one full end-panel (CL/LC) or 2 recessed end panels (CC).

2 grommets are aligned on the side 60" or longer.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	30	84	48	CO30308448		1035	1438	—	1643	15.5 232 289
30	30	78	48	CO30307848		1009	1374	—	1569	14.5 218 270
30	30	72	48	CO30307248		983	1309	1187	1493	13.6 204 252
30	30	66	48	CO30306648		939	1236	1132	1412	12.6 184 228
30	30	60	48	CO30306048		895	1166	1077	1332	11.7 165 204
30	24	84	48	CO30248448		997	1387	—	1533	15.1 202 250
30	24	78	48	CO30247848		971	1322	—	1458	14.1 189 234
30	24	72	48	CO30247248		945	1258	1128	1383	13.2 173 214
30	24	66	48	CO30246648		901	1187	1047	1302	12.2 164 202
30	24	60	48	CO30246048		858	1117	967	1221	11.3 153 187
24	30	84	48	CO24308448		997	1387	—	1533	15.5 202 250
24	30	84	42	CO24308442		920	1287	—	1409	14.7 188 234
24	30	78	48	CO24307848		971	1322	—	1458	14.5 189 234
24	30	78	42	CO24307842		898	1231	—	1343	13.8 177 219
24	30	72	48	CO24307248		945	1258	1128	1383	13.6 173 214
24	30	72	42	CO24307242		875	1175	1009	1277	12.9 177 219
24	30	66	48	CO24306648		901	1187	1047	1302	12.6 164 202
24	30	66	42	CO24306642		840	1111	960	1206	12.0 156 192
24	30	60	48	CO24306048		858	1117	967	1221	11.7 153 187
24	30	60	42	CO24306042		806	1047	910	1134	11.1 144 175
24	30	48	42	CO24304842		718	933	839	1018	9.3 128 155
24	24	84	48	CO24248448		997	1387	—	1533	15.1 197 245
24	24	84	42	CO24248442		920	1287	—	1409	14.3 188 234
24	24	78	48	CO24247848		971	1322	—	1458	14.1 184 229
24	24	78	42	CO24247842		898	1231	—	1343	13.4 177 219
24	24	72	48	CO24247248		945	1258	1128	1383	13.2 168 209
24	24	72	42	CO24247242		875	1175	1009	1277	12.5 165 204
24	24	66	48	CO24246648		901	1187	1047	1302	12.2 159 197
24	24	66	42	CO24246642		840	1111	960	1206	11.6 156 192
24	24	60	48	CO24246048		858	1117	967	1221	11.3 148 182
24	24	60	42	CO24246042		806	1047	910	1134	10.7 144 175
24	24	48	42	CO24244842		718	933	839	1018	8.9 128 155

### S SPECIFY

Series  Code  Legs  Surface  Edge  Base  Grommet  M-Outlet  Modesty

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (CL), (LC) or (CC).

Surface / Edge / Base: Take Off finishes, see p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.


Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).




desks / tables L-M

price list


90° extended corner tables with ergonomic interior access




90° left extended corner table (ergonomic interior access) with full / recessed end panels (LC) or 2 recessed end panels (CC).  
2 grommets are aligned on the side 60" or longer.  
Allow 16" minimum ("E" dimension) for installation of a pedestal.  
1-circuit or standard multi-outlet option available.  
The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



						L Lima 1"		M Mike 1½"				
Dimensions					Code	Price		Price		Specifications		
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	72	36	22	CE24187236	869	1120	1031	1260	11.8	144	173
24	18	66	36	16	CE24186636	842	1081	1009	1219	11.0	136	164
24	18	60	36	16	CE24186036	822	1033	978	1162	10.1	126	151



90° left extended corner table (ergonomic interior access) with recessed / full end panels (CL) or 2 recessed end panels (CC).  
2 grommets are aligned on the side 60" or longer.  
Allow 16" minimum ("E" dimension) for installation of a pedestal.  
1-circuit or standard multi-outlet option available.  
The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



18	24	36	72	22	CE18243672	869	1120	1031	1260	11.8	144	173
18	24	36	66	16	CE18243666	842	1081	1009	1219	11.0	136	164
18	24	36	60	16	CE18243660	822	1033	978	1162	10.1	126	151

S

SPECIFY

O

OPTIONS

T

Series

Code

Legs

Surface

Edge

Base

Grommet

M-Outlet

Modesty

-

-

-

/

-

-

-

-

-

- S

Series: L or M see specifications p.47.
- Code:

Consult the above product code list.
- End panels:

Specify end panel configuration: (CL), (LC) or (CC).
- Surface / Edge / Base:

Take Off finishes, see p.84-85.
- Grommet:

Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.
- O

Multi-Outlet:

Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.
- Modesty panel:

Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, see p.53.
- Modesty panel option will be applied on both sides (sides with "C" and "D" dimensions).




# desks / tables L-M

price list

"D" shaped tables with modesty panel (tubular leg)

"D" shaped table with reversible modesty panel.  
Telescopic metal leg, 4" diameter.  
Modesty panel is always 12" H.  
1-circuit or standard multi-outlet option available.  
The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DM3684A	875	1159	—	1368	10.4	134	179
36	78	DM3678A	858	1117	—	1316	9.8	127	169
36	72	DM3672A	835	1069	1042	1267	9.3	119	158
36	66	DM3666A	812	1026	1014	1214	8.7	114	150
30	84	DM3084A	818	1056	—	1250	9.1	115	153
30	78	DM3078A	805	1020	—	1206	8.7	110	144
30	72	DM3072A	788	1005	1004	1191	8.2	102	135
30	66	DM3066A	773	969	981	1147	7.7	96	126
30	60	DM3060A	751	948	954	1110	7.3	90	117
30	48	DM3048A	713	890	911	1036	6.4	77	99

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base:** Take Off finishes, see p.84-85.  
**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.  
**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped tables with "T" end panel (tubular leg)


"D" shaped table with "T" end panel.

Adjustable tubular metal leg, 2½" diameter.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DT3678B	688	948	—	1148	7.1	115	115
36	72	DT3672B	671	904	878	1101	6.8	109	109
36	60	DT3660B	625	831	842	1016	6.2	104	104
30	84	DT3084B	671	904	—	1101	6.2	107	107
30	78	DT3078B	639	867	—	1054	6.0	102	102
30	72	DT3072B	625	831	842	1016	5.7	98	98
30	66	DT3066B	608	809	816	988	5.4	93	93
30	60	DT3060B	590	783	793	945	5.2	88	88
30	54	DT3054B	575	770	773	916	4.9	83	83
30	48	DT3048B	561	734	760	879	4.6	78	78
30	42	DT3042B	546	697	710	795	4.3	73	73
24	72	DT2472B	523	705	771	843	4.7	81	81
24	66	DT2466B	509	675	750	809	4.4	77	77
24	60	DT2460B	496	686	737	788	4.2	73	73
24	48	DT2448B	483	652	718	773	3.8	65	65

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped tables with "T" end panel (tubular legs with base plate)


"D" shaped table with "T" end panel and telescopic metal leg with base plate.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



		L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	78	DT3678C	DT3678D	767	1027	—	1228	12.1 121 163
36	72	DT3672C	DT3672D	750	983	957	1180	11.8 115 148
36	60	DT3660C	DT3660D	704	910	921	1096	11.2 110 146
30	84	DT3084C	DT3084D	750	983	—	1181	11.2 113 148
30	78	DT3078C	DT3078D	718	946	—	1133	11.0 108 142
30	72	DT3072C	DT3072D	704	910	921	1096	10.7 104 136
30	66	DT3066C	DT3066D	688	888	895	1067	10.4 99 129
30	60	DT3060C	DT3060D	669	862	872	1024	10.2 94 121
30	54	DT3054C	DT3054D	655	849	853	996	9.9 89 114
30	48	DT3048C	DT3048D	640	813	839	958	9.6 84 105
24	72	DT2472C	DT2472D	602	784	850	922	9.7 87 113
24	66	DT2466C	DT2466D	589	755	829	888	9.4 83 108
24	60	DT2460C	DT2460D	575	766	816	867	9.2 79 101
24	48	DT2448C	DT2448D	562	732	798	853	8.8 71 88

## S SPECIFY

## O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, see p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped tables - surface supported (tubular leg)


"D" shaped table, surface supported.

Telescopic metal leg, 4" diameter.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DS3672A	604	809	809	983	4.5	76	115
36	60	DS3660A	565	761	769	915	3.9	70	107
30	72	DS3072A	565	761	769	915	3.9	64	97
30	66	DS3066A	550	741	751	884	3.6	59	89
30	60	DS3060A	535	716	735	856	3.4	54	81
30	54	DS3054A	520	706	715	818	3.1	49	74
30	48	DS3048A	505	669	694	774	2.8	44	66
30	42	DS3042A	491	633	675	732	2.6	39	59
30	36	DS3036A	476	605	660	710	2.3	35	52
30	30	DS3030A	462	578	649	671	2.0	30	44
24	72	DS2472A	515	714	763	851	3.3	52	78
24	66	DS2466A	503	684	744	816	3.1	48	73
24	60	DS2460A	493	677	724	795	2.8	44	66
24	54	DS2454A	481	646	705	760	2.6	40	60
24	48	DS2448A	462	640	688	746	2.4	36	53
24	42	DS2442A	454	619	672	722	2.2	32	47
24	36	DS2436A	444	598	656	699	2.0	28	41
24	30	DS2430A	433	570	638	663	1.8	24	35

## S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, see p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped tables - surface supported (tubular leg with base plate)


"D" shaped table, supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.

No modesty panel is available on this table, privacy screen can be ordered separately, [see p.F2](#).

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DS3672C	DS3672D	627	832	832	1007	9.5	82	121
36	60	DS3660C	DS3660D	589	784	792	939	8.9	76	113
30	72	DS3072C	DS3072D	589	784	792	939	8.9	70	103
30	66	DS3066C	DS3066D	573	765	774	908	8.6	65	95
30	60	DS3060C	DS3060D	558	739	758	879	8.4	60	87
30	54	DS3054C	DS3054D	543	729	738	842	8.1	55	80
30	48	DS3048C	DS3048D	528	692	717	798	7.8	50	72
24	72	DS2472C	DS2472D	538	737	787	875	8.3	58	84
24	66	DS2466C	DS2466D	526	707	767	839	8.1	54	79
24	60	DS2460C	DS2460D	516	700	747	818	7.8	50	72
24	54	DS2454C	DS2454D	504	669	728	783	7.6	46	66
24	48	DS2448C	DS2448D	485	663	711	769	7.4	42	59

## S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, see p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables with modesty panel (tubular leg)

"D" shaped table (arched or rectangular) with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" H.


1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Arched



Rectangular



		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DMA3684A	875	1159	—	1368	10.4	134	179
36	78	DMA3678A	858	1117	—	1316	9.8	127	169
36	72	DMA3672A	835	1069	1042	1267	9.3	119	158
36	66	DMA3666A	812	1026	1014	1214	8.7	114	150
30	84	DMA3084A	818	1056	—	1250	8.1	115	153
30	78	DMA3078A	805	1020	—	1206	8.7	110	144
30	72	DMA3072A	788	1005	1004	1191	8.2	102	135
30	66	DMA3066A	773	969	981	1147	7.7	96	126
30	60	DMA3060A	751	948	954	1110	7.0	89	117
30	48	DMA3048A	713	890	911	1036	6.4	77	99

36	84	DMi3684A	853	1137	—	1346	10.4	134	179
36	78	DMi3678A	836	1095	—	1294	9.8	127	169
36	72	DMi3672A	813	1047	1020	1245	9.3	119	158
36	66	DMi3666A	790	1004	992	1192	8.7	114	150
30	84	DMi3084A	796	1034	—	1228	8.1	115	153
30	78	DMi3078A	783	998	—	1184	8.7	110	144
30	72	DMi3072A	766	983	982	1169	8.2	102	135
30	66	DMi3066A	751	947	959	1125	7.7	96	126
30	60	DMi3060A	729	926	932	1088	7.3	89	117
30	48	DMi3048A	691	868	889	1014	6.4	77	99

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables with "T" end panel (tubular leg)

"D" shaped table (arched or rectangular) with "T" end panel.


Adjustable tubular metal leg, 2½" diameter.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Arched



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678B	688	948	—	1148	7.1	115	157
36	72	DTA3672B	671	904	878	1101	6.8	108	141
36	60	DTA3660B	625	831	842	1016	6.2	104	140
30	84	DTA3084B	671	904	—	1101	6.2	107	142
30	78	DTA3078B	639	867	—	1054	6.0	102	136
30	72	DTA3072B	625	831	842	1016	5.7	98	130
30	66	DTA3066B	608	809	816	988	5.4	93	123
30	60	DTA3060B	590	783	793	945	5.2	88	115
30	54	DTA3054B	575	770	773	916	4.9	83	108
30	48	DTA3048B	561	734	760	879	4.6	78	99
24	72	DTA2472B	523	705	771	843	4.7	81	107
24	66	DTA2466B	509	675	750	809	4.4	77	102
24	60	DTA2460B	496	686	737	788	4.2	73	95
24	48	DTA2448B	483	652	718	773	3.8	65	82

Rectangular



36	78	DTI3678B	666	926	—	1126	7.1	115	157
36	72	DTI3672B	649	882	856	1079	6.8	108	141
36	60	DTI3660B	603	809	820	994	6.2	104	140
30	84	DTI3084B	649	882	—	1079	6.2	107	142
30	78	DTI3078B	617	845	—	1032	6.0	102	136
30	72	DTI3072B	603	809	820	994	5.7	98	130
30	66	DTI3066B	586	787	794	966	5.4	93	123
30	60	DTI3060B	568	761	771	923	5.2	88	115
30	54	DTI3054B	553	748	751	894	4.9	83	108
30	48	DTI3048B	539	712	738	857	4.6	78	99
24	72	DTI2472B	501	683	749	821	4.7	81	107
24	66	DTI2466B	487	653	728	787	4.4	77	102
24	60	DTI2460B	474	664	715	766	4.2	73	95
24	48	DTI2448B	461	630	696	751	3.8	65	82

## S SPECIFY

Series  Code  Surface  / Edge  Base  Metal  Grommet  M-Outlet

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables with "T" end panel (tubular legs with base plate)

"D" shaped table (arched or rectangular) with "T" end panel and telescopic metal leg with base.


2 choices of 4" tubular legs: with round or square base.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

## Arched



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678C	DTA3678D	767	1027	—	1228	12.1	121	163
36	72	DTA3672C	DTA3672D	750	983	957	1180	11.8	114	147
36	60	DTA3660C	DTA3660D	704	910	921	1096	11.2	110	146
30	84	DTA3084C	DTA3084D	750	983	—	1180	11.2	113	148
30	78	DTA3078C	DTA3078D	718	946	—	1133	11.0	108	142
30	72	DTA3072C	DTA3072D	704	910	921	1096	10.7	104	136
30	66	DTA3066C	DTA3066D	688	888	895	1067	10.4	99	129
30	60	DTA3060C	DTA3060D	669	862	872	1024	10.2	94	121
30	54	DTA3054C	DTA3054D	655	849	853	996	9.9	89	114
30	48	DTA3048C	DTA3048D	640	813	839	958	9.6	84	105
24	72	DTA2472C	DTA2472D	602	784	850	922	9.7	87	113
24	66	DTA2466C	DTA2466D	589	755	829	888	9.4	83	108
24	60	DTA2460C	DTA2460D	575	766	816	867	9.2	79	101
24	48	DTA2448C	DTA2448D	562	732	798	853	8.8	71	88

## Rectangular



36	78	DTi3678C	DTi3678D	745	1005	—	1206	12.1	121	163
36	72	DTi3672C	DTi3672D	728	961	935	1158	11.8	114	147
36	60	DTi3660C	DTi3660D	682	888	899	1074	11.2	110	146
30	84	DTi3084C	DTi3084D	728	961	—	1158	11.2	113	148
30	78	DTi3078C	DTi3078D	696	924	—	1111	11.0	108	142
30	72	DTi3072C	DTi3072D	682	888	899	1074	10.7	104	136
30	66	DTi3066C	DTi3066D	666	866	873	1045	10.4	99	129
30	60	DTi3060C	DTi3060D	647	840	850	1002	10.2	94	121
30	54	DTi3054C	DTi3054D	633	827	831	974	9.9	89	114
30	48	DTi3048C	DTi3048D	618	791	817	936	9.6	84	105
24	72	DTi2472C	DTi2472D	580	762	828	900	9.7	87	113
24	66	DTi2466C	DTi2466D	567	755	807	866	9.4	83	108
24	60	DTi2460C	DTi2460D	553	744	794	845	9.2	79	101
24	48	DTi2448C	DTi2448D	540	710	776	831	8.8	71	88

## S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched tables with "T" end panel [tubular legs]


"D" shaped arched tables (with "T" end panel legs).

2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678E	DTA3678F	799	1059	—	1260	7.1	121	163
36	72	DTA3672E	DTA3672F	782	1015	989	1212	6.8	114	147
36	60	DTA3660E	DTA3660F	736	942	953	1128	6.2	103	139
30	84	DTA3084E	DTA3084F	782	1015	—	1212	6.2	106	141
30	78	DTA3078E	DTA3078F	750	978	—	1165	6.0	101	135
30	72	DTA3072E	DTA3072F	736	942	953	1128	5.7	97	129
30	66	DTA3066E	DTA3066F	719	920	927	1099	5.4	92	122
30	60	DTA3060E	DTA3060F	701	894	904	1056	5.2	87	114
30	54	DTA3054E	DTA3054F	686	881	884	1027	4.9	82	107
30	48	DTA3048E	DTA3048F	672	845	871	990	4.6	77	98
24	72	DTA2472E	DTA2472F	634	816	882	954	4.7	80	106
24	66	DTA2466E	DTA2466F	620	787	861	920	4.4	76	101
24	60	DTA2460E	DTA2460F	607	798	848	899	4.2	72	94
24	48	DTA2448E	DTA2448F	594	763	829	884	3.8	64	81

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables with "T" end panel [tubular legs and double "O" techno base]



"D" shaped rectangular table with "T" end panel and metal legs.

2 choices of tubular legs: round (2½" diam.) or square (2½") or 1 Double "O" Techno base.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), Refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTi3678E	DTi3678F	777	1037	—	1238	7.1	121	163
36	72	DTi3672E	DTi3672F	760	993	967	1191	6.8	114	147
36	60	DTi3660E	DTi3660F	714	920	931	1106	6.2	103	139
30	84	DTi3084E	DTi3084F	760	993	—	1191	6.2	106	141
30	78	DTi3078E	DTi3078F	728	956	—	1143	6.0	101	135
30	72	DTi3072E	DTi3072F	714	920	931	1106	5.7	97	129
30	66	DTi3066E	DTi3066F	697	898	905	1077	5.4	92	122
30	60	DTi3060E	DTi3060F	679	872	882	1034	5.2	87	114
30	54	DTi3054E	DTi3054F	664	859	862	1005	4.9	82	107
30	48	DTi3048E	DTi3048F	650	823	849	968	4.6	77	98
24	72	DTi2472E	DTi2472F	612	794	860	932	4.7	80	106
24	66	DTi2466E	DTi2466F	598	787	839	898	4.4	76	101
24	60	DTi2460E	DTi2460F	585	776	826	877	4.2	72	94
24	48	DTi2448E	DTi2448F	572	741	807	862	3.8	64	81

"O" base										
36	78	DTi3678M		971	1313	—	1443	7.6	124	170
36	72	DTi3672M		960	1279	1112	1400	7.4	118	162
36	60	DTi3660M		932	1200	1063	1301	6.9	107	146
30	84	DTi3084M		934	1242	—	1361	7.0	110	151
30	78	DTi3078M		924	1211	—	1322	6.7	106	145
30	72	DTi3072M		914	1184	1044	1286	6.5	101	138
30	66	DTi3066M		904	1146	1025	1240	6.3	96	132
30	60	DTi3060M		894	1121	1007	1207	6.1	92	126
30	54	DTi3054M		876	1075	979	1153	5.9	87	119
30	48	DTi3048M		829	1007	924	1076	5.7	82	113
24	72	DTi2472M		865	1085	972	1168	5.7	84	115
24	66	DTi2466M		857	1051	957	1128	5.5	80	109
24	60	DTi2460M		848	1025	942	1096	5.4	76	105
24	48	DTi2448M		779	920	857	977	5.0	69	94

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables with "T" end panel [folded metal corner legs and angled metal legs]

NEW

"D" shaped rectangular table with "T" end panel and metal legs.


Leg choices: 2 folded metal corner legs or 2 angled metal leg in 1" x 3" tubular steel.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1 circuit system), refer to the Accessories price List.

## Rectangular



J

Corner leg




K

Angled metal

Parallel legs



45° legs



			L Lima 1"		M Mike 1½"				
Dimensions			Price		Price		Specifications		
A	B	Folded metal corner legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTi3678J	976	1318	—	1449	7.6	124	170
36	72	DTi3672J	965	1285	1117	1405	7.4	118	162
36	60	DTi3660J	936	1205	1068	1306	6.9	107	146
30	84	DTi3084J	949	1257	—	1376	7.0	110	151
30	78	DTi3078J	939	1227	—	1337	6.7	106	145
30	72	DTi3072J	930	1199	1059	1301	6.5	101	138
30	66	DTi3066J	920	1162	1041	1255	6.3	96	132
30	60	DTi3060J	910	1136	1022	1222	6.1	92	126
30	54	DTi3054J	891	1090	994	1168	5.9	87	119
30	48	DTi3048J	845	1022	939	1091	5.7	82	113
24	72	DTi2472J	891	1110	998	1194	5.7	84	115
24	66	DTi2466J	882	1077	982	1154	5.5	80	109
24	60	DTi2460J	875	1051	968	1122	5.4	76	105
24	48	DTi2448J	804	946	882	1002	5.0	69	94

Angled metal legs									
36	78	DTi3678K	899	1240	—	1371	7.1	121	163
36	72	DTi3672K	887	1207	1040	1327	6.8	114	147
36	60	DTi3660K	858	1126	990	1228	6.2	103	139
30	84	DTi3084K	871	1180	—	1298	6.2	106	141
30	78	DTi3078K	861	1148	—	1260	6.0	101	135
30	72	DTi3072K	851	1121	981	1223	5.7	97	129
30	66	DTi3066K	842	1084	963	1177	5.4	92	122
30	60	DTi3060K	832	1058	944	1144	5.2	87	114
30	54	DTi3054K	813	1012	916	1090	4.9	82	107
30	48	DTi3048K	767	944	861	1013	4.6	77	98
24	72	DTi2472K	813	1032	920	1117	4.7	80	106
24	66	DTi2466K	805	999	999	1076	4.4	76	101
24	60	DTi2460K	796	974	890	1044	4.2	72	94
24	48	DTi2448K	727	868	805	925	3.8	64	81

## S SPECIFY

## O OPTION

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables with "T" end panel (angled wood legs)



"D" shaped rectangular table with "T" end panel and angle wood legs.


Angled wood legs: 1½" x 2 ¾" with metal brackets in folded steel, installed in parallel or 45°.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.


1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.


## Rectangular



### Parallel legs



### 45 ° legs



		L Lima 1"		M Mike 1½"					
Dimensions		Code	Price		Price		Specifications		
A	B	Angle wood legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTi3678N	1222	1564	—	1694	7.1	121	163
36	72	DTi3672N	1211	1530	1363	1651	6.8	114	147
36	60	DTi3660N	1183	1451	1313	1552	6.2	103	139
30	84	DTi3084N	1196	1504	—	1623	6.2	106	141
30	78	DTi3078N	1186	1473	—	1583	6.0	101	135
30	72	DTi3072N	1176	1445	1306	1548	5.7	97	129
30	66	DTi3066N	1166	1407	1287	1502	5.4	92	122
30	60	DTi3060N	1156	1383	1268	1469	5.2	87	114
30	54	DTi3054N	1137	1337	1241	1414	4.9	82	107
30	48	DTi3048N	1091	1268	1186	1338	4.6	77	98
24	72	DTi2472N	1137	1356	1244	1440	4.7	80	106
24	66	DTi2466N	1129	1322	1229	1400	4.4	76	101
24	60	DTi2460N	1121	1297	1214	1367	4.2	72	94
24	48	DTi2448N	1051	1191	1129	1249	3.8	64	81



The natural properties of the hard wood of this leg will result in a variation in the woodgrain and color.

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Wood leg	Grommet	M-Outlet
T								

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal support:** Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

**Wood leg:** Specify the finish: Natural (300), or Black (306).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables with "T" end panel (monolithic base)



"D" shaped table (arched or rectangular) with "T" end panel and laminate leg.

Monolithic laminate base, 4" x 12".

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	78	DTA3678G	735	996	—	1196	7.6	127	169
36	72	DTA3672G	718	952	925	1148	7.3	120	153
36	60	DTA3660G	672	878	889	1064	6.7	109	145
30	84	DTA3084G	718	952	—	1148	6.7	112	147
30	78	DTA3078G	686	914	—	1101	6.5	107	141
30	72	DTA3072G	672	878	889	1064	6.2	103	135
30	66	DTA3066G	656	856	864	1035	5.9	98	128
30	60	DTA3060G	637	831	840	992	5.7	93	120
30	54	DTA3054G	623	817	821	964	5.4	88	113
30	48	DTA3048G	608	781	807	926	5.1	83	104
24	72	DTA2472G	570	752	818	890	5.2	86	112
24	66	DTA2466G	557	723	798	856	4.9	82	107
24	60	DTA2460G	543	734	784	835	4.7	72	100
24	48	DTA2448G	530	700	766	821	4.3	64	87

36	78	DTI3678G	713	974	—	1174	7.6	127	169
36	72	DTI3672G	696	930	903	1128	7.3	120	153
36	60	DTI3660G	650	856	867	1042	6.7	109	145
30	84	DTI3084G	696	930	—	1128	6.7	112	147
30	78	DTI3078G	664	892	—	1079	6.5	107	141
30	72	DTI3072G	650	856	867	1042	6.2	103	135
30	66	DTI3066G	634	834	842	1013	5.9	98	128
30	60	DTI3060G	615	809	818	970	5.7	93	120
30	54	DTI3054G	601	795	799	942	5.4	88	113
30	48	DTI3048G	586	759	785	904	5.1	83	104
24	72	DTI2472G	548	730	796	868	5.2	86	112
24	66	DTI2466G	535	723	776	834	4.9	82	107
24	60	DTI2460G	521	712	762	813	4.7	72	100
24	48	DTI2448G	508	678	744	799	4.3	64	87

## S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables – surface supported (tubular leg)


"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture. Telescopic metal leg, 4" diameter.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Arched



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672A	604	809	809	983	4.5	76	115
36	60	DSA3660A	565	761	769	916	3.9	70	109
30	72	DSA3072A	565	761	769	916	3.9	64	97
30	66	DSA3066A	550	741	751	884	3.6	59	89
30	60	DSA3060A	535	716	735	856	3.4	54	81
30	54	DSA3054A	520	706	715	818	3.1	49	74
30	48	DSA3048A	505	669	694	774	2.8	44	66
30	42	DSA3042A	491	633	675	732	2.6	39	59
30	36	DSA3036A	476	605	661	710	2.3	35	52
30	30	DSA3030A	462	578	649	671	2.0	30	44
24	72	DSA2472A	515	714	763	851	3.3	52	78
24	66	DSA2466A	503	684	744	816	3.1	48	73
24	60	DSA2460A	493	677	724	795	2.8	44	66
24	54	DSA2454A	481	646	705	760	2.6	40	60
24	48	DSA2448A	462	640	688	746	2.4	36	53
24	42	DSA2442A	454	619	672	722	2.2	32	47
24	36	DSA2436A	444	598	656	699	2.0	28	41
24	30	DSA2430A	433	570	638	663	1.8	24	35

Rectangular



36	72	DSi3672A	582	787	787	961	4.5	76	115
36	60	DSi3660A	543	739	747	894	3.9	70	109
30	72	DSi3072A	543	739	747	894	3.9	64	97
30	66	DSi3066A	528	719	729	862	3.6	59	89
30	60	DSi3060A	513	694	713	834	3.4	54	81
30	54	DSi3054A	498	684	693	796	3.1	49	74
30	48	DSi3048A	483	647	672	752	2.8	44	66
30	42	DSi3042A	469	611	653	710	2.6	39	59
30	36	DSi3036A	454	583	639	688	2.3	35	52
30	30	DSi3030A	440	556	627	649	2.0	30	44
24	72	DSi2472A	493	692	741	829	3.3	52	78
24	66	DSi2466A	481	662	722	794	3.1	48	73
24	60	DSi2460A	471	655	702	773	2.8	44	66
24	54	DSi2454A	459	624	683	738	2.6	40	60
24	48	DSi2448A	440	618	666	724	2.4	36	53
24	42	DSi2442A	432	597	650	700	2.2	32	47
24	36	DSi2436A	422	576	634	677	2.0	28	41
24	30	DSi2430A	411	548	616	641	1.8	24	35

## S SPECIFY

Series Code Surface Edge Metal Grommet M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables – surface supported (tubular leg with base plate)


"D" shaped table (arched or rectangular), supported by adjacent freestanding furniture.

2 choices of 4" tubular legs: with round or square base plate.


No modesty panel is available on this table, privacy screen can be ordered separately, [see p.F2](#).

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672C	DSA3672D	627	832	832	1007	9.5	82	121
36	60	DSA3660C	DSA3660D	587	784	792	939	8.9	76	115
30	72	DSA3072C	DSA3072D	587	784	792	939	8.9	70	103
30	66	DSA3066C	DSA3066D	573	765	774	908	8.6	65	95
30	60	DSA3060C	DSA3060D	558	739	758	879	8.4	60	87
30	54	DSA3054C	DSA3054D	543	729	738	842	8.1	55	80
30	48	DSA3048C	DSA3048D	528	692	717	798	7.8	50	72
24	72	DSA2472C	DSA2472D	538	737	787	875	8.3	58	84
24	66	DSA2466C	DSA2466D	526	707	767	839	8.1	54	79
24	60	DSA2460C	DSA2460D	516	700	747	818	7.8	50	72
24	54	DSA2454C	DSA2454D	504	669	728	783	7.6	46	66
24	48	DSA2448C	DSA2448D	485	663	711	769	7.4	42	59



36	72	DSi3672C	DSi3672D	605	810	810	985	9.5	82	121
36	60	DSi3660C	DSi3660D	567	762	770	917	8.9	76	115
30	72	DSi3072C	DSi3072D	567	762	770	917	8.9	70	103
30	66	DSi3066C	DSi3066D	551	743	752	886	8.6	65	95
30	60	DSi3060C	DSi3060D	536	717	736	857	8.4	60	87
30	54	DSi3054C	DSi3054D	521	707	716	820	8.1	55	80
30	48	DSi3048C	DSi3048D	506	670	695	776	7.8	50	72
24	72	DSi2472C	DSi2472D	516	715	765	853	8.3	58	84
24	66	DSi2466C	DSi2466D	504	685	745	817	8.1	54	79
24	60	DSi2460C	DSi2460D	494	678	725	796	7.8	50	72
24	54	DSi2454C	DSi2454D	482	647	706	761	7.6	46	66
24	48	DSi2448C	DSi2448D	463	641	689	747	7.4	42	59

## S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T						

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched tables - surface mounted (tubular legs)


"D" shaped arched tables, supported by adjacent freestanding furniture.

2 choices of tubular legs: round (2½" diam.) or square (2½").

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672E	DSA3672F	659	864	864	1038	4.5	82	121
36	60	DSA3660E	DSA3660F	620	816	824	971	3.9	76	115
30	72	DSA3072E	DSA3072F	620	816	824	971	3.9	70	103
30	66	DSA3066E	DSA3066F	605	796	806	939	3.6	65	95
30	60	DSA3060E	DSA3060F	590	771	790	911	3.4	60	87
30	54	DSA3054E	DSA3054F	575	761	770	873	3.1	55	80
30	48	DSA3048E	DSA3048F	560	724	749	829	2.8	50	72
30	42	DSA3042E	DSA3042F	546	688	730	787	2.6	45	65
24	72	DSA2472E	DSA2472F	570	769	818	906	2.3	58	84
24	66	DSA2466E	DSA2466F	558	739	799	871	2.0	54	79
24	60	DSA2460E	DSA2460F	548	732	779	850	2.8	50	72
24	54	DSA2454E	DSA2454F	536	701	760	815	2.6	46	66
24	48	DSA2448E	DSA2448F	517	695	743	801	2.4	42	59
24	42	DSA2442E	DSA2442F	509	674	727	777	2.2	38	53

## S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables - surface mounted [tubular legs and double "O" techno base]



"D" shaped rectangular tables, supported by adjacent freestanding furniture with metal legs.

2 choices of legs: round (2½" diam.) or square (2½") or 1 Double "O" Techno base.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



				L Lima 1"		M Mike 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSi3672E	DSi3672F	637	842	842	1016	4.5	82	121
36	60	DSi3660E	DSi3660F	598	794	802	949	3.9	76	115
30	72	DSi3072E	DSi3072F	598	794	802	949	3.9	70	103
30	66	DSi3066E	DSi3066F	583	774	784	917	3.6	65	95
30	60	DSi3060E	DSi3060F	568	749	768	889	3.4	60	87
30	54	DSi3054E	DSi3054F	553	739	748	851	3.1	55	80
30	48	DSi3048E	DSi3048F	538	702	727	807	2.8	50	72
30	42	DSi3042E	DSi3042F	524	666	708	765	2.6	45	65
24	72	DSi2472E	DSi2472F	548	747	796	884	2.3	58	84
24	66	DSi2466E	DSi2466F	536	717	777	849	2.0	54	79
24	60	DSi2460E	DSi2460F	526	710	757	828	2.8	50	72
24	54	DSi2454E	DSi2454F	514	679	738	793	2.6	46	66
24	48	DSi2448E	DSi2448F	495	673	721	779	2.4	42	59
24	42	DSi2442E	DSi2442F	487	652	705	755	2.2	38	53

"O" base										
36	72	DSi3672M	796	1117	926	1236	5.3	85	116	
36	60	DSi3660M	768	1036	877	1137	4.8	73	100	
30	72	DSi3072M	765	1034	875	1136	4.4	72	98	
30	66	DSi3066M	755	997	856	1091	4.2	67	92	
30	60	DSi3060M	745	971	838	1058	4.0	63	86	
30	54	DSi3054M	726	925	811	1003	3.8	58	79	
30	48	DSi3048M	680	857	755	927	3.6	53	73	
30	42	DSi3042M	664	820	730	881	3.4	48	66	
24	72	DSi2472M	718	937	807	1021	3.6	59	80	
24	66	DSi2466M	710	903	793	981	3.4	55	76	
24	60	DSi2460M	702	878	778	948	3.2	51	70	
24	54	DSi2454M	689	848	689	912	3.1	48	65	
24	48	DSi2448M	640	781	701	838	2.9	44	60	
24	42	DSi2442M	633	752	684	803	2.7	40	55	

## S SPECIFY

Series Code Surface Edge Metal Grommet M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables – surface mounted (folded metal corner legs and angled metal legs)

NEW

"D" shaped rectangular tables, supported by adjacent freestanding furniture with metal legs.


Leg choices: 2 folded metal corner legs or 2 angled metal leg in 1" x 3" tubular steel.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Rectangular



J


Corner legs




K

Angled metal legs

Parallel legs



45 ° legs



			L Lima 1"		M Mike 1½"				
Dimensions			Price		Price		Specifications		
A	B	Corner legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSi3672J	801	1121	931	1241	4.5	82	121
36	60	DSi3660J	772	1041	881	1142	3.9	76	115
30	72	DSi3072J	780	1049	890	1152	3.9	70	103
30	66	DSi3066J	770	1012	871	1106	3.6	65	95
30	60	DSi3060J	760	987	853	1074	3.4	60	87
30	54	DSi3054J	741	941	826	1019	3.1	55	80
30	48	DSi3048J	695	872	770	942	2.8	50	72
30	42	DSi3042J	680	835	746	897	2.6	45	65
24	72	DSi2472J	744	964	834	1047	3.3	58	84
24	66	DSi2466J	736	930	818	1007	3.1	54	79
24	60	DSi2460J	727	904	803	975	2.8	50	72
24	54	DSi2454J	715	875	784	938	2.6	46	66
24	48	DSi2448J	667	807	727	865	2.3	42	59
24	42	DSi2442J	659	779	711	829	2	38	53

Angled metal legs									
36	72	DSi3672K	723	1043	853	1164	4.5	82	121
36	60	DSi3660K	694	963	804	1065	3.9	76	115
30	72	DSi3072K	702	971	812	1074	3.9	70	103
30	66	DSi3066K	692	934	793	1029	3.6	65	95
30	60	DSi3060K	682	910	776	996	3.4	60	87
30	54	DSi3054K	663	862	748	941	3.1	55	80
30	48	DSi3048K	618	794	692	865	2.8	50	72
30	42	DSi3042K	602	757	668	818	2.6	45	65
24	72	DSi2472K	666	886	756	969	3.3	58	84
24	66	DSi2466K	658	851	740	928	3.1	54	79
24	60	DSi2460K	650	826	726	897	2.8	50	72
24	54	DSi2454K	637	796	706	860	2.6	46	66
24	48	DSi2448K	589	729	649	787	2.3	42	59
24	42	DSi2442K	581	701	633	751	2.0	38	53

S SPECIFY

Series Code Surface Edge Metal Grommet M-Outlet  
T  -  -  /  -  -  -

O OPTION

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

O Multi-Outlet: Option of single-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped rectangular tables - surface mounted (angled wood legs)



"D" shaped rectangular tables, supported by adjacent freestanding furniture with angled wood legs.


Angled wood legs: 1 1/2" x 2 3/4" with metal brackets in folded steel, installed parallel or 45°.

No modesty panel is available on this table, privacy screen can be ordered separately, see p.F2.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price List.

Rectangular



Parallel legs



45 ° legs



			L Lima 1"		M Mike 1 1/2"				
Dimensions		Code	Price		Price		Specifications		
A	B	Angled wood legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSi3672N	1047	1367	1177	1487	4.5	82	121
36	60	DSi3660N	1019	1287	1128	1388	3.9	76	115
30	72	DSi3072N	1026	1296	1136	1398	3.9	70	103
30	66	DSi3066N	1016	1258	1118	1352	3.6	65	95
30	60	DSi3060N	1007	1233	1099	1319	3.4	60	87
30	54	DSi3054N	988	1187	1071	1265	3.1	55	80
30	48	DSi3048N	942	1119	1016	1188	2.8	50	72
30	42	DSi3042N	926	1081	992	1143	2.6	45	65
24	72	DSi2472N	990	1210	1080	1294	3.3	58	84
24	66	DSi2466N	982	1176	1065	1253	3.1	54	79
24	60	DSi2460N	974	1151	1049	1221	2.8	50	72
24	54	DSi2454N	961	1121	1031	1185	2.6	46	66
24	48	DSi2448N	913	1054	974	1111	2.3	42	59
24	42	DSi2442N	904	1025	957	1076	2.0	38	53



The natural properties of the hard wood of this leg will result in a variation in the woodgrain and color.

**S** SPECIFY

**O** OPTION

Series	Code	Surface	Edge	Metal	Wood leg	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.84-85.

Metal support: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

Wood leg: Specify the finish: Natural (300), or Black (306).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"D" shaped arched or rectangular tables – surface mounted (monolithic base)

"D" shaped arched or rectangular tables, supported by adjacent freestanding furniture with laminate legs.


Monolithic laminate base, 4" x 12".

No modesty panel is available on this table, privacy screen can be ordered separately, [see p.F2](#).

1-circuit or standard multi-outlet option available.


The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Arched



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	72	DSA3672G	650	855	855	1030	5	88	127
36	60	DSA3660G	612	807	815	961	4.4	82	121
30	72	DSA3072G	612	807	815	961	4.4	76	109
30	66	DSA3066G	596	788	798	931	4.1	71	101
30	60	DSA3060G	581	762	781	902	3.9	66	93
30	54	DSA3054G	567	752	761	865	3.6	61	86
30	48	DSA3048G	551	715	740	821	3.3	56	78
24	72	DSA2472G	561	760	810	898	3.8	64	90
24	66	DSA2466G	549	730	790	862	3.6	60	85
24	60	DSA2460G	539	723	770	842	3.3	56	78
24	54	DSA2454G	527	692	751	806	3.1	52	72
24	48	DSA2448G	508	686	734	792	2.9	48	65

Rectangular



36	72	DSi3672G	628	833	833	1008	5	88	127
36	60	DSi3660G	590	785	793	939	4.4	82	121
30	72	DSi3072G	590	785	793	939	4.4	76	109
30	66	DSi3066G	574	766	776	909	4.1	71	101
30	60	DSi3060G	559	740	759	880	3.9	66	93
30	54	DSi3054G	545	730	739	843	3.6	61	86
30	48	DSi3048G	529	693	718	799	3.3	56	78
24	72	DSi2472G	539	738	788	876	3.8	64	90
24	66	DSi2466G	527	708	768	840	3.6	60	85
24	60	DSi2460G	517	701	748	820	3.3	56	78
24	54	DSi2454G	505	670	729	784	3.1	52	72
24	48	DSi2448G	486	664	712	770	2.9	48	65

## S SPECIFY

Series  Code  Surface  / Edge  Base  P-fils  M-Outlet

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"P" shaped tables with modesty panel (tubular leg)



"P" shaped table, left or right, with reversible modesty panel.

Telescopic metal leg, 4" diameter.

Modesty panel is always 12" H.

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
36	42	84	PML364284		910	1191	—	1431	11.6 146 199
36	42	78	PML364278		892	1166	—	1399	11.0 141 191
36	42	72	PML364272		848	1130	1085	1342	10.4 130 176
30	36	84	PML303684		848	1130	—	1342	10.4 122 166
30	36	78	PML303678		833	1092	—	1299	9.8 118 159
30	36	72	PML303672		820	1056	1030	1254	9.3 113 152
30	36	66	PML303666		798	1022	1004	1210	8.7 106 142
30	36	60	PML303660		777	989	980	1168	8.2 99 132

36	42	84	PMR364284		910	1191	—	1431	11.6 146 199
36	42	78	PMR364278		892	1166	—	1399	11.0 141 191
36	42	72	PMR364272		848	1130	1085	1342	10.4 130 176
30	36	84	PMR303684		848	1130	—	1342	10.4 122 166
30	36	78	PMR303678		833	1092	—	1299	9.8 118 159
30	36	72	PMR303672		820	1056	1030	1254	9.3 113 152
30	36	66	PMR303666		798	1022	1004	1210	8.7 106 142
30	36	60	PMR303660		777	989	980	1168	8.2 99 132

## S SPECIFY

## O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.





# desks / tables L-M

price list

"P" shaped tables with "T" end panel [tubular leg]

"P" shaped table with "T" end panel.  
Adjustable tubular metal leg, 2½" diameter.  
No modesty panel is available on this table, privacy screen can be ordered separately, [see p.F2](#).  
1-circuit or standard multi-outlet option available.  
The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	PTL303672		671	904	878	1102	6.8 108 140
30	36	66	PTL303666		642	864	850	1051	6.5 102 130
30	36	60	PTL303660		625	831	842	1016	6.2 96 120

30	36	72	PTR303672	671	904	878	1102	6.8	108	140
30	36	66	PTR303666	642	864	850	1051	6.5	102	130
30	36	60	PTR303660	625	831	842	1016	6.2	96	120

S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

O OPTION

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base:** Take Off finishes, p.84-85.  
**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.  
**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"P" shaped tables - surface supported [tubular leg]



"P" shaped table (left or right), supported by adjacent freestanding furniture.

Telescopic metal leg, 4" diameter.

No modesty panel is available on this table, privacy screen can be ordered separately, [see p.F2](#).

1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
30	36	72	PSL303672		604	809	809	982	4.5 74 114
30	36	66	PSL303666		581	788	792	952	4.2 69 105
30	36	60	PSL303660		564	761	769	916	3.9 63 96
24	30	60	PSL243060		535	716	735	856	3.4 54 81
24	30	54	PSL243054		520	706	701	818	3.1 50 76
24	30	48	PSL243048		506	670	678	774	2.8 46 70

30	36	72	PSR303672	604	809	809	982	4.5	74	114
30	36	66	PSR303666	581	788	792	952	4.2	69	105
30	36	60	PSR303660	564	761	769	916	3.9	63	96
24	30	60	PSR243060	535	716	735	856	3.4	54	81
24	30	54	PSR243054	520	706	701	818	3.1	50	76
24	30	48	PSR243048	506	670	678	774	2.8	46	70

## S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"L" shaped tables with modesty panel (tubular leg)

"L" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" H.


1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Left



Right



					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
54	36	84	24	LML54368424	1240	1661	—	1821	13.8	164	218
54	36	78	24	LML54367824	1174	1572	—	1724	13.1	156	207
54	36	72	24	LML54367224	1108	1483	1329	1627	12.4	148	196
48	30	84	24	LML48308424	1101	1474	—	1618	12.9	149	197
48	30	78	24	LML48307824	1078	1417	—	1549	12.2	141	186
48	30	72	24	LML48307224	1057	1359	1180	1481	11.4	134	175
48	30	66	24	LML48306624	1015	1302	1139	1416	10.7	126	163
48	30	60	24	LML48306024	992	1267	1126	1376	10.0	118	152
42	30	72	24	LML42307224	1015	1297	1153	1410	10.4	119	155
42	30	66	24	LML42306624	1003	1283	1125	1394	9.7	112	145
42	30	60	24	LML42306024	977	1243	1111	1349	9.1	105	135

54	36	84	24	LMR54368424	1240	1661	—	1821	13.8	164	218
54	36	78	24	LMR54367824	1174	1572	—	1724	13.1	156	207
54	36	72	24	LMR54367224	1108	1483	1329	1627	12.4	148	196
48	30	84	24	LMR48308424	1101	1474	—	1618	12.9	149	197
48	30	78	24	LMR48307824	1078	1417	—	1549	12.2	141	186
48	30	72	24	LMR48307224	1057	1359	1180	1481	11.4	134	175
48	30	66	24	LMR48306624	1015	1302	1139	1416	10.7	126	163
48	30	60	24	LMR48306024	992	1267	1126	1376	10.0	118	152
42	30	72	24	LMR42307224	1015	1297	1153	1410	10.4	119	155
42	30	66	24	LMR42306624	1003	1283	1125	1394	9.7	112	145
42	30	60	24	LMR42306024	977	1243	1111	1349	9.1	105	135

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"PL" shaped tables with modesty panel (tubular leg)

"PL" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" H.


1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Left



Right



					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
48	54	72	24	PLL487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	PLL487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	PLL486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	PLL486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	PLL486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	PLL486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	PLL427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	PLL427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	PLL426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	PLL426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	PLL426024	1003	1316	1155	1434	10.0	128	168
42	48	60	18	PLL426018	1003	1316	1155	1434	10.0	128	168

48	54	72	24	PLR487224	1089	1444	1233	1583	12.5	153	210
48	54	72	18	PLR487218	1089	1444	1233	1583	12.5	153	210
48	54	66	24	PLR486624	1044	1383	1187	1509	11.7	145	199
48	54	66	18	PLR486618	1044	1383	1187	1509	11.7	145	199
48	54	60	24	PLR486024	1020	1340	1170	1462	10.9	138	187
48	54	60	18	PLR486018	1020	1340	1170	1462	10.9	138	187
42	48	72	24	PLR427224	1047	1384	1205	1511	11.4	141	193
42	48	72	18	PLR427218	1047	1384	1205	1511	11.4	141	193
42	48	66	24	PLR426624	1033	1362	1173	1487	10.7	135	177
42	48	66	18	PLR426618	1033	1362	1173	1487	10.7	135	177
42	48	60	24	PLR426024	1003	1316	1155	1434	10.0	128	168
42	48	60	18	PLR426018	1003	1316	1155	1434	10.0	128	168

## S SPECIFY

## O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.



# desks / tables L-M

price list

"shark" shaped tables with modesty panel (tubular leg)

"Shark" shaped table, left or right, with reversible modesty panel.


Telescopic metal leg, 4" diameter.

Modesty panel is always 12" H.


1-circuit or standard multi-outlet option available.

The (EC) option requires the use of the AC-ECFK power module (1-circuit system), refer to the Accessories price list.

Left



Right



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
48	78	24	SHL487824		1068	1440	—	1577	12.2 128 166
42	72	24	SHL427224		1015	1297	1153	1410	10.4 115 148
42	66	24	SHL426624		1003	1283	1125	1394	9.7 108 139
42	66	18	SHL426618		1003	1283	1125	1394	9.7 108 139
42	60	18	SHL426018		977	1243	1111	1349	9.1 101 129
36	66	18	SHL366618		922	1163	1047	1253	8.7 95 121
36	60	18	SHL366018		894	1128	1024	1211	8.2 89 113

48	78	24	SHR487824	1068	1440	—	1577	12.2	128	166
42	72	24	SHR427224	1015	1297	1153	1410	10.4	115	148
42	66	24	SHR426624	1003	1283	1125	1394	9.7	108	139
42	66	18	SHR426618	1003	1283	1125	1394	9.7	108	139
42	60	18	SHR426018	977	1243	1111	1349	9.1	101	129
36	66	18	SHR366618	922	1163	1047	1253	8.7	95	121
36	60	18	SHR366018	894	1128	1024	1211	8.2	89	113

## S SPECIFY

## O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet, centered (ECC), or option of standard multi-outlet, centered (UCC), add \$213 ea., p.52.




# desks / tables L-M

price list


"teardrop" shaped end surfaces [tubular leg]

"Teardrop" shaped end surface (left or right), supported by adjacent freestanding furniture.  
Telescopic metal leg, 4" diameter.

Left



Right




			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	37	XTL36	531	714	634	783	2.7	40	55
30	34	XTL30	493	660	597	710	2.2	33	44
24	32	XTL24	475	625	572	660	1.8	28	36

36	37	XTR36	531	714	634	783	2.7	40	55
30	34	XTR30	493	660	597	710	2.2	33	44
24	32	XTR24	475	625	572	660	1.8	28	36

## shared meeting surfaces

Semi-circle shared meeting surface, attaches to the end of 2 back-to-back surfaces.  
Telescopic metal leg, 4" diameter.



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
60	36	XC60	598	799	694	882	3.9	63	95
54	33	XC54	546	726	637	792	3.3	47	71
48	30	XC48	509	668	590	715	2.8	34	50

### S SPECIFY

T  -  -  /  -

**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge: Take Off finishes, p.84-85.  
Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).







# Storage

STORAGE 29" H.

---

- assembled credenzas - 29" H. B2
- storage units - 29" H. B5

CABINETS

---

- single cabinets B7

STORAGE 35-41-53" H.

---

- assembled credenzas - 35" H. B8
- storage units - 35" H. B9
- storage units - 41" H. B10
- lateral file cabinets with 4 drawers - 53" H. B11

STORAGE 72-66-50" H.

---

- combined storage units - 72" and 66" H. B11
- cabinets - 72", 66" and 50" H. B17
- single door cabinets - 72", 66" and 50" H. B21
- single door cabinets with wardrobe B31
- combined storage units - 50" H. B33
- combined storage units - 66" H. B35
- combined storage units - 72" H. B39
- 2-way cabinets B41
- tackboards B42

BOOKCASES

---

- bookcases B43
- corner bookcases B44
- extra shelves for cabinets B45

PEDESTALS

---

- pedestals B46
- cushions for mobile pedestal B50
- cabinets without top B51
- storage tops for 27½" H. B53



# storage

assembled credenzas - 29" H.


price list

Credenza with lateral filing at left and storage unit at right.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock the drawers & doors.

Grommet option available (4 positions), [see p.51](#).




			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	29	CZFD247229		1469	1668	1555	1731	34.5 199 218
24	60	29	CZFD246029		1421	1585	1499	1634	28.9 174 191
21	72	29	CZFD217229		1448	1620	1528	1673	30.7 185 202
21	60	29	CZFD216029		1403	1544	1475	1583	25.6 161 174

Credenza with storage unit at left and lateral filing at right.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock the drawers & doors.

Grommet option available (4 positions), [see p.51](#).




24	72	29	CZDF247229	1469	1668	1555	1731	34.5	199	218
24	60	29	CZDF246029	1421	1585	1499	1634	28.9	174	191
21	72	29	CZDF217229	1448	1620	1528	1673	30.7	185	202
21	60	29	CZDF216029	1403	1544	1475	1583	25.6	161	174

Credenza with double storage units.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 doors.

Grommet option available (4 positions), [see p.51](#).




24	72	29	CZDD247229	1191	1389	1277	1454	34.5	178	198
24	60	29	CZDD246029	1144	1307	1221	1356	28.9	154	171
21	72	29	CZDD217229	1170	1342	1250	1396	30.7	163	180
21	60	29	CZDD216029	1125	1266	1197	1306	25.6	139	153

Credenza with double lateral files.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock the 4 drawers.

Grommet option available (4 positions), [see p.51](#).



24	72	29	CZFF247229	1632	1832	1719	1895	34.5	178	198
24	60	29	CZFF246029	1585	1749	1663	1797	28.9	154	171
21	72	29	CZFF217229	1612	1784	1692	1837	30.7	163	180
21	60	29	CZFF216029	1566	1708	1639	1747	25.6	139	153

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T								

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Grommet:** Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add \$128, p.51.

**Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

assembled credenzas - 29" H.

price list


Credenza with lateral file at left or right.

Drawer section occupies half of the total length (dimension B).


Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

Noki locks standard, key locks available as an option (no upcharge). Will lock the drawers.


Grommet option available (4 positions), see p.51.



				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	CZFO247229	1188	1378	1261	1438	34.5	162	182
24	60	29	CZFO246029	1144	1299	1208	1343	28.9	138	154
21	72	29	CZFO217229	1167	1331	1233	1379	30.7	151	168
21	60	29	CZFO216029	1125	1258	1184	1293	25.6	127	141



24	72	29	CZOF247229	1188	1378	1261	1438	34.5	162	182
24	60	29	CZOF246029	1144	1299	1208	1343	28.9	138	154
21	72	29	CZOF217229	1167	1331	1233	1379	30.7	151	168
21	60	29	CZOF216029	1125	1258	1184	1293	25.6	127	141




Credenza with storage unit at left or right.

Cabinet section occupies half of the total length (dimension B).

Noki locks standard, key locks available as an option (no upcharge). Will lock the doors.

Grommet option available (4 positions), see p.51.

24	72	29	CZDO247229	1010	1208	1096	1273	34.5	157	176
24	60	29	CZDO246029	966	1129	1043	1178	28.9	133	149
21	72	29	CZDO217229	989	1161	1068	1214	30.7	146	163
21	60	29	CZDO216029	947	1088	1019	1128	25.6	122	136



24	72	29	CZOD247229	1010	1208	1096	1273	34.5	157	176
24	60	29	CZOD246029	966	1129	1043	1178	28.9	133	149
21	72	29	CZOD217229	989	1161	1068	1214	30.7	146	163
21	60	29	CZOD216029	947	1088	1019	1128	25.6	122	136

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T								

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O Grommet:** Add grommets on top and sides & specify color: White (G14) or Charcoal (G24), add \$128, p.51.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## assembled credenzas - 29" H.

## price list


Credenza with a combined unit at left or right.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories/ price list.


Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (4 positions), see p.51.



				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	29	<b>CZCO247229</b>	1223	1414	1296	1473	34.5	205	139
24	60	29	<b>CZCO246029</b>	1179	1334	1243	1378	28.9	181	197
21	72	29	<b>CZCO217229</b>	1202	1366	1268	1415	30.7	194	211
21	60	29	<b>CZCO216029</b>	1161	1294	1219	1328	25.6	170	184




24	72	29	<b>CZOC247229</b>	1223	1414	1296	1473	34.5	205	139
24	60	29	<b>CZOC246029</b>	1179	1334	1243	1378	28.9	181	197
21	72	29	<b>CZOC217229</b>	1202	1366	1268	1415	30.7	194	211
21	60	29	<b>CZOC216029</b>	1161	1294	1219	1328	25.6	170	184

Credenza with suspended pedestals at left and right and central cabinet.

Pencil tray included in one of the 6" top drawers. File drawers include a lateral filing bar.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.



24	72	29	<b>CZC247229</b>	1345	1510	1528	1705	34.5	254	273
24	60	29	<b>CZC246029</b>	1298	1428	1472	1607	28.9	230	246
21	72	29	<b>CZC217229</b>	1324	1463	1500	1647	30.7	229	249
21	60	29	<b>CZC216029</b>	1279	1387	1448	1557	25.6	207	224

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T								

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Grommet: Add grommets on top and sides & specify color: White (**G14**) or Charcoal (**G24**), add \$128, p.51.

Key locks: Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

storage units - 29" H.

price list


Laminate lateral file cabinet with 2 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Grommet option available (3 positions), see p.51.



			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	29	SFF243629		911	1033	1012	1096	17.8 140 151
24	30	29	SFF243029		867	989	968	1037	17.8 125 135
21	36	29	SFF213629		877	988	974	1047	15.8 142 152
21	30	29	SFF213029		832	943	927	989	15.8 126 134


Combined storage unit with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.

Pencil tray included in the 6" top drawer.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock both file drawers.

Grommet option available (3 positions), see p.51.




24	36	29	SUUFF243629	1053	1168	1177	1260	17.8	158	169
24	30	29	SUUFF243029	1007	1109	1131	1200	17.8	139	148
21	36	29	SUUFF213629	1019	1122	1137	1211	15.8	139	149
21	30	29	SUUFF213029	972	1063	1091	1152	15.8	124	132

Cabinet with 2 doors and adjustable shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.51.




24	36	29	SDD243629	804	879	948	1078	17.8	155	169
24	30	29	SDD243029	760	838	898	1060	17.8	124	136
21	36	29	SDD213629	765	829	902	1073	15.8	141	153
21	30	29	SDD213029	719	789	854	1000	15.8	114	125

Combined storage unit with a bottom cabinet section and a 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Grommet option available (3 positions), see p.28.



24	36	29	SBDD243629	903	978	1047	1177	17.8	165	179
24	30	29	SBDD243029	859	937	997	1159	17.8	134	146
21	36	29	SBDD213629	864	928	1001	1172	15.8	151	163
21	30	29	SBDD213029	818	888	953	1099	15.8	124	135

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	C-Weight	Lock
T									

## O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Grommet: Add grommets on top and sides & specify color: White (G13) or Charcoal (G23), add \$128, p.51.

Counter-weight (SFF & SUUFF only): For the counter-weight option, add (CW), add \$94.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

storage units - 29" H.

price list




Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.

Grommet option available (3 positions), see p.51.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	29	SDUUF243629		1004	1112	1076	1185	17.8 158 169
24	30	29	SDUUF243029		949	1043	1024	1118	17.8 139 148
21	36	29	SDUUF213629		964	1058	1032	1130	15.8 139 149
21	30	29	SDUUF213029		909	990	981	1063	15.8 124 132




Combined storage unit with 2 - 6" drawers, 1 file drawer and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all 3 drawers.

Grommet option available (3 positions), see p.51.

24	36	29	SUUFD243629		1004	1112	1076	1185	17.8 158 169
24	30	29	SUUFD243029		949	1043	1024	1118	17.8 139 148
21	36	29	SUUFD213629		964	1058	1032	1130	15.8 139 149
21	30	29	SUUFD213029		909	990	981	1063	15.8 124 132




Storage unit with a cabinet section with door at left and open section at right.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).

Grommet option available (3 positions), see p.51.

24	36	29	SDO243629		799	873	943	1073	17.8 148 162
24	30	29	SDO243029		755	833	892	1055	17.8 119 130
21	36	29	SDO213629		759	824	897	1067	15.8 135 147
21	30	29	SDO213029		714	783	848	994	15.8 108 119



Storage unit with a cabinet section with door at right and open section at left.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).

Grommet option available (3 positions), see p.51.

24	36	29	SOD243629		799	873	943	1073	17.8 148 162
24	30	29	SOD243029		755	833	892	1055	17.8 119 130
21	36	29	SOD213629		759	824	897	1067	15.8 135 147
21	30	29	SOD213029		714	783	848	994	15.8 108 119

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T								

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Grommet:** Add grommets on top and sides & specify color: White (G13) or Charcoal (G23), add \$96, p.51.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.




# storage


## single cabinets

# price list

Single door cabinet (left).  
Adjustable shelves inside.  
Noki locks standard, key locks available as an option (no upcharge).



				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price	Specifications			
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	18	50	3	SDL241850	1035	1101	1158	1202	15.7	124	129
24	18	41	2	SDL241841	910	976	1090	1134	12.9	102	107
24	18	35	2	SDL241835	853	919	980	1024	11.1	88	93
24	18	29	1	SDL241829	751	817	895	939	9.3	74	78
21	18	50	3	SDL211850	968	1029	1091	1130	13.9	116	120
21	18	41	2	SDL211841	854	914	1034	1073	11.5	96	100
21	18	35	2	SDL211835	813	873	941	979	9.9	82	87
21	18	29	1	SDL211829	712	772	856	894	8.3	69	73



Single door cabinet (right).  
Adjustable shelves inside.  
Noki locks standard, key locks available as an option (no upcharge).

24	18	50	3	SDR241850	1035	1101	1158	1202	15.7	124	129
24	18	41	2	SDR241841	910	976	1090	1134	12.9	102	107
24	18	35	2	SDR241835	853	919	980	1024	11.1	88	93
24	18	29	1	SDR241829	751	817	895	939	9.3	74	78
21	18	50	3	SDR211850	968	1029	1091	1130	13.9	116	120
21	18	41	2	SDR211841	854	914	1034	1073	11.5	96	100
21	18	35	2	SDR211835	813	873	941	979	9.9	82	87
21	18	29	1	SDR211829	712	772	856	894	8.3	69	73

D : Number of shelves

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

### O OPTION

- S** Series: L or M see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.  
**Pull:** Pulls included, specify type, p.83.  
**O** **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


## assembled credenzas - 35" H.

## price list

Credenza 35" H. with cabinets.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors




				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	72	35		CZ4D247235		1663	1914	1772	2028	41.2 202 221
24	60	35		CZ4D246035		1604	1810	1701	1903	34.5 178 194
21	72	35		CZ4D217235		1637	1855	1737	1954	36.5 186 203
21	60	35		CZ4D216035		1580	1758	1671	1837	30.5 162 176

Credenza with cabinet sections at each end and open section at center (2 shelves).

Adjustable shelves inside the cabinets.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock both doors




24	72	35		CZDOD247235		1529	1780	1638	1894	41.2 192 212
24	60	35		CZDOD246035		1470	1675	1566	1769	34.5 168 185
21	72	35		CZDOD217235		1503	1720	1603	1819	36.5 177 194
21	60	35		CZDOD216035		1445	1624	1537	1703	30.5 153 167

Credenza with 2 cabinets and 2 - 6" top drawers.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors




24	72	35		CZ2B4D247235		1759	2010	1868	2124	41.0 220 234
24	60	35		CZ2B4D246035		1700	1905	1796	1999	34.5 189 205
21	72	35		CZ2B4D217235		1733	1950	1833	2049	36.5 199 216
21	60	35		CZ2B4D216035		1675	1854	1767	1933	30.5 173 187

Credenza with 2 cabinet sections at each end and 3 drawers (1 - 6" and 2 file drawers) at center.

Adjustable shelves inside.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all central drawers and the left door.



24	72	35		CZDUFFD247235		1876	2126	1984	2241	41.2 251 270
24	60	35		CZDUFFD246035		1816	2022	1913	2115	34.5 225 241
21	72	35		CZDUFFD217235		1849	2067	1949	2166	36.5 235 252
21	60	35		CZDUFFD216035		1792	1970	1883	2049	30.5 210 223

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


storage units - 35" H.

price list

Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at left.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.




			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	35	SDUFF243635		1235	1353	1364	1473	21.1 170 181
24	30	35	SDUFF243035		1173	1276	1305	1395	17.8 150 160
21	36	35	SDUFF213635		1188	1294	1313	1409	18.7 151 162
21	30	35	SDUFF213035		1128	1216	1253	1332	15.7 135 143

Combined storage unit with 1 - 6" drawer, 2 file drawers and a cabinet section with door, at right.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.




24	36	35	SUFFD243635	1235	1353	1364	1473	21.1	170	181
24	30	35	SUFFD243035	1173	1276	1305	1395	17.8	150	160
21	36	35	SUFFD213635	1188	1294	1313	1409	18.7	151	162
21	30	35	SUFFD213035	1128	1216	1253	1332	15.7	135	143

Cabinet with 2 doors.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.




24	36	35	SDD243635	905	964	1033	1163	21.1	181	195
24	30	35	SDD243035	861	923	982	1145	17.8	147	159
21	36	35	SDD213635	866	914	987	1157	18.7	167	179
21	30	35	SDD213035	821	873	938	1085	15.7	136	148

Combined storage unit with a bottom cabinet section with 2 doors and 6" top drawer.

Adjustable shelves inside.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.



24	36	35	SUDD243635	988	1063	1132	1262	21.1	188	202
24	30	35	SUDD243035	944	1022	1081	1244	17.8	153	164
21	36	35	SUDD213635	948	1013	1086	1256	18.7	174	186
21	30	35	SUDD213035	903	972	1037	1184	15.7	142	153

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

storage units - 41" H.


price list

Laminate lateral file cabinet with 3 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.




			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	41	SFFF243641		1349	1451	1524	1540	24.5 185 196
24	30	41	SFFF243041		1302	1406	1476	1480	20.7 170 180
21	36	41	SFFF213641		1312	1404	1482	1489	21.7 187 197
21	30	41	SFFF213041		1267	1360	1432	1456	18.3 171 179

Cabinet with 2 doors and 2 adjustable shelves.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.




24	36	41	SDD243641	987	1115	1167	1210	24.6	207	221
24	30	41	SDD243041	919	1043	1093	1124	20.7	170	182
21	36	41	SDD213641	931	1046	1100	1135	21.8	189	201
21	30	41	SDD213041	862	974	1026	1049	18.3	156	167

Storage unit with a cabinet section with door at left and open section at right. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).




24	36	41	SDO243641	925	1054	1106	1148	24.6	196	210
24	30	41	SDO243041	857	981	1032	1063	20.7	161	173
21	36	41	SDO213641	869	985	1038	1074	21.8	178	190
21	30	41	SDO213041	801	912	965	988	18.3	146	157

Storage unit with a cabinet section with door at right and open section at left. 4 adjustable shelves (2 per section).

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).



24	36	41	SOD243641	925	1054	1106	1148	24.6	196	210
24	30	41	SOD243041	857	981	1032	1063	20.7	161	173
21	36	41	SOD213641	869	985	1038	1074	21.8	178	190
21	30	41	SOD213041	801	912	965	988	18.3	146	157

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T								

## O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**Counter-weight (SFFF only):** For the counter-weight option, add (CW), add \$94.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### lateral file cabinets with 4 drawers - 53" H.



Laminate lateral file cabinet with 4 lateral file drawers. "Interlock" mechanism included.

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Price		Specifications
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
24	36	53	S4F243653		1697	1819	1800	1882	31.4 230 241
24	30	53	S4F243053		1653	1763	1755	1824	26.4 215 225
21	36	53	S4F213653		1663	1774	1760	1834	27.8 232 242
21	30	53	S4F213053		1618	1729	1714	1775	23.4 216 224

#### S SPECIFY

Series Code Surface Edge Base Fronts Pull C-Weight Lock

T  -  -  /  -  /  -  -  -

#### O OPTIONS

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.


**Pull:** Pulls included, specify type, p.83.

**Counter-weight:** For the counter-weight option, add (CW), add \$94.

**O** **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

### combined storage units - 72" and 66" H.



Combined storage unit with 3 lateral file drawers and top cabinet with 2 laminate doors.

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

1 adjustable shelf. Extra shelves: Order separately, see p.B45.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

72"	24	36	72	SDD3F243672	2001	2125	2136	2220	42.3	332	346
	24	30	72	SDD3F243072	1889	1999	2025	2093	35.6	287	296
	21	36	72	SDD3F213672	1932	2043	2055	2129	37.4	307	319
	21	30	72	SDD3F213072	1819	1915	1944	2001	31.5	265	273
66"	24	36	66	SDD3F243666	1915	2041	2052	2135	38.9	317	331
	24	30	66	SDD3F243066	1804	1913	1940	2008	32.7	273	283
	21	36	66	SDD3F213666	1846	1957	1969	2043	34.4	293	305
	21	30	66	SDD3F213066	1735	1830	1858	1916	29.0	252	261

#### S SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

#### O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

price list

combined storage units with aluminum framed doors - 72" and 66" H.

Combined storage unit with 3 lateral file drawers and top cabinet with 2 aluminum framed doors.


Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

1 adjustable shelf. Extra shelves: Order separately, see p.B45.

"Interlock" mechanism on drawers.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

## Choice of finishes for top doors:




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

72"

66"

			Code		L Lima 1"		M Mike 1½"				
Dimensions			Doors		Price		Price		Specifications		
A	B	C	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SDDM3F243672	SDDL3F243672	2741	2866	2877	2960	42.3	332	346
24	30	72	SDDM3F243072	SDDL3F243072	2629	2739	2765	2834	35.6	287	296
21	36	72	SDDM3F213672	SDDL3F213672	2672	2783	2795	2869	37.4	307	319
21	30	72	SDDM3F213072	SDDL3F213072	2560	2655	2684	2741	31.5	265	273
24	36	66	SDDM3F243666	SDDL3F243666	2655	2781	2792	2875	38.9	317	331
24	30	66	SDDM3F243066	SDDL3F243066	2544	2653	2681	2748	32.7	273	283
21	36	66	SDDM3F213666	SDDL3F213666	2586	2697	2709	2783	34.4	293	305
21	30	66	SDDM3F213066	SDDL3F213066	2475	2571	2598	2657	29.0	252	261




Contemporary alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
24	36	72	SDDGiC3F243672		2635	2759	2770	2853	42.3	332	346
24	30	72	SDDGiC3F243072		2522	2632	2659	2727	35.6	287	296
21	36	72	SDDGiC3F213672		2565	2676	2688	2762	37.4	307	319
21	30	72	SDDGiC3F213072		2453	2549	2577	2635	31.5	265	273
24	36	66	SDDGiC3F243666		2549	2674	2685	2769	38.9	317	331
24	30	66	SDDGiC3F243066		2438	2547	2574	2641	32.7	273	283
21	36	66	SDDGiC3F213666		2479	2591	2603	2676	34.4	293	305
21	30	66	SDDGiC3F213066		2368	2464	2492	2550	29.0	252	261



Traditional alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
24	36	72	SDDGiA3F243672		2673	2798	2809	2893	42.3	332	346
24	30	72	SDDGiA3F243072		2561	2672	2698	2767	35.6	287	296
21	36	72	SDDGiA3F213672		2604	2715	2728	2809	37.4	307	319
21	30	72	SDDGiA3F213072		2493	2587	2617	2682	31.5	265	273
24	36	66	SDDGiA3F243666		2588	2714	2725	2808	38.9	317	331
24	30	66	SDDGiA3F243066		2477	2586	2614	2681	32.7	273	283
21	36	66	SDDGiA3F213666		2519	2630	2642	2716	34.4	293	305
21	30	66	SDDGiA3F213066		2408	2503	2531	2588	29.0	252	261

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	-	/	-	/	-	-

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### combined storage units – 72", 66" and 50" H.


Combined storage unit with 2 lateral file drawers and top open section with shelves.

Adjustable shelves: 2 (1 for the 50" H. unit). Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

Extra shelves: Order separately, see p.B45.

"Interlock" mechanism on drawers (50" H. unit).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



72"

Dimensions				L Lima 1"		M Mike 1½"		Specifications			
A	B	C	D	Code	Price		Price				
					T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	2	SOFF243672	1549	1673	1684	1768	42.3	305	319
24	30	72	2	SOFF243072	1455	1564	1592	1659	35.6	260	273
21	36	72	2	SOFF213672	1478	1590	1603	1676	37.4	281	293
21	30	72	2	SOFF213072	1386	1481	1509	1568	31.5	238	246
66"											
24	36	66	2	SOFF243666	1480	1605	1616	1700	38.9	294	308
24	30	66	2	SOFF243066	1385	1494	1520	1588	32.7	250	260
21	36	66	2	SOFF213666	1410	1521	1533	1607	34.4	269	282
21	30	66	2	SOFF213066	1315	1410	1439	1496	29.0	229	238
50"											
24	36	50	1	SOFF243650	1382	1506	1517	1601	29.7	248	262
24	30	50	1	SOFF243050	1293	1401	1429	1496	25.0	210	219
21	36	50	1	SOFF213650	1318	1429	1442	1516	26.3	228	241
21	30	50	1	SOFF213050	1230	1326	1353	1411	22.2	193	201


### combined storage units – 72" and 66" H.

Combined storage unit with 2 lateral file drawers and top cabinet with 2 doors.

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

2 adjustable shelves. Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



72"

24	36	72	2	SDDFF243672	1738	1863	1874	1958	42.3	317	331
24	30	72	2	SDDFF243072	1627	1736	1763	1830	35.6	287	296
21	36	72	2	SDDFF213672	1669	1780	1793	1874	37.4	293	305
21	30	72	2	SDDFF213072	1558	1653	1681	1739	31.5	265	273
66"											
24	36	66	2	SDDFF243666	1653	1779	1790	1872	38.9	317	331
24	30	66	2	SDDFF243066	1542	1651	1678	1746	32.7	273	283
21	36	66	2	SDDFF213666	1584	1695	1707	1781	34.4	293	305
21	30	66	2	SDDFF213066	1472	1568	1596	1653	29.0	252	261

D : Number of shelves

S SPECIFY

O OPTION

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

O Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### combined storage with aluminum framed doors - 72" and 66" H.


Combined storage unit with 2 lateral file drawers and top cabinet with 2 aluminum framed doors (2 adjustable shelves).

Front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

2 adjustable shelves. Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

#### Choice of finishes for top doors:




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

72"

66"

			Code		L Lima 1"		M Mike 1½"				
Dimensions			Doors		Price		Price		Specifications		
A	B	C	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SDDMFF243672	SDDLFF243672	2776	2902	2913	2996	42.3	317	331
24	30	72	SDDMFF243072	SDDLFF243072	2665	2774	2802	2869	35.6	287	296
21	36	72	SDDMFF213672	SDDLFF213672	2707	2818	2831	2913	37.4	293	305
21	30	72	SDDMFF213072	SDDLFF213072	2596	2692	2719	2778	31.5	265	273
24	36	66	SDDMFF243666	SDDLFF243666	2692	2817	2828	2911	38.9	317	331
24	30	66	SDDMFF243066	SDDLFF243066	2581	2690	2716	2784	32.7	273	283
21	36	66	SDDMFF213666	SDDLFF213666	2622	2734	2746	2819	34.4	293	305
21	30	66	SDDMFF213066	SDDLFF213066	2510	2606	2635	2692	29.0	252	261




Contemporary alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
24	36	72	SDDGiCFF243672		2589	2715	2726	2809	42.3	317	331
24	30	72	SDDGiCFF243072		2478	2587	2615	2682	35.6	287	296
21	36	72	SDDGiCFF213672		2520	2631	2644	2726	37.4	293	305
21	30	72	SDDGiCFF213072		2409	2505	2532	2591	31.5	265	273
24	36	66	SDDGiCFF243666		2505	2630	2641	2724	38.9	317	331
24	30	66	SDDGiCFF243066		2394	2503	2529	2597	32.7	273	283
21	36	66	SDDGiCFF213666		2435	2547	2559	2632	34.4	293	305
21	30	66	SDDGiCFF213066		2323	2419	2448	2505	29.0	252	261



Traditional alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
24	36	72	SDDGiAFF243672		2525	2650	2661	2745	42.3	317	331
24	30	72	SDDGiAFF243072		2413	2539	2550	2633	35.6	287	296
21	36	72	SDDGiAFF213672		2455	2566	2580	2661	37.4	293	305
21	30	72	SDDGiAFF213072		2344	2455	2468	2550	31.5	265	273
24	36	66	SDDGiAFF243666		2440	2565	2576	2660	38.9	317	331
24	30	66	SDDGiAFF243066		2329	2454	2465	2549	32.7	273	283
21	36	66	SDDGiAFF213666		2371	2482	2494	2567	34.4	293	305
21	30	66	SDDGiAFF213066		2259	2371	2383	2456	29.0	252	261

#### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	-	/	-	/	-	-

#### O OPTION

**S Series:** L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

combined storage units – 72", 66" and 50" H.


## price list

Combination storage unit with open section and cabinet with 2 doors.

Adjustable shelves: 2 in top section (1 for the 50" H. unit) and 1 in bottom section.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.



72"


Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C		Price		Price				
				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SODD243672	1434	1572	1573	1665	42.3	303	317
24	30	72	SODD243072	1331	1452	1471	1546	35.6	252	264
21	36	72	SODD213672	1342	1464	1475	1551	37.4	274	286
21	30	72	SODD213072	1240	1345	1366	1431	31.5	228	239
24	36	66	SODD243666	1360	1497	1498	1591	38.9	292	306
24	30	66	SODD243066	1254	1374	1394	1467	32.7	242	254
21	36	66	SODD213666	1267	1389	1395	1475	34.4	264	276
21	30	66	SODD213066	1162	1267	1289	1353	29.0	219	230
24	36	50	SODD243650	1251	1388	1389	1482	29.7	239	253
24	30	50	SODD243050	1153	1274	1291	1366	25.0	197	209
21	36	50	SODD213650	1167	1289	1294	1374	26.3	217	229
21	30	50	SODD213050	1069	1173	1195	1258	22.2	178	189

Combined storage unit with 4 doors.

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.



72"

24	36	72	S4D243672	1619	1753	1756	1845	42.3	330	344
24	30	72	S4D243072	1497	1616	1635	1708	35.6	279	291
21	36	72	S4D213672	1528	1649	1653	1734	37.4	301	313
21	30	72	S4D213072	1408	1510	1532	1595	31.5	255	266
24	36	66	S4D243666	1526	1662	1663	1753	38.9	315	329
24	30	66	S4D243066	1406	1524	1542	1615	32.7	265	277
21	36	66	S4D213666	1436	1555	1561	1640	34.4	287	299
21	30	66	S4D213066	1315	1419	1440	1504	29.0	242	253

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

price list

combined storage units with aluminum framed doors - 72" and 66" H.


Storage unit with 2 aluminum framed doors (top) and 2 laminate doors (bottom).

Adjustable shelves: 2 in top section and 1 in bottom section.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both bottom doors.

## Choice of finishes for top doors:




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

72"

66"

			Code		L Lima 1"		M Mike 1½"				
Dimensions			Doors		Price		Price		Specifications		
A	B	C	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SDDMDD243672	SDDLDD243672	2672	2806	2808	2897	42.3	330	344
24	30	72	SDDMDD243072	SDDLDD243072	2550	2669	2687	2761	35.6	279	291
21	36	72	SDDMDD213672	SDDLDD213672	2581	2702	2706	2786	37.4	301	313
21	30	72	SDDMDD213072	SDDLDD213072	2461	2563	2585	2648	31.5	255	266
24	36	66	SDDMDD243666	SDDLDD243666	2578	2715	2716	2806	38.9	315	329
24	30	66	SDDMDD243066	SDDLDD243066	2459	2576	2595	2668	32.7	265	277
21	36	66	SDDMDD213666	SDDLDD213666	2488	2608	2614	2693	34.4	287	299
21	30	66	SDDMDD213066	SDDLDD213066	2367	2472	2493	2556	29.0	242	253




Contemporary alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SDDGiCDD243672		2485	2619	2621	2710	42.3	330	344
24	30	72	SDDGiCDD243072		2363	2482	2500	2574	35.6	279	291
21	36	72	SDDGiCDD213672		2394	2515	2519	2599	37.4	301	313
21	30	72	SDDGiCDD213072		2274	2376	2398	2461	31.5	255	266
24	36	66	SDDGiCDD243666		2391	2528	2529	2619	38.9	315	329
24	30	66	SDDGiCDD243066		2272	2389	2408	2481	32.7	265	277
21	36	66	SDDGiCDD213666		2301	2421	2427	2506	34.4	287	299
21	30	66	SDDGiCDD213066		2180	2285	2306	2369	29.0	242	253



Traditional alu. frame /  
Acrylic interior panel

72"

66"

			Acrylic								
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	SDDGiADD243672		2280	2405	2407	2490	42.3	330	344
24	30	72	SDDGiADD243072		2169	2294	2296	2379	35.6	279	291
21	36	72	SDDGiADD213672		2191	2308	2312	2386	37.4	301	313
21	30	72	SDDGiADD213072		2080	2197	2201	2275	31.5	255	266
24	36	66	SDDGiADD243666		2195	2320	2321	2405	38.9	315	329
24	30	66	SDDGiADD243066		2083	2209	2210	2294	32.7	265	277
21	36	66	SDDGiADD213666		2111	2223	2226	2300	34.4	287	299
21	30	66	SDDGiADD213066		2000	2112	2115	2189	29.0	242	253

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


cabinets - 72", 66" and 50" H. (laminate doors)

price list



D: Number of shelves

## SHELVES



Cabinet with 2 laminate doors with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.


					L Lima 1"		M Mike 1½"				
	Dimensions				Code		Price		Price		Specifications
	A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24	36	72	4	SDD243672		1488	1623	1624	1713	42.3 330 344
	24	30	72	4	SDD243072		1370	1486	1505	1576	35.6 279 291
	21	36	72	4	SDD213672		1399	1519	1522	1601	37.4 301 313
	21	30	72	4	SDD213072		1280	1383	1404	1466	31.5 255 266
66"	24	36	66	4	SDD243666		1398	1531	1533	1623	38.9 315 329
	24	30	66	4	SDD243066		1279	1396	1414	1486	32.7 265 277
	21	36	66	4	SDD213666		1309	1428	1432	1510	34.4 287 299
	21	30	66	4	SDD213066		1190	1291	1313	1375	29.0 242 253
50"	24	36	50	3	SDD243650		1112	1243	1235	1324	29.7 253 267
	24	30	50	3	SDD243050		1026	1150	1150	1222	25.0 210 222
	21	36	50	3	SDD213650		1045	1164	1159	1239	26.3 230 242
	21	30	50	3	SDD213050		960	1069	1073	1136	22.2 191 202

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWD243672		1467	1648	1648	1731	42.3 300 314
	24	30	72	4	SWD243072		1363	1544	1544	1627	35.6 252 264
	21	36	72	4	SWD213672		1376	1551	1551	1627	37.4 275 287
	21	30	72	4	SWD213072		1272	1450	1450	1524	31.5 231 242
66"	24	36	66	4	SWD243666		1383	1563	1563	1647	38.9 281 295
	24	30	66	4	SWD243066		1278	1459	1459	1542	32.7 236 248
	21	36	66	4	SWD213666		1296	1465	1465	1542	34.4 257 269
	21	30	66	4	SWD213066		1192	1362	1362	1438	29.0 217 227

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SDW243672		1467	1648	1648	1731	42.3 300 314
	24	30	72	4	SDW243072		1363	1544	1544	1627	35.6 252 264
	21	36	72	4	SDW213672		1376	1551	1551	1627	37.4 275 287
	21	30	72	4	SDW213072		1272	1450	1450	1524	31.5 231 242
66"	24	36	66	4	SDW243666		1383	1563	1563	1647	38.9 281 295
	24	30	66	4	SDW243066		1278	1459	1459	1542	32.7 236 248
	21	36	66	4	SDW213666		1296	1465	1465	1542	34.4 257 269
	21	30	66	4	SDW213066		1192	1362	1362	1438	29.0 217 227

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


## price list

cabinets - 72", 66" and 50" H. ["contemporary" laminate alum. frame or h-gloss white interior panel]



D: Number of shelves

### SHELVES



Cabinet with 2 doors with shelves only or shelves & wardrobe configuration.

Contemporary aluminum framed door with choice of either laminate or high-gloss white interior panel.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard or key locks available as an option (no upcharge,) on door with laminate interior panel only. Will lock both doors.


				Code		L Lima 1"		M Mike 1½"				
Dimensions				Doors		Price		Price		Specifications		
A	B	C	D	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	4	SDDM243672	SDDL243672	2943	3077	3078	3167	42.3	330	344
24	30	72	4	SDDM243072	SDDL243072	2824	2940	2959	3031	35.6	279	291
21	36	72	4	SDDM213672	SDDL213672	2853	2973	2977	3055	37.4	301	313
21	30	72	4	SDDM213072	SDDL213072	2735	2837	2858	2921	31.5	255	266
24	36	66	4	SDDM243666	SDDL243666	2852	2985	2988	3077	38.9	315	329
24	30	66	4	SDDM243066	SDDL243066	2734	2850	2868	2940	32.7	265	277
21	36	66	4	SDDM213666	SDDL213666	2763	2882	2886	2965	34.4	287	299
21	30	66	4	SDDM213066	SDDL213066	2644	2746	2768	2829	29.0	242	253
24	36	50	3	SDDM243650	SDDL243650	2566	2697	2690	2779	29.7	253	267
24	30	50	3	SDDM243050	SDDL243050	2481	2604	2604	2676	25.0	210	222
21	36	50	3	SDDM213650	SDDL213650	2499	2618	2614	2693	26.3	230	242
21	30	50	3	SDDM213050	SDDL213050	2415	2523	2527	2591	22.2	191	202

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWDM243672	SWDL243672	2922	3102	3102	3186	42.3	300	314
	24	30	72	4	SWDM243072	SWDL243072	2817	2999	2999	3081	35.6	252	264
	21	36	72	4	SWDM213672	SWDL213672	2830	3005	3007	3081	37.4	275	287
	21	30	72	4	SWDM213072	SWDL213072	2726	2901	2904	2978	31.5	231	242
66"	24	36	66	4	SWDM243666	SWDL243666	2837	3017	3017	3101	38.9	281	295
	24	30	66	4	SWDM243066	SWDL243066	2732	2913	2913	2996	32.7	236	248
	21	36	66	4	SWDM213666	SWDL213666	2750	2919	2923	2996	34.4	257	269
	21	30	66	4	SWDM213066	SWDL213066	2647	2816	2818	2892	29.0	217	227

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SDWM243672	SDWL243672	2922	3102	3102	3186	42.3	300	314
	24	30	72	4	SDWM243072	SDWL243072	2817	2999	2999	3081	35.6	252	264
	21	36	72	4	SDWM213672	SDWL213672	2830	3005	3007	3081	37.4	275	287
	21	30	72	4	SDWM213072	SDWL213072	2726	2901	2904	2978	31.5	231	242
66"	24	36	66	4	SDWM243666	SDWL243666	2837	3017	3017	3101	38.9	281	295
	24	30	66	4	SDWM243066	SDWL243066	2732	2913	2913	2996	32.7	236	248
	21	36	66	4	SDWM213666	SDWL213666	2750	2919	2923	2996	34.4	257	269
	21	30	66	4	SDWM213066	SDWL213066	2647	2816	2818	2892	29.0	217	227

### S SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: (laminate) : Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


## price list

cabinets - 72", 66" and 50" H. ["contemporary" aluminum frame with acrylic interior panel]



D: Number of shelves

### SHELVES



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.


						L Lima 1"			M Mike 1½"			
	Dimensions				Code	Price		Price		Specifications		
	A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	36	72	4	SDDGiC243672	2641	2775	2776	2866	42.3	330	344
	24	30	72	4	SDDGiC243072	2522	2639	2658	2729	35.6	279	291
	21	36	72	4	SDDGiC213672	2552	2672	2675	2753	37.4	301	313
	21	30	72	4	SDDGiC213072	2433	2536	2556	2619	31.5	255	266
66"	24	36	66	4	SDDGiC243666	2551	2684	2686	2775	38.9	315	329
	24	30	66	4	SDDGiC243066	2432	2549	2566	2639	32.7	265	277
	21	36	66	4	SDDGiC213666	2462	2581	2585	2663	34.4	287	299
	21	30	66	4	SDDGiC213066	2343	2444	2466	2528	29.0	242	253
50"	24	36	50	3	SDDGiC243650	2265	2396	2388	2477	29.7	253	267
	24	30	50	3	SDDGiC243050	2179	2302	2302	2375	25.0	210	222
	21	36	50	3	SDDGiC213650	2198	2317	2312	2391	26.3	230	242
	21	30	50	3	SDDGiC213050	2113	2222	2225	2289	22.2	191	202

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWDGiC243672	2620	2801	2801	2884	42.3	300	314
	24	30	72	4	SWDGiC243072	2516	2697	2697	2780	35.6	252	264
	21	36	72	4	SWDGiC213672	2529	2704	2706	2780	37.4	275	287
	21	30	72	4	SWDGiC213072	2424	2599	2603	2676	31.5	231	242
66"	24	36	66	4	SWDGiC243666	2536	2716	2716	2800	38.9	281	295
	24	30	66	4	SWDGiC243066	2431	2611	2611	2695	32.7	236	248
	21	36	66	4	SWDGiC213666	2449	2618	2621	2695	34.4	257	269
	21	30	66	4	SWDGiC213066	2345	2515	2517	2591	29.0	217	227

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SDWGiC243672	2620	2801	2801	2884	42.3	300	314
	24	30	72	4	SDWGiC243072	2516	2697	2697	2780	35.6	252	264
	21	36	72	4	SDWGiC213672	2529	2704	2706	2780	37.4	275	287
	21	30	72	4	SDWGiC213072	2424	2599	2603	2676	31.5	231	242
66"	24	36	66	4	SDWGiC243666	2536	2716	2716	2800	38.9	281	295
	24	30	66	4	SDWGiC243066	2431	2611	2611	2695	32.7	236	248
	21	36	66	4	SDWGiC213666	2449	2618	2621	2695	34.4	257	269
	21	30	66	4	SDWGiC213066	2345	2515	2517	2591	29.0	217	227

### S SPECIFY

Series Code Surface Edge Base Pull  
T - - / - -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage


## price list

cabinets - 72", 66" and 50" H. ["traditional" aluminum frame with acrylic interior panel]



D: Number of shelves

### SHELVES



Cabinet with 2 aluminum framed doors with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.


					L Lima 1"		M Mike 1½"				
	Dimensions				Code		Price		Price		Specifications
	A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24	36	72	4	SDDGiA243672		2180	2314	2316	2405	42.3 330 344
	24	30	72	4	SDDGiA243072		2061	2178	2197	2268	35.6 279 291
	21	36	72	4	SDDGiA213672		2091	2211	2214	2292	37.4 301 313
	21	30	72	4	SDDGiA213072		1972	2075	2096	2158	31.5 255 266
66"	24	36	66	4	SDDGiA243666		2090	2223	2225	2314	38.9 315 329
	24	30	66	4	SDDGiA243066		1971	2088	2105	2178	32.7 265 277
	21	36	66	4	SDDGiA213666		2001	2120	2124	2202	34.4 287 299
	21	30	66	4	SDDGiA213066		1882	1983	2005	2067	29.0 242 253
50"	24	36	50	3	SDDGiA243650		1804	1935	1927	2016	29.7 253 267
	24	30	50	3	SDDGiA243050		1718	1841	1841	1914	25.0 210 222
	21	36	50	3	SDDGiA213650		1737	1856	1851	1931	26.3 230 242
	21	30	50	3	SDDGiA213050		1652	1761	1764	1828	22.2 191 202

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWDGiA243672		2159	2340	2340	2423	42.3 300 314
	24	30	72	4	SWDGiA243072		2055	2236	2236	2319	35.6 252 264
	21	36	72	4	SWDGiA213672		2068	2243	2245	2319	37.4 275 287
	21	30	72	4	SWDGiA213072		1964	2138	2142	2215	31.5 231 242
66"	24	36	66	4	SWDGiA243666		2075	2255	2255	2339	38.9 281 295
	24	30	66	4	SWDGiA243066		1970	2151	2151	2234	32.7 236 248
	21	36	66	4	SWDGiA213666		1988	2157	2160	2234	34.4 257 269
	21	30	66	4	SWDGiA213066		1884	2054	2056	2130	29.0 217 227

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SDWGiA243672		2159	2340	2340	2423	42.3 300 314
	24	30	72	4	SDWGiA243072		2055	2236	2236	2319	35.6 252 264
	21	36	72	4	SDWGiA213672		2068	2243	2245	2319	37.4 275 287
	21	30	72	4	SDWGiA213072		1964	2138	2142	2215	31.5 231 242
66"	24	36	66	4	SDWGiA243666		2075	2255	2255	2339	38.9 281 295
	24	30	66	4	SDWGiA243066		1970	2151	2151	2234	32.7 236 248
	21	36	66	4	SDWGiA213666		1988	2157	2160	2234	34.4 257 269
	21	30	66	4	SDWGiA213066		1884	2054	2056	2130	29.0 217 227

### S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base -  Pull

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage


## price list

single door cabinets – 72", 66" and 50" H.



D: Number of shelves

### SHELVES



Cabinet with 1 laminate door (LEFT) with shelves only or wardrobe & shelves configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).

					L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price		Specifications			
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	36	72	4	SDO243672	1499	1634	1635	1724	42.3	309	323	
24	30	72	4	SDO243072	1381	1497	1516	1587	35.6	262	274	
21	36	72	4	SDO213672	1410	1530	1533	1612	37.4	280	292	
21	30	72	4	SDO213072	1291	1394	1415	1477	31.5	237	249	
24	36	66	4	SDO243666	1409	1542	1544	1634	38.9	294	308	
24	30	66	4	SDO243066	1290	1407	1425	1497	32.7	250	262	
21	36	66	4	SDO213666	1320	1439	1443	1521	34.4	266	278	
21	30	66	4	SDO213066	1201	1302	1324	1386	29.0	226	237	
24	36	50	3	SDO243650	1123	1254	1246	1335	29.7	239	253	
24	30	50	3	SDO243050	1037	1161	1161	1233	25.0	198	210	
21	36	50	3	SDO213650	1056	1175	1170	1250	26.3	216	228	
21	30	50	3	SDO213050	971	1080	1084	1147	22.2	180	191	

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWO243672	1478	1659	1659	1742	42.3	279	293
	24	30	72	4	SWO243072	1374	1555	1555	1638	35.6	235	247
	21	36	72	4	SWO213672	1387	1562	1564	1638	37.4	254	266
	21	30	72	4	SWO213072	1283	1458	1461	1535	31.5	214	224
66"	24	36	66	4	SWO243666	1394	1574	1574	1658	38.9	262	276
	24	30	66	4	SWO243066	1289	1470	1470	1553	32.7	221	232
	21	36	66	4	SWO213666	1307	1476	1480	1553	34.4	239	251
	21	30	66	4	SWO213066	1203	1373	1375	1449	29.0	201	212

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

single door cabinets – 72", 66" and 50" H.



D: Number of shelves

### SHELVES



Cabinet with 1 laminate door (RIGHT) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard, key locks available as an option (no upcharge).

				L Lima 1"		M Mike 1½"					
Dimensions				Code		Price		Price		Specifications	
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
72"	24	36	72	4	SOD243672	1499	1634	1635	1724	42.3	309 323
	24	30	72	4	SOD243072	1381	1497	1516	1587	35.6	262 274
	21	36	72	4	SOD213672	1410	1530	1533	1612	37.4	280 292
	21	30	72	4	SOD213072	1291	1394	1415	1477	31.5	237 249
66"	24	36	66	4	SOD243666	1409	1542	1544	1634	38.9	294 308
	24	30	66	4	SOD243066	1290	1407	1425	1497	32.7	250 262
	21	36	66	4	SOD213666	1320	1439	1443	1521	34.4	266 278
	21	30	66	4	SOD213066	1201	1302	1324	1386	29.0	226 237
50"	24	36	50	3	SOD243650	1123	1254	1246	1335	29.7	239 253
	24	30	50	3	SOD243050	1037	1161	1161	1233	25.0	198 210
	21	36	50	3	SOD213650	1056	1175	1170	1250	26.3	216 228
	21	30	50	3	SOD213050	971	1080	1084	1147	22.2	180 191

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SOW243672	1478	1659	1659	1742	42.3	279 293
	24	30	72	4	SOW243072	1374	1555	1555	1638	35.6	235 247
	21	36	72	4	SOW213672	1387	1562	1564	1638	37.4	254 266
	21	30	72	4	SOW213072	1283	1458	1461	1535	31.5	214 224
66"	24	36	66	4	SOW243666	1394	1574	1574	1658	38.9	262 276
	24	30	66	4	SOW243066	1289	1470	1470	1553	32.7	221 232
	21	36	66	4	SOW213666	1307	1476	1480	1553	34.4	239 251
	21	30	66	4	SOW213066	1203	1373	1375	1449	29.0	201 212

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	-	/	-	/	-	-

### O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

single door cabinets - 72", 66" and 50" h. ("contemporary" alum. frame w/ laminate or h-gloss white int. panel)



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard or key locks available as an option (no upcharge,) on door with laminate interior panel only.

Dimensions	Code		L Lima 1"		M Mike 1½"		Price		Price		Specifications	
	Doors		Price		Price		Price		Price		Specifications	
	A	B	C	D	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
72"	24	36	72	4	SDOM243672	SDOL243672	2226	2361	2362	2451	42.3	309 323
	24	30	72	4	SDOM243072	SDOL243072	2108	2224	2243	2314	35.6	262 274
	21	36	72	4	SDOM213672	SDOL213672	2137	2257	2261	2339	37.4	280 292
	21	30	72	4	SDOM213072	SDOL213072	2019	2121	2142	2204	31.5	237 249
66"	24	36	66	4	SDOM243666	SDOL243666	2136	2269	2272	2361	38.9	294 308
	24	30	66	4	SDOM243066	SDOL243066	2017	2134	2152	2224	32.7	250 262
	21	36	66	4	SDOM213666	SDOL213666	2047	2166	2170	2248	34.4	266 278
	21	30	66	4	SDOM213066	SDOL213066	1928	2030	2052	2113	29.0	226 237
50"	24	36	50	3	SDOM243650	SDOL243650	1850	1981	1973	2063	29.7	239 253
	24	30	50	3	SDOM243050	SDOL243050	1764	1888	1888	1960	25.0	198 210
	21	36	50	3	SDOM213650	SDOL213650	1783	1902	1898	1977	26.3	216 228
	21	30	50	3	SDOM213050	SDOL213050	1698	1807	1811	1874	22.2	180 191

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWOM243672	SWOL243672	2206	2386	2386	2470	42.3	279 293
	24	30	72	4	SWOM243072	SWOL243072	2101	2283	2283	2365	35.6	235 247
	21	36	72	4	SWOM213672	SWOL213672	2114	2289	2291	2365	37.4	254 266
	21	30	72	4	SWOM213072	SWOL213072	2010	2185	2188	2262	31.5	214 224
66"	24	36	66	4	SWOM243666	SWOL243666	2121	2301	2301	2385	38.9	262 276
	24	30	66	4	SWOM243066	SWOL243066	2016	2197	2197	2280	32.7	221 232
	21	36	66	4	SWOM213666	SWOL213666	2034	2203	2207	2280	34.4	239 251
	21	30	66	4	SWOM213066	SWOL213066	1931	2100	2102	2176	29.0	201 212

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage


## price list

single door cabinets – 72", 66" and 50" H. ["contemporary" alum. frame w/ laminate or h-gloss white int. panel]



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (RIGHT) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

Noki locks standard or key locks available as an option (no upcharge,) on door with laminate interior panel only.

						Code		L Lima 1"		M Mike 1½"			
Dimensions				Doors		Price		Price		Specifications			
A	B	C	D	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	36	72	4	SODM243672	SODL243672	2226	2361	2362	2451	42.3	309	323	
24	30	72	4	SODM243072	SODL243072	2108	2224	2243	2314	35.6	262	274	
21	36	72	4	SODM213672	SODL213672	2137	2257	2261	2339	37.4	280	292	
21	30	72	4	SODM213072	SODL213072	2019	2121	2142	2204	31.5	237	249	
24	36	66	4	SODM243666	SODL243666	2136	2269	2272	2361	38.9	294	308	
24	30	66	4	SODM243066	SODL243066	2017	2134	2152	2224	32.7	250	262	
21	36	66	4	SODM213666	SODL213666	2047	2166	2170	2248	34.4	266	278	
21	30	66	4	SODM213066	SODL213066	1928	2030	2052	2113	29.0	226	237	
24	36	50	3	SODM243650	SODL243650	1850	1981	1973	2063	29.7	239	253	
24	30	50	3	SODM243050	SODL243050	1764	1888	1888	1960	25.0	198	210	
21	36	50	3	SODM213650	SODL213650	1783	1902	1898	1977	26.3	216	228	
21	30	50	3	SODM213050	SODL213050	1698	1807	1811	1874	22.2	180	191	

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SOWM243672	SOWL243672	2206	2386	2386	2470	42.3	279	293
	24	30	72	4	SOWM243072	SOWL243072	2101	2283	2283	2365	35.6	235	247
	21	36	72	4	SOWM213672	SOWL213672	2114	2289	2291	2365	37.4	254	266
	21	30	72	4	SOWM213072	SOWL213072	2010	2185	2188	2262	31.5	214	224
66"	24	36	66	4	SOWM243666	SOWL243666	2121	2301	2301	2385	38.9	262	276
	24	30	66	4	SOWM243066	SOWL243066	2016	2197	2197	2280	32.7	221	232
	21	36	66	4	SOWM213666	SOWL213666	2034	2203	2207	2280	34.4	239	251
	21	30	66	4	SOWM213066	SOWL213066	1931	2100	2102	2176	29.0	201	212

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

single door cabinets - 72", 66" and 50" H. ["contemporary" aluminum frame with ACRYLIC interior panel]



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	72	4	SDOGiC243672	2076	2210	2211	2300	42.3	309	323
24	30	72	4	SDOGiC243072	1957	2074	2092	2164	35.6	262	274
21	36	72	4	SDOGiC213672	1987	2107	2110	2188	37.4	280	292
21	30	72	4	SDOGiC213072	1868	1970	1991	2054	31.5	237	249
24	36	66	4	SDOGiC243666	1986	2119	2121	2210	38.9	294	308
24	30	66	4	SDOGiC243066	1867	1983	2001	2074	32.7	250	262
21	36	66	4	SDOGiC213666	1896	2015	2020	2098	34.4	266	278
21	30	66	4	SDOGiC213066	1778	1879	1901	1962	29.0	226	237
24	36	50	3	SDOGiC243650	1700	1830	1823	1912	29.7	239	253
24	30	50	3	SDOGiC243050	1614	1737	1737	1810	25.0	198	210
21	36	50	3	SDOGiC213650	1632	1751	1747	1826	26.3	216	228
21	30	50	3	SDOGiC213050	1548	1657	1660	1724	22.2	180	191

Wardrobe cabinet  
WARDROBE ON THE LEFT



72"	24	36	72	4	SWOGiC243672	2055	2235	2235	2319	42.3	279	293
	24	30	72	4	SWOGiC243072	1950	2132	2132	2214	35.6	235	247
	21	36	72	4	SWOGiC213672	1964	2138	2141	2214	37.4	254	266
	21	30	72	4	SWOGiC213072	1859	2034	2037	2111	31.5	214	224
66"	24	36	66	4	SWOGiC243666	1970	2151	2151	2234	38.9	262	276
	24	30	66	4	SWOGiC243066	1866	2046	2046	2130	32.7	221	232
	21	36	66	4	SWOGiC213666	1883	2053	2056	2130	34.4	239	251
	21	30	66	4	SWOGiC213066	1780	1949	1951	2025	29.0	201	212

### S SPECIFY

Series      Code      Surface      Edge      Base      Pull  
 T  -  -  /  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage

## price list

single door cabinets - 72", 66" and 50" H. ("contemporary" aluminum frame - acrylic interior panel)



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (**RIGHT**) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.

					L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price		Specifications			
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
24	36	72	4	SODGiC243672	2076	2210	2211	2300	42.3	309	323	
24	30	72	4	SODGiC243072	1957	2074	2092	2164	35.6	262	274	
21	36	72	4	SODGiC213672	1987	2107	2110	2188	37.4	280	292	
21	30	72	4	SODGiC213072	1868	1970	1991	2054	31.5	237	249	
24	36	66	4	SODGiC243666	1986	2119	2121	2210	38.9	294	308	
24	30	66	4	SODGiC243066	1867	1983	2001	2074	32.7	250	262	
21	36	66	4	SODGiC213666	1896	2015	2020	2098	34.4	266	278	
21	30	66	4	SODGiC213066	1778	1879	1901	1962	29.0	226	237	
24	36	50	3	SODGiC243650	1700	1830	1823	1912	29.7	239	253	
24	30	50	3	SODGiC243050	1614	1737	1737	1810	25.0	198	210	
21	36	50	3	SODGiC213650	1632	1751	1747	1826	26.3	216	228	
21	30	50	3	SODGiC213050	1548	1657	1660	1724	22.2	180	191	

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SOWGiC243672	2055	2235	2235	2319	42.3	279	293
	24	30	72	4	SOWGiC243072	1950	2132	2132	2214	35.6	235	247
	21	36	72	4	SOWGiC213672	1964	2138	2141	2214	37.4	254	266
	21	30	72	4	SOWGiC213072	1859	2034	2037	2111	31.5	214	224
66"	24	36	66	4	SOWGiC243666	1970	2151	2151	2234	38.9	262	276
	24	30	66	4	SOWGiC243066	1866	2046	2046	2130	32.7	221	232
	21	36	66	4	SOWGiC213666	1883	2053	2056	2130	34.4	239	251
	21	30	66	4	SOWGiC213066	1780	1949	1951	2025	29.0	201	212

### S SPECIFY

T  -  -  /  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage

## price list

single door cabinets - 72", 66" and 50" H. ["traditional" aluminum frame - acrylic interior panel]



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (LEFT) with shelves only or wardrobe & shelves configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.

					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
<b>72"</b>											
24	36	72	4	SDOGiA243672	1845	1979	1980	2069	42.3	309	323
24	30	72	4	SDOGiA243072	1726	1843	1861	1933	35.6	262	274
21	36	72	4	SDOGiA213672	1756	1876	1879	1957	37.4	280	292
21	30	72	4	SDOGiA213072	1637	1739	1760	1823	31.5	237	249
<b>66"</b>											
24	36	66	4	SDOGiA243666	1755	1888	1890	1979	38.9	294	308
24	30	66	4	SDOGiA243066	1636	1752	1770	1843	32.7	250	262
21	36	66	4	SDOGiA213666	1665	1784	1789	1867	34.4	266	278
21	30	66	4	SDOGiA213066	1547	1648	1670	1731	29.0	226	237
<b>50"</b>											
24	36	50	3	SDOGiA243650	1469	1599	1592	1681	29.7	239	253
24	30	50	3	SDOGiA243050	1383	1506	1506	1579	25.0	198	210
21	36	50	3	SDOGiA213650	1401	1520	1516	1595	26.3	216	228
21	30	50	3	SDOGiA213050	1317	1426	1429	1493	22.2	180	191

Wardrobe cabinet  
WARDROBE ON THE LEFT



<b>72"</b>											
24	36	72	4	SWOGiA243672	1824	2004	2004	2088	42.3	279	293
24	30	72	4	SWOGiA243072	1719	1901	1901	1983	35.6	235	247
21	36	72	4	SWOGiA213672	1733	1907	1910	1983	37.4	254	266
21	30	72	4	SWOGiA213072	1628	1803	1806	1880	31.5	214	224
<b>66"</b>											
24	36	66	4	SWOGiA243666	1739	1920	1920	2003	38.9	262	276
24	30	66	4	SWOGiA243066	1635	1815	1815	1899	32.7	221	232
21	36	66	4	SWOGiA213666	1652	1822	1825	1899	34.4	239	251
21	30	66	4	SWOGiA213066	1549	1718	1720	1794	29.0	201	212

### S SPECIFY

Series	Code	Surface	Edge	Base	Pull
T			/		

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage


## price list

single door cabinets - 72", 66" and 50" H. ("traditional" aluminum frame - acrylic interior panel)



D: Number of shelves

### SHELVES



Cabinet with 1 aluminum framed door (**RIGHT**) with shelves only or shelves & wardrobe configuration.


Adjustable shelves with 1 fixed shelf.

Extra shelves: Order separately, see p.B45.

No lock.

				L Lima 1"		M Mike 1½"					
Dimensions				Code		Price		Price		Specifications	
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L) lb (M)
72"	24	36	72	4	SODGiA243672	1845	1979	1980	2069	42.3	309 323
	24	30	72	4	SODGiA243072	1726	1843	1861	1933	35.6	262 274
	21	36	72	4	SODGiA213672	1756	1876	1879	1957	37.4	280 292
	21	30	72	4	SODGiA213072	1637	1739	1760	1823	31.5	237 249
66"	24	36	66	4	SODGiA243666	1755	1888	1890	1979	38.9	294 308
	24	30	66	4	SODGiA243066	1636	1752	1770	1843	32.7	250 262
	21	36	66	4	SODGiA213666	1665	1784	1789	1867	34.4	266 278
	21	30	66	4	SODGiA213066	1547	1648	1670	1731	29.0	226 237
50"	24	36	50	3	SODGiA243650	1469	1599	1592	1681	29.7	239 253
	24	30	50	3	SODGiA243050	1383	1506	1506	1579	25.0	198 210
	21	36	50	3	SODGiA213650	1401	1520	1516	1595	26.3	216 228
	21	30	50	3	SODGiA213050	1317	1426	1429	1493	22.2	180 191

Wardrobe cabinet  
WARDROBE ON THE RIGHT



72"	24	36	72	4	SOWGiA243672	1824	2004	2004	2088	42.3	279 293
	24	30	72	4	SOWGiA243072	1719	1901	1901	1983	35.6	235 247
	21	36	72	4	SOWGiA213672	1733	1907	1910	1983	37.4	254 266
	21	30	72	4	SOWGiA213072	1628	1803	1806	1880	31.5	214 224
66"	24	36	66	4	SOWGiA243666	1739	1920	1920	2003	38.9	262 276
	24	30	66	4	SOWGiA243066	1635	1815	1815	1899	32.7	221 232
	21	36	66	4	SOWGiA213666	1652	1822	1825	1899	34.4	239 251
	21	30	66	4	SOWGiA213066	1549	1718	1720	1794	29.0	201 212

### S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base -  Pull

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Pull: Pulls included, specify type, p.83.



# storage

## single door cabinets with shelves - left

## price list



LAMINATE  
DOOR

Cabinet (LEFT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.


Shelves have the same finish as the base color.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard or key locks available as an option (no upcharge,) **on door with laminate interior panel only.**


Acrylic interior panel.

			L Lima 1"		M Mike 1½"				
Dimensions			Code		Price		Specifications		
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
72"	24	24	72	SDL242472	1221	1366	1392	1444	29.0 261 270
	21	24	72	SDL212472	1167	1304	1330	1376	25.6 237 246
66"	24	24	66	SDL242466	1165	1311	1334	1387	26.6 240 249
	21	24	66	SDL212466	1112	1247	1274	1320	23.5 218 226




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

			Door								
			Laminate	H-Gloss White							
24	24	72	SDML242472	SDLL242472	2082	2228	2253	2306	29.0	261	270
21	24	72	SDML212472	SDLL212472	2028	2165	2191	2237	25.6	237	246
24	24	66	SDML242466	SDLL242466	2026	2173	2196	2248	26.6	240	249
21	24	66	SDML212466	SDLL212466	1973	2109	2135	2181	23.5	218	226



Contemporary alu. frame /  
Acrylic interior panel

Acrylic											
24	24	72	SDGiCL242472	1887	2032	2057	2110	29.0	261	270	
21	24	72	SDGiCL212472	1833	1969	1995	2042	25.6	237	246	
24	24	66	SDGiCL242466	1830	1977	2000	2053	26.6	240	249	
21	24	66	SDGiCL212466	1778	1913	1939	1986	23.5	218	226	



Traditional alu. frame /  
Acrylic interior panel

Acrylic										
24	24	72	SDGiAL242472	1610	1756	1781	1834	29.0	261	270
21	24	72	SDGiAL212472	1557	1693	1719	1766	25.6	237	246
24	24	66	SDGiAL242466	1554	1701	1724	1777	26.6	240	249
21	24	66	SDGiAL212466	1502	1637	1663	1709	23.5	218	226

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## single door cabinets with shelves - right

## price list



LAMINATE  
DOOR

Cabinet (RIGHT) with shelves (3 adjustable and 1 fixed).

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.


Shelves have the same finish as the base color.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard or key locks available as an option (no upcharge,) on door with laminate interior panel only.


Not available on door with H-Gloss White or Acrylic interior panel.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SDR242472	1221	1366	1392	1444	29.0	261	270
21	24	72	SDR212472	1167	1304	1330	1376	25.6	237	246
24	24	66	SDR242466	1165	1311	1334	1387	26.6	240	249
21	24	66	SDR212466	1112	1247	1274	1320	23.5	218	226




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

			Door								
			Laminate	H-Gloss White							
24	24	72	SDMR242472	SDLR242472	2082	2228	2253	2306	29.0	261	270
21	24	72	SDMR212472	SDLR212472	2028	2165	2191	2237	25.6	237	246
24	24	66	SDMR242466	SDLR242466	2026	2173	2196	2248	26.6	240	249
21	24	66	SDMR212466	SDLR212466	1973	2109	2135	2181	23.5	218	226



Contemporary alu. frame /  
Acrylic interior panel

Acrylic											
24	24	72	SDGiCR242472	1887	2032	2057	2110	29.0	261	270	
21	24	72	SDGiCR212472	1833	1969	1995	2042	25.6	237	246	
24	24	66	SDGiCR242466	1830	1977	2000	2053	26.6	240	249	
21	24	66	SDGiCR212466	1778	1913	1939	1986	23.5	218	226	



Traditional alu. frame /  
Acrylic interior panel

Acrylic										
24	24	72	SDGiAR242472	1610	1756	1781	1834	29.0	261	270
21	24	72	SDGiAR212472	1557	1693	1719	1766	25.6	237	246
24	24	66	SDGiAR242466	1554	1701	1724	1777	26.6	240	249
21	24	66	SDGiAR212466	1502	1637	1663	1709	23.5	218	226

### S SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## single door cabinets with wardrobe - left

## price list




Cabinet (LEFT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Noki locks standard or key locks available as an option (no upcharge,) **on door with laminate interior panel only.**


Not available on door with H-Gloss White or Acrylic interior panel.

					L Lima 1"		M Mike 1½"				
	Dimensions			Code	Price		Price		Specifications		
	A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72"	24	24	72	SWL242472	1015	1140	1161	1207	29.0	219	229
	21	24	72	SWL212472	977	1093	1115	1155	25.6	200	208
66"	24	24	66	SWL242466	967	1090	1111	1157	26.6	206	216
	21	24	66	SWL212466	928	1044	1066	1107	23.5	188	196




Contemporary alu. frame /  
Laminate or H-Gloss White  
interior panel

				Door								
				Laminate	H-Gloss White							
72"	24	24	72	SWML242472	SWLL242472	1877	2001	2022	2068	29.0	219	229
	21	24	72	SWML212472	SWLL212472	1838	1955	1977	2016	25.6	200	208
66"	24	24	66	SWML242466	SWLL242466	1828	1951	1972	2019	26.6	206	216
	21	24	66	SWML212466	SWLL212466	1790	1905	1927	1968	23.5	188	196



Contemporary alu. frame /  
Acrylic interior panel

Acrylic											
72"	24	24	72	SWGICL242472	1681	1805	1826	1872	29.0	219	229
	21	24	72	SWGICL212472	1642	1759	1781	1821	25.6	200	208
66"	24	24	66	SWGICL242466	1632	1756	1777	1823	26.6	206	216
	21	24	66	SWGICL212466	1594	1709	1731	1772	23.5	188	196



Traditional alu. frame /  
Acrylic interior panel

Acrylic												
72"	24	24	72	SWGIAL242472	1405	1529	1550	1596	29.0	219	229	
	21	24	72	SWGIAL212472	1366	1483	1505	1544	25.6	200	208	
66"	24	24	66	SWGIAL242466	1356	1480	1500	1547	26.6	206	216	
	21	24	66	SWGIAL212466	1318	1433	1455	1496	23.5	188	196	

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## single door cabinets with wardrobe - right

## price list



LAMINATE DOOR


Cabinet (RIGHT) with shelf and coat hanging bar.

Door type: Laminate or aluminum framed with choice of either laminate, high-gloss white or acrylic interior panel.

Noki locks standard or key locks available as an option (no upcharge,) on door with laminate interior panel only.


Not available on door with H-Gloss White or Acrylic interior panel.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWR242472	1015	1140	1161	1207	29.0	219	229
21	24	72	SWR212472	977	1093	1115	1155	25.6	200	208
24	24	66	SWR242466	967	1090	1111	1157	26.6	206	216
21	24	66	SWR212466	928	1044	1066	1107	23.5	188	196




Contemporary alu. frame / Laminate or H-Gloss White interior panel

Dimensions	Code	Door				Specifications		
		Laminate	H-Gloss White					
		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
<b>72"</b>	24 24 72	1877	2001	2022	2068	29.0	219	229
	21 24 72	1838	1955	1977	2016	25.6	200	208
<b>66"</b>	24 24 66	1828	1951	1972	2019	26.6	206	216
	21 24 66	1790	1905	1927	1968	23.5	188	196



Contemporary alu. frame / Acrylic interior panel

Dimensions	Code	Acrylic				Specifications		
		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
<b>72"</b>	24 24 72	1681	1805	1826	1872	29.0	219	229
	21 24 72	1642	1759	1781	1821	25.6	200	208
<b>66"</b>	24 24 66	1632	1756	1777	1823	26.6	206	216
	21 24 66	1594	1709	1731	1772	23.5	188	196



Traditional alu. frame / Acrylic interior panel

Dimensions	Code	Acrylic				Specifications		
		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
<b>72"</b>	24 24 72	1405	1529	1550	1596	29.0	219	229
	21 24 72	1366	1483	1505	1544	25.6	200	208
<b>66"</b>	24 24 66	1356	1480	1500	1547	26.6	206	216
	21 24 66	1318	1433	1455	1496	23.5	188	196

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	-	-	/	-	/	-	-

### O OPTION

**S Series:** L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts (laminate):** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### combined storage units - 50" H.



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UF) **on the right**.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	SWDUF242450	1306	1486	1486	1569	20.3	225	233
21	24	50	SWDUF212450	1219	1388	1390	1465	18.0	207	214



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UF) **on the left**.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	50	SDUFW242450	1306	1486	1486	1569	20.3	225	233
21	24	50	SDUFW212450	1219	1388	1390	1465	18.0	207	214

### combined storage units - 50" H. ["contemporary" aluminum frame - laminate or h-gloss white interior panel]



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UF) **on the right**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

			Doors							
			Laminate	H-Gloss White						
24	24	50	SWDUFM242450	SWDUFL242450	2044	2224	2224	2307	20.3	225 233
21	24	50	SWDUFM212450	SWDUFL212450	1957	2126	2129	2203	18.0	207 214



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UF) **on the left**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	50	SDUFWM242450	SDUFWL242450	2044	2224	2224	2307	20.3	225 233
21	24	50	SDUFWM212450	SDUFWL212450	1957	2126	2129	2203	18.0	207 214

#### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

#### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

price list

combined storage units – 50" H. ["contemporary" aluminum frame – acrylic interior panel]



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UF) **on the right**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	50	SWDUFGiC242450	1943	2123	2123	2206	20.3	225	233
21	24	50	SWDUFGiC212450	1856	2025	2027	2102	18.0	207	214



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UF) **on the left**. Aluminum framed doors.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	50	SDUFWGiC242450	1943	2123	2123	2206	20.3	225	233
21	24	50	SDUFWGiC212450	1856	2025	2027	2102	18.0	207	214

combined storage units – 50" H. ["traditional" frame – acrylic interior panel]



Wardrobe on the left


Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UF) **on the left**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	50	SWDUFGiA242450	1960	2142	2142	2224	20.3	225	233
21	24	50	SWDUFGiA212450	1874	2044	2046	2121	18.0	207	214



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UF) **on the left**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	50	SDUFWGiA242450	1960	2142	2142	2224	20.3	225	233
21	24	50	SDUFWGiA212450	1874	2044	2046	2121	18.0	207	214

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## combined storage units - 66" H.

## price list



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UUF) **on the right**.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDUUF242466	1533	1690	1690	1772	26.6	257	265
21	24	66	SWDUUF212466	1447	1591	1594	1669	23.5	237	244



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UUF) **on the left**.


Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	66	SDUUFW242466	1533	1690	1690	1772	26.6	257	265
21	24	66	SDUUFW212466	1447	1591	1594	1669	23.5	237	244

## combined storage units - 66" H. ["contemporary" aluminum frame - laminate or h-gloss white interior panel]



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UUF) **on the right**. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

			Doors							
			Laminate	H-Gloss White						
24	24	66	SWDUUFM242466	SWDUUFL242466	2272	2428	2428	2510	26.6	257 265
21	24	66	SWDUUFM212466	SWDUUFL212466	2185	2329	2332	2407	23.5	237 244



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UUF) **on the left**. Aluminum framed doors.

Pencil tray included in the 6" top drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	66	SDUUFWM242466	SDUUFWL242466	2272	2428	2428	2510	26.6	257 265
21	24	66	SDUUFWM212466	SDUUFWL212466	2185	2329	2332	2407	23.5	237 244

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



storage

price list


combined storage units – 66" H. ["contemporary" aluminum frame – acrylic interior panel]



Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (**UUF**) **on the right**. Aluminum framed doors.  
Pencil tray included in the 6" top drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDUUFGiC242466	2170	2327	2327	2409	26.6	257	265
21	24	66	SWDUUFGiC212466	2083	2228	2231	2306	23.5	237	244




Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (**UUF**) **on the left**. Aluminum framed doors.  
Pencil tray included in the 6" top drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	66	SDUUFWGiC242466	2170	2327	2327	2409	26.6	257	265
21	24	66	SDUUFWGiC212466	2083	2228	2231	2306	23.5	237	244


combined storage units – 66" H. ["traditional" aluminum frame – acrylic interior panel]



Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (**UUF**) **on the right**. Aluminum framed doors.  
Pencil tray included in the 6" top drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	66	SWDUUFGiA242466	2295	2476	2476	2559	26.6	257	265
21	24	66	SWDUUFGiA212466	2209	2377	2380	2455	23.5	237	244



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (**UUF**) **on the left**. Aluminum framed doors.  
Pencil tray included in the 6" top drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	66	SDUUFWGiA242466	2295	2476	2476	2559	26.6	257	265
21	24	66	SDUUFWGiA212466	2209	2377	2380	2455	23.5	237	244

S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

O OPTION


- S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.  
Pull: Pulls included, specify type, p.83.
- O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### combined storage units - 66" H.




Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and 2 file drawers (FF) **on the right**.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
					Price		Price				
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDFF242466		1506	1664	1637	1719	26.6	257	265
21	24	66	SWDFF212466		1416	1565	1541	1616	23.5	237	244



Wardrobe on the right


Combined storage unit with a wardrobe **on the right**, mini-cabinet and 2 file drawers (FF) **on the left**.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	66	SDFFW242466	1506	1664	1637	1719	26.6	257	265
21	24	66	SDFFW212466	1416	1565	1541	1616	23.5	237	244

### combined storage units - 66" H. ["contemporary" aluminum frame - laminate or h-gloss white interior panel]




Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and 2 file drawers (FF) **on the right**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

			Doors								
			Laminate	H-Gloss White							
24	24	66	SWDFFM242466	SWDFFL242466	2244	2402	2375	2457	26.6	257	265
21	24	66	SWDFFM212466	SWDFFL212466	2154	2303	2279	2354	23.5	237	244



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and 2 file drawers (FF) **on the left**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	66	SDFFWM242466	SDFFWL242466	2244	2402	2375	2457	26.6	257	265
21	24	66	SDFFWM212466	SDFFWL212466	2154	2303	2279	2354	23.5	237	244

#### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

#### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

combined storage units – 66" H. [contemporary aluminum frame – acrylic interior panel]




Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and 2 file drawers (FF) **on the right**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	66	SWDFFGiC242466	2143	2301	2274	2356	26.6	257	265
21	24	66	SWDFFGiC212466	2053	2202	2178	2253	23.5	237	244



Wardrobe on the right


Combined storage unit with a wardrobe **on the right**, mini-cabinet and 2 file drawers (FF) **on the left**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	66	SDFFWGiC242466	2143	2301	2274	2356	26.6	257	265
21	24	66	SDFFWGiC212466	2053	2202	2178	2253	23.5	237	244

combined storage units – 66" H. ["traditional" aluminum frame – acrylic interior panel]




Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and 2 file drawers (FF) **on the right**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	66	SWDFFGiA242466	2243	2423	2423	2506	26.6	257	265
21	24	66	SWDFFGiA212466	2156	2325	2328	2402	23.5	237	244



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and 2 file drawers (FF) **on the left**. Aluminum framed doors.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

24	24	66	SDFFWGiA242466	2243	2423	2423	2506	26.6	257	265
21	24	66	SDFFWGiA212466	2156	2325	2328	2402	23.5	237	244

### S SPECIFY

### O OPTION

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## price list

### combined storage units - 72" H.



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UFF) **on the right**.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
					Price		Price				
A	B	C			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWDUFF242472		1634	1761	1761	1844	29.0	272	280
21	24	72	SWDUFF212472		1544	1663	1665	1740	25.6	251	257



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UFF) **on the left**.


Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	72	SDUFFW242472	1634	1761	1761	1844	29.0	272	280
21	24	72	SDUFFW212472	1544	1663	1665	1740	25.6	251	257

### combined storage units - 72" H. ["contemporary" aluminum frame - laminate or h-gloss white interior panel]



Wardrobe on the left


Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UFF) **on the right**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

			Doors							
			Laminate	H-Gloss White						
24	24	72	SWDUFFM242472	SWDUFFL242472	2372	2499	2499	2582	29.0	272 280
21	24	72	SWDUFFM212472	SWDUFFL212472	2283	2401	2404	2478	25.6	251 257



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UFF) **on the left**. Aluminum framed doors.

Pencil tray included in the 6" drawer.

Extra shelves: Order separately, [see p.B45](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers

24	24	72	SDUFFWM242472	SDUFFWL242472	2372	2499	2499	2582	29.0	272 280
21	24	72	SDUFFWM212472	SDUFFWL212472	2283	2401	2404	2478	25.6	251 257

#### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T							

#### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



storage

price list


combined storage units – 72" H. ["contemporary" aluminum frame – acrylic interior panel]



Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UFF) **on the right**. Aluminum framed doors.  
Pencil tray included in the 6" drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	24	72	SWDUFFGiC242472	2270	2398	2398	2481	29.0	272	280
21	24	72	SWDUFFGiC212472	2181	2300	2302	2377	25.6	251	257




Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UFF) **on the left**. Aluminum framed doors.  
Pencil tray included in the 6" drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SDUFFWGiC242472	2270	2398	2398	2481	29.0	272	280
21	24	72	SDUFFWGiC212472	2181	2300	2302	2377	25.6	251	257


combined storage units – 72" H. ["traditional" aluminum frame – acrylic interior panel]



Wardrobe on the left

Combined storage unit with a wardrobe **on the left**, mini-cabinet and drawers (UFF) **on the right**. Aluminum framed doors.  
Pencil tray included in the 6" drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SWDUFFGiA242472	2367	2548	2548	2630	29.0	272	280
21	24	72	SWDUFFGiA212472	2280	2450	2452	2527	25.6	251	257



Wardrobe on the right

Combined storage unit with a wardrobe **on the right**, mini-cabinet and drawers (UFF) **on the left**. Aluminum framed doors.  
Pencil tray included in the 6" drawer.  
Extra shelves: Order separately, [see p.B45](#).  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

24	24	72	SDUFFWGiA242472	2367	2548	2548	2630	29.0	272	280
21	24	72	SDUFFWGiA212472	2280	2450	2452	2527	25.6	251	257

S SPECIFY

O OPTION

Series

Code

Surface

Edge

Base

Fronts

Pull

Lock

T--/-/--

- S

Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.  
Pull: Pulls included, specify type, p.83.
- O

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.





# storage

## price list

### 2-way cabinets - 66" and 50" H.

Combined storage unit with front drawer section (UUF) and side open storage with adjustable shelf.  
Pencil tray included in the 6" top drawer. Front-to-back filing bars sold separately, refer to the Accessories price list.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers  
Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.  
Extra shelves: Order separately, [see p.B45](#).



66"



50"

66"

50"

			L Lima 1"		M Mike 1½"					
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
Left										
24	18½	66	SOUUFL241866	1074	1158	1158	1212	21.0	159	164
21	18½	66	SOUUFL211866	1060	1143	1144	1196	18.6	142	147
24	18½	50	SOUUFL241850	1033	1114	1114	1166	16.0	121	126
21	18½	50	SOUUFL211850	1020	1099	1100	1150	14.2	108	113
Right										
24	18½	66	SOUUFR241866	1074	1158	1158	1212	21.0	159	164
21	18½	66	SOUUFR211866	1060	1143	1144	1196	18.6	142	147
24	18½	50	SOUUFR241850	1033	1114	1114	1166	16.0	121	126
21	18½	50	SOUUFR211850	1020	1099	1100	1150	14.2	108	113

Combined storage unit with front drawer section (FF) and side open storage with adjustable shelf.  
Front-to-back filing bars sold separately, refer to the Accessories price list.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers  
Tackboard available: 17"x35" (for 66" H. storage) and 17"x20" for (50" H. storage), see next page.  
Extra shelves: Order separately, [see p.B45](#).



66"

50"

66"

50"

Left										
24	18½	66	SOFFL241866	1074	1158	1158	1212	21.0	157	161
21	18½	66	SOFFL211866	1060	1143	1144	1196	18.6	140	144
24	18½	50	SOFFL241850	1033	1114	1114	1166	16.0	119	124
21	18½	50	SOFFL211850	1020	1099	1100	1150	14.2	107	111
Right										
24	18½	66	SOFFR241866	1074	1158	1158	1212	21.0	157	161
21	18½	66	SOFFR211866	1060	1143	1144	1196	18.6	140	144
24	18½	50	SOFFR241850	1033	1114	1114	1166	16.0	119	124
21	18½	50	SOFFR211850	1020	1099	1100	1150	14.2	107	111

#### S SPECIFY

#### O OPTION

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.



Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## 2-way cabinets - 50" H.

## price list



Combined storage unit with front drawer section (UF) and side open storage with adjustable shelf. Use with 23" H. credenzas.

Pencil tray included in the 6" drawer. Front-to-back filing bars sold separately, refer to the Accessories price list.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers

Tackboard available: 17"x26", see below.

Extra shelves: Order separately, see p.B45.

				L Lima 1"		M Mike 1½"					
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
Left											
24	18½	50	23	SOUFL241850	1033	1114	1114	1166	16.0	113	118
21	18½	50	23	SOUFL211850	1020	1099	1100	1150	14.2	100	105
Right											
24	18½	50	23	SOUFR241850	1033	1114	1114	1166	16.0	113	118
21	18½	50	23	SOUFR211850	1020	1099	1100	1150	14.2	100	105

### S SPECIFY

Series Code Surface Edge Base Fronts Pull Lock

T  -  -  /  -  /  -  -

### O OPTION

**S Series:** L or M see specifications p.47.

**Code:** Consult the above product code list.


**Surface / Edge / Base / Fronts (drawers):** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

## tackboards



Fabric-covered tackboard for 2-way cabinets.

Installs with Velcro strips.

Dimensions			Code		Price					Specifications	
A	B	Use with cabinets			Gr.1	Com/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
17	35	66" UUF / FF	BTL1735		206	228	249	263	271	0.8	8
17	26	50" UF	BTL1726		153	169	185	196	201	0.6	6
17	20	50" UUF / FF	BTL1720		130	158	162	172	182	0.5	5

### S SPECIFY

Code Fabric

AC -  -

**S Code:** Consult the above product code list.

**Fabric:** Refer to current Artopex panel fabric card.




Bookcase 24", 21" or 12" deep.


Shelves and sides 1".

Extra shelves: Order separately, [see p.B45](#).

\* 84" high bookcases have 4 adjustable shelves and 1 fixed shelf.



D: Number of shelves



					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	84	4*	BK243684	1008	1109	1122	1224	49.2	336	346
24	36	72	4	BK243672	890	994	1008	1110	42.3	289	303
24	36	66	4	BK243666	846	952	922	1024	38.9	278	292
24	36	50	3	BK243650	700	804	824	926	29.7	225	239
24	36	41	2	BK243641	613	716	702	804	24.6	186	196
24	36	29	1	BK243629	449	551	545	647	17.7	134	144
24	30	84	4*	BK243084	932	1048	1060	1156	41.4	285	293
24	30	72	4	BK243072	821	925	945	1041	35.6	245	257
24	30	66	4	BK243066	779	884	858	954	32.7	234	246
24	30	50	3	BK243050	635	739	766	861	25.0	187	198
24	30	41	2	BK243041	550	655	648	744	20.7	155	163
24	30	29	1	BK243029	393	497	496	592	14.9	111	119
21	36	84	4*	BK213684	974	1095	1088	1190	43.5	302	310
21	36	72	4	BK213672	856	977	974	1076	37.5	260	272
21	36	66	4	BK213666	812	933	888	990	34.4	250	268
21	36	50	3	BK213650	664	785	789	891	26.3	202	214
21	36	41	2	BK213641	579	700	668	770	21.7	167	175
21	36	29	1	BK213629	415	536	510	613	15.7	121	129
21	30	84	4*	BK213084	905	1010	1034	1130	36.6	256	263
21	30	72	4	BK213072	794	899	919	1014	31.5	220	231
21	30	66	4	BK213066	752	857	832	927	29.0	210	222
21	30	50	3	BK213050	607	712	738	834	22.1	168	179
21	30	41	2	BK213041	524	628	622	717	18.3	139	146
21	30	29	1	BK213029	366	471	470	565	13.2	100	107
12	36	84	4*	BK123684	854	902	955	994	26.4	170	177
12	36	72	4	BK123672	751	803	856	895	22.8	151	158
12	36	66	4	BK123666	715	768	778	817	20.1	142	148
12	36	50	3	BK123650	589	640	700	739	16.0	123	129
12	36	41	2	BK123641	514	564	590	629	13.2	102	109
12	36	29	1	BK123629	365	415	448	487	9.9	84	91
12	30	84	4*	BK123084	785	849	901	934	22.3	151	157
12	30	72	4	BK123072	690	741	801	834	19.2	134	140
12	30	66	4	BK123066	656	708	722	755	17.6	126	131
12	30	50	3	BK123050	531	583	649	682	13.5	108	114
12	30	41	2	BK123041	459	510	543	576	11.2	90	95
12	30	29	1	BK123029	317	369	407	440	6.1	72	78

### S SPECIFY

Series Code Surface Edge Base

T  -  -  /  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.



# storage


## corner bookcases

## price list


Freestanding (on floor) corner bookcase 30", 24", 21" or 12" deep.

41" and higher bookcases need to be attached to an adjacent bookcase or to the wall for stability.

The "hutch" version of this bookcase (installed on a surface) is available on [page C40](#).



D: Number of shelves



					L Lima 1"		M Mike 1½"				
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	30	29	1	BKC3029	754	875	824	986	18.4	139	151
24	24	72	4	BKC2472	1042	1119	1315	1415	28.9	188	196
24	24	66	4	BKC2466	1002	1078	1269	1368	26.6	180	188
24	24	50	3	BKC2450	870	947	1118	1218	20.3	143	151
24	24	41	2	BKC2441	739	815	967	1067	16.8	116	123
24	24	35	2	BKC2435	700	774	922	1021	14.5	107	114
24	24	29	1	BKC2429	600	675	806	905	12.1	98	105
21	21	72	4	BKC2172	912	981	1172	1250	22.7	154	160
21	21	66	4	BKC2166	879	948	1134	1211	20.8	147	153
21	21	50	3	BKC2150	767	837	1005	1082	15.9	117	123
21	21	41	2	BKC2141	656	725	878	954	13.2	95	100
21	21	35	2	BKC2135	623	692	839	922	11.4	87	93
21	21	29	1	BKC2129	530	600	733	809	9.5	79	85
12	12	72	4	BKC1272	646	696	717	782	8.4	74	76
12	12	66	4	BKC1266	581	630	651	717	7.7	69	71
12	12	50	3	BKC1250	515	565	586	651	5.9	53	55
12	12	41	2	BKC1241	454	502	536	586	4.9	43	45
12	12	29	1	BKC1229	309	351	393	428	3.5	35	37

### S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.




# storage

extra shelves for cabinets, open storage units and bookcases

price list

Extra shelf for storage units and bookcases.

Shelf has 1" thickness and is compatible with all series.



For storage units 24" x 18"

For storage units 21" x 18"

For storage units 24" x 36"

For storage units 24" x 30"

For storage units 21" x 36"

For storage units 21" x 30"

For single door cabinets 24" x 24"

For single door cabinets 21" x 24"

(codes SDO../SOD../SWO../SOW..)

For single door cabinets 24" x 36"

For single door cabinets 24" x 30"

(codes STWS/STSW)

For two door cabinets 21" x 36"

For two door cabinets 21" x 30"

For combination storage 24" x 24"

For combination storage 21" x 24"

For 2-way cabinets 24" x 18½"

For 2-way cabinets 21" x 18½"

For bookcases 24" x 36"

For bookcases 24" x 30"

For bookcases 21" x 36"

For bookcases 21" x 30"

For bookcases 12" x 36"

For bookcases 12" x 30"

Dimensions		Code	Price	Storage type	Specifications	
A	B				Cu.Ft	lb
22	16	STS2216	77		0.6	9
19	16	STS1916	68		0.5	7
22	34	STS2234	123		1.0	18
22	28	STS2228	112		0.8	15
19	34	STS1934	114		0.9	16
19	28	STS1928	106		0.7	13
22	22	STS2222	96		0.7	12
19	22	STS1922	83		0.6	10
22	17	STS2217	78		0.5	9
22	14	STS2214	74		0.4	8
19	17	STS1917	72		0.5	8
19	14	STS1914	67		0.4	7
14	22	STS1422	52		0.4	8
14	19	STS1419	50		0.4	7
22	17	BTS2217	77		0.5	9
19	17	BTS1917	68		0.5	8
23	34	BKS2334	138		1.0	19
23	28	BKS2328	116		0.9	16
20	34	BKS2034	121		0.9	17
20	28	BKS2028	99		0.8	14
11	34	BKS1134	55		0.5	9
11	28	BKS1128	53		0.5	8

## S SPECIFY


Series Code Base

T L - -

S Code: Consult the above product code list.


Base: Take Off finishes, p.84-85.






Suspended pedestal with 2 - 6" drawers.  
Pencil tray included in the 6" top drawer.  
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	18	12	SPUU	342	3.0	33




Suspended pedestal with 1 - 12" drawer.  
Noki locks standard, key locks available as an option (no upcharge).  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

15½	18	12	SPF	342	3.0	33
-----	----	----	-----	-----	-----	----



Suspended pedestal with 3 - 6" drawers.  
Pencil tray included in the 6" top drawer.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	18	18	SPUUU	477	4.3	39
-----	----	----	-------	-----	-----	----



Suspended pedestal with 1 - 6" drawer and 1 - 12" drawer.  
Pencil tray included in the 6" drawer.  
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

15½	18	18	SPUF	477	4.3	39
-----	----	----	------	-----	-----	----

S

SPECIFY

O

OPTIONS

Series

Code

Base

Fronts

Pull

Lock

T

L

--/--

**S** **Code:** Consult the above product code list.  
**Base / Fronts:** Take Off finishes, p.84-85.  
**O** **Pull:** Pull option, specify type, add \$22 per drawer, p.83.  
**Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.50.  
Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.




# storage

## price list


### freestanding pedestals – without top

Freestanding surface-attached pedestal.  
Pencil tray included in the 6" top drawer.  
Use under surfaces 21" and deeper.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.




#### Freestanding pedestal with 2 - 6" drawers and 1 - 12" file drawer.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C			Cu.Ft.	lb
15½	18	27½	FPUUF	685	6.6	65



#### Freestanding pedestal with 2 - 12" file drawers.


15½	18	27½	FPFF	685	6.6	63
-----	----	-----	------	-----	-----	----



#### Freestanding pedestal with 4 - 6" drawers.


15½	18	27½	FP4U	701	6.0	67
-----	----	-----	------	-----	-----	----

### freestanding pedestals – without top – integrated recycling bin



Freestanding surface-attached pedestal with 2 - 6" drawers and 1 recycling bin drawer.  
Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.  
Use under surfaces 21" and deeper.  
Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.

15½	18	27½	FPUUY	646	6.0	56
-----	----	-----	-------	-----	-----	----



Freestanding surface-attached pedestal with 1 - 12" file drawer and 1 recycling bin drawer.  
Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer. Recycling bin included in the bottom drawer.  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

15½	18	27½	FPFY	646	6.0	54
-----	----	-----	------	-----	-----	----

#### S SPECIFY

Series	Code	Base	Fronts	Pull	Lock
T	L	-	-	-	-

#### O OPTIONS

**S** Code: Consult the above product code list.

**Base / Fronts:** Take Off finishes, p.84-85.

**O** Pull: Pull option, specify type, add \$22 per drawer, p.83.

**Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.50.



Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## support pedestals

## price list



Support pedestal with 2 - 6" drawers and 1 - 12" file drawer.

Use under surfaces 24" and deeper, and replaces an end panel (or leg) when necessary, [see p.59](#).

Pencil tray included in the 6" top drawer.

Noki lock standard, key lock available as an option (no upcharge). Will lock all drawers.

Must be used under a surface without base or modesty panel where the pedestal is positioned.

Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to accessories price list.

Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	24	27½	FSPUUF	699	7.5	70

15½	24	27½	FSPFF	699	7.5	70
-----	----	-----	-------	-----	-----	----

### S SPECIFY

### O OPTIONS

Series Code Base Fronts Pull Lock

T L - - / - -

**S Code:** Consult the above product code list.

**Base / Fronts:** Take Off finishes, p.84-85.


**O Pull:** Pull option, specify type, add \$22 per drawer, p.83.

**Key locks:** Locks with keys (**LS**) or keyed-alike (**LSK**) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

## support pedestals in metal

### 45 Series



Freestanding surface-attached **metal pedestal** with center pull, with 2 or 3 drawers.

Pencil tray included in the 6" top drawer.

Use 22" deep pedestal under surfaces 24" and deeper.


Use 28" deep pedestal under surfaces 30" and deeper.

Explanations on pedestal dimensions are available, [see p.89](#).

Lock & key included. NOKI lock or keyed-alike available as an option (no upcharge). Will lock all drawers.

Drawers						
15	28	27½	3	FP45-28-6612	770	9.1 90
15	22	27½	3	FP45-22-6612	722	6.8 75
15	28	27½	2	FP45-28-1212	773	9.1 90
15	22	27½	2	FP45-22-1212	693	6.8 75

### 47 Series



Freestanding surface-attached **metal pedestal** with full width pull, with 2 or 3 drawers.

Drawers						
15	28	27½	3	FP47-28-6612	803	9.1 90
15	22	27½	3	FP47-22-6612	781	6.8 75
15	28	27½	2	FP47-28-1212	792	9.1 90
15	22	27½	2	FP47-22-1212	726	6.8 75

### S SPECIFY

### O OPTION

Code Metal Lock

- -

**S Code:** Consult the above product code list.

**Metal:** Specify the metal finish, refer to the current Artopex enamel finishes card. For metallic finishes, add \$39 for the **1212** pedestal and 44\$ for the **6612** pedestal.

**O Lock:** Noki electronic lock (**LTI**) or keyed-alike (**K**) options available (no upcharge), p.50.


Specify code **K01** to the components in the first workstation; **K02** to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## freestanding pedestals - 29" H.

## price list




Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.

Noki standard, key locks available as an option (no upcharge). Will lock all drawers.

Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

Dimensions			Code	L Lima 1"		M Mike 1½"		Specifications		
				Price (without pull)		Price				
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
15½	24	29	FSUUF	699	762	814	943	7.5	79	83




Pedestal with 2 - 12" drawers. Can be placed next to a work surface.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

In order to meet **BIFMA** safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	FSFF	699	762	814	943	7.5	77	81
-----	----	----	------	-----	-----	-----	-----	-----	----	----




Pedestal with 4 - 6" drawers. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	24	29	FS4U	714	779	832	964	7.5	81	85
-----	----	----	------	-----	-----	-----	-----	-----	----	----




Pedestal with 2 - 6" drawers and 1 recycling bin drawer. Can be placed next to a work surface.

Pencil tray included in the 6" top drawer. Recycling bin included in the bottom drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock top 2 drawers.

15½	24	29	FSUUY	659	718	768	889	7.5	71	75
-----	----	----	-------	-----	-----	-----	-----	-----	----	----



Pedestal with 1 - 12" file drawer and 1 recycling bin drawer. Can be placed next to a work surface.

Recycling bin included in the bottom drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock top drawer.

In order to meet **BIFMA** safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	24	29	FSFY	659	718	768	889	7.5	69	73
-----	----	----	------	-----	-----	-----	-----	-----	----	----

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	C-Weight	Lock
T			/		/			

### O OPTIONS

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

**O** Pull: Pull option, specify type, add \$22 per drawer, p.83.

Counter-weight: (FSFF and FSFY only): For counter-weight option, add (CW), add \$116.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.




# storage


## mobile pedestals

## price list

Mobile pedestal with 2 - 6" drawers and 1 - 12" file drawer. Equipped with a 5<sup>th</sup> caster for stability.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.  
Pencil tray included in the 6" top drawer.  
Striped or fluted edge not available.




Dimensions			Code	Price (without pull)	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
15½	20	27	MPUUF1520	685	6.5	61



Mobile pedestal with 2 - 12" file drawers. Equipped with a 5<sup>th</sup> caster for stability.  
In order to meet BIFMA safety standards, a counter-weight preventing pedestal tipping (when overloaded), can be factory installed.

15½	20	27	MPFF1520	685	6.5	61
-----	----	----	----------	-----	-----	----



Mobile pedestal with 1 - 6" drawer and 1 - 12" file drawer. Equipped with a 5<sup>th</sup> caster for stability.  
Pencil tray included in the 6" drawer.

15½	20	21	MPUF1520	558	5.1	55
-----	----	----	----------	-----	-----	----

### S SPECIFY

### O OPTIONS

Series Code Base Fronts Pull C-Weight Lock

T L - - / - - -

**S Code:** Consult the above product code list.

**Base / Fronts:** Take Off finishes, p.84-85.


**O Pull:** Pull option, specify type, add \$22 per drawer, p.83.

**Counter-weight: (MPFF only):** For counter-weight option, add (CW), add \$116.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

## cushions for mobile pedestal



Cushion for mobile pedestal.  
Installs with Velcro strips.

				Price					Specifications	
				Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	20	1½	CUS2015	227	246	266	286	318	1	6

### S SPECIFY

Series Code Fabric

T L - -

**S Code:** Consult the above product code list.

**Fabric:** Specify fabric for the cushion, refer to current Artopex seating fabric card.




# storage

## cabinets without top

price list


Surface-attached cabinet with 2 doors and 1 adjustable shelf.  
Use 21" deep cabinet under surfaces 24" and deeper.  
Use 24" deep cabinet under surfaces 30" and deeper.  
Noki locks standard, key locks available as an option (no upcharge). Will lock boor doors.



Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
24	36	27½	LDN2436	746	17.8	98
24	30	27½	LDN2430	704	17.8	85
21	36	27½	LDN2136	715	15.8	83
21	30	27½	LDN2130	673	15.8	73

## lateral file cabinets without top


Surface-attached cabinet with 2 - 12" lateral file drawers.  
Use 21" deep cabinet under surfaces 24" and deeper.  
Use 24" deep cabinet under surfaces 30" and deeper.  
Lateral filing bars included, front-to-back filing bars (AC-BL15), refer to the Accessories price list.  
In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.  
Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



24	36	27½	LFN2436	854	17.8	130
24	30	27½	LFN2430	820	17.8	115
21	36	27½	LFN2136	826	15.8	117
21	30	27½	LFN2130	792	15.8	105

## combined storage units without top

Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and 1 - 12" lateral file drawer.  
Use 21" deep cabinet under surfaces 24" and deeper.  
Use 24" deep cabinet under surfaces 30" and deeper.  
Lateral filing bars included, front-to-back filing bars (AC-BL15), refer to the Accessories price list.  
Pencil tray included in the 6" top drawer.  
In order to meet BIFMA safety standards, a counter-weight preventing cabinet tipping (when overloaded), can be factory installed.  
Noki locks standard, key locks available as an option (no upcharge). Will lock the 2 file drawers (right and bottom).



24	36	27½	LCNL2436	1022	17.8	135
24	30	27½	LCNL2430	982	17.8	120
21	36	27½	LCNL2136	994	15.8	119
21	30	27½	LCNL2130	955	15.8	107

### S SPECIFY

Series	Code	Base	Fronts	Pull	C-Weight	Lock
T	L					

### O OPTIONS

- S** Code: Consult the above product code list.  
**Base / Fronts:** Take Off finishes, p.84-85.  
**Pull:** Pull included, specify type, p.83.  
**O** Counter-weight: (LFN or LCNL): For counter-weight option, add (CW), LFN add \$105, LCNL add \$94.  
**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# storage

## combined storage units without top

### price list


Surface-attached combined storage unit with 2 - 6" drawers, 1 - 12" file drawer and cabinet section with door.

Use 21" deep cabinet under surfaces 24" and deeper.


Use 24" deep cabinet under surfaces 30" and deeper.

Pencil tray included in the 6" top drawer.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.



Dimensions			Code	Price	Specifications	
A	B	C		T.F.L.	Cu.Ft.	lb
24	36	27½	LUUFDN2436	908	17.8	135
24	30	27½	LUUFDN2430	868	17.8	119
21	36	27½	LUUFDN2136	880	15.8	119
21	30	27½	LUUFDN2130	840	15.8	106



24	36	27½	LDUUFN2436	908	17.8	135
24	30	27½	LDUUFN2430	868	17.8	119
21	36	27½	LDUUFN2136	880	15.8	119
21	30	27½	LDUUFN2130	840	15.8	106

#### S SPECIFY

#### O OPTION

Series	Code	Base	Fronts	Pull	Lock
T	L	-	-	/	-

**S Code:** Consult the above product code list.

**Base / Fronts:** Take Off finishes, p.84-85.


**Pull:** Pull included, specify type, p.83.

**O Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



Tops for storage units 24" or 21" deep and for metal lateral files 18" deep (see "A" dimension).



			L Lima 1"		M Mike 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	108	LTOP24108	333	593	—	763	3.9	71	107
24	102	LTOP24102	319	559	—	721	3.7	67	101
24	90	LTOP2490	289	491	—	636	3.2	59	89
24	84	LTOP2484	268	460	—	593	3.0	55	83
24	78	LTOP2478	249	428	—	551	2.8	51	77
24	72	LTOP2472	227	398	317	512	2.6	47	71
24	66	LTOP2466	213	371	298	479	2.4	43	65
24	60	LTOP2460	195	338	272	435	2.2	39	59
24	54	LTOP2454	182	309	251	398	1.9	35	53
24	48	LTOP2448	167	281	230	360	1.7	32	47
24	42	LTOP2442	153	251	209	322	1.6	28	42
24	36	LTOP2436	139	221	189	283	1.3	24	36
24	30	LTOP2430	125	195	168	249	1.1	20	30
21	108	LTOP21108	310	537	—	691	3.4	62	93
21	102	LTOP21102	298	510	—	657	3.2	59	88
21	90	LTOP2190	272	460	—	590	2.8	52	78
21	84	LTOP2184	251	427	—	548	2.7	48	73
21	78	LTOP2178	231	394	—	506	2.5	45	67
21	72	LTOP2172	211	360	295	463	2.3	41	62
21	66	LTOP2166	204	337	277	432	2.1	38	57
21	60	LTOP2160	184	306	253	394	1.9	34	52
21	54	LTOP2154	171	282	234	361	1.7	31	47
21	48	LTOP2148	156	255	215	327	1.6	28	42
21	42	LTOP2142	143	229	195	293	1.3	24	36
21	36	LTOP2136	130	196	173	257	1.1	21	31
21	30	LTOP2130	119	179	155	227	0.9	17	26
18	108	LTOP18108	287	481	—	618	3.0	53	80
18	90	LTOP1890	254	429	—	543	2.5	44	67
18	84	LTOP1884	233	394	—	503	2.3	41	62
18	78	LTOP1878	213	360	—	461	2.1	38	58
18	72	LTOP1872	196	321	273	415	2.0	35	53
18	66	LTOP1866	194	303	256	386	1.8	32	49
18	60	LTOP1860	173	274	234	353	1.6	30	44
18	42	LTOP1842	133	207	180	263	1.1	21	31
18	36	LTOP1836	121	171	156	232	1.0	18	27
18	30	LTOP1830	112	164	142	205	0.8	15	22

## SPECIFY

Series Code Surface Edge

T  -  -  /

**S** Series: L or M see specifications p.47.  
 Code: Consult the above product code list.  
 Surface / Edge: Take Off finishes, p.84-85.



# Hutches & top storage

## HUTCH WITH LAMINATE SIDES

---

open hutches	C2
hutches with hinged doors	C3
hutches with central opening and hinged doors	C7
hutches with flipper door(s)	C9
hutches with pivot-lift door(s)	C10

## HUTCHES WITH METAL LEGS

---

open hutches	C14
hutches with hinged doors	C15
hutches with central opening and hinged doors	C19
hutches with flipper door(s)	C21
hutches with pivot-lift door(s)	C22

## MODULAR HUTCHES

---

modular hutches	C26
storage modules for modular hutches	C27

## WALL HUTCHES

---

open wall mounted hutches	C29
wall mounted hutches with hinged doors	C29
wall mounted hutches with central opening and hinged doors	C31
wall mounted hutches with flipper door(s)	C33
wall mounted hutches with pivot-lift door(s)	C33
wall mounted modules	C35

## TOP STORAGE

---

bookcase hutches	C35
bookcase hutches with door(s)	C36
corner rounded bookcase hutches	C40

## TACKBOARDS

---


tackboards for 43" H. hutches	C41
tackboards for 37" H. hutches	C42
tackboards for modular hutches	C43
wall mount brackets	C43
pigeonhole units	C44



# hutches & top storage

price list

## open hutches



Open hutch with laminate sides.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

43" H.

37" H.

				L Lima 1"		M Mike 1½"				
Dimensions				Code		Price		Price		Specifications
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
84	14	43	26	HO8443		1010	1166	—	1352	35.8 198 207
78	14	43	26	HO7843		903	1051	—	1095	33.3 185 193
72	14	43	26	HO7243		826	961	908	1012	30.8 166 182
66	14	43	26	HO6643		781	908	860	957	28.3 156 170
60	14	43	26	HO6043		733	847	814	901	25.8 145 159
54	14	43	26	HO5443		667	771	745	823	23.3 137 149
48	14	43	26	HO4843		601	693	673	743	20.8 125 136
42	14	43	26	HO4243		557	638	631	692	18.3 115 124
36	14	43	26	HO3643		505	575	576	628	15.8 105 113
30	14	43	26	HO3043		458	520	529	573	13.3 95 101
24	14	43	26	HO2443		411	462	476	510	10.8 84 90
84	14	37	20	HO8437		894	1051	—	1240	29.8 173 181
78	14	37	20	HO7837		838	986	—	1032	27.7 161 169
72	14	37	20	HO7237		765	900	847	953	25.6 142 158
66	14	37	20	HO6637		723	849	805	901	23.6 132 147
60	14	37	20	HO6037		678	792	761	847	21.5 123 136
54	14	37	20	HO5437		615	719	694	772	19.9 115 127
48	14	37	20	HO4837		552	644	627	696	17.3 104 114
42	14	37	20	HO4237		510	592	586	646	15.2 94 103
36	14	37	20	HO3637		461	531	532	585	13.2 85 92
30	14	37	20	HO3037		419	480	490	534	11.1 75 82
24	14	37	20	HO2437		375	425	440	475	9.0 65 71

### S SPECIFY

Series Code Surface Edge Base

T  -  -  /  -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.84-85.



# hutches & top storage

hutches with hinged doors

price list



Hutch with hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, refer to p.C44.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.

43" H.

							L Lima 1"		M Mike 1½"				
Dimensions							Code		Price		Price		Specifications
A	B	C	D	E	F				T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft. lb (L) lb (M)
84	14	43	26	5	3	HD8443			1309	1473	—	1627	35.8 225 243
78	14	43	26	5	3	HD7843			1209	1362	—	1514	33.3 210 227
72	14	43	26	4	2	HD7243			952	1088	1071	1169	30.8 197 213
66	14	43	26	4	2	HD6643			903	1027	1052	1141	28.3 184 199
60	14	43	26	4	2	HD6043			851	967	968	1049	25.8 172 185
54	14	43	26	4	2	HD5443			787	891	932	1004	23.3 159 171
48	14	43	26	3	2	HD4843			719	813	821	884	20.8 146 156
42	14	43	26	3	2	HD4243			695	780	803	859	18.3 133 142
36	14	43	26	2	1	HD3643			661	735	758	806	15.8 120 128
30	14	43	26	2	1	HD3043			568	631	689	728	13.3 108 114
24	14	43	26	2	1	HD2443			474	525	580	612	10.8 95 100
84	14	37	20	5	3	HD8437			1199	1362	—	1520	29.0 185 202
78	14	37	20	5	3	HD7837			1147	1301	—	1454	26.9 173 189
72	14	37	20	4	2	HD7237			893	1030	1015	1112	24.7 161 175
66	14	37	20	4	2	HD6637			847	972	999	1088	22.5 149 162
60	14	37	20	4	2	HD6037			800	914	919	999	20.3 137 149
54	14	37	20	4	2	HD5437			737	842	884	957	18.1 125 135
48	14	37	20	3	2	HD4837			673	767	777	840	16.0 112 122
42	14	37	20	3	2	HD4237			651	735	760	815	13.8 100 108
36	14	37	20	2	1	HD3637			619	694	718	767	11.6 88 95
30	14	37	20	2	1	HD3037			530	593	651	692	9.4 76 81
24	14	37	20	2	1	HD2437			439	490	546	578	9.4 76 81

E = Number of doors

F = Number of locks

## S SPECIFY

Series Code Surface Edge Base Fronts Lock

T  -  -  /  -  /  -

## O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

hutches with hinged doors ("contemporary" aluminum frame - laminate or h-gloss white interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, refer to p.C44.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

43" H.

37" H.

Dimensions					Code		L Lima 1"		M Mike 1½"		Specifications		
					Doors		Price		Price				
A	B	C	D	E	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
84	14	43	26	5	HDM8443	HDL8443	2806	2970	—	3124	35.8	225	243
78	14	43	26	5	HDM7843	HDL7843	2706	2859	—	3011	33.3	210	227
72	14	43	26	4	HDM7243	HDL7243	2149	2286	2269	2367	30.8	197	213
66	14	43	26	4	HDM6643	HDL6643	2101	2225	2250	2339	28.3	184	199
60	14	43	26	4	HDM6043	HDL6043	2049	2165	2166	2247	25.8	172	185
54	14	43	26	4	HDM5443	HDL5443	1984	2089	2130	2202	23.3	159	171
48	14	43	26	3	HDM4843	HDL4843	1618	1712	1719	1783	20.8	146	156
42	14	43	26	3	HDM4243	HDL4243	1594	1679	1702	1758	18.3	133	142
36	14	43	26	2	HDM3643	HDL3643	1261	1334	1357	1406	15.8	120	128
30	14	43	26	2	HDM3043	HDL3043	1167	1231	1288	1328	13.3	108	114
24	14	43	26	2	HDM2443	HDL2443	1074	1124	1179	1211	10.8	95	100
84	14	37	20	5	HDM8437	HDL8437	2696	2859	—	3017	29.0	185	202
78	14	37	20	5	HDM7837	HDL7837	2644	2798	—	2951	26.9	173	189
72	14	37	20	4	HDM7237	HDL7237	2091	2228	2213	2310	24.7	161	175
66	14	37	20	4	HDM6637	HDL6637	2045	2170	2197	2286	22.5	149	162
60	14	37	20	4	HDM6037	HDL6037	1998	2112	2116	2197	20.3	137	149
54	14	37	20	4	HDM5437	HDL5437	1935	2039	2082	2155	18.1	125	135
48	14	37	20	3	HDM4837	HDL4837	1572	1665	1675	1739	16.0	112	122
42	14	37	20	3	HDM4237	HDL4237	1550	1634	1659	1714	13.8	100	108
36	14	37	20	2	HDM3637	HDL3637	1219	1294	1318	1366	11.6	88	95
30	14	37	20	2	HDM3037	HDL3037	1130	1192	1251	1291	9.4	76	81
24	14	37	20	2	HDM2437	HDL2437	1038	1089	1145	1177	9.4	76	81

E = Number of doors

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts
T					

S Series: L or M see specifications p.47.

Code: Consult the above product code list.


Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.



# hutches & top storage

price list

hutches with hinged doors ("contemporary" aluminum frame - acrylic interior panel)



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
No lock.

**43" H.**

						L Lima 1"		M Mike 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
84	14	43	26	5	HDGiC8443	2648	2812	—	2966	35.8	225	243
78	14	43	26	5	HDGiC7843	2548	2701	—	2852	33.3	210	227
72	14	43	26	4	HDGiC7243	2023	2159	2143	2241	30.8	197	213
66	14	43	26	4	HDGiC6643	1975	2099	2123	2212	28.3	184	199
60	14	43	26	4	HDGiC6043	1923	2038	2039	2121	25.8	172	185
54	14	43	26	4	HDGiC5443	1858	1962	2003	2076	23.3	159	171
48	14	43	26	3	HDGiC4843	1524	1617	1625	1689	20.8	146	156
42	14	43	26	3	HDGiC4243	1499	1584	1607	1663	18.3	133	142
36	14	43	26	2	HDGiC3643	1197	1271	1294	1342	15.8	120	128
30	14	43	26	2	HDGiC3043	1103	1167	1224	1264	13.3	108	114
24	14	43	26	2	HDGiC2443	1010	1060	1115	1147	10.8	95	100
84	14	37	20	5	HDGiC8437	2538	2701	—	2859	29.0	185	202
78	14	37	20	5	HDGiC7837	2486	2640	—	2793	26.9	173	189
72	14	37	20	4	HDGiC7237	1965	2101	2087	2184	24.7	161	175
66	14	37	20	4	HDGiC6637	1918	2044	2070	2159	22.5	149	162
60	14	37	20	4	HDGiC6037	1871	1986	1990	2070	20.3	137	149
54	14	37	20	4	HDGiC5437	1808	1913	1956	2028	18.1	125	135
48	14	37	20	3	HDGiC4837	1477	1571	1581	1645	16.0	112	122
42	14	37	20	3	HDGiC4237	1455	1539	1564	1619	13.8	100	108
36	14	37	20	2	HDGiC3637	1155	1230	1254	1302	11.6	88	95
30	14	37	20	2	HDGiC3037	1066	1129	1187	1228	9.4	76	81
24	14	37	20	2	HDGiC2437	975	1025	1081	1113	9.4	76	81

E = Number of doors

## S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base


**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

hutches with hinged doors ("traditional" aluminum frame - acrylic interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, refer to p.C44.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

43" H.

						L Lima 1"		M Mike 1½"					
Dimensions						Price		Price		Specifications			
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
84	14	43	26	5	HDGiA8443	2445	2605	—	2806	35.8	225	243	
78	14	43	26	5	HDGiA7843	2350	2498	—	2694	33.3	210	227	
72	14	43	26	4	HDGiA7243	1865	1997	2016	2113	30.8	197	213	
66	14	43	26	4	HDGiA6643	1817	1938	1997	2085	28.3	184	199	
60	14	43	26	4	HDGiA6043	1768	1879	1913	1993	25.8	172	185	
54	14	43	26	4	HDGiA5443	1704	1805	1876	1948	23.3	159	171	
48	14	43	26	3	HDGiA4843	1404	1494	1529	1593	20.8	146	156	
42	14	43	26	3	HDGiA4243	1381	1462	1511	1566	18.3	133	142	
36	14	43	26	2	HDGiA3643	1111	1183	1230	1279	15.8	120	128	
30	14	43	26	2	HDGiA3043	1021	1082	1161	1200	13.3	108	114	
24	14	43	26	2	HDGiA2443	931	979	1052	1084	10.8	95	100	
84	14	37	20	5	HDGiA8437	2340	2498	—	2701	29.0	185	202	
78	14	37	20	5	HDGiA7837	2290	2439	—	2635	26.9	173	189	
72	14	37	20	4	HDGiA7237	1807	1939	1959	2057	24.7	161	175	
66	14	37	20	4	HDGiA6637	1763	1884	1943	2032	22.5	149	162	
60	14	37	20	4	HDGiA6037	1717	1828	1862	1943	20.3	137	149	
54	14	37	20	4	HDGiA5437	1657	1758	1828	1901	18.1	125	135	
48	14	37	20	3	HDGiA4837	1360	1450	1484	1548	16.0	112	122	
42	14	37	20	3	HDGiA4237	1337	1419	1467	1524	13.8	100	108	
36	14	37	20	2	HDGiA3637	1070	1143	1190	1239	11.6	88	95	
30	14	37	20	2	HDGiA3037	985	1045	1123	1164	9.4	76	81	
24	14	37	20	2	HDGiA2437	897	945	1018	1049	9.4	76	81	

E = Number of doors

## S SPECIFY

T  -  -  /  -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

## hutches with central opening and hinged doors



Hutch with central opening, hinged doors and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.


Noki lock and key lock not included, available as an option.

43" H.

						L Lima 1"		M Mike 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14	43	26	HH7243		855	987	1007	1103	31.0	173	189
66	14	43	26	HH6643		807	928	987	1076	28.0	163	177
60	14	43	26	HH6043		758	870	903	983	26.0	152	166
54	14	43	26	HH5443		694	795	867	938	23.0	144	156
48	14	43	26	HH4843		663	754	788	851	21.0	132	143
42	14	43	26	HH4243		639	722	770	826	18.0	122	131
72	14	37	20	HH7237		799	931	949	1047	27.0	149	165
66	14	37	20	HH6637		754	875	933	1022	25.0	139	154
60	14	37	20	HH6037		708	820	853	933	22.0	130	143
54	14	37	20	HH5437		647	748	820	891	20.0	122	134
48	14	37	20	HH4837		618	708	744	807	18.0	111	121
42	14	37	20	HH4237		596	679	727	782	16.0	101	110

## hutches with central opening and hinged doors

["contemporary" aluminum frame - laminate or h-gloss white interior panel]



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

43" H.

						Doors						
						Laminate	H-Gloss White					
72	14	43	26	HHM7243	HHL7243	1453	1585	1605	1702	31.0	173	189
66	14	43	26	HHM6643	HHL6643	1406	1527	1585	1674	28.0	163	177
60	14	43	26	HHM6043	HHL6043	1356	1469	1502	1582	26.0	152	166
54	14	43	26	HHM5443	HHL5443	1293	1394	1465	1537	23.0	144	156
48	14	43	26	HHM4843	HHL4843	1262	1352	1386	1450	21.0	132	143
42	14	43	26	HHM4243	HHL4243	1238	1320	1368	1425	18.0	122	131
72	14	37	20	HHM7237	HHL7237	1397	1529	1548	1646	27.0	149	165
66	14	37	20	HHM6637	HHL6637	1352	1473	1531	1620	25.0	139	154
60	14	37	20	HHM6037	HHL6037	1307	1418	1451	1531	22.0	130	143
54	14	37	20	HHM5437	HHL5437	1245	1346	1418	1489	20.0	122	134
48	14	37	20	HHM4837	HHL4837	1217	1307	1342	1406	18.0	111	121
42	14	37	20	HHM4237	HHL4237	1195	1277	1326	1381	16.0	101	110

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Lock
T						

### O OPTION

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

**O** Locks (HH.): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$132, p.50.


Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

*hutches with central opening and hinged doors ("contemporary" aluminum frame – acrylic interior panel)*



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.


No lock.

**43" H.**

**37" H.**

						L Lima 1"		M Mike 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14	43	26	HHGiC7243		1390	1522	1542	1639	31.0	173	189
66	14	43	26	HHGiC6643		1343	1464	1522	1612	28.0	163	177
60	14	43	26	HHGiC6043		1294	1406	1439	1519	26.0	152	166
54	14	43	26	HHGiC5443		1230	1331	1403	1474	23.0	144	156
48	14	43	26	HHGiC4843		1199	1289	1323	1387	21.0	132	143
42	14	43	26	HHGiC4243		1175	1257	1306	1362	18.0	122	131
72	14	37	20	HHGiC7237		1334	1466	1485	1583	27.0	149	165
66	14	37	20	HHGiC6637		1289	1410	1469	1558	25.0	139	154
60	14	37	20	HHGiC6037		1244	1355	1388	1469	22.0	130	143
54	14	37	20	HHGiC5437		1183	1284	1355	1427	20.0	122	134
48	14	37	20	HHGiC4837		1154	1244	1279	1343	18.0	111	121
42	14	37	20	HHGiC4237		1132	1214	1263	1318	16.0	101	110

*hutches with central opening and hinged doors ("traditional" aluminum frame – acrylic interior panel)*



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

No lock.

**43" H.**

**37" H.**

72	14	43	26	HHGiA7243	1327	1459	1478	1575	31.0	173	189
66	14	43	26	HHGiA6643	1279	1400	1459	1548	28.0	163	177
60	14	43	26	HHGiA6043	1231	1342	1375	1455	26.0	152	166
54	14	43	26	HHGiA5443	1166	1267	1339	1411	23.0	144	156
48	14	43	26	HHGiA4843	1135	1225	1260	1323	21.0	132	143
42	14	43	26	HHGiA4243	1112	1194	1242	1298	18.0	122	131
72	14	37	20	HHGiA7237	1271	1403	1421	1519	27.0	149	165
66	14	37	20	HHGiA6637	1225	1346	1405	1494	25.0	139	154
60	14	37	20	HHGiA6037	1180	1291	1324	1405	22.0	130	143
54	14	37	20	HHGiA5437	1119	1220	1291	1363	20.0	122	134
48	14	37	20	HHGiA4837	1090	1180	1216	1279	18.0	111	121
42	14	37	20	HHGiA4237	1068	1151	1199	1254	16.0	101	110

## S SPECIFY

Series Code Surface Edge Base

T  -  -  /  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.


Surface / Edge / Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

## hutches with flipper door[s]



Hutch with flipper door(s) and laminate sides.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft closing of the door(s).

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

A horizontal pigeonhole unit can be ordered separately, refer to p.C44.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.


Noki lock and key lock not included, available as an option.

43" H.


Dimensions					Code	Price		Specifications	
A	B	C	D	E		Standard (TD)	Easy-down (DW)	Cu.Ft.	lb
72	14	43	26	2	HF7243	1287	1393	30.8	197
66	14	43	26	2	HF6643	1088	1194	28.3	184
60	14	43	26	2	HF6043	1051	1156	25.8	172
54	14	43	26	2	HF5443	1008	1113	23.3	159
48	14	43	26	2	HF4843	958	1064	20.8	146
42	14	43	26	1	HF4243	827	880	18.3	133
36	14	43	26	1	HF3643	800	853	15.8	120
30	14	43	26	1	HF3043	695	748	13.3	108
24	14	43	26	1	HF2443	623	675	10.8	95
72	14	37	20	2	HF7237	1231	1337	26.9	173
66	14	37	20	2	HF6637	1035	1141	24.7	161
60	14	37	20	2	HF6037	1000	1106	22.5	149
54	14	37	20	2	HF5437	959	1065	20.3	137
48	14	37	20	2	HF4837	914	1020	18.1	125
42	14	37	20	1	HF4237	783	836	16.0	112
36	14	37	20	1	HF3637	760	813	13.8	100
30	14	37	20	1	HF3037	658	711	11.6	88
24	14	37	20	1	HF2437	589	641	9.4	76

37" H.

E = Number of doors



Flipper door



« Easy down »

### S SPECIFY

Series	Code	Mecan.	Base	Fronts	Lock
T	L	-		/	

### O OPTION

**S Code:** Consult the above product code list.

**Mechanism:** Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).

**Base / Fronts:** Take Off finishes, p.84-85.

**O Lock:** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), add \$66 per door, p.50.


Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

*hutches with pivot-lift door[s]*




Hutch with pivot-lift door(s) and laminate sides.  
Doors equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
Noki lock and key lock not included, available as an option.

43" H.

37" H.

Dimensions					Code	Price	Specifications	
A	B	C	D	E		T.F.L.	Cu.Ft.	lb
72	14	43	26	2	HU7243	1593	30.8	197
66	14	43	26	2	HU6643	1394	28.3	184
60	14	43	26	2	HU6043	1356	25.8	172
54	14	43	26	2	HU5443	1313	23.3	159
48	14	43	26	2	HU4843	1264	20.8	146
42	14	43	26	1	HU4243	980	18.3	133
36	14	43	26	1	HU3643	953	15.8	120
30	14	43	26	1	HU3043	848	13.3	108
24	14	43	26	1	HU2443	776	10.8	95
72	14	37	20	2	HU7237	1537	26.9	173
66	14	37	20	2	HU6637	1341	24.7	161
60	14	37	20	2	HU6037	1306	22.5	149
54	14	37	20	2	HU5437	1265	20.3	137
48	14	37	20	2	HU4837	1220	18.1	125
42	14	37	20	1	HU4237	936	16.0	112
36	14	37	20	1	HU3637	913	13.8	100
30	14	37	20	1	HU3037	811	11.6	88
24	14	37	20	1	HU2437	741	9.4	76

E = Number of doors



Pivot-lift door

## S SPECIFY

## O OPTION

Series Code Base Fronts Lock

T L - - / -


- S** Code: Consult the above product code list.  
**B** Base / Fronts: Take Off finishes, p.84-85.  
**O** Lock : Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per door, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

hutches with pivot-lift door(s) ("contemporary" aluminum frame - laminate or h-gloss white interior panel)




Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and laminate sides.  
Doors equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
A horizontal pigeonhole unit can be ordered separately, refer to p.C44.  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
No lock.

43" H.

Dimensions					Code		Price	Specifications	
					Doors				
A	B	C	D	E	Laminate	H-Gloss White	T.F.L.	Cu.Ft.	lb
72	14	43	26	2	HUM7243	HUL7243	2508	30.8	197
66	14	43	26	2	HUM6643	HUL6643	2309	28.3	184
60	14	43	26	2	HUM6043	HUL6043	2272	25.8	172
54	14	43	26	2	HUM5443	HUL5443	2229	23.3	159
48	14	43	26	2	HUM4843	HUL4843	2179	20.8	146
42	14	43	26	1	HUM4243	HUL4243	1438	18.3	133
36	14	43	26	1	HUM3643	HUL3643	1410	15.8	120
30	14	43	26	1	HUM3043	HUL3043	1306	13.3	108
24	14	43	26	1	HUM2443	HUL2443	1233	10.8	95
72	14	37	20	2	HUM7237	HUL7237	2452	26.9	173
66	14	37	20	2	HUM6637	HUL6637	2256	24.7	161
60	14	37	20	2	HUM6037	HUL6037	2221	22.5	149
54	14	37	20	2	HUM5437	HUL5437	2180	20.3	137
48	14	37	20	2	HUM4837	HUL4837	2135	18.1	125
42	14	37	20	1	HUM4237	HUL4237	1394	16.0	112
36	14	37	20	1	HUM3637	HUL3637	1371	13.8	100
30	14	37	20	1	HUM3037	HUL3037	1268	11.6	88
24	14	37	20	1	HUM2437	HUL2437	1199	9.4	76

37" H.

E = Number of doors



## S SPECIFY

Series	Code	Base	Fronts
T L			


S Code: Consult the above product code list.  
Base / Fronts: Take Off finishes, p.84-85.



# hutches & top storage

price list


hutches with pivot-lift door[s] ("contemporary" aluminum frame - acrylic interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) and laminate sides.  
Doors equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
No lock.

	Dimensions					Code	Price		Specifications	
	A	B	C	D	E		T.F.L.		Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiC7243	2368		30.8	197
	66	14	43	26	2	HUGiC6643	2169		28.3	184
	60	14	43	26	2	HUGiC6043	2132		25.8	172
	54	14	43	26	2	HUGiC5443	2089		23.3	159
	48	14	43	26	2	HUGiC4843	2039		20.8	146
	42	14	43	26	1	HUGiC4243	1368		18.3	133
	36	14	43	26	1	HUGiC3643	1341		15.8	120
	30	14	43	26	1	HUGiC3043	1236		13.3	108
	24	14	43	26	1	HUGiC2443	1164		10.8	95
37" H.	72	14	37	20	2	HUGiC7237	2312		26.9	173
	66	14	37	20	2	HUGiC6637	2116		24.7	161
	60	14	37	20	2	HUGiC6037	2081		22.5	149
	54	14	37	20	2	HUGiC5437	2041		20.3	137
	48	14	37	20	2	HUGiC4837	1995		18.1	125
	42	14	37	20	1	HUGiC4237	1324		16.0	112
	36	14	37	20	1	HUGiC3637	1301		13.8	100
	30	14	37	20	1	HUGiC3037	1199		11.6	88
	24	14	37	20	1	HUGiC2437	1130		9.4	76

E = Number of doors



Pivot-lift door

## S SPECIFY

Series	Code	Base
T L		


**S** Code: Consult the above product code list.  
Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

hutches with pivot-lift door(s) ["traditional" aluminum frame - acrylic interior panel]




Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) and laminate sides.  
Equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
A horizontal pigeonhole unit can be ordered separately, [refer to p.C44](#).  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
No lock.

43" H.

Dimensions					Code	Price	Specifications	
A	B	C	D	E		T.F.L.	Cu.Ft.	lb
72	14	43	26	2	HUGiA7243	2111	30.8	197
66	14	43	26	2	HUGiA6643	1912	28.3	184
60	14	43	26	2	HUGiA6043	1874	25.8	172
54	14	43	26	2	HUGiA5443	1832	23.3	159
48	14	43	26	2	HUGiA4843	1782	20.8	146
42	14	43	26	1	HUGiA4243	1240	18.3	133
36	14	43	26	1	HUGiA3643	1212	15.8	120
30	14	43	26	1	HUGiA3043	1108	13.3	108
24	14	43	26	1	HUGiA2443	1035	10.8	95
72	14	37	20	2	HUGiA7237	2055	26.9	173
66	14	37	20	2	HUGiA6637	1859	24.7	161
60	14	37	20	2	HUGiA6037	1824	22.5	149
54	14	37	20	2	HUGiA5437	1783	20.3	137
48	14	37	20	2	HUGiA4837	1738	18.1	125
42	14	37	20	1	HUGiA4237	1196	16.0	112
36	14	37	20	1	HUGiA3637	1173	13.8	100
30	14	37	20	1	HUGiA3037	1070	11.6	88
24	14	37	20	1	HUGiA2437	1001	9.4	76

37" H.

E = Number of doors



## S SPECIFY

Series	Code	Base
T	L	-


S Code: Consult the above product code list.  
Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

## open hutches



Open hutch **with metal legs**.

Hutches 54" and longer have a central divider.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

**43" H.**

**37" H.**

					S Sierra 1"		T Tango 1½"				
Dimensions					Price		Price		Specifications		
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
84	14	43	26	HO8443	1318	1474	—	1660	35.8	198	207
78	14	43	26	HO7843	1211	1359	—	1403	33.3	185	193
72	14	43	26	HO7243	1134	1269	1216	1320	30.8	166	182
66	14	43	26	HO6643	1089	1216	1168	1265	28.3	156	170
60	14	43	26	HO6043	1041	1155	1122	1209	25.8	145	159
54	14	43	26	HO5443	975	1079	1053	1131	23.3	137	149
48	14	43	26	HO4843	909	1001	981	1051	20.8	125	136
42	14	43	26	HO4243	865	946	939	1000	18.3	115	124
36	14	43	26	HO3643	813	883	884	936	15.8	105	113
30	14	43	26	HO3043	766	828	837	881	13.3	95	101
24	14	43	26	HO2443	719	770	784	818	10.8	84	90
84	14	37	20	HO8437	1202	1359	—	1548	29.8	173	181
78	14	37	20	HO7837	1146	1294	—	1340	27.7	161	169
72	14	37	20	HO7237	1073	1208	1155	1261	25.6	142	158
66	14	37	20	HO6637	1031	1157	1113	1209	23.6	132	147
60	14	37	20	HO6037	986	1100	1069	1155	21.5	123	136
54	14	37	20	HO5437	923	1027	1002	1080	19.9	115	127
48	14	37	20	HO4837	860	952	935	1004	17.3	104	114
42	14	37	20	HO4237	818	900	894	954	15.2	94	103
36	14	37	20	HO3637	769	839	840	893	13.2	85	92
30	14	37	20	HO3037	727	788	798	842	11.1	75	82
24	14	37	20	HO2437	683	733	748	783	9.0	65	71

### S SPECIFY

Series  Code  Surface  Edge  Base  Metal

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

hutches with hinged doors

price list



Hutch with hinged doors and **metal legs**.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

Noki lock and key lock not included, available as an option.

**43" H.**

							S Sierra 1"		T Tango 1½"				
Dimensions							Price		Price		Specifications		
A	B	C	D	E	F	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
84	14	43	26	5	3	HD8443	1617	1781	—	1935	35.8	225	243
78	14	43	26	5	3	HD7843	1517	1670	—	1822	33.3	210	227
72	14	43	26	4	2	HD7243	1260	1396	1379	1477	30.8	197	213
66	14	43	26	4	2	HD6643	1211	1335	1360	1449	28.3	184	199
60	14	43	26	4	2	HD6043	1159	1275	1276	1357	25.8	172	185
54	14	43	26	4	2	HD5443	1095	1199	1240	1312	23.3	159	171
48	14	43	26	3	2	HD4843	1027	1121	1129	1192	20.8	146	156
42	14	43	26	3	2	HD4243	1003	1088	1111	1167	18.3	133	142
36	14	43	26	2	1	HD3643	969	1043	1066	1114	15.8	120	128
30	14	43	26	2	1	HD3043	876	939	997	1036	13.3	108	114
24	14	43	26	2	1	HD2443	782	833	888	920	10.8	95	100
84	14	37	20	5	3	HD8437	1507	1670	—	1828	29.0	185	202
78	14	37	20	5	3	HD7837	1455	1609	—	1762	26.9	173	189
72	14	37	20	4	2	HD7237	1201	1338	1323	1420	24.7	161	175
66	14	37	20	4	2	HD6637	1155	1280	1307	1396	22.5	149	162
60	14	37	20	4	2	HD6037	1108	1222	1227	1307	20.3	137	149
54	14	37	20	4	2	HD5437	1045	1150	1192	1265	18.1	125	135
48	14	37	20	3	2	HD4837	981	1075	1085	1148	16.0	112	122
42	14	37	20	3	2	HD4237	959	1043	1068	1123	13.8	100	108
36	14	37	20	2	1	HD3637	927	1002	1026	1075	11.6	88	95
30	14	37	20	2	1	HD3037	838	901	959	1000	9.4	76	81
24	14	37	20	2	1	HD2437	747	798	854	886	9.4	76	81

E = Number of doors

F = Number of locks

## S SPECIFY

Series Code Surface Edge Base Fronts Metal Lock

T  -  -  /  -  -  -  -

## O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O Lock:** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per lock, p.50.


Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

*hutches with hinged doors ("contemporary" aluminum frame - laminate or h-gloss white interior panel)*



Hutch with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and **metal legs**.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

	Dimensions					Code		S Sierra 1"		T Tango 1½"		Specifications		
						Doors		Price		Price				
	A	B	C	D	E	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
43" H.	84	14	43	26	5	HDM8443	HDL8443	3114	3278	—	3432	35.8	225	243
	78	14	43	26	5	HDM7843	HDL7843	3014	3167	—	3319	33.3	210	227
	72	14	43	26	4	HDM7243	HDL7243	2457	2594	2577	2675	30.8	197	213
	66	14	43	26	4	HDM6643	HDL6643	2409	2533	2558	2647	28.3	184	199
	60	14	43	26	4	HDM6043	HDL6043	2357	2473	2474	2555	25.8	172	185
	54	14	43	26	4	HDM5443	HDL5443	2292	2397	2438	2510	23.3	159	171
	48	14	43	26	3	HDM4843	HDL4843	1926	2020	2027	2091	20.8	146	156
	42	14	43	26	3	HDM4243	HDL4243	1902	1987	2010	2066	18.3	133	142
	36	14	43	26	2	HDM3643	HDL3643	1569	1642	1665	1714	15.8	120	128
	30	14	43	26	2	HDM3043	HDL3043	1475	1539	1596	1636	13.3	108	114
24	14	43	26	2	HDM2443	HDL2443	1382	1432	1487	1519	10.8	95	100	
37" H.	84	14	37	20	5	HDM8437	HDL8437	3004	3167	—	3325	29.0	185	202
	78	14	37	20	5	HDM7837	HDL7837	2952	3106	—	3259	26.9	173	189
	72	14	37	20	4	HDM7237	HDL7237	2399	2536	2521	2618	24.7	161	175
	66	14	37	20	4	HDM6637	HDL6637	2353	2478	2505	2594	22.5	149	162
	60	14	37	20	4	HDM6037	HDL6037	2306	2420	2424	2505	20.3	137	149
	54	14	37	20	4	HDM5437	HDL5437	2243	2347	2390	2463	18.1	125	135
	48	14	37	20	3	HDM4837	HDL4837	1880	1973	1983	2047	16.0	112	122
	42	14	37	20	3	HDM4237	HDL4237	1858	1942	1967	2022	13.8	100	108
	36	14	37	20	2	HDM3637	HDL3637	1527	1602	1626	1674	11.6	88	95
	30	14	37	20	2	HDM3037	HDL3037	1438	1500	1559	1599	9.4	76	81
	24	14	37	20	2	HDM2437	HDL2437	1346	1397	1453	1485	9.4	76	81

E = Number of doors

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Metal
T	<input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

*hutches with hinged doors ("contemporary" aluminum frame - acrylic interior panel)*



Hutch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) **and metal legs.**

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

**43" H.**

						S Sierra 1"		T Tango 1½"				
Dimensions						Price		Price		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
84	14	43	26	5	HDGiC8443	2956	3120	—	3274	35.8	225	243
78	14	43	26	5	HDGiC7843	2856	3009	—	3160	33.3	210	227
72	14	43	26	4	HDGiC7243	2331	2467	2451	2549	30.8	197	213
66	14	43	26	4	HDGiC6643	2283	2407	2431	2520	28.3	184	199
60	14	43	26	4	HDGiC6043	2231	2346	2347	2429	25.8	172	185
54	14	43	26	4	HDGiC5443	2166	2270	2311	2384	23.3	159	171
48	14	43	26	3	HDGiC4843	1832	1925	1933	1997	20.8	146	156
42	14	43	26	3	HDGiC4243	1807	1892	1915	1971	18.3	133	142
36	14	43	26	2	HDGiC3643	1505	1579	1602	1650	15.8	120	128
30	14	43	26	2	HDGiC3043	1411	1475	1532	1572	13.3	108	114
24	14	43	26	2	HDGiC2443	1318	1368	1423	1455	10.8	95	100
84	14	37	20	5	HDGiC8437	2846	3009	—	3167	29.0	185	202
78	14	37	20	5	HDGiC7837	2794	2948	—	3101	26.9	173	189
72	14	37	20	4	HDGiC7237	2273	2409	2395	2492	24.7	161	175
66	14	37	20	4	HDGiC6637	2226	2352	2378	2467	22.5	149	162
60	14	37	20	4	HDGiC6037	2179	2294	2298	2378	20.3	137	149
54	14	37	20	4	HDGiC5437	2116	2221	2264	2336	18.1	125	135
48	14	37	20	3	HDGiC4837	1785	1879	1889	1953	16.0	112	122
42	14	37	20	3	HDGiC4237	1763	1847	1872	1927	13.8	100	108
36	14	37	20	2	HDGiC3637	1463	1538	1562	1610	11.6	88	95
30	14	37	20	2	HDGiC3037	1374	1437	1495	1536	9.4	76	81
24	14	37	20	2	HDGiC2437	1283	1333	1389	1421	9.4	76	81

E = Number of doors

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

hutches with hinged doors ("traditional" aluminum frame - acrylic interior panel)



Hutch with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) **and metal legs.**

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeon-hole unit.

No lock.

**43" H.**

						S Sierra 1"		T Tango 1½"					
Dimensions					Code	Price		Price		Specifications			
A	B	C	D	E		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
84	14	43	26	5	HDGiA8443	2753	2913	—	3114	35.8	225	243	
78	14	43	26	5	HDGiA7843	2658	2806	—	3002	33.3	210	227	
72	14	43	26	4	HDGiA7243	2173	2305	2324	2421	30.8	197	213	
66	14	43	26	4	HDGiA6643	2125	2246	2305	2393	28.3	184	199	
60	14	43	26	4	HDGiA6043	2076	2187	2221	2301	25.8	172	185	
54	14	43	26	4	HDGiA5443	2012	2113	2184	2256	23.3	159	171	
48	14	43	26	3	HDGiA4843	1712	1802	1837	1901	20.8	146	156	
42	14	43	26	3	HDGiA4243	1689	1770	1819	1874	18.3	133	142	
36	14	43	26	2	HDGiA3643	1419	1491	1538	1587	15.8	120	128	
30	14	43	26	2	HDGiA3043	1329	1390	1469	1508	13.3	108	114	
24	14	43	26	2	HDGiA2443	1239	1287	1360	1392	10.8	95	100	
84	14	37	20	5	HDGiA8437	2648	2806	—	3009	29.0	185	202	
78	14	37	20	5	HDGiA7837	2598	2747	—	2943	26.9	173	189	
72	14	37	20	4	HDGiA7237	2115	2247	2267	2365	24.7	161	175	
66	14	37	20	4	HDGiA6637	2071	2192	2251	2340	22.5	149	162	
60	14	37	20	4	HDGiA6037	2025	2136	2170	2251	20.3	137	149	
54	14	37	20	4	HDGiA5437	1965	2066	2136	2209	18.1	125	135	
48	14	37	20	3	HDGiA4837	1668	1758	1792	1856	16.0	112	122	
42	14	37	20	3	HDGiA4237	1645	1727	1775	1832	13.8	100	108	
36	14	37	20	2	HDGiA3637	1378	1451	1498	1547	11.6	88	95	
30	14	37	20	2	HDGiA3037	1293	1353	1431	1472	9.4	76	81	
24	14	37	20	2	HDGiA2437	1205	1253	1326	1357	9.4	76	81	

E = Number of doors

## S SPECIFY

Series Code Surface Edge Base Metal

T  -  -  /  -  -

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

## hutches with central opening and hinged doors



Hutch with central opening, hinged doors **and metal legs**.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Noki lock and key lock not included, available as an option.


Cannot accommodate a horizontal pigeonhole unit.

**43" H.**

						S Sierra 1"		T Tango 1½"				
Dimensions					Code	Price		Price		Specifications		
A	B	C	D	T.F.L.		H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)	
72	14	43	26	HH7243	1163	1295	1315	1411	31.0	173	189	
66	14	43	26	HH6643	1115	1236	1295	1384	28.0	163	177	
60	14	43	26	HH6043	1066	1178	1211	1291	26.0	152	166	
54	14	43	26	HH5443	1002	1103	1175	1246	23.0	144	156	
48	14	43	26	HH4843	971	1062	1096	1159	21.0	132	143	
42	14	43	26	HH4243	947	1030	1078	1134	18.0	122	131	
72	14	37	20	HH7237	1107	1239	1257	1355	27.0	149	165	
66	14	37	20	HH6637	1062	1183	1241	1330	25.0	139	154	
60	14	37	20	HH6037	1016	1128	1161	1241	22.0	130	143	
54	14	37	20	HH5437	955	1056	1128	1199	20.0	122	134	
48	14	37	20	HH4837	926	1016	1052	1115	18.0	111	121	
42	14	37	20	HH4237	904	987	1035	1090	16.0	101	110	

## hutches with central opening and hinged doors

["contemporary" aluminum frame - laminate or h-gloss white interior panel]



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) **and metal legs**.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

**43" H.**

						Doors						
						Laminate	H-Gloss White					
72	14	43	26	HHM7243	HHL7243	1761	1893	1913	2010	31.0	173	189
66	14	43	26	HHM6643	HHL6643	1714	1835	1893	1982	28.0	163	177
60	14	43	26	HHM6043	HHL6043	1664	1777	1810	1890	26.0	152	166
54	14	43	26	HHM5443	HHL5443	1601	1702	1773	1845	23.0	144	156
48	14	43	26	HHM4843	HHL4843	1570	1660	1694	1758	21.0	132	143
42	14	43	26	HHM4243	HHL4243	1546	1628	1676	1733	18.0	122	131
72	14	37	20	HHM7237	HHL7237	1705	1837	1856	1954	27.0	149	165
66	14	37	20	HHM6637	HHL6637	1660	1781	1839	1928	25.0	139	154
60	14	37	20	HHM6037	HHL6037	1615	1726	1759	1839	22.0	130	143
54	14	37	20	HHM5437	HHL5437	1553	1654	1726	1797	20.0	122	134
48	14	37	20	HHM4837	HHL4837	1525	1615	1650	1714	18.0	111	121
42	14	37	20	HHM4237	HHL4237	1503	1585	1634	1689	16.0	101	110

**S SPECIFY**

**O OPTION**

Series Code Surface Edge Base Fronts Metal Lock

T  -  -  /  -  /  -  -

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (laminate): Take Off finishes, p.84-85.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** Locks (HH.): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$132, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

*hutches with central opening and hinged doors ("contemporary" aluminum frame - acrylic interior panel)*



Hutch with central opening, hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) and metal legs.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

					S Sierra 1"		T Tango 1½"				
Dimensions					Price		Price		Specifications		
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14	43	26	HHGiC7243	1698	1830	1850	1947	31.0	173	189
66	14	43	26	HHGiC6643	1651	1772	1830	1920	28.0	163	177
60	14	43	26	HHGiC6043	1602	1714	1747	1827	26.0	152	166
54	14	43	26	HHGiC5443	1538	1639	1711	1782	23.0	144	156
48	14	43	26	HHGiC4843	1507	1597	1631	1695	21.0	132	143
42	14	43	26	HHGiC4243	1483	1565	1614	1670	18.0	122	131
72	14	37	20	HHGiC7237	1642	1774	1793	1891	27.0	149	165
66	14	37	20	HHGiC6637	1597	1718	1777	1866	25.0	139	154
60	14	37	20	HHGiC6037	1552	1663	1696	1777	22.0	130	143
54	14	37	20	HHGiC5437	1491	1592	1663	1735	20.0	122	134
48	14	37	20	HHGiC4837	1462	1552	1587	1651	18.0	111	121
42	14	37	20	HHGiC4237	1440	1522	1571	1626	16.0	101	110

*hutches with central opening and hinged doors*  
*("traditional" aluminum frame - acrylic interior panel)*



Hutch with central opening, hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) and metal legs.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Cannot accommodate a horizontal pigeonhole unit.

No lock.

43" H.

72	14	43	26	HHGiA7243	1635	1767	1786	1883	31.0	173	189
66	14	43	26	HHGiA6643	1587	1708	1767	1856	28.0	163	177
60	14	43	26	HHGiA6043	1539	1650	1683	1763	26.0	152	166
54	14	43	26	HHGiA5443	1474	1575	1647	1719	23.0	144	156
48	14	43	26	HHGiA4843	1443	1533	1568	1631	21.0	132	143
42	14	43	26	HHGiA4243	1420	1502	1550	1606	18.0	122	131

37" H.

72	14	37	20	HHGiA7237	1579	1711	1729	1827	27.0	149	165
66	14	37	20	HHGiA6637	1533	1654	1713	1802	25.0	139	154
60	14	37	20	HHGiA6037	1488	1599	1632	1713	22.0	130	143
54	14	37	20	HHGiA5437	1427	1528	1599	1671	20.0	122	134
48	14	37	20	HHGiA4837	1398	1488	1524	1587	18.0	111	121
42	14	37	20	HHGiA4237	1376	1459	1507	1562	16.0	101	110

## S SPECIFY

Series	Code	Surface	Edge	Base	Métal
T	<input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>	- <input type="text"/>

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

## hutches with flipper door[s]



Hutch with flipper door(s) and metal legs.

Available with the standard closing mechanism or with the "Easy-Down" option allowing soft-closing of the door(s).

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeonhole unit.


Noki lock and key lock not included, available as an option.

43" H.

Dimensions					Code	Price		Specifications	
A	B	C	D	E		Standard (TD)	Easy-down (DW)	Cu.Ft.	lb
72	14	43	26	2	HF7243	1595	1539	30.8	197
66	14	43	26	2	HF6643	1396	1343	28.3	184
60	14	43	26	2	HF6043	1359	1308	25.8	172
54	14	43	26	2	HF5443	1316	1267	23.3	159
48	14	43	26	2	HF4843	1266	1222	20.8	146
42	14	43	26	1	HF4243	1135	1091	18.3	133
36	14	43	26	1	HF3643	1108	1068	15.8	120
30	14	43	26	1	HF3043	1003	966	13.3	108
24	14	43	26	1	HF2443	931	897	10.8	95
72	14	37	20	2	HF7237	1539	1645	26.9	173
66	14	37	20	2	HF6637	1343	1449	24.7	161
60	14	37	20	2	HF6037	1308	1414	22.5	149
54	14	37	20	2	HF5437	1267	1373	20.3	137
48	14	37	20	2	HF4837	1222	1328	18.1	125
42	14	37	20	1	HF4237	1091	1144	16.0	112
36	14	37	20	1	HF3637	1068	1121	13.8	100
30	14	37	20	1	HF3037	966	1019	11.6	88
24	14	37	20	1	HF2437	897	949	9.4	76

37" H.

E = Number of doors



### S SPECIFY

Series	Code	Mecan.	Base	Fronts	Metal	Lock
T S	-		-	/	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Mechanism:** Specify door mechanism: Standard (TD) or with "Easy-Down" soft-closing system (DW).

**Base / Fronts:** Take Off finishes, p.84-85.

**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per door, p.50.


Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

price list

*hutches with pivot-lift door[s]*



Hutch with pivot-lift door(s) and metal legs.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeonhole unit.


Noki lock and key lock not included, available as an option.

43" H.

37" H.

Dimensions					Code	Price	Specifications	
A	B	C	D	E		T.F.L.	Cu.Ft.	lb
72	14	43	26	2	HU7243	1901	30.8	197
66	14	43	26	2	HU6643	1702	28.3	184
60	14	43	26	2	HU6043	1664	25.8	172
54	14	43	26	2	HU5443	1621	23.3	159
48	14	43	26	2	HU4843	1572	20.8	146
42	14	43	26	1	HU4243	1288	18.3	133
36	14	43	26	1	HU3643	1261	15.8	120
30	14	43	26	1	HU3043	1156	13.3	108
24	14	43	26	1	HU2443	1084	10.8	95
72	14	37	20	2	HU7237	1845	26.9	173
66	14	37	20	2	HU6637	1649	24.7	161
60	14	37	20	2	HU6037	1614	22.5	149
54	14	37	20	2	HU5437	1573	20.3	137
48	14	37	20	2	HU4837	1528	18.1	125
42	14	37	20	1	HU4237	1244	16.0	112
36	14	37	20	1	HU3637	1221	13.8	100
30	14	37	20	1	HU3037	1119	11.6	88
24	14	37	20	1	HU2437	1049	9.4	76

E = Number of doors



Pivot-lift door

## S SPECIFY

Series	Code	Base	Fronts	Metal	Lock
T S	-		/	-	

## O OPTION

**S** Code: Consult the above product code list.

**Base / Fronts:** Take Off finishes, p.84-85.

**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per door, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.




# hutches & top storage

price list

*hutches with pivot-lift door[s]*

*["contemporary" aluminum frame - laminate or h-gloss white interior panel]*



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) and metal legs.

Equipped with a soft-close piston system.

Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Striped or fluted edge not available.

Cannot accommodate a horizontal pigeonhole unit.


No lock.

43" H.

Dimensions					Code		Price	Specifications	
A	B	C	D	E	Doors		T.F.L.	Cu.Ft.	lb
					Laminate	H-Gloss White			
72	14	43	26	2	HUM7243	HUL7243	2816	30.8	197
66	14	43	26	2	HUM6643	HUL6643	2617	28.3	184
60	14	43	26	2	HUM6043	HUL6043	2580	25.8	172
54	14	43	26	2	HUM5443	HUL5443	2537	23.3	159
48	14	43	26	2	HUM4843	HUL4843	2487	20.8	146
42	14	43	26	1	HUM4243	HUL4243	1746	18.3	133
36	14	43	26	1	HUM3643	HUL3643	1718	15.8	120
30	14	43	26	1	HUM3043	HUL3043	1614	13.3	108
24	14	43	26	1	HUM2443	HUL2443	1541	10.8	95
72	14	37	20	2	HUM7237	HUL7237	2760	26.9	173
66	14	37	20	2	HUM6637	HUL6637	2564	24.7	161
60	14	37	20	2	HUM6037	HUL6037	2529	22.5	149
54	14	37	20	2	HUM5437	HUL5437	2488	20.3	137
48	14	37	20	2	HUM4837	HUL4837	2443	18.1	125
42	14	37	20	1	HUM4237	HUL4237	1702	16.0	112
36	14	37	20	1	HUM3637	HUL3637	1679	13.8	100
30	14	37	20	1	HUM3037	HUL3037	1576	11.6	88
24	14	37	20	1	HUM2437	HUL2437	1507	9.4	76

37" H.

E = Number of doors



Pivot-lift door

## S SPECIFY

T **S** -  -  /  -

**S Code:** Consult the above product code list.

**Base / Fronts (laminate):** Take Off finishes, p.84-85.


**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list


hutches with pivot-lift door[s] ("contemporary" aluminum frame - acrylic interior panel)



Hutch with pivot-lift door(s) ("Contemporary" aluminum frame with frosted acrylic interior panel) **and metal legs**.  
Equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
Cannot accommodate a horizontal pigeonhole unit.  
No lock.

	Dimensions					Code	Price	Specifications	
	A	B	C	D	E		T.F.L.	Cu.Ft.	lb
43" H.	72	14	43	26	2	HUGiC7243	2676	30.8	197
	66	14	43	26	2	HUGiC6643	2477	28.3	184
	60	14	43	26	2	HUGiC6043	2440	25.8	172
	54	14	43	26	2	HUGiC5443	2397	23.3	159
	48	14	43	26	2	HUGiC4843	2347	20.8	146
	42	14	43	26	1	HUGiC4243	1676	18.3	133
	36	14	43	26	1	HUGiC3643	1649	15.8	120
	30	14	43	26	1	HUGiC3043	1544	13.3	108
	24	14	43	26	1	HUGiC2443	1472	10.8	95
	24	14	43	26	1	HUGiC2443	1472	10.8	95
37" H.	72	14	37	20	2	HUGiC7237	2620	26.9	173
	66	14	37	20	2	HUGiC6637	2424	24.7	161
	60	14	37	20	2	HUGiC6037	2389	22.5	149
	54	14	37	20	2	HUGiC5437	2349	20.3	137
	48	14	37	20	2	HUGiC4837	2303	18.1	125
	42	14	37	20	1	HUGiC4237	1632	16.0	112
	36	14	37	20	1	HUGiC3637	1609	13.8	100
	30	14	37	20	1	HUGiC3037	1507	11.6	88
	24	14	37	20	1	HUGiC2437	1438	9.4	76
	24	14	37	20	1	HUGiC2437	1438	9.4	76

E = Number of doors



## S SPECIFY

Series	Code	Base	Metal
T S	-	-	-


**S** Code: Consult the above product code list.  
**Base:** Take Off finishes, p.84-85.  
**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

hutches with pivot-lift door[s] ("traditional" aluminum frame - acrylic interior panel)




Hutch with pivot-lift door(s) ("Traditional" aluminum frame with frosted acrylic interior panel) **and metal legs**.  
Equipped with a soft-close piston system.  
Hutch is equipped with a horizontal grommet at base and a round grommet (black) for fluorescent task light cabling.  
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.  
Striped or fluted edge not available.  
Cannot accommodate a horizontal pigeonhole unit.  
No lock.

43" H.

Dimensions					Code	Price		Specifications	
A	B	C	D	E		T.F.L.		Cu.Ft.	lb
72	14	43	26	2	HUGiA7243	2419		30.8	197
66	14	43	26	2	HUGiA6643	2220		28.3	184
60	14	43	26	2	HUGiA6043	2182		25.8	172
54	14	43	26	2	HUGiA5443	2140		23.3	159
48	14	43	26	2	HUGiA4843	2090		20.8	146
42	14	43	26	1	HUGiA4243	1548		18.3	133
36	14	43	26	1	HUGiA3643	1520		15.8	120
30	14	43	26	1	HUGiA3043	1416		13.3	108
24	14	43	26	1	HUGiA2443	1343		10.8	95
72	14	37	20	2	HUGiA7237	2363		26.9	173
66	14	37	20	2	HUGiA6637	2167		24.7	161
60	14	37	20	2	HUGiA6037	2132		22.5	149
54	14	37	20	2	HUGiA5437	2091		20.3	137
48	14	37	20	2	HUGiA4837	2046		18.1	125
42	14	37	20	1	HUGiA4237	1504		16.0	112
36	14	37	20	1	HUGiA3637	1481		13.8	100
30	14	37	20	1	HUGiA3037	1378		11.6	88
24	14	37	20	1	HUGiA2437	1309		9.4	76

37" H.

E = Number of doors



**S** SPECIFY

Series	Code	Base	Metal
T <b>S</b>	-	-	-


**S** Code: Consult the above product code list.  
**Base:** Take Off finishes, p.84-85.  
**Metal:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

## modular hutches


price list



Modular hutch with integrated horizontal pigeonhole unit.  
One or more storage module(s) can be installed on a modular hutch.  
The 27" H. hutch with storage module has an overall height of 43".  
The 21" H. hutch with storage module has an overall height of 37".  
Hutch is equipped with a horizontal grommet at base.  
Do not install this hutch on to a panel-attached surface, unless the surface is supported by floor supports.

	Dimensions				Code	Price	Specifications	
	A	B	C	D		T.F.L.	Cu.Ft.	lb
43" H.	84	13	27	20	HM8427	950	21.5	140
	78	13	27	20	HM7827	903	20.0	131
	72	13	27	20	HM7227	854	19.0	123
	66	13	27	20	HM6627	811	17.0	115
	60	13	27	20	HM6027	763	15.5	106
	54	13	27	20	HM5427	724	14.0	98
	48	13	27	20	HM4827	683	12.5	90
	42	13	27	20	HM4227	642	11.0	82
	36	13	27	20	HM3627	586	9.5	73
	30	13	27	20	HM3027	539	8.0	65
37" H.	84	13	21	14	HM8421	834	17.0	123
	78	13	21	14	HM7821	788	16.0	116
	72	13	21	14	HM7221	743	15.0	108
	66	13	21	14	HM6621	702	13.4	101
	60	13	21	14	HM6021	660	12.2	93
	54	13	21	14	HM5421	616	11.1	86
	48	13	21	14	HM4821	584	9.9	78
	42	13	21	14	HM4221	546	8.7	71
	36	13	21	14	HM3621	493	7.5	63
	30	13	21	14	HM3021	449	6.3	56

Storage module can be installed  
in various positions.



27" H. hutch: X = 43" total  
21" H. hutch: X = 37" total

### S SPECIFY

Series	Code	Base
T	L	

**S** Code: Consult the above product code list.  
Base: Take Off finishes, p.84-85.




# hutches & top storage


## storage modules for modular hutches

price list

Storage modules with hinged doors for modular hutch.  
 Installs without hardware on the modular hutch.  
 Can be easily moved from left to right.  
 Noki lock and key lock not included, available as an option.



Dimensions					Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D	F		Price		Price				
						T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
42	14	16½	3	2	HB42	574	639	666	681	7.4	76	85




30	14	16½	2	1	HB30	488	527	545	556	5.4	58	64
----	----	-----	---	---	------	-----	-----	-----	-----	-----	----	----


## storage modules for modular hutches

[ "contemporary" alu. frame - laminate or h-gloss white interior panel ]

Storage modules with hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel) for modular hutch.  
 Installs without hardware on the modular hutch.  
 Can be easily moved from left to right.  
 No lock.



				Doors									
				Laminate	H-Gloss White								
42	14	16½	3	HBM42	HBL42	1473	1538	1564	1580	7.4	76	85	



				Doors									
				Laminate	H-Gloss White								
30	14	16½	2	HBM30	HBL30	1088	1126	1144	1155	5.4	58	64	

D = Number of doors  
 F = Number of locks

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Lock
T						

### O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts (laminate):** Take Off finishes, p.84-85.

**O Locks (HB..):** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per lock, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.




# hutches & top storage

price list


storage modules for modular hutches

["contemporary" aluminum frame - acrylic interior panel]

Storage modules with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel) for modular hutch.  
Installs without hardware on the modular hutch.  
Can be easily moved from left to right.  
No lock.



Dimensions				Code	L Lima 1"		M Mike 1½"		Specifications		
A	B	C	D		Price		Price				
					T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
42	14	16½	3	HBGiC42	1378	1443	1470	1485	7.4	76	85




30	14	16½	2	HBGiC30	1024	1063	1080	1091	5.4	58	64
----	----	-----	---	---------	------	------	------	------	-----	----	----


storage modules for modular hutches

["traditional" aluminum frame - acrylic interior panel]

Storage modules with hinged doors ("Traditional" aluminum frame with frosted acrylic interior panel) for modular hutch.  
Installs without hardware on the modular hutch.  
Can be easily moved from left to right.  
No lock.



42	14	16½	3	HBGiA42	1222	1298	1373	1388	7.4	76	85
----	----	-----	---	---------	------	------	------	------	-----	----	----



30	14	16½	2	HBGiA30	909	958	1016	1027	5.4	58	64
----	----	-----	---	---------	-----	-----	------	------	-----	----	----

D = Number of doors

## S SPECIFY

Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base: Take Off finishes, p.84-85.




# hutches & top storage

price list

## open wall mounted hutches

Open wall mounted hutch.  
Hutches 54" and longer have a central divider.  
Wall mounting brackets included.



					L Lima 1"		M Mike 1½"					
Dimensions					Code	Price		Price		Specifications		
A	B	C	D	F		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16			HWO7216	602	682	651	704	13.0	103	119
66	14½	16			HWO6616	561	637	618	662	12.0	95	110
60	14½	16			HWO6016	521	592	573	622	11.0	88	102
54	14½	16			HWO5416	482	548	524	579	10.0	80	93
48	14½	16			HWO4816	443	505	459	537	9.0	73	84
42	14½	16			HWO4216	415	463	431	495	8.0	65	75
36	14½	16			HWO3616	387	422	402	453	7.0	57	66
30	14½	16			HWO3016	361	382	375	411	6.0	49	57
24	14½	16			HWO2416	333	343	350	370	4.6	42	48

### S SPECIFY


Series Code Surface Edge Base

T  -  -  /  -

**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base: Take Off finishes, p.84-85.

## wall mounted hutches with hinged doors

Open wall mounted hutch with hinged doors.  
Wall mounting brackets included.  
Noki lock and key lock not included, available as an option.



72	14½	16	4	2	HWD7216	758	884	953	980	13.0	121	137
66	14½	16	4	2	HWD6616	729	847	920	945	12.0	112	126
60	14½	16	4	2	HWD6016	667	774	859	882	11.0	103	116
54	14½	16	4	2	HWD5416	618	715	805	826	10.0	94	106
48	14½	16	3	2	HWD4816	546	631	715	734	9.0	85	95
42	14½	16	3	2	HWD4216	514	590	666	681	8.0	76	85
36	14½	16	2	1	HWD3616	470	528	583	597	7.0	67	74
30	14½	16	2	1	HWD3016	437	486	545	556	6.0	58	64
24	14½	16	2	1	HWD2416	375	416	452	461	4.6	48	54

D = Number of doors  
F = Number of locks

### S SPECIFY

Series Code Surface Edge Base Fronts Lock

T  -  -  /  -  /  -

### O OPTION

**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.  
**O** Locks (HB.): Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per lock, p.50.  
Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

wall mounted hutches with hinged doors


[aluminum frame - laminate, h-gloss white or acrylic interior panel]

price list

Open wall mounted hutch with hinged aluminum framed doors.


Wall mounting brackets included.

No lock.




Contemporary aluminum frame/  
Laminate or H-Gloss White  
interior panel

				Code		L Lima 1"		M Mike 1½"				
Dimensions				Doors		Price		Price		Specifications		
A	B	C	D	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	4	HWDM7216	HWDL7216	1956	2082	2151	2178	13.0	121	137
66	14½	16	4	HWDM6616	HWDL6616	1927	2045	2118	2143	12.0	112	126
60	14½	16	4	HWDM6016	HWDL6016	1865	1972	2057	2080	11.0	103	116
54	14½	16	4	HWDM5416	HWDL5416	1816	1913	2003	2024	10.0	94	106
48	14½	16	3	HWDM4816	HWDL4816	1444	1530	1614	1632	9.0	85	95
42	14½	16	3	HWDM4216	HWDL4216	1412	1488	1564	1580	8.0	76	85
36	14½	16	2	HWDM3616	HWDL3616	1069	1128	1183	1197	7.0	67	74
30	14½	16	2	HWDM3016	HWDL3016	1036	1086	1144	1155	6.0	58	64
24	14½	16	2	HWDM2416	HWDL2416	975	1015	1052	1060	4.6	48	54



Contemporary aluminum frame/  
Acrylic interior panel

				Acrylic								
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	4	HWdGiC7216		1829	1956	2024	2052	13.0	121	137
66	14½	16	4	HWdGiC6616		1801	1918	1991	2016	12.0	112	126
60	14½	16	4	HWdGiC6016		1738	1846	1931	1954	11.0	103	116
54	14½	16	4	HWdGiC5416		1690	1786	1877	1898	10.0	94	106
48	14½	16	3	HWdGiC4816		1350	1436	1519	1538	9.0	85	95
42	14½	16	3	HWdGiC4216		1318	1394	1470	1485	8.0	76	85
36	14½	16	2	HWdGiC3616		1005	1064	1119	1133	7.0	67	74
30	14½	16	2	HWdGiC3016		972	1022	1080	1091	6.0	58	64
24	14½	16	2	HWdGiC2416		911	952	988	997	4.6	48	54



Traditional aluminum frame/  
Acrylic interior panel

				Acrylic								
A	B	C	D			T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	4	HWdGiA7216		1702	1828	1896	1925	13.0	121	137
66	14½	16	4	HWdGiA6616		1673	1791	1863	1889	12.0	112	126
60	14½	16	4	HWdGiA6016		1610	1719	1804	1826	11.0	103	116
54	14½	16	4	HWdGiA5416		1562	1659	1749	1770	10.0	94	106
48	14½	16	3	HWdGiA4816		1254	1340	1423	1441	9.0	85	95
42	14½	16	3	HWdGiA4216		1222	1298	1373	1388	8.0	76	85
36	14½	16	2	HWdGiA3616		942	1000	1055	1069	7.0	67	74
30	14½	16	2	HWdGiA3016		909	958	1016	1027	6.0	58	64
24	14½	16	2	HWdGiA2416		847	889	924	933	4.6	48	54

D = Number of doors

## S SPECIFY

Series Code Surface Edge Base Fronts

T  -  -  /  -  /

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HWDM): Take Off finishes, p.84-85.



# hutches & top storage


price list

wall mounted hutches with central opening and hinged doors

Wall mounted hutch with central opening, hinged doors.

Wall mounting brackets included.

Noki lock and key lock not included, available as an option.



				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	HWH7216	693	820	888	915	13.0	103	119
66	14½	16	HWH6616	663	782	854	879	12.0	95	110
60	14½	16	HWH6016	601	710	794	816	11.0	88	102
54	14½	16	HWH5416	552	650	740	761	10.0	80	93
48	14½	16	HWH4816	513	600	682	701	9.0	73	84
42	14½	16	HWH4216	481	558	633	648	8.0	65	75


wall mounted hutches with central opening and hinged doors

["contemporary" aluminum frame - laminate or h-gloss white interior panel]

Wall mounted hutch with central opening, hinged doors ("Contemporary" aluminum frame with laminate or H-Gloss White interior panel).

Wall mounting brackets included.

No lock.



Contemporary aluminum frame/  
Laminate or Gloss White  
interior panel

				Doors						
A	B	C	Laminate	H-Gloss White						
72	14½	16	HWHM7216	HWHL7216	1293	1419	1487	1515	13.0	103 119
66	14½	16	HWHM6616	HWHL6616	1263	1382	1453	1478	12.0	95 110
60	14½	16	HWHM6016	HWHL6016	1200	1309	1394	1416	11.0	88 102
54	14½	16	HWHM5416	HWHL5416	1152	1250	1340	1361	10.0	80 93
48	14½	16	HWHM4816	HWHL4816	1112	1199	1282	1300	9.0	73 84
42	14½	16	HWHM4216	HWHL4216	1080	1157	1232	1247	8.0	65 75

## S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts (HWH and HWHM):** Take Off finishes, p.84-85.

**O Lock (HWH...):** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$132, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.




# hutches & top storage

price list

wall mounted hutches with central opening and hinged doors  
["contemporary" aluminum frame - acrylic interior panel]


Wall mounted hutch with central opening, hinged doors  
("Contemporary" aluminum frame with frosted acrylic interior panel).  
Wall mounting brackets included.  
No lock.



				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
72	14½	16	HWHGiC7216	1229	1355	1423	1451	13.0	103	119
66	14½	16	HWHGiC6616	1199	1318	1389	1415	12.0	95	110
60	14½	16	HWHGiC6016	1136	1245	1330	1352	11.0	88	102
54	14½	16	HWHGiC5416	1088	1186	1276	1297	10.0	80	93
48	14½	16	HWHGiC4816	1048	1135	1218	1236	9.0	73	84
42	14½	16	HWHGiC4216	1016	1093	1168	1184	8.0	65	75

wall mounted hutches with central opening and hinged doors  
["traditional" aluminum frame - acrylic interior panel]

Wall mounted hutch with central opening, hinged doors  
("Traditional" aluminum frame with frosted acrylic interior panel).  
Wall mounting brackets included.  
No lock.



72	14½	16	HWHGiA7216	1165	1291	1360	1387	13.0	103	119
66	14½	16	HWHGiA6616	1135	1254	1326	1351	12.0	95	110
60	14½	16	HWHGiA6016	1073	1181	1266	1288	11.0	88	102
54	14½	16	HWHGiA5416	1024	1122	1212	1233	10.0	80	93
48	14½	16	HWHGiA4816	985	1071	1154	1173	9.0	73	84
42	14½	16	HWHGiA4216	953	1030	1104	1120	8.0	65	75

## S SPECIFY

Series	Code	Surface	Edge	Base
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base: Take Off finishes, p.84-85.



# hutches & top storage

price list

## wall mounted hutches with flipper door[s]


Wall mounted hutch with flipper door(s).

Available with the standard closing mechanism or with the "Easy-down" option allowing soft-closing of the door(s).

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.




Dimensions				Code	Price		Specifications	
A	B	C	D		Standard (TD)	Easy-down (DW)	Cu.Ft.	lb
72	14	16	2	HWF7216	855	960	12.7	121
66	14	16	2	HWF6616	813	919	11.7	112
60	14	16	2	HWF6016	769	875	10.7	103
54	14	16	2	HWF5416	734	839	9.7	94
48	14	16	2	HWF4816	696	802	8.6	85
42	14	16	1	HWF4216	564	617	7.6	76
36	14	16	1	HWF3616	527	580	6.6	67
30	14	16	1	HWF3016	490	542	5.6	58
24	14	16	1	HWF2416	451	504	4.6	48

D = Number of doors

### S SPECIFY

Series	Code	Mecan.	Base	Fronts	Lock
T	L	-		-	

### O OPTION



**S** Code: Consult the above product code list.

**Mechanism** : Specify door mechanism: Standard (TD) or with "Easy-down" soft-closing system (DW).

**Base / Fronts**: Take Off finishes, p.84-85.

**O** Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per lock, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.


## wall mounted hutches with pivot-lift door[s]

Wall mounted hutch with pivot-lift door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.

Striped or fluted edge not available.

Noki lock and key lock not included, available as an option.




72	14	16	2	HWU7216	1161	12.7	121
66	14	16	2	HWU6616	1119	11.7	112
60	14	16	2	HWU6016	1075	10.7	103
54	14	16	2	HWU5416	1040	9.7	94
48	14	16	2	HWU4816	1002	8.6	85
42	14	16	1	HWU4216	717	7.6	76
36	14	16	1	HWU3616	680	6.6	67
30	14	16	1	HWU3016	642	5.6	58
24	14	16	1	HWU2416	604	4.6	48

### S SPECIFY

Series	Code	Base	Fronts	Lock
T	L	-		

### O OPTION



**S** Code: Consult the above product code list.

**Base / Fronts**: Take Off finishes, p.84-85.

**O** Lock: Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), options, add \$66 per door, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

hutches with pivot-lift door[s]

(aluminum frame - laminate, h-gloss white or acrylic interior panel)


price list

Wall mounted hutch with pivot-lift aluminum framed door(s). Equipped with a soft-close piston system.

Wall mounting brackets included.


Striped or fluted edge not available.

No lock.




Contemporary aluminum frame/  
Laminate or H-Gloss White  
interior panel

Dimensions				Code		Price	Specifications	
A	B	C	D	Doors		T.F.L.	Cu.Ft.	lb
				Laminate	H-Gloss White			
72	14	16	2	HWUM7216	HWUL7216	2076	12.7	121
66	14	16	2	HWUM6616	HWUL6616	2034	11.7	112
60	14	16	2	HWUM6016	HWUL6016	1990	10.7	103
54	14	16	2	HWUM5416	HWUL5416	1955	9.7	94
48	14	16	2	HWUM4816	HWUL4816	1917	8.6	85
42	14	16	1	HWUM4216	HWUL4216	1175	7.6	76
36	14	16	1	HWUM3616	HWUL3616	1137	6.6	67
30	14	16	1	HWUM3016	HWUL3016	1100	5.6	58
24	14	16	1	HWUM2416	HWUL2416	1062	4.6	48



Contemporary aluminum frame/  
Acrylic interior panel


				Acrylic				
72	14	16	2	HWUGiC7216		1936	12.7	121
66	14	16	2	HWUGiC6616		1894	11.7	112
60	14	16	2	HWUGiC6016		1850	10.7	103
54	14	16	2	HWUGiC5416		1815	9.7	94
48	14	16	2	HWUGiC4816		1778	8.6	85
42	14	16	1	HWUGiC4216		1106	7.6	76
36	14	16	1	HWUGiC3616		1068	6.6	67
30	14	16	1	HWUGiC3016		1031	5.6	58
24	14	16	1	HWUGiC2416		992	4.6	48



Traditional aluminum frame/  
Acrylic interior panel

				Acry				
72	14	16	2	HWUGiA7216		1679	12.7	121
66	14	16	2	HWUGiA6616		1637	11.7	112
60	14	16	2	HWUGiA6016		1593	10.7	103
54	14	16	2	HWUGiA5416		1558	9.7	94
48	14	16	2	HWUGiA4816		1520	8.6	85
42	14	16	1	HWUGiA4216		977	7.6	76
36	14	16	1	HWUGiA3616		939	6.6	67
30	14	16	1	HWUGiA3016		902	5.6	58
24	14	16	1	HWUGiA2416		864	4.6	48

D = Number of doors



Pivot-lift door

## S SPECIFY

Series Code Base Fronts

T L - - /

S Code: Consult the above product code list.

Base / Fronts (HWUM): Take Off finishes, p.84-85.



# hutches & top storage


## wall mounted modules

price list

Wall module, interior dimension 5½".

Modules 54" and longer have a central divider.

Wall mounting brackets included, able to support a regular & non excessive load.



Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
72	10	7½	HWB107207	481		4.4	88
66	10	7½	HWB106607	449		4.0	85
60	10	7½	HWB106007	418		3.7	82
54	10	7½	HWB105407	386		3.3	79
48	10	7½	HWB104807	356		3.0	59
42	10	7½	HWB104207	337		2.6	56
36	10	7½	HWB103607	318		2.2	53
30	10	7½	HWB103007	300		1.9	50
24	10	7½	HWB102407	281		1.5	47

### S SPECIFY

Series Code Base

T  -  -

S Code: Consult the above product code list.


Base: Take Off finishes, p.84-85.

## bookcase hutches

Bookcase hutch.

2 shelves: 1 fixed & 1 adjustable.

Hutch is equipped with a horizontal grommet at base.



43" H.

37" H.

				L Lima 1"		M Mike 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	36	43	HBK3643	557	629	691	733	15.0	85	91
14	30	43	HBK3043	503	573	644	679	12.6	75	80
14	36	37	HBK3637	480	550	575	618	13.0	76	82
14	30	37	HBK3037	429	497	531	567	10.9	67	71

### S SPECIFY

Series Code Surface Edge Base

T  -  -  /  -

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Chant / Base : Finis Take Off, voir p.84-85.



# hutches & top storage


price list

## bookcase hutches with door[s]

Bookcase hutch with 2 doors.

2 shelves: 1 fixed & 1 adjustable.


Noki lock and key lock not included, available as an option. Will lock both doors.



43" H.

37" H.

				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	36	43	HPDD3643	749	822	883	925	15.0	134	139
14	30	43	HPDD3043	695	766	836	871	12.6	117	122
14	36	37	HPDD3637	672	743	768	811	13.0	119	124
14	30	37	HPDD3037	622	690	724	759	10.9	104	108



43" H.


37" H.

Bookcase hutch with door at left.

2 shelves: 1 fixed & 1 adjustable.

Noki lock not included, available as an option.

14	36	43	HPDO3643	653	726	788	829	15.0	116	121
14	30	43	HPDO3043	600	670	740	776	12.6	102	107
14	36	37	HPDO3637	576	647	672	715	13.0	103	108
14	30	37	HPDO3037	526	594	628	663	10.9	91	95



43" H.

37" H.

Bookcase hutch with door at right.

2 shelves: 1 fixed & 1 adjustable.

Noki lock and key lock not included, available as an option.

14	36	43	HPOD3643	653	726	788	829	15.0	116	121
14	30	43	HPOD3043	600	670	740	776	12.6	102	107
14	36	37	HPOD3637	576	647	672	715	13.0	103	108
14	30	37	HPOD3037	526	594	628	663	10.9	91	95

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: L or M see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull :** Pull included, specify type, see p.83.

**O Lock :** Noki electronic lock (L), key lock (LS) or keyed-alike (LSK), add \$66, see p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# hutches & top storage

bookcase hutches with door(s)


["contemporary" aluminum frame - laminate or h-gloss white interior panel]

price list

Bookcase hutch with 2 doors ("Contemporary" aluminum frame with laminate or H-Gloss W).

2 shelves: 1 fixed & 1 adjustable.


No lock.



43" H.

37" H.

Dimensions			Code		L Lima 1"		M Mike 1½"		Specifications		
			Doors		Price		Price				
A	B	C	Laminate	H-Gloss White	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	36	43	HPDDM3643	HPDDL3643	1596	1669	1730	1772	15.0	134	139
14	30	43	HPDDM3043	HPDDL3043	1542	1613	1683	1718	12.6	117	122
14	36	37	HPDDM3637	HPDDL3637	1519	1590	1615	1658	13.0	119	124
14	30	37	HPDDM3037	HPDDL3037	1469	1537	1571	1606	10.9	104	108



43" H.


37" H.

Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPDOM3643	HPDOL3643	1077	1150	1211	1253	15.0	116	121
14	30	43	HPDOM3043	HPDOL3043	1023	1093	1164	1199	12.6	102	107
14	36	37	HPDOM3637	HPDOL3637	1000	1070	1096	1139	13.0	103	108
14	30	37	HPDOM3037	HPDOL3037	949	1018	1052	1087	10.9	91	95



43" H.

37" H.

Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with laminate or gloss white interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPODM3643	HPODL3643	1077	1150	1211	1253	15.0	116	121
14	30	43	HPODM3043	HPODL3043	1023	1093	1164	1199	12.6	102	107
14	36	37	HPODM3637	HPODL3637	1000	1070	1096	1139	13.0	103	108
14	30	37	HPODM3037	HPODL3037	949	1018	1052	1087	10.9	91	95

## S SPECIFY

Series Code Surface Edge Base Fronts Pull  
 T  -  -  /  -  /  -

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts (HP\_\_M) : Take Off finishes, p.84-85.

Pull : Pulls included, specify type, see p.83.



# hutches & top storage

bookcase hutches with door[s]


["contemporary" aluminum frame - acrylic interior panel]

price list


Bookcase hutch with 2 doors ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.



				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	36	43	HPDDGiC3643	1455	1528	1590	1631	15.0	134	139
14	30	43	HPDDGiC3043	1401	1472	1542	1577	12.6	117	122
14	36	37	HPDDGiC3637	1378	1449	1474	1517	13.0	119	124
14	30	37	HPDDGiC3037	1328	1396	1430	1465	10.9	104	108




Bookcase hutch with 1 door at left ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPDOGiC3643	1007	1079	1141	1183	15.0	116	121
14	30	43	HPDOGiC3043	953	1023	1093	1129	12.6	102	107
14	36	37	HPDOGiC3637	930	1000	1025	1068	13.0	103	108
14	30	37	HPDOGiC3037	879	947	981	1016	10.9	91	95



Bookcase hutch with 1 door at right ("Contemporary" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPODGiC3643	1007	1079	1141	1183	15.0	116	121
14	30	43	HPODGiC3043	953	1023	1093	1129	12.6	102	107
14	36	37	HPODGiC3637	930	1000	1025	1068	13.0	103	108
14	30	37	HPODGiC3037	879	947	981	1016	10.9	91	95

## S SPECIFY

Series	Code	Surface	Edge	Base	Pull
T					

**S** Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Pull : Pulls included, specify type, see p.83.



# hutches & top storage

bookcase hutches with door(s)


["traditional" aluminum frame - acrylic interior panel]

price list

Bookcase hutch with 2 doors ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.


No lock.



43" H.

37" H.

				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	36	43	HPDDGiA3643	1199	1272	1333	1375	15.0	134	139
14	30	43	HPDDGiA3043	1145	1216	1286	1321	12.6	117	122
14	36	37	HPDDGiA3637	1122	1192	1218	1261	13.0	119	124
14	30	37	HPDDGiA3037	1071	1140	1174	1209	10.9	104	108



43" H.


37" H.

Bookcase hutch with 1 door at left ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPDOGiA3643	1103	1176	1238	1279	15.0	116	121
14	30	43	HPDOGiA3043	1049	1120	1190	1225	12.6	102	107
14	36	37	HPDOGiA3637	1026	1097	1122	1165	13.0	103	108
14	30	37	HPDOGiA3037	976	1044	1078	1113	10.9	91	95



43" H.

37" H.

Bookcase hutch with 1 door at right ("Traditional" aluminum frame with frosted acrylic interior panel).

2 shelves: 1 fixed & 1 adjustable.

No lock.

14	36	43	HPODGiA3643	1103	1176	1238	1279	15.0	116	121
14	30	43	HPODGiA3043	1049	1120	1190	1225	12.6	102	107
14	36	37	HPODGiA3637	1026	1097	1122	1165	13.0	103	108
14	30	37	HPODGiA3037	976	1044	1078	1113	10.9	91	95

## S SPECIFY

T  Series -  Code -  Surface /  Edge -  Base -  Pull

S Series: L or M see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Pull : Pulls included, specify type, see p.83.




# hutches & top storage

## corner rounded bookcase hutches

price list

Corner rounded bookcase hutch.  
Bottom shelf is adjustable, top one is fixed.



				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	43	HC43	597	653	633	689	5.7	39	42
14	14	37	HC37	553	609	589	645	4.9	35	38

### S SPECIFY

Series Code Surface Edge Base  
 T  -  -  /  -

**S** Series: L or M see specifications p.47.  
 Code: Consult the above product code list.  
 Surface / Edge / Base: Take Off finishes, p.84-85.




# hutches & top storage

## tackboards for 43" H. hutches

price list


Tackboard for hutch.  
Installs under 43" H. hutches, with Velcro strips.  
Allows access to the hutch's wiring grommet.



Dimensions				Price						Specifications	
A	B		Code	Gr.1	Com/Gr.2	Gr.3	Gr.4	Gr.5		Cu.Ft.	lb
82	25	for 84" hutch	BT8225	384	430	472	497	517		2.2	21
76	25	for 78" hutch	BT7625	358	399	439	462	480		2.0	21
70	25	for 72" hutch	BT7025	331	371	405	430	448		1.8	19
64	25	for 66" hutch	BT6425	294	329	362	383	402		1.7	17
58	25	for 60" hutch	BT5825	248	279	304	311	318		1.5	16
52	25	for 54" hutch	BT5225	234	263	287	294	303		1.4	14
46	25	for 48" hutch	BT4625	228	253	273	283	290		1.2	12
40	25	for 42" hutch	BT4025	193	216	232	241	249		1.1	11
34	25	for 36" hutch	BT3425	177	196	216	223	231		0.9	9
28	25	for 30" hutch	BT2825	163	178	195	205	210		0.8	8
22	25	for 24" hutch	BT2225	151	163	176	185	193		0.6	6

## tackboards for 43" H. hutches with horizontal pigeonhole

Tackboard for hutch.  
Installs under 43" H. hutches with horizontal pigeonhole unit, with Velcro strips.  
Allows access to the hutch's wiring grommet.



82	21	for 84" hutch	BT8221	355	400	442	468	487		2.2	21
76	21	for 78" hutch	BT7621	330	371	410	433	452		2.0	21
70	21	for 72" hutch	BT7021	304	343	377	403	421		1.8	19
64	21	for 66" hutch	BT6421	267	303	336	356	376		1.7	17
58	21	for 60" hutch	BT5821	222	254	278	286	292		1.5	16
52	21	for 54" hutch	BT5221	210	239	262	270	277		1.4	14
46	21	for 48" hutch	BT4621	204	230	250	259	266		1.2	12
40	21	for 42" hutch	BT4021	171	194	210	218	227		1.1	11
34	21	for 36" hutch	BT3421	155	175	194	202	210		0.9	9
28	21	for 30" hutch	BT2821	142	157	174	184	189		0.8	8
22	21	for 24" hutch	BT2221	131	143	157	165	174		0.6	6

### S SPECIFY

Code	Fabric
AC -	

**S** Code: Consult the above product code list.  
Fabric: Refer to current Artopex panel fabric card.



# hutches & top storage


price list

## tackboards for 37" H. hutches

Tackboard for hutch.

Installs under 37" H. hutches, with Velcro strips.

Allows access to the hutch's wiring grommet.




Dimensions				Price					Specifications	
A	B		Code	Gr.1	Com/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	19	for 84" hutch	<b>BT8219</b>	349	394	436	461	481	2.2	21
76	19	for 78" hutch	<b>BT7619</b>	323	365	404	428	446	2.0	21
70	19	for 72" hutch	<b>BT7019</b>	298	337	372	397	416	1.8	19
64	19	for 66" hutch	<b>BT6419</b>	262	297	330	351	371	1.7	17
58	19	for 60" hutch	<b>BT5819</b>	217	250	273	282	287	1.5	16
52	19	for 54" hutch	<b>BT5219</b>	206	234	257	265	273	1.4	14
46	19	for 48" hutch	<b>BT4619</b>	200	226	245	255	264	1.2	12
40	19	for 42" hutch	<b>BT4019</b>	167	190	207	215	222	1.1	11
34	19	for 36" hutch	<b>BT3419</b>	153	172	191	199	206	0.9	9
28	19	for 30" hutch	<b>BT2819</b>	140	155	172	182	187	0.8	8
22	19	for 24" hutch	<b>BT2219</b>	129	141	155	164	172	0.6	6

## tackboards for 37" H. hutches with horizontal pigeonhole

Tackboard for hutch.

Installs under 37" H. hutches with horizontal pigeonhole unit, with Velcro strips.

Allows access to the hutch's wiring grommet.



82	15	for 84" hutch	<b>BT8215</b>	334	381	422	448	468	2.2	21
76	15	for 78" hutch	<b>BT7615</b>	310	352	392	415	432	2.0	21
70	15	for 72" hutch	<b>BT7015</b>	287	326	361	385	403	1.8	19
64	15	for 66" hutch	<b>BT6415</b>	251	286	320	341	360	1.7	17
58	15	for 60" hutch	<b>BT5815</b>	208	240	264	272	277	1.5	16
52	15	for 54" hutch	<b>BT5215</b>	197	226	250	256	265	1.4	14
46	15	for 48" hutch	<b>BT4615</b>	193	219	238	248	256	1.2	12
40	15	for 42" hutch	<b>BT4015</b>	161	184	200	208	217	1.1	11
34	15	for 36" hutch	<b>BT3415</b>	147	166	186	194	201	0.9	9
28	15	for 30" hutch	<b>BT2815</b>	135	151	167	177	182	0.8	8
22	15	for 24" hutch	<b>BT2215</b>	125	138	152	160	168	0.6	6

### S SPECIFY

Code      Fabric

AC -  -

**S** Code: Consult the above product code list.  
Fabric: Refer to current Artopex panel fabric card.




# hutches & top storage

## tackboards for 27" H. modular hutches

price list


Tackboard for hutch.  
Installs under 27" H. modular hutches, with Velcro strips.  
Allows access to the hutch's wiring grommet.



Dimensions				Price					Specifications	
A	B		Code	Gr.1	Com/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
82	19	for 84" hutch	BT8219	349	394	436	461	481	2.2	21
76	19	for 78" hutch	BT7619	323	365	404	428	446	2.0	21
70	19	for 72" hutch	BT7019	298	337	372	397	416	1.8	19
64	19	for 66" hutch	BT6419	262	297	330	351	371	1.7	17
58	19	for 60" hutch	BT5819	217	250	273	282	287	1.5	16
52	19	for 54" hutch	BT5219	206	234	257	265	273	1.4	14
46	19	for 48" hutch	BT4619	200	226	245	255	264	1.2	12
40	19	for 42" hutch	BT4019	167	190	207	215	222	1.1	11
34	19	for 36" hutch	BT3419	153	172	191	199	206	0.9	9
28	19	for 30" hutch	BT2819	140	155	172	182	187	0.8	8
22	19	for 24" hutch	BT2219	129	141	155	164	172	0.6	6

## tackboards for 21" H. modular hutches

Tackboard for hutch.  
Installs under 27" H. modular hutches, with Velcro strips.  
Allows access to the hutch's wiring grommet.




82	13	for 84" hutch	BT8213	338	383	425	450	471	2.2	21
76	13	for 78" hutch	BT7613	314	355	395	418	437	2.0	21
70	13	for 72" hutch	BT7013	290	329	364	389	407	1.8	19
64	13	for 66" hutch	BT6413	255	290	323	344	364	1.7	17
58	13	for 60" hutch	BT5813	212	244	268	276	282	1.5	16
52	13	for 54" hutch	BT5213	201	231	254	262	270	1.4	14
46	13	for 48" hutch	BT4613	198	224	243	253	262	1.2	12
40	13	for 42" hutch	BT4013	160	187	198	211	216	1.1	11
34	13	for 36" hutch	BT3413	145	165	182	189	200	0.9	9
28	13	for 30" hutch	BT2813	134	149	165	177	182	0.8	8
22	13	for 24" hutch	BT2213	123	132	149	158	166	0.6	6

### S SPECIFY

Code Fabric  
AC -  -

S Code: Consult the above product code list.  
Fabric: Refer to current Artopex panel fabric card.

## wall mount brackets for hutch-type tackboards



Hook brackets for installing a hutch-type tackboard on a wall.  
Order 2 packs for tackboards 60" and over.  
Available in 4 colors.  
**WARNING! Cannot be used with "BTL" tackboards.**

Pack of 4	BTHK	50	0,1	1
-----------	------	----	-----	---

### S SPECIFY

Code Metal  
AC -  -


S Code : Consultez la liste ci-dessus.  
Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# hutches & top storage

price list

## pigeonhole units




Horizontal pigeonhole unit.

Can be installed on a credenza or suspended underneath a hutch.

Cannot be installed under a hutch with metal sides.

Mounting hardware included (to be used when suspending under a hutch)

Select the appropriate tackboard, [see p.C41 and C42](#).



Installed on  
a credenza



Installed  
underneath  
a hutch

Dimensions				Code	Price	Specifications	
A	B	C				Cu.Ft.	lb
82	11	5	for 84" hutch	PiH82	670	4.0	37
76	11	5	for 78" hutch	PiH76	634	3.7	34
70	11	5	for 72" hutch	PiH70	598	3.5	32
64	11	5	for 66" hutch	PiH64	566	3.2	29
58	11	5	for 60" hutch	PiH58	532	2.9	27
52	11	5	for 54" hutch	PiH52	496	2.6	24
46	11	5	for 48" hutch	PiH46	463	2.3	22
40	11	5	for 42" hutch	PiH40	431	2.0	19
34	11	5	for 36" hutch	PiH34	397	1.7	16
28	11	5	for 30" hutch	PiH28	361	1.4	14
22	11	5	for 24" hutch	PiH22	323	1.1	11

### S SPECIFY

Series	Code	Base
T L	-	-

**O** Code: Consult the above product code list.

**Base:** Take Off finishes, p.84-85.

Edge will match the selected "Base" finish.



# Tables and storage / Layering

## Sierra-Tango

TABLES AND RETURNS

---

rectangular tables	D2
reversible returns and bridge-returns	D7
bridge-surfaces	D8
rectangular surface-mounted layering tables with "L" support	D9
rectangular surface-mounted layering tables with "L" support	D13
"D" shaped surface-mounted layering tables with "L" support	D14
"D" shaped surface-mounted layering tables with adjustable support	D16
arched surface-mounted layering tables with "L" support	D17
arched surface-mounted layering tables with adjustable support	D22
rectangular surface-mounted layering tables with "L" support	D23
rectangular surface-mounted layering tables with adjustable support	D31

STORAGE

---

credenzas	D33
storage units - 23" H.	D36
storage for layering tables	D37
cushion for storage units	D37



# tables & storage / layering

price list

## rectangular tables [combined material end panels]

29" H. rectangular table with combined-material (metal-laminate) end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).


**NOTE: The recessed end panel always has an "open" design.**

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at [page D5](#).

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.



				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	TiX3684	LL end panels only	1080	1297	—	1403	11.1	193	241
36	78	TiX3678	LL end panels only	1062	1251	—	1348	10.5	183	227
36	72	TiX3672	LL end panels only	1042	1203	1068	1293	9.8	173	214
36	66	TiX3666	LL end panels only	986	1177	1040	1258	9.2	163	201
36	60	TiX3660	LL end panels only	952	1131	1007	1205	8.6	153	188
36	54	TiX3654	LL end panels only	919	1089	985	1164	8.0	143	174
36	48	TiX3648	LL end panels only	887	1044	963	1122	7.4	134	161
30	84	TiX3084		986	1178	—	1268	9.2	168	208
30	78	TiX3078		969	1139	—	1222	8.7	159	196
30	72	TiX3072		952	1100	989	1177	8.1	150	185
30	66	TiX3066		917	1062	956	1128	7.6	142	173
30	60	TiX3060		887	1022	926	1082	7.7	133	162
30	54	TiX3054		858	988	910	1051	6.6	125	150
30	48	TiX3048		827	950	892	1016	6.1	116	139
30	42	TiX3042		792	910	851	959	5.6	107	127
30	36	TiX3036		759	868	816	910	5.1	99	116
30	30	TiX3030		750	836	798	877	4.6	90	104
30	24	TiX3024		734	796	772	838	4.1	80	92
24	84	TiX2484		884	1055	—	1131	7.4	143	175
24	78	TiX2478		870	1023	—	1093	7.0	136	165
24	72	TiX2472		856	992	906	1056	6.5	128	155
24	66	TiX2466		833	952	876	1013	6.1	120	145
24	60	TiX2460		792	917	845	970	5.7	113	136
24	54	TiX2454		766	886	823	935	5.3	105	126
24	48	TiX2448		747	860	810	910	4.9	98	116
24	42	TiX2442		712	818	781	860	4.5	90	106
24	36	TiX2436		678	778	761	828	4.1	83	96
24	30	TiX2430		652	748	751	814	3.7	75	87
24	24	TiX2424		627	719	735	785	3.7	68	77

### S SPECIFY

### O OPTIONS

Series	Code	End panels	Surface	Edge	Base	Metal	Grommet	M-Outlet	Modesty
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.



# tables & storage / layering

## rectangular tables (perforated metal end panels)

price list

29" H. rectangular table with perforated metal end panels.

Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).


**NOTE: The recessed end panel always has an "open" design.**

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at [page D5](#).

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.



				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	TiM3684	LL end panels only	1080	1297	—	1403	11.1	193	241
36	78	TiM3678	LL end panels only	1062	1251	—	1348	10.5	183	227
36	72	TiM3672	LL end panels only	1042	1203	1068	1293	9.8	173	214
36	66	TiM3666	LL end panels only	986	1177	1040	1258	9.2	163	201
36	60	TiM3660	LL end panels only	952	1131	1007	1205	8.6	153	188
36	54	TiM3654	LL end panels only	919	1089	985	1164	8.0	143	174
36	48	TiM3648	LL end panels only	887	1044	963	1122	7.4	134	161
30	84	TiM3084		986	1178	—	1268	9.2	168	208
30	78	TiM3078		969	1139	—	1222	8.7	159	196
30	72	TiM3072		952	1100	989	1177	8.1	150	185
30	66	TiM3066		917	1062	956	1128	7.6	142	173
30	60	TiM3060		887	1022	926	1082	7.7	133	162
30	54	TiM3054		858	988	910	1051	6.6	125	150
30	48	TiM3048		827	950	892	1016	6.1	116	139
30	42	TiM3042		792	910	851	959	5.6	107	127
30	36	TiM3036		759	868	816	910	5.1	99	116
30	30	TiM3030		750	836	798	877	4.6	90	104
30	24	TiM3024		734	796	772	838	4.1	80	92
24	84	TiM2484		884	1055	—	1131	7.4	143	175
24	78	TiM2478		870	1023	—	1093	7.0	136	165
24	72	TiM2472		856	992	906	1056	6.5	128	155
24	66	TiM2466		833	952	876	1013	6.1	120	145
24	60	TiM2460		792	917	845	970	5.7	113	136
24	54	TiM2454		766	886	823	935	5.3	105	126
24	48	TiM2448		747	860	810	910	4.9	98	116
24	42	TiM2442		712	818	781	860	4.5	90	106
24	36	TiM2436		678	778	761	828	4.1	83	96
24	30	TiM2430		652	748	751	814	3.7	75	87
24	24	TiM2424		627	719	735	785	3.7	68	77

### S SPÉCIFIER

### O OPTIONS

Série	Code	End panels	Surface	Edge	Base	Metal	Grommet	M-Outlet	Modesty
T									

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**End panels:** Specify end panel configuration: (LL), (LC) or (CL).

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.



# tables & storage / layering

## rectangular tables (open metal end panels)

price list

29" H. rectangular table with open metal end panels.




Available with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

Tables 36" deep are only available with full end panels (LL) on each side.

Tables with 2 recessed end panels (CC) can be found at [page D5](#).

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	TiO3684	LL end panels only	926	1143	—	1249	11.1	174 222
36	78	TiO3678	LL end panels only	908	1097	—	1194	10.5	164 209
36	72	TiO3672	LL end panels only	888	1049	914	1139	9.8	154 196
36	66	TiO3666	LL end panels only	832	1023	886	1104	9.2	145 182
36	60	TiO3660	LL end panels only	798	977	853	1051	8.6	135 169
36	54	TiO3654	LL end panels only	765	935	831	1010	8.0	125 156
36	48	TiO3648	LL end panels only	733	890	809	968	7.4	115 143
30	84	TiO3084		865	1057	—	1147	9.2	151 191
30	78	TiO3078		848	1018	—	1101	8.7	143 180
30	72	TiO3072		831	979	868	1056	8.1	134 168
30	66	TiO3066		796	941	835	1007	7.6	125 157
30	60	TiO3060		766	901	805	961	7.7	117 145
30	54	TiO3054		737	867	789	930	6.6	108 134
30	48	TiO3048		706	829	771	895	6.1	99 122
30	42	TiO3042		671	789	730	838	5.6	91 111
30	36	TiO3036		638	747	695	789	5.1	82 99
30	30	TiO3030		629	715	677	756	4.6	74 88
30	24	TiO3024		613	675	651	717	4.1	64 75
24	84	TiO2484		774	945	—	1021	7.4	129 161
24	78	TiO2478		760	913	—	983	7.0	121 151
24	72	TiO2472		746	882	796	946	6.5	113 141
24	66	TiO2466		723	842	766	903	6.1	106 131
24	60	TiO2460		682	807	735	860	5.7	98 121
24	54	TiO2454		656	776	713	825	5.3	91 111
24	48	TiO2448		637	750	700	800	4.9	83 102
24	42	TiO2442		602	708	671	750	4.5	76 92
24	36	TiO2436		568	668	651	718	4.1	68 82
24	30	TiO2430		542	638	641	704	3.7	61 72
24	24	TiO2424		517	609	625	675	3.7	53 62

### S SPECIFY

Series	Code	End panels	Surface	Edge	Base	Metal	Grommet	M-Outlet	Modesty
T									

### O OPTIONS

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

End panels: Specify end panel configuration: (LL), (LC) or (CL).

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.



# tables & storage / layering

price list


rectangular and corner tables (open metal "cc" end panels)

29" H. rectangular table with open metal end panels. Available with 2 recessed end panels.


This table features the same specifications as the 3 previous tables.

Includes a full height modesty panel, 4" from the floor.

Tables 42" and less in length have 1 central grommet included.



				S Sierra 1"		S Tango 1½"					
Dimensions				Code	Price		Price		Specifications		
A	B	C	D		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
30	84			TiO3084CC	799	991	—	1081	9.2	154	194
30	78			TiO3078CC	782	952	—	1035	8.7	145	182
30	72			TiO3072CC	765	913	802	990	8.1	136	171
30	66			TiO3066CC	730	875	769	941	7.6	128	159
30	60			TiO3060CC	700	835	739	895	7.1	119	148
30	54			TiO3054CC	671	801	723	864	6.6	111	136
30	48			TiO3048CC	640	763	705	829	6.1	102	125
30	42			TiO3042CC	605	723	664	772	5.6	93	113
30	36			TiO3036CC	572	681	629	723	5.1	85	102
30	30			TiO3030CC	563	649	611	690	4.6	76	90
30	24			TiO3024CC	547	609	585	651	4.1	67	78
24	84			TiO2484CC	752	923	—	999	7.4	134	166
24	78			TiO2478CC	738	891	—	961	7.0	126	156
24	72			TiO2472CC	724	860	774	924	6.5	119	146
24	66			TiO2466CC	701	820	744	881	6.1	111	136
24	60			TiO2460CC	660	785	713	838	5.7	103	126
24	54			TiO2454CC	634	754	691	803	5.3	96	117
24	48			TiO2448CC	615	728	678	778	4.9	88	107
24	42			TiO2442CC	580	686	649	728	4.5	81	97
24	36			TiO2436CC	546	646	629	696	4.1	73	87
24	30			TiO2430CC	520	616	619	682	3.7	66	77
24	24			TiO2424CC	495	587	603	653	3.3	58	67



90° corner table with recessed open metal end panels. Woodgrain is positioned at a 45° angle on these surfaces.

For corners CSO3042CC and CSO2436CC: the "D" dimension being 17" limits the keyboard choice.

30	30	48	25½	CSO3048CC	954	1187	1122	1326	8.6	135 169
30	30	42	17	CSO3042CC	887	1092	1059	1216	7.2	115 141
24	24	48	34	CSO2448CC	924	1153	1088	1291	8.6	131 163
24	24	42	25½	CSO2442CC	857	1058	1025	1181	7.2	112 137
24	24	36	17	CSO2436CC	785	956	952	1067	6.0	94 113
18	18	36	25½	CSO1836CC	752	924	919	1033	6.0	91 109

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet	Modesty
T								

## O OPTIONS

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

**Modesty panel:** Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.



# tables & storage / layering


price list

## reversible returns [combined material end panel]

29" H. reversible return with combined material (metal-laminate) end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.




			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	RERX2460	626	732	658	800	5.0	97	120
24	54	RERX2454	589	690	628	749	4.6	89	111
24	48	RERX2448	551	648	598	699	4.2	78	96
24	42	RERX2442	514	606	569	648	3.9	70	86
24	36	RERX2436	479	567	550	616	3.5	63	78
24	30	RERX2430	452	536	540	603	3.2	56	68
21	48	RERX2148	534	623	581	668	3.8	72	88
21	42	RERX2142	497	583	545	620	3.5	64	78
21	36	RERX2136	465	560	525	592	3.2	57	70
21	30	RERX2130	438	518	512	581	2.9	50	60
18	48	RERX1848	523	604	570	644	3.3	66	82
18	42	RERX1842	487	567	527	600	3.0	58	71
18	36	RERX1836	457	547	517	587	2.7	51	63
18	30	RERX1830	431	506	504	565	2.4	44	53

## reversible returns [perforated metal end panel]

29" H. reversible return with perforated metal end panel.

Includes a full height modesty panel, 4" from the floor.

Returns 42" and less in length have 1 central grommet included.



24	60	ERM2460	626	732	658	800	5.0	97	120
24	54	ERM2454	589	690	628	749	4.6	89	111
24	48	ERM2448	551	648	598	699	4.2	78	96
24	42	ERM2442	514	606	569	648	3.9	70	86
24	36	ERM2436	479	567	550	616	3.5	63	78
24	30	ERM2430	452	536	540	603	3.2	56	68
21	48	ERM2148	534	623	581	668	3.8	72	88
21	42	ERM2142	497	583	545	620	3.5	64	78
21	36	ERM2136	465	560	525	592	3.2	57	70
21	30	ERM2130	438	518	512	581	2.9	50	60
18	48	ERM1848	523	604	570	644	3.3	66	82
18	42	ERM1842	487	567	527	600	3.0	58	71
18	36	ERM1836	457	547	517	587	2.7	51	63
18	30	ERM1830	431	506	504	565	2.4	44	53

### S SPECIFY

### O OPTIONS

Series Code Surface Edge Base Metal Grommet M-Outlet Modesty

T  -  -  /  -  -  -  -  -

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.

or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.

On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.

Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.




# tables & storage / layering

## reversible returns (open metal end panel)

price list


29" H. reversible return with open metal end panel.  
Includes a full height modesty panel, 4" from the floor.  
Returns 42" and less in length have 1 central grommet included.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	60	RERO2460	571	677	603	745	5.0	90	113
24	54	RERO2454	534	635	573	694	4.6	82	104
24	48	RERO2448	496	593	543	644	4.2	71	89
24	42	RERO2442	459	551	514	593	3.9	63	79
24	36	RERO2436	424	512	495	561	3.5	56	71
24	30	RERO2430	397	481	485	548	3.2	49	61
21	48	RERO2148	484	573	531	618	3.8	66	82
21	42	RERO2142	448	534	495	571	3.5	58	72
21	36	RERO2136	416	510	475	542	3.2	51	64
21	30	RERO2130	388	469	462	531	2.9	44	54
18	48	RERO1848	473	554	520	594	3.3	61	76
18	42	RERO1842	438	517	477	550	3.0	54	66
18	36	RERO1836	407	497	468	538	2.7	46	58
18	30	RERO1830	382	457	454	516	2.4	38	48

## bridge-returns

29" H. bridge-return with modesty panel, 4" from the floor.  
Bridge-returns can not accomodate suspended pedestals.



24	48	REB2448	311	448	397	497	2.8	60	78
24	42	REB2442	299	406	369	448	2.5	52	68
24	36	REB2436	287	374	349	416	2.1	45	60
24	30	REB2430	276	334	339	402	1.8	38	50
21	48	REB2148	305	437	386	482	2.5	56	72
21	42	REB2142	294	397	359	432	2.2	48	62
21	36	REB2136	282	365	339	402	1.9	41	54
21	30	REB2130	270	323	328	386	1.6	34	44
18	48	REB1848	299	426	375	466	2.2	52	67
18	42	REB1842	287	386	348	417	1.9	44	57
18	36	REB1836	276	354	328	391	1.6	37	49
18	30	REB1830	264	312	317	374	1.3	30	39

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet Modesty

T  -  -  /  -  -  -  -  -  -

### O OPTIONS

- S** Series: S or T see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge / Base: Take Off finishes, p.84-85.  
Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.
- O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.  
On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.  
Modesty panel: Option of 18" high (U18) or 9" high (U9) modesty panel, no charge, p.53.




# tables & storage / layering


price list

## bridge-surfaces

Bridge-surface with no modesty panel.  
Attaches to 2 surfaces.  
Surfaces 42" and less in length have 1 central grommet included.  
Bridge-surfaces can be used with "support" pedestals but can not accomodate suspended pedestals.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	48	REBS2448	263	399	349	449	1.7	32	47
24	42	REBS2442	255	362	325	404	1.6	28	42
24	36	REBS2436	246	333	308	375	1.3	24	36
24	30	REBS2430	240	298	303	365	1.1	19	30
21	48	REBS2148	256	388	338	433	1.6	28	42
21	42	REBS2142	250	353	315	388	1.3	24	36
21	36	REBS2136	241	325	298	361	1.1	21	31
21	30	REBS2130	233	287	292	350	0.9	17	26
18	48	REBS1848	251	377	327	418	1.3	24	36
18	42	REBS1842	243	342	304	373	1.1	21	31
18	36	REBS1836	235	314	287	350	1.0	18	27
18	30	REBS1830	228	276	281	338	0.8	15	22



### S SPECIFY

Series	Code	Surface	Edge	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

- S** Series: S or T see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge: Take Off finishes, p.84-85.  
Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.
- O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.  
On tables 36" or less in length, only the centered multi-outlet (ECC/UCC) is available.
- \*\* WARNING, the module will not be covered and will be noticeable.**



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (perforated metal end panels)


Left or right rectangular table with 1 full laminate end panel.

5" H. laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DPI3684L	710	926	—	1032	9.9	109	143
36	78	DPI3678L	691	880	—	977	9.4	103	134
36	72	DPI3672L	671	833	697	922	8.8	97	125
36	66	DPI3666L	615	806	669	888	8.2	91	116
36	60	DPI3660L	581	760	636	834	7.6	86	107
30	84	DPI3084L	658	850	—	941	8.0	91	119
30	78	DPI3078L	641	811	—	894	7.5	87	113
30	72	DPI3072L	624	772	661	849	6.9	82	106
30	66	DPI3066L	590	734	628	800	6.4	77	99
30	60	DPI3060L	559	694	598	755	5.9	72	92
24	84	DPI2484L	598	769	—	845	6.6	75	97
24	78	DPI2478L	584	737	—	807	6.2	71	92
24	72	DPI2472L	570	706	620	770	5.7	67	86
24	66	DPI2466L	547	666	590	727	5.3	63	80
24	60	DPI2460L	506	631	559	684	4.9	59	75

## RIGHT TABLE



36	84	DPI3684R	710	926	—	1032	9.9	109	143
36	78	DPI3678R	691	880	—	977	9.4	103	134
36	72	DPI3672R	671	833	697	922	8.8	97	125
36	66	DPI3666R	615	806	669	888	8.2	91	116
36	60	DPI3660R	581	760	636	834	7.6	86	107
30	84	DPI3084R	658	850	—	941	8.0	91	119
30	78	DPI3078R	641	811	—	894	7.5	87	113
30	72	DPI3072R	624	772	661	849	6.9	82	106
30	66	DPI3066R	590	734	628	800	6.4	77	99
30	60	DPI3060R	559	694	598	755	5.9	72	92
24	84	DPI2484R	598	769	—	845	6.6	75	97
24	78	DPI2478R	584	737	—	807	6.2	71	92
24	72	DPI2472R	570	706	620	770	5.7	67	86
24	66	DPI2466R	547	666	590	727	5.3	63	80
24	60	DPI2460R	506	631	559	684	4.9	59	75

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet

T  -  -  /  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (combined material end panels)


Left or right rectangular table with 1 combined material (metal/laminate) end-panel.

5" H. laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DPIX3684L	853	1069	—	1175	9.9	109	143
36	78	DPIX3678L	834	1023	—	1120	9.4	103	134
36	72	DPIX3672L	814	976	840	1065	8.8	97	125
36	66	DPIX3666L	758	949	812	1031	8.2	91	116
36	60	DPIX3660L	724	903	779	977	7.6	86	107
30	84	DPIX3084L	784	977	—	1067	8.0	91	119
30	78	DPIX3078L	768	937	—	1021	7.5	87	113
30	72	DPIX3072L	750	899	788	976	6.9	82	106
30	66	DPIX3066L	716	860	755	926	6.4	77	99
30	60	DPIX3060L	685	821	725	881	5.9	72	92
24	84	DPIX2484L	708	879	—	955	6.6	75	97
24	78	DPIX2478L	694	847	—	917	6.2	71	92
24	72	DPIX2472L	680	816	730	880	5.7	67	86
24	66	DPIX2466L	657	776	700	837	5.3	63	80
24	60	DPIX2460L	616	741	669	794	4.9	59	75

## RIGHT TABLE



36	84	DPIX3684R	853	1069	—	1175	9.9	109	143
36	78	DPIX3678R	834	1023	—	1120	9.4	103	134
36	72	DPIX3672R	814	976	840	1065	8.8	97	125
36	66	DPIX3666R	758	949	812	1031	8.2	91	116
36	60	DPIX3660R	724	903	779	977	7.6	86	107
30	84	DPIX3084R	784	977	—	1067	8.0	91	119
30	78	DPIX3078R	768	937	—	1021	7.5	87	113
30	72	DPIX3072R	750	899	788	976	6.9	82	106
30	66	DPIX3066R	716	860	755	926	6.4	77	99
30	60	DPIX3060R	685	821	725	881	5.9	72	92
24	84	DPIX2484R	708	879	—	955	6.6	75	97
24	78	DPIX2478R	694	847	—	917	6.2	71	92
24	72	DPIX2472R	680	816	730	880	5.7	67	86
24	66	DPIX2466R	657	776	700	837	5.3	63	80
24	60	DPIX2460R	616	741	669	794	4.9	59	75

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (perforated metal end panels)


Left or right rectangular table with 1 perforated metal full end panel.

5" H. laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, see p.D33-D34.


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DPiM3684L	853	1069	—	1175	9.9	109	143
36	78	DPiM3678L	834	1023	—	1120	9.4	103	134
36	72	DPiM3672L	814	976	840	1065	8.8	97	125
36	66	DPiM3666L	758	949	812	1031	8.2	91	116
36	60	DPiM3660L	724	903	779	977	7.6	86	107
30	84	DPiM3084L	784	977	—	1067	8.0	91	119
30	78	DPiM3078L	768	937	—	1021	7.5	87	113
30	72	DPiM3072L	750	899	788	976	6.9	82	106
30	66	DPiM3066L	716	860	755	926	6.4	77	99
30	60	DPiM3060L	685	821	725	881	5.9	72	92
24	84	DPiM2484L	708	879	—	955	6.6	75	97
24	78	DPiM2478L	694	847	—	917	6.2	71	92
24	72	DPiM2472L	680	816	730	880	5.7	67	86
24	66	DPiM2466L	657	776	700	837	5.3	63	80
24	60	DPiM2460L	616	741	669	794	4.9	59	75

## RIGHT TABLE



36	84	DPiM3684R	853	1069	—	1175	9.9	109	143
36	78	DPiM3678R	834	1023	—	1120	9.4	103	134
36	72	DPiM3672R	814	976	840	1065	8.8	97	125
36	66	DPiM3666R	758	949	812	1031	8.2	91	116
36	60	DPiM3660R	724	903	779	977	7.6	86	107
30	84	DPiM3084R	784	977	—	1067	8.0	91	119
30	78	DPiM3078R	768	937	—	1021	7.5	87	113
30	72	DPiM3072R	750	899	788	976	6.9	82	106
30	66	DPiM3066R	716	860	755	926	6.4	77	99
30	60	DPiM3060R	685	821	725	881	5.9	72	92
24	84	DPiM2484R	708	879	—	955	6.6	75	97
24	78	DPiM2478R	694	847	—	917	6.2	71	92
24	72	DPiM2472R	680	816	730	880	5.7	67	86
24	66	DPiM2466R	657	776	700	837	5.3	63	80
24	60	DPiM2460R	616	741	669	794	4.9	59	75

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (open end panels)


Left or right rectangular table with 1 open metal full end panel.

5" H. laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DPiO3684L	776	992	—	1098	9.9	100	134
36	78	DPiO3678L	757	946	—	1043	9.4	94	125
36	72	DPiO3672L	737	899	763	988	8.8	88	116
36	66	DPiO3666L	681	872	735	954	8.2	82	107
36	60	DPiO3660L	647	826	702	900	7.6	77	98
30	84	DPiO3084L	724	916	—	1007	8.0	83	111
30	78	DPiO3078L	707	877	—	960	7.5	79	105
30	72	DPiO3072L	690	838	727	915	6.9	74	98
30	66	DPiO3066L	656	800	694	866	6.4	69	91
30	60	DPiO3060L	625	760	664	821	5.9	64	84
24	84	DPiO2484L	653	824	—	900	6.6	68	90
24	78	DPiO2478L	639	792	—	862	6.2	64	85
24	72	DPiO2472L	625	761	675	825	5.7	60	79
24	66	DPiO2466L	602	721	645	782	5.3	56	73
24	60	DPiO2460L	561	686	614	739	4.9	52	68

## RIGHT TABLE



36	84	DPiO3684R	776	992	—	1098	9.9	100	134
36	78	DPiO3678R	757	946	—	1043	9.4	94	125
36	72	DPiO3672R	737	899	763	988	8.8	88	116
36	66	DPiO3666R	681	872	735	954	8.2	82	107
36	60	DPiO3660R	647	826	702	900	7.6	77	98
30	84	DPiO3084R	724	916	—	1007	8.0	83	111
30	78	DPiO3078R	707	877	—	960	7.5	79	105
30	72	DPiO3072R	690	838	727	915	6.9	74	98
30	66	DPiO3066R	656	800	694	866	6.4	69	91
30	60	DPiO3060R	625	760	664	821	5.9	64	84
24	84	DPiO2484R	653	824	—	900	6.6	68	90
24	78	DPiO2478R	639	792	—	862	6.2	64	85
24	72	DPiO2472R	625	761	675	825	5.7	60	79
24	66	DPiO2466R	602	721	645	782	5.3	56	73
24	60	DPiO2460R	561	686	614	739	4.9	52	68

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal leg: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (open end panels)

Rectangular return, left or right.


5" H. laminate "L" support (end gable and modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Returns have 2 grommets.


Assembly hardware included.

## LEFT RETURN



Dimensions			S Sierra 1"		T Tango 1½"		Specifications		
			Price		Price				
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	REEP2472L	304	440	349	521	3.3	52	71
24	66	REEP2466L	292	418	338	494	3.1	48	66
24	60	REEP2460L	275	396	310	458	2.8	44	60
21	72	REEP2172L	273	410	319	475	3.0	46	63
21	66	REEP2166L	262	388	303	454	2.7	43	58
21	60	REEP2160L	255	366	290	421	2.5	39	53
18	72	REEP1872L	248	370	294	430	2.6	41	55
18	66	REEP1866L	241	332	277	408	2.4	38	51
18	60	REEP1860L	234	320	270	376	2.2	34	47

## RIGHT RETURN



24	72	REEP2472R	304	440	349	521	3.3	52	71
24	66	REEP2466R	292	418	338	494	3.1	48	66
24	60	REEP2460R	275	396	310	458	2.8	44	60
21	72	REEP2172R	273	410	319	475	3.0	46	63
21	66	REEP2166R	262	388	303	454	2.7	43	58
21	60	REEP2160R	255	366	290	421	2.5	39	53
18	72	REEP1872R	248	370	294	430	2.6	41	55
18	66	REEP1866R	241	332	277	408	2.4	38	51
18	60	REEP1860R	234	320	270	376	2.2	34	47

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet

T  -  -  /  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of 1-circuit multi-outlet (EC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea.  
or option of standard multi-outlet (UC...) at left ...L, centered ...C and/or at right ...R, add \$213 ea., p.52.




# tables & storage / layering

price list

"D" shaped surface-mounted layering tables with "L" support [tubular leg]


"D" shaped table.  
Telescopic metal leg (4" dia.).  
5" H. laminate "L" support (end gable and short modesty panel).  
Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).  
Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLDA3684L	756	1041	—	1250	5.1	88	128
36	78	DLDA3678L	744	1002	—	1201	4.8	85	125
36	72	DLDA3672L	725	959	932	1157	4.5	82	121
30	84	DLDA3084L	711	948	—	1142	4.4	79	117
30	78	DLDA3078L	702	916	—	1102	4.1	74	109
30	72	DLDA3072L	689	906	905	1092	3.9	69	102
24	84	DLDA2484L	666	893	—	1034	3.7	64	94
24	78	DLDA2478L	660	872	—	1003	3.5	59	88
24	72	DLDA2472L	652	836	858	975	3.3	56	82

## RIGHT TABLE



36	84	DLDA3684R	756	1041	—	1250	5.1	88	128
36	78	DLDA3678R	744	1002	—	1201	4.8	85	124
36	72	DLDA3672R	725	959	932	1157	4.5	82	121
30	84	DLDA3084R	711	948	—	1142	4.4	79	117
30	78	DLDA3078R	702	916	—	1102	4.1	74	109
30	72	DLDA3072R	689	906	905	1092	3.9	69	102
24	84	DLDA2484R	666	893	—	1034	3.7	64	94
24	78	DLDA2478R	660	872	—	1003	3.5	59	88
24	72	DLDA2472R	652	836	858	975	3.3	56	82

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

### O OPTION

- S** Series: S or T see specifications p.47.  
**Code:** Consult the above product code list.  
**Surface / Edge / Base:** Take Off finishes, p.84-85.  
**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.  
**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

"D" shaped surface-mounted layering tables with "L" support (tubular leg with base plate)


"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLDC3684L	DLDD3684L	779	1064	—	1273	10.1	94	134
36	78	DLDC3678L	DLDD3678L	767	1025	—	1224	9.8	91	130
36	72	DLDC3672L	DLDD3672L	748	982	955	1180	9.5	88	127
30	84	DLDC3084L	DLDD3084L	734	971	—	1165	9.4	85	123
30	78	DLDC3078L	DLDD3078L	725	939	—	1125	9.1	80	115
30	72	DLDC3072L	DLDD3072L	712	930	928	1115	8.9	75	108
24	84	DLDC2484L	DLDD2484L	689	916	—	1057	8.7	70	100
24	78	DLDC2478L	DLDD2478L	683	895	—	1026	8.5	65	94
24	72	DLDC2472L	DLDD2472L	675	859	881	998	8.3	62	88

## RIGHT TABLE



36	84	DLDC3684R	DLDD3684R	779	1064	—	1273	10.1	94	134
36	78	DLDC3678R	DLDD3678R	767	1025	—	1224	9.8	91	130
36	72	DLDC3672R	DLDD3672R	748	982	955	1180	9.5	88	127
30	84	DLDC3084R	DLDD3084R	734	971	—	1165	9.4	85	123
30	78	DLDC3078R	DLDD3078R	725	939	—	1125	9.1	80	115
30	72	DLDC3072R	DLDD3072R	712	930	928	1115	8.9	75	108
24	84	DLDC2484R	DLDD2484R	689	916	—	1057	8.7	70	100
24	78	DLDC2478R	DLDD2478R	683	895	—	1026	8.5	65	94
24	72	DLDC2472R	DLDD2472R	675	859	881	998	8.3	62	88

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

## "D" shaped surface-mounted layering tables with adjustable support (tubular leg)


"D" shaped table.

Telescopic metal leg (4" dia.).

5" H. adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Assembly hardware included.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DADA3684	920	1205	—	1414	5.4	92	126
36	78	DADA3678	908	1166	—	1365	5.1	87	119
36	72	DADA3672	889	1123	1096	1321	5.0	82	111
30	84	DADA3084	875	1112	—	1306	4.9	80	108
30	78	DADA3078	866	1080	—	1266	4.6	76	102
30	72	DADA3072	853	1070	1069	1256	4.4	71	96
24	84	DADA2484	829	1057	—	1198	4.2	68	90
24	78	DADA2478	824	1036	—	1167	4.0	64	85
24	72	DADA2472	816	1000	1022	1139	3.8	61	80


## "D" shaped surface-mounted layering tables with adjustable support (tubular leg with base)

"D" shaped table with telescopic metal leg (4" dia.) with round or square base plate.

5" H. adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Assembly hardware included.



		Round base	Square base							
36	84	DADC3684	DADD3684	943	1228	—	1437	9.8	99	133
36	78	DADC3678	DADD3678	931	1189	—	1388	9.5	94	125
36	72	DADC3672	DADD3672	912	1146	1119	1344	9.4	88	117
30	84	DADC3084	DADD3084	898	1135	—	1329	9.3	87	115
30	78	DADC3078	DADD3078	889	1103	—	1289	9.0	82	108
30	72	DADC3072	DADD3072	876	1093	1092	1279	8.8	78	102
24	84	DADC2484	DADD2484	853	1080	—	1221	8.6	74	97
24	78	DADC2478	DADD2478	847	1059	—	1190	8.4	71	92
24	72	DADC2472	DADD2472	839	1023	1045	1162	8.2	67	87

### S SPECIFY

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T			/			

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg & support:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

## arched surface-mounted layering tables with "L" support (tubular leg)

"D" shaped table (arched), left or right.


Telescopic metal leg (4" dia.).

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

### LEFT TABLE



Dimensions			S Sierra 1"		T Tango 1½"		Specifications		
			Price		Price				
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLAA3684L	756	1041	—	1250	5.1	88	128
36	78	DLAA3678L	744	1002	—	1201	4.8	85	124
36	72	DLAA3672L	725	959	932	1157	4.5	82	121
30	84	DLAA3084L	711	948	—	1142	4.4	79	117
30	78	DLAA3078L	702	916	—	1102	4.1	74	109
30	72	DLAA3072L	689	906	905	1092	3.9	69	102
24	84	DLAA2484L	666	893	—	1034	3.7	64	94
24	78	DLAA2478L	660	872	—	1003	3.5	59	88
24	72	DLAA2472L	652	836	858	975	3.3	56	82

### RIGHT TABLE



36	84	DLAA3684R	756	1041	—	1250	5.1	88	128
36	78	DLAA3678R	744	1002	—	1201	4.8	85	124
36	72	DLAA3672R	725	959	932	1157	4.5	82	121
30	84	DLAA3084R	711	948	—	1142	4.4	79	117
30	78	DLAA3078R	702	916	—	1102	4.1	74	109
30	72	DLAA3072R	689	906	905	1092	3.9	69	102
24	84	DLAA2484R	666	893	—	1034	3.7	64	94
24	78	DLAA2478R	660	872	—	1003	3.5	59	88
24	72	DLAA2472R	652	836	858	975	3.3	56	82

#### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

#### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

arched surface-mounted layering tables with "L" support (tubular leg with base)


"D" shaped table (arched), left or right with telescopic metal leg (4" dia.) with round or square base plate.

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



Dimensions		Code		S Sierra 1"		T Tango 1½"		Specifications		
				Price		Price				
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLAC3684L	DLAD3684L	779	1064	—	1273	10.1	94	134
36	78	DLAC3678L	DLAD3678L	767	1025	—	1224	9.8	91	130
36	72	DLAC3672L	DLAD3672L	748	982	955	1180	9.5	88	127
30	84	DLAC3084L	DLAD3084L	734	971	—	1165	9.4	85	123
30	78	DLAC3078L	DLAD3078L	725	939	—	1125	9.1	80	115
30	72	DLAC3072L	DLAD3072L	712	930	928	1115	8.9	75	108
24	84	DLAC2484L	DLAD2484L	689	916	—	1057	8.7	70	100
24	78	DLAC2478L	DLAD2478L	683	895	—	1026	8.5	65	94
24	72	DLAC2472L	DLAD2472L	675	859	881	998	8.3	62	88

## RIGHT TABLE



36	84	DLAC3684R	DLAD3684R	779	1064	—	1273	10.1	94	134
36	78	DLAC3678R	DLAD3678R	767	1025	—	1224	9.8	91	130
36	72	DLAC3672R	DLAD3672R	748	982	955	1180	9.5	88	127
30	84	DLAC3084R	DLAD3084R	734	971	—	1165	9.4	85	123
30	78	DLAC3078R	DLAD3078R	725	939	—	1125	9.1	80	115
30	72	DLAC3072R	DLAD3072R	712	930	928	1115	8.9	75	108
24	84	DLAC2484R	DLAD2484R	689	916	—	1057	8.7	70	100
24	78	DLAC2478R	DLAD2478R	683	895	—	1026	8.5	65	94
24	72	DLAC2472R	DLAD2472R	675	859	881	998	8.3	62	88

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

## arched surface-mounted layering tables with "L" support (tubular legs)

"D" shaped table (arched), left or right.


Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

### LEFT TABLE



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLAE3684L	DLAF3684L	811	1096	—	1305	5.1	94	134
36	78	DLAE3678L	DLAF3678L	799	1057	—	1256	4.8	91	130
36	72	DLAE3672L	DLAF3672L	780	1014	987	1212	4.5	88	127
30	84	DLAE3084L	DLAF3084L	766	1003	—	1197	4.4	85	123
30	78	DLAE3078L	DLAF3078L	757	971	—	1157	4.1	80	115
30	72	DLAE3072L	DLAF3072L	744	961	960	1147	3.9	75	108
24	84	DLAE2484L	DLAF2484L	721	948	—	1089	3.7	70	100
24	78	DLAE2478L	DLAF2478L	715	927	—	1058	3.5	65	94
24	72	DLAE2472L	DLAF2472L	707	891	913	1030	3.3	62	88

### RIGHT TABLE



36	84	DLAE3684R	DLAF3684R	811	1096	—	1305	5.1	94	134
36	78	DLAE3678R	DLAF3678R	799	1057	—	1256	4.8	91	130
36	72	DLAE3672R	DLAF3672R	780	1014	987	1212	4.5	88	127
30	84	DLAE3084R	DLAF3084R	766	1003	—	1197	4.4	85	123
30	78	DLAE3078R	DLAF3078R	757	971	—	1157	4.1	80	115
30	72	DLAE3072R	DLAF3072R	744	961	960	1147	3.9	75	108
24	84	DLAE2484R	DLAF2484R	721	948	—	1089	3.7	70	100
24	78	DLAE2478R	DLAF2478R	715	927	—	1058	3.5	65	94
24	72	DLAE2472R	DLAF2472R	707	891	913	1030	3.3	62	88

#### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

#### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal legs:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

arched surface-mounted layering tables with "L" support (monolithic base)

"D" shaped table (arched), left or right.


Monolithic laminate base, 4" x 12".

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLAG3684L	747	1032	—	1241	5.0	100	140
36	78	DLAG3678L	735	993	—	1192	5.3	97	136
36	72	DLAG3672L	716	950	923	1148	5.0	94	133
30	84	DLAG3084L	702	939	—	1133	4.9	91	129
30	78	DLAG3078L	693	908	—	1093	4.6	86	121
30	72	DLAG3072L	680	898	897	1084	4.4	81	114
24	84	DLAG2484L	657	884	—	1025	4.2	76	106
24	78	DLAG2478L	651	864	—	994	4.0	71	100
24	72	DLAG2472L	644	827	849	966	3.8	68	64

## RIGHT TABLE



36	84	DLAG3684R	747	1032	—	1241	5.0	100	140
36	78	DLAG3678R	735	993	—	1192	5.3	97	136
36	72	DLAG3672R	716	950	923	1148	5.0	94	133
30	84	DLAG3084R	702	939	—	1133	4.9	91	129
30	78	DLAG3078R	693	908	—	1093	4.6	86	121
30	72	DLAG3072R	680	898	897	1084	4.4	81	114
24	84	DLAG2484R	657	884	—	1025	4.2	76	106
24	78	DLAG2478R	651	864	—	994	4.0	71	100
24	72	DLAG2472R	644	827	849	966	3.8	68	64

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet

T  -  -  /  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list


*arched surface-mounted layering tables with adjustable support (tubular leg)*

"D" shaped table (arched) with telescopic metal leg (4" dia.).

5" H. adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Assembly hardware included.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DAAA3684	920	1205	—	1414	5.4	92	126
36	78	DAAA3678	908	1166	—	1365	5.1	87	119
36	72	DAAA3672	889	1123	1096	1321	5.0	82	111
30	84	DAAA3084	875	1112	—	1306	4.9	80	108
30	78	DAAA3078	866	1080	—	1266	4.6	76	102
30	72	DAAA3072	853	1070	1069	1256	4.4	71	96
24	84	DAAA2484	829	1057	—	1198	4.2	68	90,4
24	78	DAAA2478	824	1036	—	1167	4.0	64	85
24	72	DAAA2472	816	1000	1022	1139	3.8	61	80

## S SPECIFY

Series Code Surface Edge Metal Grommet. M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg and support:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list


arched surface-mounted layering tables with adjustable support (tubular leg with base)

"D" shaped table (arched, left or right) with telescopic metal leg (4" dia.) with round or square base plate.

5" H. adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Assembly hardware included.



## LEFT TABLE

				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DAAC3684	DAAD3684	943	1228	—	1437	9.8	99	133
36	78	DAAC3678	DAAD3678	931	1189	—	1388	9.5	94	125
36	72	DAAC3672	DAAD3672	912	1146	1119	1344	9.4	88	117
30	84	DAAC3084	DAAD3084	898	1135	—	1329	9.3	87	115
30	78	DAAC3078	DAAD3078	889	1103	—	1289	9.0	82	108
30	72	DAAC3072	DAAD3072	876	1093	1092	1279	8.8	78	102
24	84	DAAC2484	DAAD2484	853	1080	—	1221	8.6	74	97
24	78	DAAC2478	DAAD2478	847	1059	—	1190	8.4	71	92
24	72	DAAC2472	DAAD2472	839	1023	1045	1162	8.2	67	87

## S SPECIFY

Series Code Surface Edge Metal Grommet M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg and support:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (tubular leg)

Rectangular table, left or right.


Telescopic metal leg (4" dia.).

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



Dimensions			S Sierra 1"		T Tango 1½"		Specifications		
			Price		Price				
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiA3684L	734	1019	—	1228	5.1	88	128
36	78	DLiA3678L	722	980	—	1179	4.8	85	124
36	72	DLiA3672L	703	937	910	1135	4.5	82	121
30	84	DLiA3084L	689	926	—	1120	4.4	79	117
30	78	DLiA3078L	680	894	—	1080	4.1	74	109
30	72	DLiA3072L	667	884	883	1070	3.9	69	102
24	84	DLiA2484L	644	871	—	1012	3.7	64	94
24	78	DLiA2478L	638	850	—	981	3.5	59	88
24	72	DLiA2472L	630	814	836	953	3.3	56	82

## RIGHT TABLE



36	84	DLiA3684R	734	1019	—	1228	5.1	88	128
36	78	DLiA3678R	722	980	—	1179	4.8	85	124
36	72	DLiA3672R	703	937	910	1135	4.5	82	121
30	84	DLiA3084R	689	926	—	1120	4.4	79	117
30	78	DLiA3078R	680	894	—	1080	4.1	74	109
30	72	DLiA3072R	667	884	883	1070	3.9	69	102
24	84	DLiA2484R	644	871	—	1012	3.7	64	94
24	78	DLiA2478R	638	850	—	981	3.5	59	88
24	72	DLiA2472R	630	814	836	953	3.3	56	82

### S SPECIFY

### O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (tubular leg with base)

Rectangular table, left or right.


Telescopic metal leg (4" dia.) with round or square base plate.

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiC3684L	DLiD3684L	757	1042	—	1251	10.1	94	134
36	78	DLiC3678L	DLiD3678L	745	1003	—	1202	9.8	91	130
36	72	DLiC3672L	DLiD3672L	726	960	933	1158	9.5	88	127
30	84	DLiC3084L	DLiD3084L	712	949	—	1143	9.4	85	123
30	78	DLiC3078L	DLiD3078L	703	917	—	1103	9.1	80	115
30	72	DLiC3072L	DLiD3072L	690	908	906	1093	8.9	75	108
24	84	DLiC2484L	DLiD2484L	667	894	—	1035	8.7	70	100
24	78	DLiC2478L	DLiD2478L	661	873	—	1004	8.5	65	94
24	72	DLiC2472L	DLiD2472L	653	837	859	976	8.3	62	88

## RIGHT TABLE



36	84	DLiC3684R	DLiD3684R	757	1042	—	1251	10.1	94	134
36	78	DLiC3678R	DLiD3678R	745	1003	—	1202	9.8	91	130
36	72	DLiC3672R	DLiD3672R	726	960	933	1158	9.5	88	127
30	84	DLiC3084R	DLiD3084R	712	949	—	1143	9.4	85	123
30	78	DLiC3078R	DLiD3078R	703	917	—	1103	9.1	80	115
30	72	DLiC3072R	DLiD3072R	690	908	906	1093	8.9	75	108
24	84	DLiC2484R	DLiD2484R	667	894	—	1035	8.7	70	100
24	78	DLiC2478R	DLiD2478R	661	873	—	1004	8.5	65	94
24	72	DLiC2472R	DLiD2472R	653	837	859	976	8.3	62	88

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (tubular legs)

Rectangular table, left or right.


Choice of 2 types of tubular legs: round (2½" diam.) or square (2½").

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, see p.D33-D34.


Assembly hardware included.

## LEFT TABLE



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round legs	Square legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiE3684L	DLiF3684L	789	1074	—	1283	5.1	94	134
36	78	DLiE3678L	DLiF3678L	777	1035	—	1234	4.8	91	130
36	72	DLiE3672L	DLiF3672L	758	992	965	1190	4.5	88	127
30	84	DLiE3084L	DLiF3084L	744	981	—	1175	4.4	85	123
30	78	DLiE3078L	DLiF3078L	735	949	—	1135	4.1	80	115
30	72	DLiE3072L	DLiF3072L	722	939	938	1125	3.9	75	108
24	84	DLiE2484L	DLiF2484L	699	926	—	1067	3.7	70	100
24	78	DLiE2478L	DLiF2478L	693	905	—	1036	3.5	65	94
24	72	DLiE2472L	DLiF2472L	685	869	891	1008	3.3	62	88

## RIGHT TABLE



36	84	DLiE3684R	DLiF3684R	789	1074	—	1283	5.1	94	134
36	78	DLiE3678R	DLiF3678R	777	1035	—	1234	4.8	91	130
36	72	DLiE3672R	DLiF3672R	758	992	965	1190	4.5	88	127
30	84	DLiE3084R	DLiF3084R	744	981	—	1175	4.4	85	123
30	78	DLiE3078R	DLiF3078R	735	949	—	1135	4.1	80	115
30	72	DLiE3072R	DLiF3072R	722	939	938	1125	3.9	75	108
24	84	DLiE2484R	DLiF2484R	699	926	—	1067	3.7	70	100
24	78	DLiE2478R	DLiF2478R	693	905	—	1036	3.5	65	94
24	72	DLiE2472R	DLiF2472R	685	869	891	1008	3.3	62	88

### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (double "O" techno base leg)

NEW

Rectangular table, left or right.


Leg: Double "O" techno base leg made of 1" x 3" tubular steel.

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, see p.D33-D34.


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B	"O" base leg	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiM3684L	993	1361	—	1500	6.3	104	142
36	78	DLiM3678L	983	1326	—	1455	6.1	98	135
36	72	DLiM3672L	972	1291	1412	1284	5.8	93	127
30	84	DLiM3084L	954	1263	—	1263	5.3	88	121
30	78	DLiM3078L	944	1232	—	1342	5.0	83	114
30	72	DLiM3072L	933	1205	1051	1307	4.8	79	108
24	84	DLiM2484L	949	1202	—	1299	4.2	72	98
24	78	DLiM2478L	942	1176	—	1267	4.0	68	94
24	72	DLiM2472L	878	1097	972	1180	3.9	65	89

## RIGHT TABLE



36	84	DLiM3684R	993	1361	—	1500	6.3	104	142
36	78	DLiM3678R	983	1326	—	1455	6.1	98	135
36	72	DLiM3672R	972	1291	1412	1284	5.8	93	127
30	84	DLiM3084R	954	1263	—	1263	5.3	88	121
30	78	DLiM3078R	944	1232	—	1342	5.0	83	114
30	72	DLiM3072R	933	1205	1051	1307	4.8	79	108
24	84	DLiM2484R	949	1202	—	1299	4.2	72	98
24	78	DLiM2478R	942	1176	—	1267	4.0	68	94
24	72	DLiM2472R	878	1097	972	1180	3.9	65	89

### S SPECIFY

### O OPTION

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal leg:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (folded metal corner legs)

**NEW**

Rectangular table, left or right.


Legs: 2 folded metal corner legs.

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B	Folded metal corner legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiJ3684L	999	1365	—	1505	5.1	94	134
36	78	DLiJ3678L	989	1330	—	1461	4.8	91	130
36	72	DLiJ3672L	977	1297	1113	1417	4.5	88	127
30	84	DLiJ3084L	969	1278	—	1397	4.4	85	123
30	78	DLiJ3078L	959	1247	—	1357	4.1	80	115
30	72	DLiJ3072L	948	1219	1066	1321	3.9	75	108
24	84	DLiJ2484L	976	1202	—	1326	3.7	70	100
24	78	DLiJ2478L	968	1093	—	1293	3.5	65	94
24	72	DLiJ2472L	904	1123	999	1207	3.3	62	88

## RIGHT TABLE



36	84	DLiJ3684R	999	1365	—	1505	5.1	94	134
36	78	DLiJ3678R	989	1330	—	1461	4.8	91	130
36	72	DLiJ3672R	977	1297	1113	1417	4.5	88	127
30	84	DLiJ3084R	969	1278	—	1397	4.4	85	123
30	78	DLiJ3078R	959	1247	—	1357	4.1	80	115
30	72	DLiJ3072R	948	1219	1066	1321	3.9	75	108
24	84	DLiJ2484R	976	1202	—	1326	3.7	70	100
24	78	DLiJ2478R	968	1093	—	1293	3.5	65	94
24	72	DLiJ2472R	904	1123	999	1207	3.3	62	88

### S SPECIFY

### O OPTION

Series  Code  Surface  / Edge  - Base  - Metal  - Grommet  - M-Outlet

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal legs: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support [angled metal legs]

NEW

Rectangular table, left or right.


Legs : 2 angled metal 1" x 3" tubular legs, installed parallel or at 45°

5" H. laminate "L" support (end gable and short modesty panel).

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).


Assembly hardware included.

## LEFT TABLE




			S Sierra 1"		T Tango 1½"				
Dimensions		Code	Price		Price		Specifications		
A	B	Angled metal legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiK3684L	921	1287	—	1428	5.1	94	134
36	78	DLiK3678L	911	1252	—	1383	4.8	91	130
36	72	DLiK3672L	899	1219	1035	1339	4.5	88	127
30	84	DLiK3084L	891	1200	—	1319	4.4	85	123
30	78	DLiK3078L	881	1169	—	1279	4.1	80	115
30	72	DLiK3072L	870	1142	988	1244	3.9	75	108
24	84	DLiK2484L	898	1150	—	1247	3.7	70	100
24	78	DLiK2478L	890	1124	—	1216	3.5	65	94
24	72	DLiK2472L	826	1045	921	1129	3.3	62	88

## RIGHT TABLE



36	84	DLiK3684R	921	1287	—	1428	5.1	94	134
36	78	DLiK3678R	911	1252	—	1383	4.8	91	130
36	72	DLiK3672R	899	1219	1035	1339	4.5	88	127
30	84	DLiK3084R	891	1200	—	1319	4.4	85	123
30	78	DLiK3078R	881	1169	—	1279	4.1	80	115
30	72	DLiK3072R	870	1142	988	1244	3.9	75	108
24	84	DLiK2484R	898	1150	—	1247	3.7	70	100
24	78	DLiK2478R	890	1124	—	1216	3.5	65	94
24	72	DLiK2472R	826	1045	921	1129	3.3	62	88

Parallel legs



45° legs



## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T			/				

## O OPTION

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal legs: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).

Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O** Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (angled wood legs)


Rectangular, table left or right.

Legs : 2 angled wood legs 1 1/2" x 2 3/4" with folded metal brackets installed in parallel or at 45°.

5" H. laminate "L" support (end gable and short modesty panel).


Installs on a 23" H. support credenza from the Sierra 1" (S) series, see p.D33-D34.

Assembly hardware included.



## LEFT TABLE

			S Sierra 1"		T Tango 1 1/2"				
Dimensions		Code	Price		Price		Specifications		
A	B	Angled wood legs	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiN3684L	1244	1612	—	1751	5.1	94	134
36	78	DLiN3678L	1234	1576	—	1706	4.8	91	130
36	72	DLiN3672L	1223	1542	1360	1663	4.5	88	127
30	84	DLiN3084L	1216	1525	—	1643	4.4	85	123
30	78	DLiN3078L	1206	1494	—	1604	4.1	80	115
30	72	DLiN3072L	1195	1465	1312	1568	3.9	75	108
24	84	DLiN2484L	1222	1474	—	1571	3.7	70	100
24	78	DLiN2478L	1214	1449	—	1539	3.5	65	94
24	72	DLiN2472L	1150	1370	1245	1453	3.3	62	88




## RIGHT TABLE

36	84	DLiN3684R	1244	1612	—	1751	5.1	94	134
36	78	DLiN3678R	1234	1576	—	1706	4.8	91	130
36	72	DLiN3672R	1223	1542	1360	1663	4.5	88	127
30	84	DLiN3084R	1216	1525	—	1643	4.4	85	123
30	78	DLiN3078R	1206	1494	—	1604	4.1	80	115
30	72	DLiN3072R	1195	1465	1312	1568	3.9	75	108
24	84	DLiN2484R	1222	1474	—	1571	3.7	70	100
24	78	DLiN2478R	1214	1449	—	1539	3.5	65	94
24	72	DLiN2472R	1150	1370	1245	1453	3.3	62	88

Parallel legs



45° legs



The natural properties of the hard wood of this leg will result in a variation in the woodgrain and color.

**S** SPECIFY

**O** OPTION

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T							

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

Metal legs: Specify the finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).

Wood leg: Specify the finish: Natural (300), or Black (306).

**O** Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.




# tables & storage / layering

price list

rectangular surface-mounted layering tables with "L" support (monolithic base)


Rectangular table, left or right.  
 Monolithic laminate base, 4" x 12".  
 5" H. laminate "L" support (end gable and short modesty panel).  
 Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).  
 Assembly hardware included.

## LEFT TABLE



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DLiG3684L	725	1010	—	1219	5.0	100	140
36	78	DLiG3678L	713	971	—	1170	5.3	97	136
36	72	DLiG3672L	694	928	901	1126	5.0	94	133
30	84	DLiG3084L	680	917	—	1111	4.9	91	129
30	78	DLiG3078L	671	886	—	1071	4.6	86	121
30	72	DLiG3072L	658	876	875	1062	4.4	81	114
24	84	DLiG2484L	635	862	—	1003	4.2	76	106
24	78	DLiG2478L	629	842	—	972	4.0	71	100
24	72	DLiG2472L	622	805	827	944	3.8	68	64

## RIGHT TABLE



36	84	DLiG3684R	725	1010	—	1219	5.0	100	140
36	78	DLiG3678R	713	971	—	1170	5.3	97	136
36	72	DLiG3672R	694	928	901	1126	5.0	94	133
30	84	DLiG3084R	680	917	—	1111	4.9	91	129
30	78	DLiG3078R	671	886	—	1071	4.6	86	121
30	72	DLiG3072R	658	876	875	1062	4.4	81	114
24	84	DLiG2484R	635	862	—	1003	4.2	76	106
24	78	DLiG2478R	629	842	—	972	4.0	71	100
24	72	DLiG2472R	622	805	827	944	3.8	68	64

### S SPECIFY

Series Code Surface Edge Base Grommet M-Outlet

T  -  -  /  -  -  -

### O OPTION

- S** Series: S or T see specifications p.47.  
 Code: Consult the above product code list.  
 Surface / Edge / Base: Take Off finishes, p.84-85.  
 Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.  
**O** Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering

price list

rectangular surface-mounted layering tables with adjustable support (tubular leg)


Rectangular table.

Telescopic metal leg (4" dia.).

5" H. adjustable metal support. Adjusts from 28" to 31" high.

Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).

Assembly hardware included.



			S Sierra 1"		T Tango 1½"				
Dimensions			Price		Price		Specifications		
A	B	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DAiA3684	898	1183	—	1392	5.4	92	126
36	78	DAiA3678	886	1144	—	1343	5.1	87	119
36	72	DAiA3672	867	1101	1074	1299	5.0	82	111
30	84	DAiA3084	853	1090	—	1284	4.9	80	108
30	78	DAiA3078	844	1058	—	1244	4.6	76	102
30	72	DAiA3072	831	1048	1047	1234	4.4	71	96
24	84	DAiA2484	807	1035	—	1176	4.2	68	90
24	78	DAiA2478	802	1014	—	1145	4.0	64	85
24	72	DAiA2472	794	978	1000	1117	3.8	61	80

## S SPECIFY

Series Code Surface Edge Metal Grommet M-Outlet

T  -  -  /  -  -  -

## O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge:** Take Off finishes, p.84-85.

**Metal leg & support:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.

**O Multi-Outlet:** Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.




# tables & storage / layering

price list

rectangular surface-mounted layering tables with adjustable support (tubular leg with base)

Rectangular table.  
Telescopic metal leg (4" dia.) with round or square base plate.  
5" H. adjustable metal support. Adjusts from 28" to 31" high.  
Installs on a 23" H. support credenza from the Sierra 1" (S) series, [see p.D33-D34](#).  
Assembly hardware included.



				S Sierra 1"		T Tango 1½"				
Dimensions		Code		Price		Price		Specifications		
A	B	Round base	Square base	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
36	84	DAiC3684	DAiD3684	921	1206	—	1415	9.8	99	133
36	78	DAiC3678	DAiD3678	909	1167	—	1366	9.5	94	125
36	72	DAiC3672	DAiD3672	890	1124	1097	1322	9.4	88	117
30	84	DAiC3084	DAiD3084	876	1113	—	1307	9.3	87	115
30	78	DAiC3078	DAiD3078	867	1081	—	1267	9.0	82	108
30	72	DAiC3072	DAiD3072	854	1071	1070	1257	8.8	78	102
24	84	DAiC2484	DAiD2484	831	1058	—	1199	8.6	74	97
24	78	DAiC2478	DAiD2478	825	1037	—	1168	8.4	71	92
24	72	DAiC2472	DAiD2472	817	1001	1023	1140	8.2	67	87

S SPECIFY

O OPTION

Series	Code	Surface	Edge	Metal	Grommet	M-Outlet
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

- S

Series: S or T see specifications p.47.
- Code: Consult the above product code list.
- Surface / Edge: Take Off finishes, p.84-85.
- Metal leg & support: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).
- Grommet: Specify the color of the grommet, White (G1) or Charcoal (G2) or "No Grommet" (NG) option, no charge, p.51.
- O

Multi-Outlet: Option of centered 1-circuit multi-outlet (ECC), or option of centered standard multi-outlet (UCC), add \$213, see p.52.



# tables & storage / layering


price list

## open credenzas - 23" H.

Open credenza with 2 adjustable shelves.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.D9 to D32.

Grommet option available (4 positions), see p.51.



				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	23	CZOO247223	916	1114	1002	1179	27.8	170	189
24	60	23	CZOO246023	869	1032	946	1081	23.3	146	162
21	72	23	CZOO217223	895	1067	975	1121	24.6	152	169
21	60	23	CZOO216023	850	991	922	1031	20.6	120	134

### S SPECIFY

Series Code Surface Edge Base Grommet

T  -  -  /  -  -

### O OPTIONS

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.

**O** Grommet: Add grommets & specify color: White (G14) or Charcoal (G24) located on top and sides, add \$128, p.51.

## credenzas with 2 drawers - 23" H.

Combined credenza (left or right): open storage with adjustable shelf, 1 - 6" and 1 - 12" filing drawer.


Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.D9 to D32.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see p.51.


Grommet option available (4 positions), see p.51.

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.



### Drawers on the LEFT

24	72	23	CZUFO247223	1326	1525	1412	1588	27.8	187	206
24	60	23	CZUFO246023	1278	1442	1356	1491	23.3	163	179
21	72	23	CZUFO217223	1305	1477	1385	1530	24.6	171	188
21	60	23	CZUFO216023	1260	1401	1332	1440	20.6	149	163



### Drawers on the RIGHT

24	72	23	CZOUF247223	1326	1525	1412	1588	27.8	187	206
24	60	23	CZOUF246023	1278	1442	1356	1491	23.3	163	179
21	72	23	CZOUF217223	1305	1477	1385	1530	24.6	171	188
21	60	23	CZOUF216023	1260	1401	1332	1440	20.6	149	163

### S SPECIFY

Series Code Surface Edge Base Fronts Pull Grommet Lock

T  -  -  /  -  /  -  -  -  -

### O OPTIONS

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.51.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# tables & storage / layering

combined storage credenzas - 23" H.

price list

Combined credenza (left or right): open storage with adjustable shelf on one side,

1 - 6" drawer, 1 - 12" file drawer and 1 door on the other side.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.D9 to D32.

Pencil tray included in the 6" drawer.

Grommet option available (4 positions), see p.51.



Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

## Door and drawers on the LEFT

				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	23	CZDUFO247223	1159	1324	1342	1519	27.8	185	204
24	60	23	CZDUFO246023	1112	1242	1286	1421	23.3	161	177
21	72	23	CZDUFO217223	1139	1277	1315	1461	24.6	169	186
21	60	23	CZDUFO216023	1093	1201	1262	1371	20.6	147	161

## Door and drawers on the RIGHT

24	72	23	CZOUFD247223	1159	1324	1342	1519	27.8	185	204
24	60	23	CZOUFD246023	1112	1242	1286	1421	23.3	161	177
21	72	23	CZOUFD217223	1139	1277	1315	1461	24.6	169	186
21	60	23	CZOUFD216023	1093	1201	1262	1371	20.6	147	161



credenzas with 2 doors - 23" H.

Combined credenza (left or right): open storage with adjustable shelf, storage with hinged doors and adjustable shelf inside.

Sierra 1" series (S) can be used as a support for surface-mounted tables, see p.D9 to D32.

Grommet option available (4 positions), see p.51.



Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

## Doors on the LEFT

24	72	23	CZDDO247223	1049	1247	1135	1312	27.8	180	199
24	60	23	CZDDO246023	1002	1165	1079	1214	23.3	155	171
21	72	23	CZDDO217223	1029	1200	1108	1254	24.6	162	179
21	60	23	CZDDO216023	983	1124	1055	1164	20.6	129	143

## Doors on the RIGHT

24	72	23	CZODD247223	1049	1247	1135	1312	27.8	180	199
24	60	23	CZODD246023	1002	1165	1079	1214	23.3	155	171
21	72	23	CZODD217223	1029	1200	1108	1254	24.6	162	179
21	60	23	CZODD216023	983	1124	1055	1164	20.6	129	143



### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Grommet	Lock
T	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

### O OPTIONS

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.

**Surface / Edge / Base / Fronts:** Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** **Grommet:** Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.51.

**Key locks:** Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# tables & storage / layering

price list

credenzas - 23" H.

Credenza with 4 drawers (2 - 6" drawers and 2 - 12" file drawers).


Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the drawers, see p.D9 to D32.

Pencil tray included in one of the 6" drawers.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

Grommet option available (4 positions), see p.51.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 drawers.




				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	72	23	CZUFUF247223	1484	1683	1571	1747	27.8	209	228
24	60	23	CZUFUF246023	1437	1601	1515	1649	23.3	182	198
21	72	23	CZUFUF217223	1463	1636	1543	1689	24.6	193	210
21	60	23	CZUFUF216023	1418	1560	1491	1598	20.6	168	182

Credenza with 4 doors.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.D9 to D32.

Grommet option available (4 positions), see p.51.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all 4 doors.



24	72	23	CZ4D247223	1180	1378	1266	1443	27.8	191	210
24	60	23	CZ4D246023	1133	1296	1210	1345	23.3	164	180
21	72	23	CZ4D217223	1159	1331	1239	1385	24.6	173	190
21	60	23	CZ4D216023	1114	1255	1186	1295	20.6	138	152

Combined credenza (left or right): storage with hinged doors with adjustable shelf and lateral file unit (1 - 6" + 1 - 12" file drawer).


Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, see p.D9 to D32.

Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.


Grommet option available (4 positions), see p.51.

2 Noki locks standard, key locks available as an option (no upcharge). Will lock all doors & drawers.



## Drawers on the LEFT

24	72	23	CZUFDD247223	1388	1587	1475	1651	27.0	198	217
24	60	23	CZUFDD246023	1341	1505	1419	1553	23.3	172	188
21	72	23	CZUFDD217223	1367	1540	1448	1593	24.6	182	199
21	60	23	CZUFDD216023	1322	1464	1395	1503	20.6	158	172



## Drawers on the RIGHT

24	72	23	CZDDUF247223	1388	1587	1475	1651	27.8	198	217
24	60	23	CZDDUF246023	1341	1505	1419	1553	23.3	172	188
21	72	23	CZDDUF217223	1367	1540	1448	1593	24.6	182	199
21	60	23	CZDDUF216023	1322	1464	1395	1503	20.6	158	172

### S SPECIFY

Series  Code  Surface  / Edge  - Base  / Fronts  - Pull  - Grommet  - Lock

### O OPTIONS

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Grommet: Add grommets & specify color: White (G14) or Charcoal (G24), located on top and sides, add \$128, p.51.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.



# tables & storage / layering


price list

storage units - 23" H.

Open storage unit with 1 adjustable shelf.

Grommet option available (3 positions), [see p.51](#).

Sierra 1" series (S) can be used as a support for surface-mounted tables, [see p.D9 to D32](#).



				S Sierra 1"		T Tango 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
24	36	23	CZO243623	663	738	807	937	14.3	87	97
24	30	23	CZO243023	619	697	761	920	12.0	75	83
21	36	23	CZO213623	624	689	750	932	12.6	78	87
21	30	23	CZO213023	579	648	713	859	10.6	68	75

## S SPECIFY

## O OPTION

Series Code Surface Edge Base Grommet

T  -  -  /  -  -

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base: Take Off finishes, p.84-85.


**O** Grommet: Add grommets & specify color: White (G13) or Charcoal (G23), located on top and sides, add \$87, p.51.

Storage unit with 2 doors.

Grommet option available (3 positions), [see p.51](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both doors.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, [see p.D9 to D32](#).



24	36	23	CZDD243623	798	872	942	1071	14.3	98	108
24	30	23	CZDD243023	754	832	895	1054	12.0	84	92
21	36	23	CZDD213623	758	823	884	1066	12.6	89	98
21	30	23	CZDD213023	713	782	847	993	10.6	77	84

Storage unit with 1 - 6" drawer and 1 - file drawer.


Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, refer to the Accessories price list.

Grommet option available (3 positions), [see p.51](#).

Noki locks standard, key locks available as an option (no upcharge). Will lock both drawers.

Sierra 1" (S) series can be used as a support for surface-mounted tables but gives a restricted access to the storage, [see p.D9 to D32](#).



24	36	23	CZUF243623	835	957	936	1020	14.3	99	108
24	30	23	CZUF243023	791	913	892	961	12.0	85	93
21	36	23	CZUF213623	801	912	898	971	12.6	94	102
21	30	23	CZUF213023	756	867	851	913	10.6	81	88

## S SPECIFY

## O OPTIONS

Series Code Surface Edge Base Fronts Pull Grommet Lock

T  -  -  /  -  /  -  -  -  -

**S** Series: S or T see specifications p.47.

Code: Consult the above product code list.

Surface / Edge / Base / Fronts: Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

**O** Grommet: Add grommets & specify color: White (G13) or Charcoal (G23), located on top and sides, add \$128, p.51.

Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.




# tables & storage / layering

price list

## storage for layering tables

Stationary drawer, slides under the work surface.  
Installation hardware included.  
Noki lock standard, key lock available as an option (no upcharge).



Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
15½	18	5	PiD151805	248		1.4	11

### S SPECIFY

Series Code Base Fronts Lock  
T **S** - - / -

### O OPTION


**S** Code: Consult the above product code list.

Base / Fronts: Take Off finishes, p.84-85.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pigeonhole that can be slid under a surface-mounted table. Can accommodate "legal" or "letter" size documents.  
Installation hardware included.



Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
17	18	5	PiS171805	165		1.5	9

### S SPECIFY


Series Code Base  
T **S** - -

**S** Code: Consult the above product code list.

Base: Take Off finishes, p.84-85.

## cushion for storage units

Cushion for storage units.  
Installs with Velcro® strips.



Thickness			Code	Price					Specifications	
				Gr.1.	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
24	72	1½	CUS2472	682	743	803	866	967	2.8	25
24	60	1½	CUS2460	583	636	688	738	824	2.3	21
24	36	1½	CUS2436	387	419	453	486	554	1.4	13
24	30	1½	CUS2430	342	372	400	429	476	1.2	11
21	72	1½	CUS2172	671	732	792	855	956	2.5	22
21	60	1½	CUS2160	572	625	677	727	813	2.1	19
21	36	1½	CUS2136	382	414	448	481	549	1.3	11
21	30	1½	CUS2130	337	366	395	424	471	1.1	9

### S SPECIFY

Series Code Fabric  
T **L** - -

**S** Code: Consultez la liste ci-dessus.

Fabric: Specify fabric for the cushion, refer to current Artopex seating fabric card.



# Shared tables & storage / Benching

## Sierra-Tango

SHARED BENCHING TABLES

---

closed shared benching tables	E2
open shared benching tables	E14
shared benching tables with doors	E34
120° closed shared benching tables	E54
collaborative surface extension	E56
surface and storage extension	E57

SHARED STORAGE BENCHING

---

shared end-of-run storage units	E58
cushions for shared end-of-run storage units	E58
low hutches	E59
tackboards for low hutches	E61
shelves 13" and 6" H.	E62
end-of-run bookcase - 50" H.	E63
freestanding pedestals 25" H. for shared benching tables 24" D.	E63



# shared tables & storage / benching

price list

## closed shared benching tables - 2-sided - full end panels

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full laminate end panels.

Quad unit: Full laminate end panels and recessed mid panels.


Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).


For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4		BC2i3072	1700	1997	13.3	247
30	66	60 1/4		BC2i3066	1631	1920	12.9	234
30	60	60 1/4		BC2i3060	1559	1829	12.3	222
30	54	60 1/4		BC2i3054	1502	1761	11.7	210
30	48	60 1/4		BC2i3048	1440	1686	11.3	198
30	42	60 1/4		BC2i3042	1370	1605	10.7	185
30	36	60 1/4		BC2i3036	1298	1516	10.1	173
24	72	48 1/4		BC2i2472	1552	1825	11.1	208
24	66	48 1/4		BC2i2466	1506	1744	10.7	197
24	60	48 1/4		BC2i2460	1414	1664	10.3	186
24	54	48 1/4		BC2i2454	1361	1601	9.7	176
24	48	48 1/4		BC2i2448	1323	1550	9.3	165
24	42	48 1/4		BC2i2442	1253	1466	8.9	155
24	36	48 1/4		BC2i2436	1179	1379	8.5	144

### 4 SURFACES



30	72	60 1/4	144	BC4i3072	3152	3746	23.6	429
30	66	60 1/4	132	BC4i3066	3015	3592	22.8	405
30	60	60 1/4	120	BC4i3060	2870	3411	21.6	380
30	54	60 1/4	108	BC4i3054	2756	3275	20.4	356
30	48	60 1/4	96	BC4i3048	2632	3125	19.6	331
30	42	60 1/4	84	BC4i3042	2492	2962	18.4	306
30	36	60 1/4	72	BC4i3036	2349	2784	17.2	282
24	72	48 1/4	144	BC4i2472	2923	3468	20.2	368
24	66	48 1/4	132	BC4i2466	2830	3306	19.4	347
24	60	48 1/4	120	BC4i2460	2646	3147	18.6	326
24	54	48 1/4	108	BC4i2454	2540	3020	17.4	305
24	48	48 1/4	96	BC4i2448	2465	2918	16.6	283
24	42	48 1/4	84	BC4i2442	2324	2751	15.8	262
24	36	48 1/4	72	BC4i2436	2177	2577	15.0	241

#### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S						

#### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O Grommets :** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R, or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided - full end panels*




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full laminate end panels and recessed mid panels in the center.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	216	BC6i3072	4604	5495	33.9	612
30	66	60 1/4	198	BC6i3066	4399	5264	32.7	575
30	60	60 1/4	180	BC6i3060	4181	4993	30.9	538
30	54	60 1/4	162	BC6i3054	4010	4788	29.1	501
30	48	60 1/4	144	BC6i3048	3825	4564	27.9	465
30	42	60 1/4	126	BC6i3042	3614	4320	26.1	428
30	36	60 1/4	108	BC6i3036	3399	4052	24.3	391
24	72	48 1/4	216	BC6i2472	4293	5112	29.3	529
24	66	48 1/4	198	BC6i2466	4155	4868	28.1	497
24	60	48 1/4	180	BC6i2460	3878	4630	26.9	465
24	54	48 1/4	162	BC6i2454	3719	4439	25.1	433
24	48	48 1/4	144	BC6i2448	3607	4287	23.9	402
24	42	48 1/4	126	BC6i2442	3396	4036	22.7	370
24	36	48 1/4	108	BC6i2436	3175	3775	21.5	338

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S	-	-	/	-	-	-

## O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

## closed shared benching tables - 2-sided - full end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full laminate end and center panels, and 2 recessed mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8i3072	6303	7491	44.6	814
30	66	60 1/4	264	BC8i3066	6030	7183	43.0	766
30	60	60 1/4	240	BC8i3060	5740	6822	40.6	716
30	54	60 1/4	216	BC8i3054	5511	6549	38.2	667
30	48	60 1/4	192	BC8i3048	5265	6250	36.6	618
30	42	60 1/4	168	BC8i3042	4983	5925	34.2	569
30	36	60 1/4	144	BC8i3036	4697	5568	31.8	520
24	72	48 1/4	288	BC8i2472	5845	6937	38.3	709
24	66	48 1/4	264	BC8i2466	5661	6611	36.7	667
24	60	48 1/4	240	BC8i2460	5291	6294	35.1	625
24	54	48 1/4	216	BC8i2454	5080	6039	32.7	582
24	48	48 1/4	192	BC8i2448	4930	5837	31.1	540
24	42	48 1/4	168	BC8i2442	4649	5502	29.5	497
24	36	48 1/4	144	BC8i2436	4354	5155	27.9	455

### S SPECIFY

T **S** -  -  /  -  -  -  -  -

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

## closed shared benching tables - 2-sided - combined material end panels

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Combined material, metal-laminate end panels.

Quad unit: Mixed legs, metal-laminate end panel and recessed open metal mid panels in the middle.


Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).


For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



Dimensions					S Sierra 1"		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4		BC2iX3072	2112	2409	13.3	247
30	66	60 1/4		BC2iX3066	2044	2332	12.9	234
30	60	60 1/4		BC2iX3060	1971	2242	12.3	222
30	54	60 1/4		BC2iX3054	1914	2174	11.7	210
30	48	60 1/4		BC2iX3048	1852	2099	11.3	198
30	42	60 1/4		BC2iX3042	1782	2017	10.7	185
30	36	60 1/4		BC2iX3036	1711	1928	10.1	173
24	72	48 1/4		BC2iX2472	1932	2204	11.1	208
24	66	48 1/4		BC2iX2466	1885	2123	10.7	197
24	60	48 1/4		BC2iX2460	1793	2044	10.3	186
24	54	48 1/4		BC2iX2454	1740	1980	9.7	176
24	48	48 1/4		BC2iX2448	1703	1929	9.3	165
24	42	48 1/4		BC2iX2442	1632	1846	8.9	155
24	36	48 1/4		BC2iX2436	1559	1759	8.5	144

### 4 SURFACES



30	72	60 1/4	144	BC4iX3072	3509	4103	23.6	429
30	66	60 1/4	132	BC4iX3066	3373	3949	22.8	405
30	60	60 1/4	120	BC4iX3060	3227	3769	21.6	380
30	54	60 1/4	108	BC4iX3054	3113	3632	20.4	356
30	48	60 1/4	96	BC4iX3048	2990	3483	19.6	331
30	42	60 1/4	84	BC4iX3042	2849	3320	18.4	306
30	36	60 1/4	72	BC4iX3036	2706	3142	17.2	282
24	72	48 1/4	144	BC4iX2472	3247	3793	20.2	368
24	66	48 1/4	132	BC4iX2466	3155	3630	19.4	347
24	60	48 1/4	120	BC4iX2460	2970	3472	18.6	326
24	54	48 1/4	108	BC4iX2454	2864	3344	17.4	305
24	48	48 1/4	96	BC4iX2448	2790	3243	16.6	283
24	42	48 1/4	84	BC4iX2442	2649	3076	15.8	262
24	36	48 1/4	72	BC4iX2436	2501	2902	15.0	241

#### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T S - [ ] - [ ] / [ ] - [ ] - [ ] - [ ] - [ ]

#### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided -combined material end panels*




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Combined material, metal-laminate end panels and 2 recessed open metal mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	216	BC6iX3072	4906	5797	33.9	612
30	66	60 1/4	198	BC6iX3066	4701	5566	32.7	575
30	60	60 1/4	180	BC6iX3060	4484	5295	30.9	538
30	54	60 1/4	162	BC6iX3054	4312	5091	29.1	501
30	48	60 1/4	144	BC6iX3048	4127	4866	27.9	465
30	42	60 1/4	126	BC6iX3042	3916	4622	26.1	428
30	36	60 1/4	108	BC6iX3036	3702	4355	24.3	391
24	72	48 1/4	216	BC6iX2472	4563	5381	29.3	529
24	66	48 1/4	198	BC6iX2466	4424	5137	28.1	497
24	60	48 1/4	180	BC6iX2460	4147	4899	26.9	465
24	54	48 1/4	162	BC6iX2454	3989	4708	25.1	433
24	48	48 1/4	144	BC6iX2448	3876	4556	23.9	402
24	42	48 1/4	126	BC6iX2442	3665	4305	22.7	370
24	36	48 1/4	108	BC6iX2436	3444	4045	21.5	338

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S	-	-	-	-	-	-

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

closed shared benching tables - 2-sided -combined material end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
Combined material, metal-laminate end panels and 2 recessed open metal mid panels.  
Privacy screens can be installed between surfaces or on sides, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).  
Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).  
For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8iX3072	6669	7857	44.6	814
30	66	60 1/4	264	BC8iX3066	6397	7549	43.0	766
30	60	60 1/4	240	BC8iX3060	6106	7189	40.6	716
30	54	60 1/4	216	BC8iX3054	5877	6916	38.2	667
30	48	60 1/4	192	BC8iX3048	5631	6617	36.6	618
30	42	60 1/4	168	BC8iX3042	5349	6291	34.2	569
30	36	60 1/4	144	BC8iX3036	5063	5935	31.8	520
24	72	48 1/4	288	BC8iX2472	6212	7303	38.3	709
24	66	48 1/4	264	BC8iX2466	6027	6977	36.7	667
24	60	48 1/4	240	BC8iX2460	5657	6661	35.1	625
24	54	48 1/4	216	BC8iX2454	5446	6405	32.7	582
24	48	48 1/4	192	BC8iX2448	5297	6203	31.1	540
24	42	48 1/4	168	BC8iX2442	5015	5869	29.5	497
24	36	48 1/4	144	BC8iX2436	4720	5521	27.9	455

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S		/				

### O OPTIONS

- S** Code: Consult the above product code list.
- Surface / Edge / Base:** Take Off finishes, p.84-85.
- Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).
- O Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,  
or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.
- Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

## closed shared benching tables - 2-sided - perforated metal end panels

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Full perforated metal end panels.

Quad unit: perforated metal end panels and recessed open metal mid panels.


Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).


For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



Dimensions				S Sierra 1"		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft. lb
30	72	60 1/4		BC2iM3072	2112	2409	13.3 247
30	66	60 1/4		BC2iM3066	2044	2332	12.9 234
30	60	60 1/4		BC2iM3060	1971	2242	12.3 222
30	54	60 1/4		BC2iM3054	1914	2174	11.7 210
30	48	60 1/4		BC2iM3048	1852	2099	11.3 198
30	42	60 1/4		BC2iM3042	1782	2017	10.7 185
30	36	60 1/4		BC2iM3036	1711	1928	10.1 173
24	72	48 1/4		BC2iM2472	1932	2204	11.1 208
24	66	48 1/4		BC2iM2466	1885	2123	10.7 197
24	60	48 1/4		BC2iM2460	1793	2044	10.3 186
24	54	48 1/4		BC2iM2454	1740	1980	9.7 176
24	48	48 1/4		BC2iM2448	1703	1929	9.3 165
24	42	48 1/4		BC2iM2442	1632	1846	8.9 155
24	36	48 1/4		BC2iM2436	1559	1759	8.5 144

### 4 SURFACES



30	72	60 1/4	144	BC4iM3072	3509	4103	23.6 429
30	66	60 1/4	132	BC4iM3066	3373	3949	22.8 405
30	60	60 1/4	120	BC4iM3060	3227	3769	21.6 380
30	54	60 1/4	108	BC4iM3054	3113	3632	20.4 356
30	48	60 1/4	96	BC4iM3048	2990	3483	19.6 331
30	42	60 1/4	84	BC4iM3042	2849	3320	18.4 306
30	36	60 1/4	72	BC4iM3036	2706	3142	17.2 282
24	72	48 1/4	144	BC4iM2472	3247	3793	20.2 368
24	66	48 1/4	132	BC4iM2466	3155	3630	19.4 347
24	60	48 1/4	120	BC4iM2460	2970	3472	18.6 326
24	54	48 1/4	108	BC4iM2454	2864	3344	17.4 305
24	48	48 1/4	96	BC4iM2448	2790	3243	16.6 283
24	42	48 1/4	84	BC4iM2442	2649	3076	15.8 262
24	36	48 1/4	72	BC4iM2436	2501	2902	15.0 241

#### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T  -  -  /  -  -  -  -  -

#### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** Grommet: Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided -perforated metal end panels*




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full perforated metal end panels and 2 recessed open metal mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	216	BC6iM3072	4906	5797	33.9	612
30	66	60 1/4	198	BC6iM3066	4701	5566	32.7	575
30	60	60 1/4	180	BC6iM3060	4484	5295	30.9	538
30	54	60 1/4	162	BC6iM3054	4312	5091	29.1	501
30	48	60 1/4	144	BC6iM3048	4127	4866	27.9	465
30	42	60 1/4	126	BC6iM3042	3916	4622	26.1	428
30	36	60 1/4	108	BC6iM3036	3702	4355	24.3	391
24	72	48 1/4	216	BC6iM2472	4563	5381	29.3	529
24	66	48 1/4	198	BC6iM2466	4424	5137	28.1	497
24	60	48 1/4	180	BC6iM2460	4147	4899	26.9	465
24	54	48 1/4	162	BC6iM2454	3989	4708	25.1	433
24	48	48 1/4	144	BC6iM2448	3876	4556	23.9	402
24	42	48 1/4	126	BC6iM2442	3665	4305	22.7	370
24	36	48 1/4	108	BC6iM2436	3444	4045	21.5	338

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S		/				

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided -perforated metal end panels*




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full perforated metal end panels, full open halfway panels and 2 recessed open metal mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8iM3072	6669	7857	44.6	814
30	66	60 1/4	264	BC8iM3066	6397	7549	43.0	766
30	60	60 1/4	240	BC8iM3060	6106	7189	40.6	716
30	54	60 1/4	216	BC8iM3054	5877	6916	38.2	667
30	48	60 1/4	192	BC8iM3048	5631	6617	36.6	618
30	42	60 1/4	168	BC8iM3042	5349	6291	34.2	569
30	36	60 1/4	144	BC8iM3036	5063	5935	31.8	520
24	72	48 1/4	288	BC8iM2472	6212	7303	38.3	709
24	66	48 1/4	264	BC8iM2466	6027	6977	36.7	667
24	60	48 1/4	240	BC8iM2460	5657	6661	35.1	625
24	54	48 1/4	216	BC8iM2454	5446	6405	32.7	582
24	48	48 1/4	192	BC8iM2448	5297	6203	31.1	540
24	42	48 1/4	168	BC8iM2442	5015	5869	29.5	497
24	36	48 1/4	144	BC8iM2436	4720	5521	27.9	455

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S	-	-	-	-	-	-

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,  
or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

## closed shared benching tables - 2-sided - open metal end panels

Table with 2 or 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Double unit: Open metal full end panels.

Quad unit: Open metal full end panels and recessed open metal mid panels.


Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).


For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼		BC2iO3072	1826	2123	13.3	222
30	66	60¼		BC2iO3066	1758	2046	12.9	209
30	60	60¼		BC2iO3060	1685	1956	12.3	197
30	54	60¼		BC2iO3054	1628	1888	11.7	185
30	48	60¼		BC2iO3048	1566	1813	11.3	173
30	42	60¼		BC2iO3042	1496	1731	10.7	160
30	36	60¼		BC2iO3036	1425	1642	10.1	148
24	72	48¼		BC2iO2472	1701	1973	11.1	183
24	66	48¼		BC2iO2466	1654	1892	10.7	172
24	60	48¼		BC2iO2460	1562	1813	10.3	161
24	54	48¼		BC2iO2454	1509	1749	9.7	151
24	48	48¼		BC2iO2448	1472	1698	9.3	140
24	42	48¼		BC2iO2442	1401	1615	8.9	130
24	36	48¼		BC2iO2436	1328	1528	8.5	119

### 4 SURFACES



30	72	60 1/4	144	BC4iO3072	3223	3817	23.6	404
30	66	60 1/4	132	BC4iO3066	3087	3663	22.8	380
30	60	60 1/4	120	BC4iO3060	2941	3483	21.6	355
30	54	60 1/4	108	BC4iO3054	2827	3346	20.4	331
30	48	60 1/4	96	BC4iO3048	2704	3197	19.6	306
30	42	60 1/4	84	BC4iO3042	2563	3034	18.4	281
30	36	60 1/4	72	BC4iO3036	2420	2856	17.2	257
24	72	48 1/4	144	BC4iO2472	3016	3562	20.2	343
24	66	48 1/4	132	BC4iO2466	2924	3399	19.4	322
24	60	48 1/4	120	BC4iO2460	2739	3241	18.6	301
24	54	48 1/4	108	BC4iO2454	2633	3113	17.4	280
24	48	48 1/4	96	BC4iO2448	2559	3012	16.6	258
24	42	48 1/4	84	BC4iO2442	2418	2845	15.8	237
24	36	48 1/4	72	BC4iO2436	2270	2671	15.0	216

#### S SPECIFY

Series Code Surface Edge Base Metal Grommet M-Outlet

T **S** -  -  /  -  -  -  -  -

#### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O** **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided -open metal end panels*




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full open metal end panels and 2 recessed open metal mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	216	BC6iO3072	4620	5511	33.9	587
30	66	60 1/4	198	BC6iO3066	4415	5280	32.7	550
30	60	60 1/4	180	BC6iO3060	4198	5009	30.9	513
30	54	60 1/4	162	BC6iO3054	4026	4805	29.1	476
30	48	60 1/4	144	BC6iO3048	3841	4580	27.9	440
30	42	60 1/4	126	BC6iO3042	3630	4336	26.1	403
30	36	60 1/4	108	BC6iO3036	3416	4069	24.3	366
24	72	48 1/4	216	BC6iO2472	4332	5150	29.3	504
24	66	48 1/4	198	BC6iO2466	4193	4906	28.1	472
24	60	48 1/4	180	BC6iO2460	3916	4668	26.9	440
24	54	48 1/4	162	BC6iO2454	3758	4477	25.1	408
24	48	48 1/4	144	BC6iO2448	3645	4325	23.9	377
24	42	48 1/4	126	BC6iO2442	3434	4074	22.7	345
24	36	48 1/4	108	BC6iO2436	3213	3814	21.5	313

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S	-	-	-	-	-	-

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**O Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

price list

*closed shared benching tables - 2-sided -open metal end panels*




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

Full open metal end panels, full open metal halfway panels and 2 recessed open metal mid panels.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60 1/4	288	BC8iO3072	6383	7571	44.6	777
30	66	60 1/4	264	BC8iO3066	6111	7263	43.0	728
30	60	60 1/4	240	BC8iO3060	5820	6903	40.6	679
30	54	60 1/4	216	BC8iO3054	5591	6630	38.2	630
30	48	60 1/4	192	BC8iO3048	5345	6331	36.6	581
30	42	60 1/4	168	BC8iO3042	5063	6005	34.2	531
30	36	60 1/4	144	BC8iO3036	4777	5649	31.8	482
24	72	48 1/4	288	BC8iO2472	5981	7072	38.3	672
24	66	48 1/4	264	BC8iO2466	5796	6746	36.7	630
24	60	48 1/4	240	BC8iO2460	5426	6430	35.1	587
24	54	48 1/4	216	BC8iO2454	5215	6174	32.7	545
24	48	48 1/4	192	BC8iO2448	5066	5972	31.1	502
24	42	48 1/4	168	BC8iO2442	4784	5638	29.5	460
24	36	48 1/4	144	BC8iO2436	4489	5290	27.9	418

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S	-	-	/	-	-	-

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002) or Silver (3090).

**Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R.

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**O Multi-outlets:** Option to add multi-outlets "1-circuit" (ECC) or "standard" multi-outlets (UCC) at the center, add \$213 each, see p.52.



# shared tables & storage / benching

## open shared benching table - 1-sided - full end panels

price list

NEW

Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 2" opening on the surface opposite the user. A center cap is available to reduce the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Laminate full end panels.

Privacy screens can be installed on modesty panels, [see section F](#).

Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).


Grommet option, 1 per leg, [see p.51](#).

Multi-outlet option in the center, [see p.64](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	31½	BCO1i2872	1164	1396	9.0	165
28½	66	31½	BCO1i2866	1134	1348	8.4	155
28½	60	31½	BCO1i2860	1093	1288	7.8	145
28½	54	31½	BCO1i2854	1010	1185	7.2	135
28½	48	31½	BCO1i2848	981	1136	6.6	126
28½	42	31½	BCO1i2842	946	1082	5.9	116
28½	36	31½	BCO1i2836	873	990	5.3	106
22½	72	25½	BCO1i2272	1113	1298	8.2	146
22½	66	25½	BCO1i2266	1067	1236	7.6	137
22½	60	25½	BCO1i2260	1047	1202	7.1	128
22½	54	25½	BCO1i2254	1015	1154	6.5	119
22½	48	25½	BCO1i2248	933	1057	5.9	110
22½	42	25½	BCO1i2242	906	1014	5.3	101
22½	36	25½	BCO1i2236	859	952	4.8	92

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Metal back	Grommet	M-Outlet	Modesty
T S	-	-	/	-	-	- NP	-	-	-	-

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O Grommets for legs:** Option to add White grommets (G1S) or Charcoal grommets (G2S), add \$64, see p.51.

**Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.

**Modesty:** Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - full end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each end of the surfaces. Model and color must be specified.

Full laminate end panels.


Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#)

For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2i2872	1742	2039	13.3	247
28½	66	60¼	BCO2i2866	1675	1964	12.9	234
28½	60	60¼	BCO2i2860	1603	1873	12.3	222
28½	54	60¼	BCO2i2854	1547	1806	11.7	210
28½	48	60¼	BCO2i2848	1485	1731	11.3	198
28½	42	60¼	BCO2i2842	1416	1651	10.7	185
28½	36	60¼	BCO2i2836	1345	1563	10.1	173
22½	72	48¼	BCO2i2272	1595	1868	11.1	208
22½	66	48¼	BCO2i2266	1550	1788	10.7	197
22½	60	48¼	BCO2i2260	1458	1708	10.3	186
22½	54	48¼	BCO2i2254	1406	1646	9.7	176
22½	48	48¼	BCO2i2248	1368	1595	9.3	165
22½	42	48¼	BCO2i2242	1299	1513	8.9	155
22½	36	48¼	BCO2i2236	1227	1427	8.5	144

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S		/				

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP) or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O** Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

## open shared benching tables - 2-sided - full end panels

price list

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.


Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	Lb
28½	72	60¼	144	BCO4i2872	3212	3806	23.6	429
28½	66	60¼	132	BCO4i2866	3077	3653	22.8	405
28½	60	60¼	120	BCO4i2860	2933	3474	21.6	380
28½	54	60¼	108	BCO4i2854	2820	3340	20.4	356
28½	48	60¼	96	BCO4i2848	2698	3191	19.6	331
28½	42	60¼	84	BCO4i2842	2559	3029	18.4	306
28½	36	60¼	72	BCO4i2836	2417	2852	17.2	282
22½	72	48¼	144	BCO4i2272	2983	3529	20.2	368
22½	66	48¼	132	BCO4i2266	2892	3367	19.4	347
22½	60	48¼	120	BCO4i2260	2708	3210	18.6	326
22½	54	48¼	108	BCO4i2254	2605	3084	17.4	305
22½	48	48¼	96	BCO4i2248	2531	2984	16.6	283
22½	42	48¼	84	BCO4i2242	2391	2818	15.8	262
22½	36	48¼	72	BCO4i2236	2245	2646	15.0	241

### S SPECIFY

T **S** -  -  /  -  -  -  -  -

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP) on both ends (EEP), at the center (CP) on extremities and in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

open shared benching tables - 2-sided - full end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6i2872	4682	5573	33.9	612
28½	66	60¼	198	BCO6i2866	4479	5344	32.7	575
28½	60	60¼	180	BCO6i2860	4263	5074	30.9	538
28½	54	60¼	162	BCO6i2854	4093	4872	29.1	501
28½	48	60¼	144	BCO6i2848	3911	4650	27.9	465
28½	42	60¼	126	BCO6i2842	3702	4408	26.1	428
28½	36	60¼	108	BCO6i2836	3489	4143	24.3	391
22½	72	48¼	216	BCO6i2272	4371	5190	29.3	529
22½	66	48¼	198	BCO6i2266	4235	4948	28.1	497
22½	60	48¼	180	BCO6i2260	3959	4711	26.9	465
22½	54	48¼	162	BCO6i2254	3803	4522	25.1	433
22½	48	48¼	144	BCO6i2248	3693	4373	23.9	402
22½	42	48¼	126	BCO6i2242	3484	4124	22.7	370
22½	36	48¼	108	BCO6i2236	3265	3865	21.5	338

## S SPECIFY

## O OPTION

T **S** -  -  /  -  -  -  -  -  -

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

## open shared benching tables - 2-sided - full end panels

price list




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels at each end and in the center, recessed mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BC08i2872	6399	7587	44.6	814
28½	66	60¼	264	BC08i2866	6128	7281	43.0	766
28½	60	60¼	240	BC08i2860	5841	6923	40.6	716
28½	54	60¼	216	BC08i2854	5614	6653	38.2	667
28½	48	60¼	192	BC08i2848	5370	6356	36.6	618
28½	42	60¼	168	BC08i2842	5092	6034	34.2	569
28½	36	60¼	144	BC08i2836	4808	5679	31.8	520
22½	72	48¼	288	BC08i2272	5941	7032	38.3	709
22½	66	48¼	264	BC08i2266	5759	6709	36.7	667
22½	60	48¼	240	BC08i2260	5392	6395	35.1	625
22½	54	48¼	216	BC08i2254	5183	6142	32.7	582
22½	48	48¼	192	BC08i2248	5036	5942	31.1	540
22½	42	48¼	168	BC08i2242	4758	5611	29.5	497
22½	36	48¼	144	BC08i2236	4465	5266	27.9	455

#### S SPECIFY

#### O OPTION

T **S** -  -  /  -  -  -  -  -  -

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching table - 1-sided - combined end panels



Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 2" opening on the surface opposite the user. A center cap is available to reduce the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Combined end panels (metal/laminate).

Privacy screens can be installed on modesty panels, [see section F](#).


Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Multi-outlet option in the center, [see p.64](#)

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	31½	BCO1iX2872	1410	1642	12.1	150
28½	66	31½	BCO1iX2866	1381	1594	11.5	140
28½	60	31½	BCO1iX2860	1341	1535	10.9	130
28½	54	31½	BCO1iX2854	1279	1454	10.3	120
28½	48	31½	BCO1iX2848	1228	1383	9.7	111
28½	42	31½	BCO1iX2842	1192	1329	9.0	101
28½	36	31½	BCO1iX2836	1143	1260	8.5	91
22½	72	25½	BCO1iX2272	1365	1550	10.8	135
22½	66	25½	BCO1iX2266	1338	1507	10.2	127
22½	60	25½	BCO1iX2260	1299	1453	9.7	118
22½	54	25½	BCO1iX2254	1267	1406	9.1	109
22½	48	25½	BCO1iX2248	1185	1308	8.5	100
22½	42	25½	BCO1iX2242	1158	1266	7.9	91
22½	36	25½	BCO1iX2236	1111	1203	7.4	82

### S SPECIFY

T **S** -  -  /  -  -  -  - NP  -  -  -

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** **Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.

**Modesty:** Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - combined end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full combined-material end panel.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).



### 2 SURFACES

				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2iX2872	2155	2452	13.3	247
28½	66	60¼	BCO2iX2866	2088	2376	12.9	234
28½	60	60¼	BCO2iX2860	2015	2286	12.3	222
28½	54	60¼	BCO2iX2854	1959	2219	11.7	210
28½	48	60¼	BCO2iX2848	1898	2144	11.3	198
28½	42	60¼	BCO2iX2842	1828	2064	10.7	185
28½	36	60¼	BCO2iX2836	1758	1976	10.1	173
22½	72	48¼	BCO2iX2272	1975	2247	11.1	208
22½	66	48¼	BCO2iX2266	1929	2167	10.7	197
22½	60	48¼	BCO2iX2260	1837	2088	10.3	186
22½	54	48¼	BCO2iX2254	1785	2025	9.7	176
22½	48	48¼	BCO2iX2248	1748	1975	9.3	165
22½	42	48¼	BCO2iX2242	1679	1892	8.9	155
22½	36	48¼	BCO2iX2236	1606	1806	8.5	144

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	-	-	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - combined end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panel and recessed open metal mid panels.


Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	BCO4iX2872	3570	4164	23.6	429
28½	66	60¼	132	BCO4iX2866	3434	4011	22.8	405
28½	60	60¼	120	BCO4iX2860	3290	3831	21.6	380
28½	54	60¼	108	BCO4iX2854	3178	3697	20.4	356
28½	48	60¼	96	BCO4iX2848	3056	3549	19.6	331
28½	42	60¼	84	BCO4iX2842	2916	3387	18.4	306
28½	36	60¼	72	BCO4iX2836	2774	3210	17.2	282
22½	72	48¼	144	BCO4iX2272	3308	3853	20.2	368
22½	66	48¼	132	BCO4iX2266	3216	3692	19.4	347
22½	60	48¼	120	BCO4iX2260	3033	3534	18.6	326
22½	54	48¼	108	BCO4iX2254	2929	3409	17.4	305
22½	48	48¼	96	BCO4iX2248	2856	3309	16.6	283
22½	42	48¼	84	BCO4iX2242	2716	3143	15.8	262
22½	36	48¼	72	BCO4iX2236	2570	2970	15.0	241

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	-	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

open shared benching tables - 2-sided - combined end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each end at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iX2872	4984	5875	33.9	612
28½	66	60¼	198	BCO6iX2866	4782	5646	32.7	575
28½	60	60¼	180	BCO6iX2860	4565	5377	30.9	538
28½	54	60¼	162	BCO6iX2854	4396	5174	29.1	501
28½	48	60¼	144	BCO6iX2848	4213	4952	27.9	465
28½	42	60¼	126	BCO6iX2842	4004	4710	26.1	428
28½	36	60¼	108	BCO6iX2836	3792	4445	24.3	391
22½	72	48¼	216	BCO6iX2272	4641	5459	29.3	529
22½	66	48¼	198	BCO6iX2266	4505	5217	28.1	497
22½	60	48¼	180	BCO6iX2260	4228	4981	26.9	465
22½	54	48¼	162	BCO6iX2254	4072	4792	25.1	433
22½	48	48¼	144	BCO6iX2248	3962	4642	23.9	402
22½	42	48¼	126	BCO6iX2242	3753	4393	22.7	370
22½	36	48¼	108	BCO6iX2236	3534	4135	21.5	338

## S SPECIFY

## O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S		/				

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps :** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP) .

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - combined end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8iX2872	6765	7953	44.6	814
28½	66	60¼	264	BCO8iX2866	6494	7647	43.0	766
28½	60	60¼	240	BCO8iX2860	6207	7290	40.6	716
28½	54	60¼	216	BCO8iX2854	5981	7019	38.2	667
28½	48	60¼	192	BCO8iX2848	5737	6722	36.6	618
28½	42	60¼	168	BCO8iX2842	5458	6400	34.2	569
28½	36	60¼	144	BCO8iX2836	5174	6046	31.8	520
22½	72	48¼	288	BCO8iX2272	6307	7399	38.3	709
22½	66	48¼	264	BCO8iX2266	6125	7075	36.7	667
22½	60	48¼	240	BCO8iX2260	5759	6762	35.1	625
22½	54	48¼	216	BCO8iX2254	5550	6509	32.7	582
22½	48	48¼	192	BCO8iX2248	5402	6309	31.1	540
22½	42	48¼	168	BCO8iX2242	5124	5977	29.5	497
22½	36	48¼	144	BCO8iX2236	4831	5632	27.9	455

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching table - 1-sided - perforated metal end panels

NEW

Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 2" opening on the surface opposite the user. A center cap is available to reduce the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Perforated metal end panels.

Privacy screens can be installed on modesty panels, [see section F](#).


Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	31½	BCO1iM2872	1410	1642	12.1	154
28½	66	31½	BCO1iM2866	1381	1594	11.5	145
28½	60	31½	BCO1iM2860	1341	1535	10.9	135
28½	54	31½	BCO1iM2854	1279	1454	10.3	125
28½	48	31½	BCO1iM2848	1228	1383	9.7	115
28½	42	31½	BCO1iM2842	1192	1329	9.0	105
28½	36	31½	BCO1iM2836	1143	1260	8.5	95
22½	72	25½	BCO1iM2272	1365	1550	10.8	139
22½	66	25½	BCO1iM2266	1338	1507	10.2	130
22½	60	25½	BCO1iM2260	1299	1453	9.7	121
22½	54	25½	BCO1iM2254	1267	1406	9.1	112
22½	48	25½	BCO1iM2248	1185	1308	8.5	103
22½	42	25½	BCO1iM2242	1158	1266	7.9	94
22½	36	25½	BCO1iM2236	1111	1203	7.4	85

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Metal back	M-Outlet	Modesty
T	S		/			NP			

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** **Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.

**Modesty:** Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - perforated metal end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each end of the opening. Model and color must be specified.


Perforated metal end panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).



### 2 SURFACES

				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BCO2iM2872	2155	2452	13.3	247
28½	66	60¼	BCO2iM2866	2088	2376	12.9	234
28½	60	60¼	BCO2iM2860	2015	2286	12.3	222
28½	54	60¼	BCO2iM2854	1959	2219	11.7	210
28½	48	60¼	BCO2iM2848	1898	2144	11.3	198
28½	42	60¼	BCO2iM2842	1828	2064	10.7	185
28½	36	60¼	BCO2iM2836	1758	1976	10.1	173
22½	72	48¼	BCO2iM2272	1975	2247	11.1	208
22½	66	48¼	BCO2iM2266	1929	2167	10.7	197
22½	60	48¼	BCO2iM2260	1837	2088	10.3	186
22½	54	48¼	BCO2iM2254	1785	2025	9.7	176
22½	48	48¼	BCO2iM2248	1748	1975	9.3	165
22½	42	48¼	BCO2iM2242	1679	1892	8.9	155
22½	36	48¼	BCO2iM2236	1606	1806	8.5	144

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S		/				

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O** Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

open shared benching tables - 2-sided - perforated metal end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels and recessed open metal mid panels.


Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 4 SURFACES



Dimensions				Code	S Sierra 1"		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	BCO4iM2872	3570	4164	23.6	429
28½	66	60¼	132	BCO4iM2866	3434	4011	22.8	405
28½	60	60¼	120	BCO4iM2860	3290	3831	21.6	380
28½	54	60¼	108	BCO4iM2854	3178	3697	20.4	356
28½	48	60¼	96	BCO4iM2848	3056	3549	19.6	331
28½	42	60¼	84	BCO4iM2842	2916	3387	18.4	306
28½	36	60¼	72	BCO4iM2836	2774	3210	17.2	282
22½	72	48¼	144	BCO4iM2272	3308	3853	20.2	368
22½	66	48¼	132	BCO4iM2266	3216	3692	19.4	347
22½	60	48¼	120	BCO4iM2260	3033	3534	18.6	326
22½	54	48¼	108	BCO4iM2254	2929	3409	17.4	305
22½	48	48¼	96	BCO4iM2248	2856	3309	16.6	283
22½	42	48¼	84	BCO4iM2242	2716	3143	15.8	262
22½	36	48¼	72	BCO4iM2236	2570	2970	15.0	241

### S SPECIFY

T **S** -  -  /  -  -  -  -  -  -

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided - perforated metal end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).  
There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.  
Full perforated metal end panels and recessed open metal mid panels.  
Privacy screens can be installed between surfaces, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
Multi-outlet option in the center, [see p.64](#).  
For appropriate pedestal selection, [see p.71](#).

### 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iM2872	4984	5875	33.9	612
28½	66	60¼	198	BCO6iM2866	4782	5646	32.7	575
28½	60	60¼	180	BCO6iM2860	4565	5377	30.9	538
28½	54	60¼	162	BCO6iM2854	4396	5174	29.1	501
28½	48	60¼	144	BCO6iM2848	4213	4952	27.9	465
28½	42	60¼	126	BCO6iM2842	4004	4710	26.1	428
28½	36	60¼	108	BCO6iM2836	3792	4445	24.3	391
22½	72	48¼	216	BCO6iM2272	4641	5459	29.3	529
22½	66	48¼	198	BCO6iM2266	4505	5217	28.1	497
22½	60	48¼	180	BCO6iM2260	4228	4981	26.9	465
22½	54	48¼	162	BCO6iM2254	4072	4792	25.1	433
22½	48	48¼	144	BCO6iM2248	3962	4642	23.9	402
22½	42	48¼	126	BCO6iM2242	3753	4393	22.7	370
22½	36	48¼	108	BCO6iM2236	3534	4135	21.5	338

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	-	-	-	-

### O OPTION

- S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.  
**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).  
**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).  
**O** Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



shared tables & storage / benching

price list

open shared benching tables - 2-sided - perforated metal end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and in the middle of the opening. Model and color must be specified.

Full perforated metal end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8iM2872	6765	7953	44.6	814
28½	66	60¼	264	BCO8iM2866	6494	7647	43.0	766
28½	60	60¼	240	BCO8iM2860	6207	7290	40.6	716
28½	54	60¼	216	BCO8iM2854	5981	7019	38.2	667
28½	48	60¼	192	BCO8iM2848	5737	6722	36.6	618
28½	42	60¼	168	BCO8iM2842	5458	6400	34.2	569
28½	36	60¼	144	BCO8iM2836	5174	6046	31.8	520
22½	72	48¼	288	BCO8iM2272	6307	7399	38.3	709
22½	66	48¼	264	BCO8iM2266	6125	7075	36.7	667
22½	60	48¼	240	BCO8iM2260	5759	6762	35.1	625
22½	54	48¼	216	BCO8iM2254	5550	6509	32.7	582
22½	48	48¼	192	BCO8iM2248	5402	6309	31.1	540
22½	42	48¼	168	BCO8iM2242	5124	5977	29.5	497
22½	36	48¼	144	BCO8iM2236	4831	5632	27.9	455

S SPECIFY

O OPTION

Series

Code

Surface

Edge

Base

Metal

Caps

M-Outlet

T

S

--/----

- S Code: Consult the above product code list.
- S Surface / Edge / Base: See Take Off finishes, p.84-85.
- S Metal (structure): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).
- S Finishing caps: Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP) .
- S Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).
- O Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## open shared benching table - 1-sided- open metal end panels



Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 2" opening on the surface opposite the user. A center cap is available to reduce the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Open metal end panels.

Privacy screens can be installed on modesty panels, [see section F](#).


Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	31½	BCO1iO2872	1320	1552	12.1	143
28½	66	31½	BCO1iO2866	1290	1504	11.5	133
28½	60	31½	BCO1iO2860	1251	1444	10.9	123
28½	54	31½	BCO1iO2854	1189	1364	10.3	113
28½	48	31½	BCO1iO2848	1137	1293	9.7	103
28½	42	31½	BCO1iO2842	1102	1239	9.0	93
28½	36	31½	BCO1iO2836	1053	1169	8.5	83
22½	72	25½	BCO1iO2272	1284	1469	10.7	130
22½	66	25½	BCO1iO2266	1256	1426	10.2	121
22½	60	25½	BCO1iO2260	1218	1373	9.6	112
22½	54	25½	BCO1iO2254	1186	1324	9.1	103
22½	48	25½	BCO1iO2248	1103	1228	8.5	94
22½	42	25½	BCO1iO2242	1077	1185	7.9	85
22½	36	25½	BCO1iO2236	1030	1122	7.4	76

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Metal back	M-Outlet	Modesty
T	S		/			NP			

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** **Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.

**Modesty:** Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## open shared benching tables - 2-sided- open metal end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity of the opening. Model and color must be specified.

Open metal full end panels.


Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	BC02iO2872	1869	2166	13.3	222
28½	66	60¼	BC02iO2866	1802	2090	12.9	209
28½	60	60¼	BC02iO2860	1729	2000	12.3	197
28½	54	60¼	BC02iO2854	1673	1933	11.7	185
28½	48	60¼	BC02iO2848	1612	1858	11.3	173
28½	42	60¼	BC02iO2842	1542	1778	10.7	160
28½	36	60¼	BC02iO2836	1472	1690	10.1	148
22½	72	48¼	BC02iO2272	1744	2016	11.1	183
22½	66	48¼	BC02iO2266	1698	1936	10.7	172
22½	60	48¼	BC02iO2260	1606	1857	10.3	161
22½	54	48¼	BC02iO2254	1554	1794	9.7	151
22½	48	48¼	BC02iO2248	1517	1744	9.3	140
22½	42	48¼	BC02iO2242	1448	1661	8.9	130
22½	36	48¼	BC02iO2236	1375	1575	8.5	119

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	-	-	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.




# shared tables & storage / benching

price list

## open shared benching tables - 2-sided- open metal end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).  
There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed at extremities of the opening and in the center. Model and color must be specified.  
Full open metal end panels and recessed open metal mid panels.  
Privacy screens can be installed between surfaces, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
Multi-outlet option in the center, [see p.64](#).  
For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	144	BCO4iO2872	3077	3622	23.6	404
28½	66	60¼	132	BCO4iO2866	2985	3461	22.8	380
28½	60	60¼	120	BCO4iO2860	2802	3303	21.6	355
28½	54	60¼	108	BCO4iO2854	2698	3178	20.4	331
28½	48	60¼	96	BCO4iO2848	2625	3078	19.6	306
28½	42	60¼	84	BCO4iO2842	2485	2912	18.4	281
28½	36	60¼	72	BCO4iO2836	2339	2739	17.2	257
22½	72	48¼	144	BCO4iO2272	3077	3622	20.2	343
22½	66	48¼	132	BCO4iO2266	2985	3461	19.4	322
22½	60	48¼	120	BCO4iO2260	2802	3303	18.6	301
22½	54	48¼	108	BCO4iO2254	2698	3178	17.4	280
22½	48	48¼	96	BCO4iO2248	2625	3078	16.6	258
22½	42	48¼	84	BCO4iO2242	2485	2912	15.8	237
22½	36	48¼	72	BCO4iO2236	2339	2739	15.0	216

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	-	-	-	-

- S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.  
**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP) or one on the end, and one in the center (ECP).  
**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).  
**O** Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

open shared benching tables - 2-sided- open metal end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).

There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity of the opening and in the center. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy screens can be installed between surfaces, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

Multi-outlet option in the center, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	216	BCO6iO2872	4698	5589	33.9	587
28½	66	60¼	198	BCO6iO2866	4496	5360	32.7	550
28½	60	60¼	180	BCO6iO2860	4279	5091	30.9	513
28½	54	60¼	162	BCO6iO2854	4110	4888	29.1	476
28½	48	60¼	144	BCO6iO2848	3927	4666	27.9	440
28½	42	60¼	126	BCO6iO2842	3718	4424	26.1	403
28½	36	60¼	108	BCO6iO2836	3506	4159	24.3	366
22½	72	48¼	216	BCO6iO2272	4410	5228	29.3	504
22½	66	48¼	198	BCO6iO2266	4274	4986	28.1	472
22½	60	48¼	180	BCO6iO2260	3997	4750	26.9	440
22½	54	48¼	162	BCO6iO2254	3841	4561	25.1	408
22½	48	48¼	144	BCO6iO2248	3731	4411	23.9	377
22½	42	48¼	126	BCO6iO2242	3522	4162	22.7	345
22½	36	48¼	108	BCO6iO2236	3303	3904	21.5	313

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	M-Outlet
T	S	-	-	/	-	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

open shared benching tables - 2-sided- open metal end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panels (18" H.).  
There is a 3" opening between the surfaces. A removable cap is available to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and in the center of the opening. Model and color must be specified.  
Full open metal panels, full open metal panels in the center and recessed open metal mid panels.  
Privacy screens can be installed between surfaces, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
Multi-outlet option in the center, [see p.64](#).  
For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	288	BCO8iO2872	6479	7667	44.6	777
28½	66	60¼	264	BCO8iO2866	6208	7361	43.0	728
28½	60	60¼	240	BCO8iO2860	5921	7004	40.6	679
28½	54	60¼	216	BCO8iO2854	5695	6733	38.2	630
28½	48	60¼	192	BCO8iO2848	5451	6436	36.6	581
28½	42	60¼	168	BCO8iO2842	5172	6114	34.2	531
28½	36	60¼	144	BCO8iO2836	4888	5760	31.8	482
22½	72	48¼	288	BCO8iO2272	6076	7168	38.3	672
22½	66	48¼	264	BCO8iO2266	5894	6844	36.7	630
22½	60	48¼	240	BCO8iO2260	5528	6531	35.1	587
22½	54	48¼	216	BCO8iO2254	5319	6278	32.7	545
22½	48	48¼	192	BCO8iO2248	5171	6078	31.1	502
22½	42	48¼	168	BCO8iO2242	4893	5746	29.5	460
22½	36	48¼	144	BCO8iO2236	4600	5401	27.9	418

### S SPECIFY

Series Code Surface Edge Base Metal Caps M-Outlet

T S - - / - - - - -

### O OPTION

- S Code:** Consult the above product code list.
- Surface / Edge / Base:** See Take Off finishes, p.84-85.
- Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).
- Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP) .
- Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).
- O Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.64.



# shared tables & storage / benching

price list

## shared benching table with door - 1-sided- full end panels

NEW

Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 4¾" opening on the surface opposite the user with a metal door, leaving a small opening. Finish must be specified.

A center cap is available to cover the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Laminate end panels.

Privacy screens can be installed on modesty panels, [see section F](#).


Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Grommet option, 1 per leg, [see p.51](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	31½	BCD1i2672	1256	1489	9.1	164
26	66	31½	BCD1i2666	1219	1433	8.5	154
26	60	31½	BCD1i2660	1178	1373	7.9	144
26	54	31½	BCD1i2654	1148	1323	7.3	135
26	48	31½	BCD1i2648	1063	1219	6.6	125
26	42	31½	BCD1i2642	1033	1170	6.0	115
26	36	31½	BCD1i2636	982	1100	5.4	105
20	72	25½	BCD1i2072	1206	1392	8.3	145
20	66	25½	BCD1i2066	1152	1322	7.7	136
20	60	25½	BCD1i2060	1132	1287	7.2	127
20	54	25½	BCD1i2054	1104	1244	6.6	118
20	48	25½	BCD1i2048	1021	1145	6.0	109
20	42	25½	BCD1i2042	993	1102	5.4	100
20	36	25½	BCD1i2036	945	1038	4.9	92

### S SPECIFY

Series  Code  Surface  / Edge  Base  Metal  Caps  Door  Metal back  Grommet  Modesty

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Door:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommets for legs:** Option to add White grommets (G1S) or Charcoal grommets (G2S), add \$64, see p.51.

**O** Modesty: Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- full end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each end of the surfaces. Model and color must be specified.


Full laminate end panels.

Privacy screens can be installed between doors, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	BCD2i2672	1851	2148	13.3	247
26	66	60¼	BCD2i2666	1781	2069	12.9	234
26	60	60¼	BCD2i2660	1706	1977	12.3	222
26	54	60¼	BCD2i2654	1596	1856	11.7	210
26	48	60¼	BCD2i2648	1532	1779	11.3	198
26	42	60¼	BCD2i2642	1460	1695	10.7	185
26	36	60¼	BCD2i2636	1386	1604	10.1	173
20	72	48¼	BCD2i2072	1704	1977	11.1	208
20	66	48¼	BCD2i2066	1656	1893	10.7	197
20	60	48¼	BCD2i2060	1561	1812	10.3	186
20	54	48¼	BCD2i2054	1455	1695	9.7	176
20	48	48¼	BCD2i2048	1416	1642	9.3	165
20	42	48¼	BCD2i2042	1343	1557	8.9	155
20	36	48¼	BCD2i2036	1267	1467	8.5	144

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- full end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each end of the surfaces and in the center. Model and color must be specified.


Full laminate end panels and recessed laminate mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4i2672	3652	4246	23.6	429
26	66	60¼	132	BCD4i2666	3511	4088	22.8	405
26	60	60¼	120	BCD4i2660	3362	3903	21.6	380
26	54	60¼	108	BCD4i2654	3142	3661	20.4	356
26	48	60¼	96	BCD4i2648	3014	3507	19.6	331
26	42	60¼	84	BCD4i2642	2869	3340	18.4	306
26	36	60¼	72	BCD4i2636	2721	3157	17.2	282
20	72	48¼	144	BCD4i2072	3423	3969	20.2	368
20	66	48¼	132	BCD4i2066	3326	3802	19.4	347
20	60	48¼	120	BCD4i2060	3137	3639	18.6	326
20	54	48¼	108	BCD4i2054	2926	3406	17.4	305
20	48	48¼	96	BCD4i2048	2847	3300	16.6	283
20	42	48¼	84	BCD4i2042	2702	3128	15.8	262
20	36	48¼	72	BCD4i2036	2550	2950	15.0	241

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S	-	-	/	-	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- full end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full laminate end panels and recessed laminate mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6i2672	5326	6217	33.9	612
26	66	60¼	198	BCD6i2666	5114	5979	32.7	575
26	60	60¼	180	BCD6i2660	4890	5701	30.9	538
26	54	60¼	162	BCD6i2654	4561	5339	29.1	501
26	48	60¼	144	BCD6i2648	4369	5108	27.9	465
26	42	60¼	126	BCD6i2642	4151	4858	26.1	428
26	36	60¼	108	BCD6i2636	3929	4583	24.3	391
20	72	48¼	216	BCD6i2072	5016	5834	29.3	529
20	66	48¼	198	BCD6i2066	4870	5583	28.1	497
20	60	48¼	180	BCD6i2060	4586	5338	26.9	465
20	54	48¼	162	BCD6i2054	4270	4990	25.1	433
20	48	48¼	144	BCD6i2048	4151	4831	23.9	402
20	42	48¼	126	BCD6i2042	3934	4574	22.7	370
20	36	48¼	108	BCD6i2036	3705	4305	21.5	338

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

shared benching tables with door - 2-sided- full end panels

price list




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.  
A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.  
Full laminate screens at each end and in the center, recessed mid panels.  
Privacy panels can be installed between doors, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
For appropriate pedestal selection, [see p.71](#).

8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	BCD8i2672	7247	8435	44.6	814
26	66	60¼	264	BCD8i2666	6965	8118	43	766
26	60	60¼	240	BCD8i2660	6666	7748	40.6	716
26	54	60¼	216	BCD8i2654	6226	7264	38.2	667
26	48	60¼	192	BCD8i2648	5971	6956	36.6	618
26	42	60¼	168	BCD8i2642	5680	6622	34.2	569
26	36	60¼	144	BCD8i2636	5386	6257	31.8	520
20	72	48¼	288	BCD8i2072	6789	7880	38.3	709
20	66	48¼	264	BCD8i2066	6596	7546	36.7	667
20	60	48¼	240	BCD8i2060	6217	7220	35.1	625
20	54	48¼	216	BCD8i2054	5795	6754	32.7	582
20	48	48¼	192	BCD8i2048	5636	6543	31.1	540
20	42	48¼	168	BCD8i2042	5346	6200	29.5	497
20	36	48¼	144	BCD8i2036	5042	5843	27.9	455

S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T S	-	-	/	-	-	-	-

**S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.  
**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).  
**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).  
**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching table with door - 1-sided- combined material end panels



Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 4 3/4" opening on the surface opposite the user with a metal door, leaving a small opening. Finish must be specified.

A center cap is available to cover the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Combined end panels (metal/laminate).


Privacy screens can be installed on modesty panels, [see section F](#).

Cabling tray and electrical system (for 1- or 4circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	31 1/2	BCD1iX2672	1503	1737	12.2	149
26	66	31 1/2	BCD1iX2666	1466	1680	11.6	139
26	60	31 1/2	BCD1iX2660	1425	1619	11.0	129
26	54	31 1/2	BCD1iX2654	1395	1571	10.4	120
26	48	31 1/2	BCD1iX2648	1310	1466	9.8	110
26	42	31 1/2	BCD1iX2642	1280	1417	9.1	100
26	36	31 1/2	BCD1iX2636	1230	1346	8.5	90
20	72	25 1/2	BCD1iX2072	1458	1643	10.9	134
20	66	25 1/2	BCD1iX2066	1422	1593	10.3	125
20	60	25 1/2	BCD1iX2060	1384	1539	9.8	117
20	54	25 1/2	BCD1iX2054	1356	1496	9.2	108
20	48	25 1/2	BCD1iX2048	1273	1397	8.6	99
20	42	25 1/2	BCD1iX2042	1245	1354	8.0	91
20	36	25 1/2	BCD1iX2036	1197	1290	7.5	81

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Door	Metal back	Modesty
T	S	-	-	-	-	NP	-	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Door:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O Modesty:** Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- combined material end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full combined-material end panels.

Privacy screens can be installed between doors, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	BCD2iX2672	2264	2561	13.3	247
26	66	60¼	BCD2iX2666	2193	2482	12.9	234
26	60	60¼	BCD2iX2660	2119	2389	12.3	222
26	54	60¼	BCD2iX2654	2009	2268	11.7	210
26	48	60¼	BCD2iX2648	1945	2191	11.3	198
26	42	60¼	BCD2iX2642	1872	2108	10.7	185
26	36	60¼	BCD2iX2636	1799	2016	10.1	173
20	72	48¼	BCD2iX2072	2083	2356	11.1	208
20	66	48¼	BCD2iX2066	2035	2273	10.7	197
20	60	48¼	BCD2iX2060	1940	2191	10.3	186
20	54	48¼	BCD2iX2054	1835	2075	9.7	176
20	48	48¼	BCD2iX2048	1795	2022	9.3	165
20	42	48¼	BCD2iX2042	1723	1936	8.9	155
20	36	48¼	BCD2iX2036	1647	1847	8.5	144

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- combined material end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full combined-material end panels and recessed open metal mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



						S Sierra 1"			
Dimensions						Price		Specifications	
A	B	C	D	Code		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4iX2672		4010	4604	23.6	429
26	66	60¼	132	BCD4iX2666		3869	4445	22.8	405
26	60	60¼	120	BCD4iX2660		3719	4260	21.6	380
26	54	60¼	108	BCD4iX2654		3499	4018	20.4	356
26	48	60¼	96	BCD4iX2648		3372	3864	19.6	331
26	42	60¼	84	BCD4iX2642		3226	3697	18.4	306
26	36	60¼	72	BCD4iX2636		3079	3515	17.2	282
20	72	48¼	144	BCD4iX2072		3748	4293	20.2	368
20	66	48¼	132	BCD4iX2066		3651	4126	19.4	347
20	60	48¼	120	BCD4iX2060		3462	3963	18.6	326
20	54	48¼	108	BCD4iX2054		3251	3730	17.4	305
20	48	48¼	96	BCD4iX2048		3171	3625	16.6	283
20	42	48¼	84	BCD4iX2042		3026	3453	15.8	262
20	36	48¼	72	BCD4iX2036		2874	3275	15.0	241

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- combined material end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full combined-material end panels and recessed open metal mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6iX2672	5629	6520	33.9	612
26	66	60¼	198	BCD6iX2666	5416	6281	32.7	575
26	60	60¼	180	BCD6iX2660	5192	6004	30.9	538
26	54	60¼	162	BCD6iX2654	4863	5642	29.1	501
26	48	60¼	144	BCD6iX2648	4672	5411	27.9	465
26	42	60¼	126	BCD6iX2642	4454	5160	26.1	428
26	36	60¼	108	BCD6iX2636	4232	4885	24.3	391
20	72	48¼	216	BCD6iX2072	5286	6104	29.3	529
20	66	48¼	198	BCD6iX2066	5139	5852	28.1	497
20	60	48¼	180	BCD6iX2060	4855	5608	26.9	465
20	54	48¼	162	BCD6iX2054	4540	5259	25.1	433
20	48	48¼	144	BCD6iX2048	4421	5101	23.9	402
20	42	48¼	126	BCD6iX2042	4203	4843	22.7	370
20	36	48¼	108	BCD6iX2036	3974	4575	21.5	338

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- combined material end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.  
A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.  
Full combined-material end panels, full open metal panels in the center and recessed open metal mid panels.  
Privacy screens can be installed between doors, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	BCD8iX2672	7613	8801	44.6	814
26	66	60¼	264	BCD8iX2666	7332	8484	43.0	766
26	60	60¼	240	BCD8iX2660	7032	8115	40.6	716
26	54	60¼	216	BCD8iX2654	6592	7631	38.2	667
26	48	60¼	192	BCD8iX2648	6337	7323	36.6	618
26	42	60¼	168	BCD8iX2642	6047	6988	34.2	569
26	36	60¼	144	BCD8iX2636	5752	6623	31.8	520
20	72	48¼	288	BCD8iX2072	7156	8247	38.3	709
20	66	48¼	264	BCD8iX2066	6962	7912	36.7	667
20	60	48¼	240	BCD8iX2060	6584	7587	35.1	625
20	54	48¼	216	BCD8iX2054	6161	7120	32.7	582
20	48	48¼	192	BCD8iX2048	6003	6909	31.1	540
20	42	48¼	168	BCD8iX2042	5712	6566	29.5	497
20	36	48¼	144	BCD8iX2036	5409	6210	27.9	455

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S		/				

- S** Code: Consult the above product code list.
- Surface / Edge / Base:** See Take Off finishes, p.84-85.
- Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).
- Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).
- Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).
- Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching table with door - 1-sided- perforated metal end panels

NEW

Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.)

There is a 4¾" opening on the surface opposite the user with a metal door, leaving a small opening. Finish must be specified.

A center cap is available to cover the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows for the installation of a privacy screen and electrical system. Color must be specified.

Perforated metal end panels.


Privacy screens can be installed on modesty panels, [see section F](#).

Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	31½	BCD1iM2672	1503	1737	12.2	153
26	66	31½	BCD1iM2666	1466	1680	11.6	143
26	60	31½	BCD1iM2660	1425	1619	11.0	134
26	54	31½	BCD1iM2654	1395	1571	10.4	124
26	48	31½	BCD1iM2648	1310	1466	9.8	114
26	42	31½	BCD1iM2642	1280	1417	9.1	104
26	36	31½	BCD1iM2636	1230	1346	8.5	95
20	72	25½	BCD1iM2072	1458	1643	10.9	138
20	66	25½	BCD1iM2066	1422	1593	10.3	129
20	60	25½	BCD1iM2060	1384	1539	9.8	120
20	54	25½	BCD1iM2054	1356	1496	9.2	111
20	48	25½	BCD1iM2048	1273	1397	8.6	102
20	42	25½	BCD1iM2042	1245	1354	8.0	94
20	36	25½	BCD1iM2036	1197	1290	7.5	85

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Door	Metal back	Modesty
T	S	-	-	/	-	-	NP	-	-

### O OPTION

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** Modesty: Option for full modesty panel (FM), add \$39, see p.65.




# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- perforated metal end panels

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.  
A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.  
Full perforated metal end panels.  
Privacy screens can be installed between doors, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	BCD2iM2672	2264	2561	13.3	247
26	66	60¼	BCD2iM2666	2193	2482	12.9	234
26	60	60¼	BCD2iM2660	2119	2389	12.3	222
26	54	60¼	BCD2iM2654	2009	2268	11.7	210
26	48	60¼	BCD2iM2648	1945	2191	11.3	198
26	42	60¼	BCD2iM2642	1872	2108	10.7	185
26	36	60¼	BCD2iM2636	1799	2016	10.1	173
20	72	48¼	BCD2iM2072	2083	2356	11.1	208
20	66	48¼	BCD2iM2066	2035	2273	10.7	197
20	60	48¼	BCD2iM2060	1940	2191	10.3	186
20	54	48¼	BCD2iM2054	1835	2075	9.7	176
20	48	48¼	BCD2iM2048	1795	2022	9.3	165
20	42	48¼	BCD2iM2042	1723	1936	8.9	155
20	36	48¼	BCD2iM2036	1647	1847	8.5	144

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S		/				

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- perforated metal end panels

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full perforated metal end panels and recessed open metal mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cablings tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4iM2672	4010	4604	23.6	429
26	66	60¼	132	BCD4iM2666	3869	4445	22.8	405
26	60	60¼	120	BCD4iM2660	3719	4260	21.6	380
26	54	60¼	108	BCD4iM2654	3499	4018	20.4	356
26	48	60¼	96	BCD4iM2648	3372	3864	19.6	331
26	42	60¼	84	BCD4iM2642	3226	3697	18.4	306
26	36	60¼	72	BCD4iM2636	3079	3515	17.2	282
20	72	48¼	144	BCD4iM2072	3748	4293	20.2	368
20	66	48¼	132	BCD4iM2066	3651	4126	19.4	347
20	60	48¼	120	BCD4iM2060	3462	3963	18.6	326
20	54	48¼	108	BCD4iM2054	3251	3730	17.4	305
20	48	48¼	96	BCD4iM2048	3171	3625	16.6	283
20	42	48¼	84	BCD4iM2042	3026	3453	15.8	262
20	36	48¼	72	BCD4iM2036	2874	3275	15.0	241

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- perforated metal end panels




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.  
A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.  
Full perforated metal end panels and recessed open metal mid panels.  
Privacy screens can be installed between doors, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
For appropriate pedestal selection, [see p.71](#).

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	216	BCD6iM2672	5629	6520	33.9	612
26	66	60¼	198	BCD6iM2666	5416	6281	32.7	575
26	60	60¼	180	BCD6iM2660	5192	6004	30.9	538
26	54	60¼	162	BCD6iM2654	4863	5642	29.1	501
26	48	60¼	144	BCD6iM2648	4672	5411	27.9	465
26	42	60¼	126	BCD6iM2642	4454	5160	26.1	428
26	36	60¼	108	BCD6iM2636	4232	4885	24.3	391
20	72	48¼	216	BCD6iM2072	5286	6104	29.3	529
20	66	48¼	198	BCD6iM2066	5139	5852	28.1	497
20	60	48¼	180	BCD6iM2060	4855	5608	26.9	465
20	54	48¼	162	BCD6iM2054	4540	5259	25.1	433
20	48	48¼	144	BCD6iM2048	4421	5101	23.9	402
20	42	48¼	126	BCD6iM2042	4203	4843	22.7	370
20	36	48¼	108	BCD6iM2036	3974	4575	21.5	338

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	-	-	-	-

**S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.  
**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).  
**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).  
**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- perforated metal end panels




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full perforated metal end panels, full open metal panels in the center and recessed open metal mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	288	BCD8iM2672	7613	8801	44.6	814
26	66	60¼	264	BCD8iM2666	7332	8484	43.0	766
26	60	60¼	240	BCD8iM2660	7032	8115	40.6	716
26	54	60¼	216	BCD8iM2654	6592	7631	38.2	667
26	48	60¼	192	BCD8iM2648	6337	7323	36.6	618
26	42	60¼	168	BCD8iM2642	6047	6988	34.2	569
26	36	60¼	144	BCD8iM2636	5752	6623	31.8	520
20	72	48¼	288	BCD8iM2072	7156	8247	38.3	709
20	66	48¼	264	BCD8iM2066	6962	7912	36.7	667
20	60	48¼	240	BCD8iM2060	6584	7587	35.1	625
20	54	48¼	216	BCD8iM2054	6161	7120	32.7	582
20	48	48¼	192	BCD8iM2048	6003	6909	31.1	540
20	42	48¼	168	BCD8iM2042	5712	6566	29.5	497
20	36	48¼	144	BCD8iM2036	5409	6210	27.9	455

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S						

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching table with door - 1-sided- open metal end panel



Table with 1 rectangular surface (29"H.) and laminate modesty panel (18"H.).

There is a 4 3/4" opening on the surface opposite the user with a metal door, leaving a small opening. Finish must be specified.

A center cap is available to cover the opening, [see p.F10](#).

Finishing caps are installed on each end. Color must be specified.

A finishing back allows installation of a privacy screen and electrical system. Color must be specified.

Open metal end panels.


Privacy screens can be installed on modesty panels, [see section F](#).

Cabling tray and electrical system (for 1- or 4-circuit electrical systems) can be installed on the modesty panel, [see section G](#).

Full modesty panel option, [see p.65](#).

For appropriate pedestal selection, [see p.71](#).

### 1 SURFACE



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	31 1/2	BCD1iO2672	1412	1647	12.2	141
26	66	31 1/2	BCD1iO2666	1376	1590	11.6	132
26	60	31 1/2	BCD1iO2660	1334	1529	11.0	122
26	54	31 1/2	BCD1iO2654	1305	1481	10.4	112
26	48	31 1/2	BCD1iO2648	1220	1376	9.8	102
26	42	31 1/2	BCD1iO2642	1190	1327	9.1	93
26	36	31 1/2	BCD1iO2636	1140	1257	8.5	83
20	72	25 1/2	BCD1iO2072	1376	1562	10.9	128
20	66	25 1/2	BCD1iO2066	1341	1511	10.3	120
20	60	25 1/2	BCD1iO2060	1302	1458	9.8	111
20	54	25 1/2	BCD1iO2054	1275	1415	9.2	102
20	48	25 1/2	BCD1iO2048	1192	1317	8.6	93
20	42	25 1/2	BCD1iO2042	1164	1273	8.0	84
20	36	25 1/2	BCD1iO2036	1115	1209	7.5	76

### S SPECIFY

### O OPTION

Series	Code	Surface	Edge	Base	Metal	Caps	Door	Metal back	Modes
T	S	-	-	/	-	-	NP	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Door:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Metal back:** Specify the finish for the metal back: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** Modesty: Option for full modesty panel (FM), add \$39, see p.65.



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- open metal end panel

Table with 2 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full open metal end panels.

Privacy screens can be installed between doors, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 2 SURFACES



				S Sierra 1"			
Dimensions				Price		Specifications	
A	B	C	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	BCD2iO2672	1978	2275	13.3	222
26	66	60¼	BCD2iO2666	1907	2196	12.9	209
26	60	60¼	BCD2iO2660	1833	2103	12.3	197
26	54	60¼	BCD2iO2654	1723	1982	11.7	185
26	48	60¼	BCD2iO2648	1659	1905	11.3	173
26	42	60¼	BCD2iO2642	1586	1822	10.7	160
26	36	60¼	BCD2iO2636	1513	1730	10.1	148
20	72	48¼	BCD2iO2072	1852	2125	11.1	183
20	66	48¼	BCD2iO2066	1804	2042	10.7	172
20	60	48¼	BCD2iO2060	1709	1960	10.3	161
20	54	48¼	BCD2iO2054	1604	1844	9.7	151
20	48	48¼	BCD2iO2048	1564	1791	9.3	140
20	42	48¼	BCD2iO2042	1492	1705	8.9	130
20	36	48¼	BCD2iO2036	1416	1616	8.5	119

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), or on both ends (EEP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

## shared benching tables with door - 2-sided- open metal end panel

Table with 4 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.


Full open metal full end panels and recessed open metal mid panels.

Privacy screens can be installed between doors, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).

For appropriate pedestal selection, [see p.71](#).

### 4 SURFACES



					S Sierra 1"			
Dimensions					Price		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	144	BCD4iO2672	3724	4318	23.6	404
26	66	60¼	132	BCD4iO2666	3583	4159	22.8	380
26	60	60¼	120	BCD4iO2660	3433	3974	21.6	355
26	54	60¼	108	BCD4iO2654	3213	3732	20.4	331
26	48	60¼	96	BCD4iO2648	3086	3578	19.6	306
26	42	60¼	84	BCD4iO2642	2940	3411	18.4	281
26	36	60¼	72	BCD4iO2636	2793	3229	17.2	257
20	72	48¼	144	BCD4iO2072	3517	4062	20.2	343
20	66	48¼	132	BCD4iO2066	3420	3895	19.4	322
20	60	48¼	120	BCD4iO2060	3231	3732	18.6	301
20	54	48¼	108	BCD4iO2054	3020	3499	17.4	280
20	48	48¼	96	BCD4iO2048	2940	3394	16.6	258
20	42	48¼	84	BCD4iO2042	2795	3222	15.8	237
20	36	48¼	72	BCD4iO2036	2643	3044	15.0	216

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- open metal end panel




Table with 6 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).

There is an 8 1/2" opening between the surfaces with a metal door facing each surface, finish must be specified.

A central finishing cap can be ordered separately to reduce the space between the surfaces, see p. 332.

Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.

Full open metal end panels and recessed open metal mid panels.

Privacy screens can be installed between doors, see section F.

Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, see section G.

For appropriate pedestal selection, see p.71.

## 6 SURFACES

					S Sierra 1"			
Dimensions				Code	Price		Specifications	
A	B	C	D		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60 1/4	216	BCD6iO2672	5343	6234	33.9	587
26	66	60 1/4	198	BCD6iO2666	5130	5995	32.7	550
26	60	60 1/4	180	BCD6iO2660	4906	5718	30.9	513
26	54	60 1/4	162	BCD6iO2654	4577	5356	29.1	476
26	48	60 1/4	144	BCD6iO2648	4386	5125	27.9	440
26	42	60 1/4	126	BCD6iO2642	4168	4874	26.1	403
26	36	60 1/4	108	BCD6iO2636	3946	4599	24.3	366
20	72	48 1/4	216	BCD6iO2072	5055	5873	29.3	504
20	66	48 1/4	198	BCD6iO2066	4908	5621	28.1	472
20	60	48 1/4	180	BCD6iO2060	4624	5377	26.9	440
20	54	48 1/4	162	BCD6iO2054	4309	5028	25.1	408
20	48	48 1/4	144	BCD6iO2048	4190	4870	23.9	377
20	42	48 1/4	126	BCD6iO2042	3972	4612	22.7	345
20	36	48 1/4	108	BCD6iO2036	3743	4344	21.5	313

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP).

**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).

**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

price list

shared benching tables with door - 2-sided- open metal end panel




Table with 8 rectangular surfaces (29" H.) and laminate modesty panel(s) (18" H.).  
There is an 8½" opening between the surfaces with a metal door facing each surface, finish must be specified.  
A central finishing cap can be ordered separately to reduce the space between the surfaces, [see p.F10](#).  
Finishing caps are installed on each extremity and at the center of the opening. Model and color must be specified.  
Full open metal screens, full open metal panels in the center and recessed open metal mid panels.  
Privacy panels can be installed between doors, [see section F](#).  
Cabling tray (for 1- or 4-circuit electrical systems) can be installed underneath the surfaces, [see section G](#).  
For appropriate pedestal selection, [see p.71](#).

## 8 SURFACES

Dimensions				S Sierra 1"		Specifications	
A	B	C	D	Code	T.F.L.	H.P.L.	Cu.Ft. lb
26	72	60¼	288	BCD8iO2672	7327	8515	44.6 777
26	66	60¼	264	BCD8iO2666	7046	8198	43.0 728
26	60	60¼	240	BCD8iO2660	6746	7829	40.6 679
26	54	60¼	216	BCD8iO2654	6306	7345	38.2 630
26	48	60¼	192	BCD8iO2648	6051	7037	36.6 581
26	42	60¼	168	BCD8iO2642	5761	6702	34.2 531
26	36	60¼	144	BCD8iO2636	5466	6337	31.8 482
20	72	48¼	288	BCD8iO2072	6925	8016	38.3 672
20	66	48¼	264	BCD8iO2066	6731	7681	36.7 630
20	60	48¼	240	BCD8iO2060	6353	7356	35.1 587
20	54	48¼	216	BCD8iO2054	5930	6889	32.7 545
20	48	48¼	192	BCD8iO2048	5772	6678	31.1 502
20	42	48¼	168	BCD8iO2042	5481	6335	29.5 460
20	36	48¼	144	BCD8iO2036	5178	5979	27.9 418

## S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Caps	Doors
T	S	-	-	/	-	-	-

**S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.  
**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).  
**Finishing caps:** Specify the model of finishing caps and the position of the cabling pole: without cabling pole (NP), on the end (EP), on both ends (EEP), in the center (CP), two in the center (CCP) or one on the end, and one in the center (ECP).  
**Specify the finish of the caps:** Black (3067), Charcoal (3064), Silver (3090) or Polar white (3002).  
**Doors:** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching

## 120° closed shared benching tables – full end panels

price list




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full laminate end panels and 1 round central metal leg.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

				S Sierra 1"			
Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60¼	BC3CV3048	3897	5112	30.3	381
30	42	60¼	BC3CV3042	3827	5030	26.9	352
30	36	60¼	BC3CV3036	3761	4947	23.4	323
24	48	48¼	BC3CV2448	3847	5041	27.3	331
24	42	48¼	BC3CV2442	3776	4958	24.2	304
24	36	48¼	BC3CV2436	3708	4876	21.1	280

## 120° closed shared benching tables – combined material end panels




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Mixed legs metal-laminate end panels and 1 central metal leg.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, see electricity section.

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

30	48	60¼	BC3CVX3048	4516	5730	30.3	381
30	42	60¼	BC3CVX3042	4445	5649	26.9	352
30	36	60¼	BC3CVX3036	4379	5565	23.4	323
24	48	48¼	BC3CVX2448	4415	5610	27.3	331
24	42	48¼	BC3CVX2442	4345	5526	24.2	304
24	36	48¼	BC3CVX2436	4277	5445	21.1	280

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal	Grommet	M-Outlet
T	S		/				

### O OPTIONS

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.

**O** Multi-outlet: Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.52.



# shared tables & storage / benching

price list

## 120° closed shared benching tables – perforated metal end panels




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full perforated metal end panels and 1 round central metal leg.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

				S Sierra 1"			
Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	48	60 1/4	BC3CVM3048	4516	5730	30.3	381
30	42	60 1/4	BC3CVM3042	4445	5649	26.9	352
30	36	60 1/4	BC3CVM3036	4379	5565	23.4	323
24	48	48 1/4	BC3CVM2448	4415	5610	27.3	331
24	42	48 1/4	BC3CVM2442	4345	5526	24.2	304
24	36	48 1/4	BC3CVM2436	4277	5445	21.1	280

## 120° closed shared benching tables – open metal end panels




Table with 3 - 120° surfaces (29" H.) and laminate modesty panels (18" H.).

Full open metal end panels and 1 round central metal leg.

Privacy screens can be installed between surfaces or on sides, [see section F](#).

Cabling tray (for 1- or 4-circuit electrical system) can be installed underneath the surfaces, [see section G](#).

Grommet or multi-outlet option, position will be identical on each table, [see p.64](#).

For appropriate pedestal selection, [see p.71](#).

30	48	60 1/4	BC3CVO3048	4087	5301	30.3	344
30	42	60 1/4	BC3CVO3042	4016	5220	26.9	315
30	36	60 1/4	BC3CVO3036	3950	5136	23.4	285
24	48	48 1/4	BC3CVO2448	4069	5264	27.3	294
24	42	48 1/4	BC3CVO2442	3999	5180	24.2	267
24	36	48 1/4	BC3CVO2436	3930	5099	21.1	243

### S SPECIFY

Series	Code	Surface	Edge	Base	Metal
T	S				

### O OPTIONS

Grommet	M-Outlet

**S** Code: Consult the above product code list.

**Surface / Edge / Base:** See Take Off finishes, p.84-85.

**Metal (structure):** Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

**O** **Grommet:** Option to add White grommet(s) (G1...) at left ...L, centered ...C and/or at right ...R,

or Charcoal grommet(s) (G2...) at left ...L, centered ...C and/or at right ...R, add \$32 each, see p.51.


**Multi-outlet:** Option for a 1-circuit multi-outlet at center (ECC) or a "standard" multi-outlet at center (UCC), add \$213 each, see p.52.



# shared tables & storage / benching


## collaborative surface extension

price list



Collaborative extension surface.  
Installs on the extremity of the closed shared benching tables (BC), open (BCO) or with doors (BCD).  
U shaped metal legs, finish must be specified.

Dimensions			S Sierra 1"		Specifications	
			Price			
A	B	Code	T.F.L.	H.P.L.	Cu.Ft.	lb
30	60¼	ETMO3060	607	810	4.1	64
30	48¼	ETMO3048	567	726	3.3	53
24	60¼	ETMO2460	578	737	3.8	55
24	48¼	ETMO2448	545	672	3.1	45



### S SPECIFY

Series	Code	Surface	Edge	Metal
T S	-		/	


**S** Code: Consult the above product code list.  
**Surface / Edge:** See Take Off finishes, p.84-85.  
**Metal:** Specify the leg finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# shared tables & storage / benching


## surface extension

price list



Surface extension.  
Installed on the end closed shared benching tables (BC), open (BCO) or with doors (BCD).  
Installs with all types of legs.  
Central support under the surface, metal finish must be specified.

			S Sierra 1"			
Dimensions			Price		Specifications	
A	B	C	Code		T.F.L.	H.P.L.
14	60 1/4		ETO1460		347	461
14	48 1/4		ETO1448		336	436
					Cu.Ft.	lb
					1.4	22
					1.1	18




### S SPECIFY

Series	Code	Surface	Edge	Metal
T S	-	-	/	-


**S** Code: Consult the above product code list.  
**Surface / Edge:** See Take Off finishes, p.84-85.  
**Metal:** Central support finish to be specified: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

## storage extension



Open storage extension.  
Installed on the end of the closed shared benching tables (BC), open (BCO) or with doors (BCD).  
Installs with all types of legs.

14	60 1/4	15	ESOO1460	792	920	10.5	80
14	48 1/4	15	ESOO1448	759	868	8.0	70



### S SPECIFY

Series	Code	Surface	Edge	Base
T S	-	-	/	-


**S** Code: Consult the above product code list.  
**Surface / Edge / Base:** See Take Off finishes, p.84-85.



# shared tables & storage / benching

price list

## shared end-of-run storage units



Shared end-of-run storage unit, 29" H.


Pedestal with 2 - 6" drawers / 1 - file drawer at both ends and central opening with 2 adjustable shelves.

Pencil tray included in the 6" top drawers.

To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

				S Sierra 1"		T Tango 1½"				
Dimensions			Code	Price		Price		Specifications		
A	B	C		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (S)	lb (T)
15½	60¼	29	FBPUUF156029	1298	1408	1469	1577	19.5	176	186
15½	48¼	29	FBPUUF154829	1216	1323	1384	1493	15.7	152	159



Shared end-of-run storage unit, 23" H.

Pedestal with 1 - 6" drawers / 1 - file drawer at both ends and central opening with 1 adjustable shelf.

Pencil tray included in the 6" drawers.

To be positioned next to 48" or 60" deep benching tables.

Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.

15½	60¼	23	FBPUF156023	1289	1397	1458	1566	15.7	147	157
15½	48¼	23	FBPUF154823	1207	1315	1375	1484	12.7	125	132

### S SPECIFY

Series	Code	Surface	Edge	Base	Fronts	Pull	Lock
T			/		/		

### O OPTION

**S** Series: S or T see specifications p.47.

**Code:** Consult the above product code list.


**Surface / Edge / Base / Fronts:** See Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available with no upcharge, p.50.

Specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

## cushion for shared end-of-run storage units



Cushion for shared end-of-run storage unit.

Installs with Velcro® strips.

Dimensions			Code	Price					Specifications	
A	B	Thickness		Gr.1	COM/Gr.2	GR.3	Gr.4	Gr.5	Cu.Ft.	lb
15½	60¼	1½	CUS1560	497	542	586	630	703	1.6	14
15½	48¼	1½	CUS1548	407	444	480	517	579	1.3	11

### S SPECIFY

Series	Code	Fabric
T	L	

**S** Code: Consult the above product code list.


**Fabric:** Specify fabric for the cushion, refer to current Artopex seating fabric card.



# shared tables & storage / benching

price list

open low hutches - 21" H.




Open low hutch.  
Hutches 54" and longer have a central divider.  
Installs on a work surface, credenza or storage unit.  
When installed on a 29" H. unit, total height will be 50" H.

Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
72	15	21	HTCO7221	625		17.4	95
66	15	21	HTCO6621	582		16.0	89
60	15	21	HTCO6021	540		14.6	83
54	15	21	HTCO5421	498		13.2	77
48	15	21	HTCO4821	459		11.8	66
42	15	21	HTCO4221	428		10.4	60
36	15	21	HTCO3621	398		8.9	54
30	15	21	HTCO3021	370		7.5	48
24	15	21	HTCO2421	341		6.1	42

open low hutches with shared access - 21" H.


Open low hutch with shared access (openings on both sides).  
Installs on a work surface, credenza or storage unit.  
When installed on a 29" H. unit, total height will be 50" H.  
It is possible to install a tackboard on the side surface next to the opening, [see p.E61](#).

## Opening on the RIGHT



72	15	21	HTCRO7221	625	17.4	95
66	15	21	HTCRO6621	582	16.0	89
60	15	21	HTCRO6021	540	14.6	83
54	15	21	HTCRO5421	498	13.2	77
48	15	21	HTCRO4821	459	11.8	66
42	15	21	HTCRO4221	428	10.4	60
36	15	21	HTCRO3621	398	8.9	54
30	15	21	HTCRO3021	370	7.5	48

## Opening on the LEFT



72	15	21	HTCOR7221	625	17.4	95
66	15	21	HTCOR6621	582	16.0	89
60	15	21	HTCOR6021	540	14.6	83
54	15	21	HTCOR5421	498	13.2	77
48	15	21	HTCOR4821	459	11.8	66
42	15	21	HTCOR4221	428	10.4	60
36	15	21	HTCOR3621	398	8.9	54
30	15	21	HTCOR3021	370	7.5	48

## S SPECIFY

Series	Code	Base
T	L	-

**S** Code: Consult the above product code list.  
Base: See Take Off finishes, p.84-85.



# shared tables & storage / benching


price list

low hutches with sliding doors - 21" H.

Low hutch with frosted acrylic sliding doors.

Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50" H.




Dimensions			Code	Price T.F.L.	Specifications	
A	B	C			Cu.Ft.	lb
72	15	21	HTCGi7221	919	17.4	107
66	15	21	HTCGi6621	876	16.0	100
60	15	21	HTCGi6021	834	14.6	93
54	15	21	HTCGi5421	792	13.2	86
48	15	21	HTCGi4821	605	11.8	74
42	15	21	HTCGi4221	574	10.4	67
36	15	21	HTCGi3621	545	8.9	60
30	15	21	HTCGi3021	516	7.5	53

Low hutch with frosted acrylic sliding door and open storage.


Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 50" H.



## Sliding door on the LEFT

72	15	21	HTCGiO7221	771	17.4	101
66	15	21	HTCGiO6621	728	16.0	95
60	15	21	HTCGiO6021	686	14.6	88
54	15	21	HTCGiO5421	645	13.2	82
48	15	21	HTCGiO4821	531	11.8	70
42	15	21	HTCGiO4221	501	10.4	64
36	15	21	HTCGiO3621	471	8.9	57
30	15	21	HTCGiO3021	442	7.5	51



## Sliding door on the RIGHT

72	15	21	HTCOGi7221	771	17.4	101
66	15	21	HTCOGi6621	728	16.0	95
60	15	21	HTCOGi6021	686	14.6	88
54	15	21	HTCOGi5421	645	13.2	82
48	15	21	HTCOGi4821	531	11.8	70
42	15	21	HTCOGi4221	501	10.4	64
36	15	21	HTCOGi3621	471	8.9	57
30	15	21	HTCOGi3021	442	7.5	51

## S SPECIFY

Series	Code	Base	Pull
T	L	-	-

**S** Code: Consult the above product code list.

**Base:** See Take Off finishes, p.84-85.

**Pull:** Pulls included, specify type, p.83.



# shared tables & storage / benching

price list


## low hutches with sliding door and shared access - 21" H.

Low hutch with frosted acrylic sliding door and shared access.

Installs on a work surface, credenza or storage unit.


When installed on a 29" H. unit, total height will be 50" H.

### Sliding door on the LEFT



Dimensions			Code	Price		Specifications	
A	B	C		T.F.L.		Cu.Ft.	lb
72	15	21	HTCGiR7221	919		17.4	101
66	15	21	HTCGiR6621	876		16.0	95
60	15	21	HTCGiR6021	834		14.6	88
54	15	21	HTCGiR5421	792		13.2	82
48	15	21	HTCGiR4821	605		11.8	70
42	15	21	HTCGiR4221	574		10.4	64
36	15	21	HTCGiR3621	545		8.9	57
30	15	21	HTCGiR3021	516		7.5	51

### Sliding door on the RIGHT



72	15	21	HTCRGi7221	919		17.4	101
66	15	21	HTCRGi6621	876		16.0	95
60	15	21	HTCRGi6021	834		14.6	88
54	15	21	HTCRGi5421	792		13.2	82
48	15	21	HTCRGi4821	605		11.8	70
42	15	21	HTCRGi4221	574		10.4	64
36	15	21	HTCRGi3621	545		8.9	57
30	15	21	HTCRGi3021	516		7.5	51

#### S SPECIFY

Series Code Base Pull

T L - - -

S Code : Consult the above product code list.


Base : See Take Off finishes, p.84-85.

Pull: Pulls included, specify type, p.83.

## tackboards for low hutches with shared access - 21" H.

Fabric tackboard for low shared access hutches 21" H. (HTCRO & HTCOR).

Installs with Velcro® strips.



Dimensions			Code	Price					Specifications	
A	B			Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
34	13½	For low hutch 72" long	BTL3414	146	165	185	193	200	200	6
31	13½	For low hutch 66" long	BTL3114	141	144	161	176	193	193	6
28	13½	For low hutch 60" long	BTL2814	134	136	151	160	171	171	5
25	13½	For low hutch 54" long	BTL2514	131	132	145	157	164	164	5
22	13½	For low hutch 48" long	BTL2214	124	125	138	144	152	152	4
19	13½	For low hutch 42" long	BTL1914	119	120	128	138	147	147	4
16	13½	For low hutch 36" long	BTL1614	109	110	116	124	132	132	3
13	13½	For low hutch 30" long	BTL1314	97	98	101	108	114	114	2

#### S SPECIFY

Code Fabric

AC - -

S Code: Consult the above product code list.

Fabric: Refer to current Artopex panel fabric card.



# shared tables & storage / benching


## shelves with integrated pigeonhole unit - 13" H.

price list

Shelf with integrated pigeonhole unit. Installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 42" H.

Can accommodate "letter" or "legal" size documents.



Dimensions				Code	Price T.F.L.	Specifications	
A	B	C	D			Cu.Ft.	lb
72	15	13	5	HMA7213	693	11.2	71
66	15	13	5	HMA6613	660	10.3	67
60	15	13	5	HMA6013	627	9.4	62
54	15	13	4	HMA5413	591	8.5	57
48	15	13	3	HMA4813	529	7.6	52
42	15	13	3	HMA4213	497	6.7	47
36	15	13	2	HMA3613	463	5.8	42
30	15	13	2	HMA3013	427	4.9	38
24	15	13	2	HMA2413	389	3.9	33


D = Number of openings.

## shelves - 6" H.

Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35" H.

Structural back panel.




72	15	6	HA7206A	419	6.0	43
66	15	6	HA6606A	386	5.5	40
60	15	6	HA6006A	382	5.0	38
54	15	6	HA5406A	345	4.5	35
48	15	6	HA4806A	312	4.0	32
42	15	6	HA4206A	309	3.5	30
36	15	6	HA3606A	275	3.0	27
30	15	6	HA3006A	266	2.5	25
24	15	6	HA2406A	229	2.0	22

Shelf, installs on a work surface, credenza or storage unit.

When installed on a 29" H. unit, total height will be 35" H.

Structural central panel.



72	15	6	HA7206C	419	6.0	43
66	15	6	HA6606C	386	5.5	40
60	15	6	HA6006C	382	5.0	38
54	15	6	HA5406C	345	4.5	35
48	15	6	HA4806C	312	4.0	32
42	15	6	HA4206C	309	3.5	30
36	15	6	HA3606C	275	3.0	27
30	15	6	HA3006C	266	2.5	25
24	15	6	HA2406C	229	2.0	22

### S SPECIFY

Series	Code	Base
T	L	-

**S** Code: Consult the above product code list.


Base: See Take Off finishes, p.84-85.



# shared tables & storage / benching

## end-of-run bookcase - 50" H.

price list



To be positioned next to shared benching tables, attached to a 21" H. low hutch.  
Open on both sides, with open wardrobe section and coat hook (Silver finish).  
Assembly hardware included.

Dimensions				Code	Price T.F.L.	Specifications	
A	B	C	D			Cu.Ft.	lb
16	15	11	50	BKP151650	660	10.0	60


### S SPECIFY

Series	Code	Base
T L	-	-

**S** Code : Consult the above product code list.


Base : See Take Off finishes, p.84-85.

## freestanding pedestals 25" H. for shared benching tables 24" D.



Pedestal with 2 - 6" drawers and 1 - 12" file drawer. Reduced height to slide under shared benching tables 24" D.  
Pencil tray included in the 6" top drawer.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.  
Counterweight included for stability.  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

Dimensions			Code	Price (without pull) T.F.L.	Specifications	
A	B	C			Cu.Ft.	lb
15½	20	25	FSLUUF25	682	6.5	61



Pedestal with 2 - 12" file drawer. Reduced height to slide under shared benching tables 24" D.  
Noki locks standard, key locks available as an option (no upcharge). Will lock all drawers.  
Counterweight included for stability.  
Lateral filing bars (letter size: **AC-BL12**) sold separately, refer to the Accessories price list.

15½	20	25	FSLFF25	682	6.5	61
-----	----	----	---------	-----	-----	----

\* Striped or fluted edge not available.

### S SPECIFY

Series	Code	Base	Fronts	Pull	Lock
T L	-	-	/	-	-

**S** Code: Consult the above product code list.

Base / Fronts: See Take Off finishes, p.84-85.

Pull: Pulls option, specify type, add \$22 per drawer, p.83.

**O** Key locks: Locks with keys (LS) or keyed-alike (LSK) options available

Specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.



# Screens and complements

SCREENS

---

privacy screens	F2
accessory bar and tackboard	F6
lateral screens	F7
lateral fabric screens	F8
lateral screen tackboard	F9

COMPLEMENTS

---

center caps	F10
accessory panel	F11
office supply tray	F11
marker board panel	F11
corner shelf	F12
stiffeners	F12
junction plates	F12




# screens & complements

## laminate privacy screens

## price list

Rectangular laminate privacy screen,  $\frac{1}{16}$ " thick. Can accommodate tackboards and various accessories, refer to the Accessories price list. Installs on a work surface, credenza or storage unit with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.




Dimensions				Code	Price	Specifications	
A	B	C	D		T.F.L.	Cu.Ft.	lb
15¼	72	3	78	PPOV1572	317	1.0	22
15¼	66	3	72	PPOV1566	312	0.9	20
15¼	60	3	66	PPOV1560	309	0.9	18
15¼	54	2	60	PPOV1554	264	0.8	16
15¼	48	2	54	PPOV1548	260	0.8	14
15¼	42	2	48	PPOV1542	231	0.6	13
15¼	36	2	42	PPOV1536	227	0.5	11
15¼	30	2	36	PPOV1530	222	0.4	10
15¼	24	2	30	PPOV1524	218	0.4	8
15¼	18	2	24	PPOV1518	213	0.3	7

Rectangular laminate privacy screen (double-height),  $\frac{1}{16}$ " thick. Can accommodate tackboards and various accessories.

Installs on a work surface with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.




29¾	72	3	78	PPFR2972	359	2.0	42
29¾	66	3	72	PPFR2966	351	1.8	39
29¾	60	3	66	PPFR2960	343	1.6	36
29¾	54	2	60	PPFR2954	295	1.5	31
29¾	48	2	54	PPFR2948	264	1.3	28
29¾	42	2	48	PPFR2942	256	1.2	25
29¾	36	2	42	PPFR2936	249	1.0	22
29¾	30	2	36	PPFR2930	241	0.8	19
29¾	24	2	30	PPFR2924	233	0.7	16

Rectangular laminate modesty screen,  $\frac{1}{16}$ " thick.

Installs under a work surface with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.



13½	72	3	78	PPUN1372	312	1.0	18
13½	66	3	72	PPUN1366	308	0.9	17
13½	60	3	66	PPUN1360	305	0.9	16
13½	54	2	60	PPUN1354	260	0.8	14
13½	48	2	54	PPUN1348	232	0.8	13
13½	42	2	48	PPUN1342	228	0.6	12
13½	36	2	42	PPUN1336	224	0.5	10
13½	30	2	36	PPUN1330	220	0.4	9
13½	24	2	30	PPUN1324	217	0.4	8

C = Number of supports included.

D = Length of the host surface.

### S SPECIFY

Series Code Base Metal

T **S** - - -

**S** Code: Consult the above product code list.

**Base:** See Take Off finishes, p.84-85.

**Metal (supports):** Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).



# screens & complements


price list

## frosted acrylic privacy screens

Rectangular frosted (on one side) acrylic privacy screen, 1/4 thick.

Installs on a work surface, credenza or certain storage unit with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.




Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
15 1/4	72	3	78	PPOVGIA1572	427	1.0	16
15 1/4	66	3	72	PPOVGIA1566	413	0.9	15
15 1/4	60	3	66	PPOVGIA1560	398	0.9	14
15 1/4	54	2	60	PPOVGIA1554	344	0.8	12
15 1/4	48	2	54	PPOVGIA1548	325	0.8	11
15 1/4	42	2	48	PPOVGIA1542	298	0.6	10
15 1/4	36	2	42	PPOVGIA1536	284	0.5	9
15 1/4	30	2	36	PPOVGIA1530	270	0.4	7
15 1/4	24	2	30	PPOVGIA1524	255	0.4	6
15 1/4	18	2	24	PPOVGIA1518	241	0.3	5

Rectangular (double-height) frosted (on one side) acrylic privacy screen, 1/4 thick.

Installs on a work surface with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.




29 3/4	72	3	78	PPFRGiA2972	640	2.0	32
29 3/4	66	3	72	PPFRGiA2966	608	1.8	29
29 3/4	60	3	66	PPFRGiA2960	576	1.6	27
29 3/4	54	2	60	PPFRGiA2954	504	1.5	23
29 3/4	48	2	54	PPFRGiA2948	472	1.3	21
29 3/4	42	2	48	PPFRGiA2942	422	1.2	19
29 3/4	36	2	42	PPFRGiA2936	391	1.0	16,7
29 3/4	30	2	36	PPFRGiA2930	359	0.8	15
29 3/4	24	2	30	PPFRGiA2924	327	0.7	12

Rectangular frosted (on one side) acrylic modesty screen, 1/4 thick.

Installs on a work surface with the provided metal supports.

Screen length allows for a 3" gap at each end but can be used on a surface longer than indicated under "D" dimension.



13 1/2	72	3	78	PPUNGiA1372	430	1.0	15
13 1/2	66	3	72	PPUNGiA1366	416	0.9	14
13 1/2	60	3	66	PPUNGiA1360	402	0.9	13
13 1/2	54	2	60	PPUNGiA1354	347	0.8	11
13 1/2	48	2	54	PPUNGiA1348	332	0.8	10
13 1/2	42	2	48	PPUNGiA1342	300	0.6	9
13 1/2	36	2	42	PPUNGiA1336	286	0.5	8
13 1/2	30	2	36	PPUNGiA1330	271	0.4	7
13 1/2	24	2	30	PPUNGiA1324	256	0.4	6

C = Number of supports included.

D = Length of the host surface.

### S SPECIFY

Series	Code	Metal
T S	-	-

S Code: Consult the above product code list.

Metal (supports): Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).



# screens & complements

price list


lamine privacy screen or high-gloss white board - for open shared benching tables or with doors.

Rectangular laminate screen of 1/8" thick. Attaches to the modesty panel included with the shared tables.

An accessory bar (AC-ACBC), tackboard (AC-BTL) or a accessory panel (AC-ASASP) can be attached.

Screen is visible 15 1/4" H. above the surface and will leave a space of 2 1/2" H. at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.



Dimensions			Code	Prices		Specifications	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
18	67	72	PPLM1867	255	369	2.0	22
18	61	66	PPLM1861	245	352	1.9	21
18	55	60	PPLM1855	238	338	1.7	19
18	49	54	PPLM1849	228	322	1.6	17
18	43	48	PPLM1843	220	309	1.4	15
18	37	42	PPLM1837	211	294	1.3	13
18	31	36	PPLM1831	202	279	1.2	12

## S SPECIFY

Series	Code	Base	Metal
T	S		

S Code : Consult the above product code list.

Base : High-gloss white board (SBL) or Take Off finishes, p.84-85

Metal (supports) : Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

## glass privacy screen - for open shared benching tables or with doors


Glass screen, 6mm thick.

Attaches to the modesty panel included with the shared benching tables.

Screen is visible 15 1/4" H. above the surface and will leave a space of 2 1/2" H. at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the screen.

### Glass screen CLEAR



Dimensions			Code	Glass	Specifications	
A	B	C			Cu.Ft.	lb
18	67	72	PPCLG1867	265	2.0	26
18	61	66	PPCLG1861	255	1.9	24
18	55	60	PPCLG1855	248	1.7	22
18	49	54	PPCLG1849	239	1.6	20
18	43	48	PPCLG1843	230	1.4	17

### Glass screen FROSTED on 1 side

18	67	72	PPGiG1867	443	2.0	26
18	61	66	PPGiG1861	425	1.9	24
18	55	60	PPGiG1855	391	1.7	22
18	49	54	PPGiG1849	378	1.6	20
18	43	48	PPGiG1843	366	1.4	17

C= Length of the surface where the panel is installed

## S SPECIFY

Series	Code	Metal
T	S	

S Code: Consult the above product code list.

Metal (supports): Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).



# screens & complements

price list

privacy sceen in non-tackable fabric - for open shared benching tables or with doors


Rectangular screen 1 1/16" thick covered in non-tackable fabric. Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Can be attached on a accessory panel (AC-ASASP).

Screen is visible 15 1/4" H. above the surface and will leave a space of 2 1/2" H. at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.



Dimensions				Prices						Specifications	
A	B	C	Code	Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5		Cu.Ft.	lb
18	67	72	PPFA1867	443	470	501	520	561		2.0	22
18	61	66	PPFA1861	426	450	477	496	534		1.9	21
18	55	60	PPFA1855	409	431	457	474	507		1.7	19
18	49	54	PPFA1849	391	410	433	449	480		1.6	17
18	43	48	PPFA1843	369	386	407	420	448		1.4	15
18	37	42	PPFA1837	352	367	385	397	420		1.3	13
18	31	36	PPFA1831	328	341	356	366	387		1.2	12

## S SPECIFY

Series	Code	Edge	Fabric	Metal
T	S	-	-	-

**S** Code: Consult the above product code list.

**Laminated central edge:** Specify the finish : Black (N), White (BW) or Frost (A).

**Fabric:** Refer to the current Artopex fabric panel card.

**Metal (supports):** Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

privacy tackboard screen- for open shared benching tables or with doors


Rectangular tackboard 1" thick in rough charcoal colored felt or covered in fabric.

Attaches to the modesty panel included with the shared tables.

The edge of the laminate central panel is visible, the finish must be specified.

Screen is visible 15 1/4" H. above the surface and will leave a space of 2 1/2" H. at each extremity of the surface.

It is recommended to use the cabling tray (WCMBC) that doubles as a stiffener and reinforces the panel.



Dimensions				Price						Specifications	
A	B	C	Code	FELT	Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
18	67	72	PPBTL1867	462	593	619	650	671	711	2.0	22
18	61	66	PPBTL1861	438	562	586	615	634	671	1.9	21
18	55	60	PPBTL1855	419	532	554	581	597	631	1.7	19
18	49	54	PPBTL1849	394	502	521	543	559	590	1.6	17
18	43	48	PPBTL1843	369	465	483	504	517	545	1.4	15
18	37	42	PPBTL1837	345	436	451	469	481	504	1.3	13
18	31	36	PPBTL1831	319	398	411	427	437	458	1.2	12

C= Length of the surface where the screen is installed

## S SPECIFY

Series	Code	Edge	Fabric	Metal
T	S	-	-	-

**S** Code: Consult the above product code list.

**Laminated central edge:** Specify the finish : Black (N), White (BW) or Frost (A).

**Fabric:** Specify the code (FF01) for the felt or refer to the current Artopex fabric panel card.

**Metal (supports):** Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).




# screens & complements

price list

## accessory bar

Wall mounted accessory bar - 4"H. Metal finish must be specified.  
 Attaches to any vertical laminate surface or on a wall with some screws (screws not included).  
 Designed specially to be mounted on a Take Off laminate screen (PPOV, PPFR and PPLM, see p.F2 and F4).  
 The bar extremities are closed.



Dimensions				Code	Prices	Specifications	
A	B	C				Cu.Ft.	lb
4	65	66		ACBC65	209	0.5	7
4	59	60		ACBC59	198	0.4	6
4	53	54		ACBC53	188	0.4	5
4	47	48		ACBC47	178	0.3	5
4	41	42		ACBC41	168	0.3	4
4	35	36		ACBC35	153	0.2	4
4	29	30		ACBC29	143	0.2	3

C = Length of the host privacy screen.

### S SPECIFY


Code Metal

AC -  -

**S** Code: Consult the above product code list.  
 Metal: Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

## tackboard for laminate privacy screens

Rectangular fabric tackboard for 1/8" thick laminate privacy screen.  
 Installs with Velcro strips on privacy panel.



Dimensions				Code	Price					Specifications	
A	B	C			Gr.1	COM / Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
71	9	72		BTL7109	153	161	165	171	178	0.9	9
65	9	67		BTL6509	147	154	160	165	173	0.8	8
59	9	61		BTL5909	142	149	154	158	167	0.7	7
53	9	55		BTL5309	132	140	144	150	157	0.6	7
47	9	49		BTL4709	130	136	142	147	155	0.6	6
41	9	43		BTL4109	128	134	140	144	153	0.5	5
35	9	37		BTL3509	124	131	136	142	150	0.4	4
29	9	31		BTL2909	124	131	135	141	150	0.4	4
23	9	24		BTL2309	123	130	134	140	149	0.3	3
17	9	18		BTL1709	122	129	133	139	147	0.2	2

C = Length of the host privacy screen.

### S SPECIFY

Code Fabric

AC -  -

**S** Code: Consult the above product code list.  
 Fabric: Refer to current Artopex panel fabric card.



# screens & complements

price list

## lateral screens in metal


Lateral screens in metal 1/8" thick, finish must be specified.

Installs on any type of shared benching tables as well as tables in the Take Off Collection.

Installed between surfaces or at the end of a surface. It is recommended to use the **DSMLR** or **DSMLL** at the end of surfaces.


Optional grooves in screen to hang metal accessories. Length of the grooves : 15 1/2".

### Panel flush with the front of the surface




	Dimensions			Code	Price	Specifications	
	A	B	C			Cu.Ft.	lb
<b>Right</b>	15 1/4	26	60 1/4	<b>DSMLR1526</b>	106	1.1	13
	15 1/4	20	48 1/4	<b>DSMLR1520</b>	89	1.0	10
<b>Left</b>	15 1/4	26	60 1/4	<b>DSMLL1526</b>	106	1.1	13
	15 1/4	20	48 1/4	<b>DSMLL1520</b>	89	1.0	10

### Panel 6" in front of the surface




<b>Right</b>	15 1/4	32	60 1/4	<b>DSMLAR1532</b>	122	1.4	16
	15 1/4	26	48 1/4	<b>DSMLAR1526</b>	107	1.1	13
<b>Left</b>	15 1/4	32	60 1/4	<b>DSMLAL1532</b>	122	1.4	16
	15 1/4	26	48 1/4	<b>DSMLAL1526</b>	107	1.1	13

C= Depth of the shared benching table



Optional grooves



#### S SPECIFY

Series Code Metal Grooves

T **S** - [ ] - [ ] - [ ]

#### O OPTION

**S** Code: Consult the above product code list.

**Metal:** Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source

**O** Grooves: Grooves in the panel (OO), no upcharge.



# screens & complements

price list

## lateral fabric screens - non-tackable


Lateral screen, fabric 7/16" thick non-tackable.

Both sides of the screen are finished with the same fabric. (Metal finish must be specified for the screen structure).

Can be installed on all types of shared benching tables as well as tables from the Take Off Collections.


Permanently installed between the surfaces or at the extremities. It is recommended to use the **DSFAR** or **DSFAL** at the end of the surfaces.

### Panel flush with the front of the surface




	Dimensions			Code	Price					Specifications	
	A	B	C		Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
Right	15 1/4	26	60 1/4	DSFAR1526	286	297	310	319	337	1.1	14
	15 1/4	20	48 1/4	DSFAR1520	252	261	272	278	293	1.0	11
Left	15 1/4	26	60 1/4	DSFAL1526	286	297	310	319	337	1.1	14
	15 1/4	20	48 1/4	DSFAL1520	252	261	272	278	293	1.0	11

### Panel 6" in front of the surface



Right	15 1/4	32	60 1/4	DSFAAR1532	323	338	354	365	388	1.4	17
	15 1/4	26	48 1/4	DSFAAR1526	286	297	310	319	337	1.1	14
Left	15 1/4	32	60 1/4	DSFAAL1532	323	338	354	365	388	1.4	17
	15 1/4	26	48 1/4	DSFAAL1526	286	297	310	319	337	1.1	14

C= Depth of the shared benching table



### S SPECIFY

Series	Code	Fabric	Metal
T	S		

**S** Code: Consult the above product code list.

**Fabric:** Refer to the current Artopex panel fabric card.

**Metal:** Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source



## lateral screen tackboard


Lateral screen, tackboard of 1 1/16" thick.

Both sides of the screen are finished with charcoal felt or with fabric on both sides. (Metal finish must be specified for the screen structure).

Can be installed on all types of shared benching table ends even tables from the Take Off Collection.


Permanently installed between the surfaces or at the extremities. It is recommended to use the DSBTLR or DSBTLL at the end of the surfaces.

### Panel flush with the front of the surface




	Dimensions			Code	Price						Specifications	
	A	B	C		Felt	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
Right	15 1/4	26	60 1/4	DSBTLR1526	262	334	345	359	367	385	1.1	14
	15 1/4	20	48 1/4	DSBTLR1520	223	290	299	310	317	331	1.0	11
Left	15 1/4	26	60 1/4	DSBTLL1526	262	334	345	359	367	385	1.1	14
	15 1/4	20	48 1/4	DSBTLL1520	223	290	299	310	317	331	1.0	11

### Panel 6" in front of the surface



Right	15 1/4	32	60 1/4	DSBTLAR1532	300	384	398	415	426	448	1.4	17
	15 1/4	26	48 1/4	DSBTLAR1526	262	334	345	359	367	385	1.1	14
Left	15 1/4	32	60 1/4	DSBTLAL1532	300	384	398	415	426	448	1.4	17
	15 1/4	26	48 1/4	DSBTLAL1526	262	334	345	359	367	385	1.1	14

C= Depth of the shared benching table



### S SPECIFY

Series	Code	Fabric	Metal
T	<input type="text" value="S"/>	<input type="text"/>	<input type="text"/>

**S** Code: Consult the above product code list.

**Fabric:** Specify the code (FF01) for the felt or refer to the current Artopex panel fabric card.


**Metal:** Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).



# screens & complements

price list

## center cap for one-sided shared benching tables – open or with door



A center cap to reduce the size of the opening on the surface opposite the user, if no privacy screen is installed. Attaches to the metal finishing back. Metal finish must be specified.

Dimensions		Code	Price	to use with surface	Specifications	
A	B				Cu.Ft.	lb
1	67	HC67BCOD	81	72"	1.8	0.5
1	61	HC61BCOD	78	66"	1.6	0.5
1	55	HC55BCOD	74	60"	1.5	0.4
1	49	HC49BCOD	71	54"	1.3	0.4
1	43	HC43BCOD	68	48"	1.2	0.3
1	37	HC37BCOD	65	42"	1.0	0.3
1	31	HC31BCOD	62	36"	0.8	0.2

### S SPECIFY


Series Code Metal

T **S** -  -

**S** Code: Consult the above product code list.

**Metal:** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002), Silver (3090).


## removable center cap for open shared benching tables



A removable center cap used to decrease the central space between the surfaces (BCO). Once installed, a space remains allowing access for cabling. Metal finish must be specified.

2	67	HC67BCO	77	72"	0.3	3
2	61	HC61BCO	74	66"	0.3	3
2	55	HC55BCO	70	60"	0.3	3
2	49	HC49BCO	68	54"	0.2	2
2	43	HC43BCO	65	48"	0.2	2
2	37	HC37BCO	62	42"	0.2	2
2	31	HC31BCO	58	36"	0.2	2

## center cap for shared benching tables with doors



The cap is used to hide the space between the surfaces (BCD). Metal finish must be specified.

1	67	HC67BCD	100	72"	1.0	4
1	61	HC61BCD	98	66"	0.9	4
1	55	HC55BCD	96	60"	0.8	3
1	49	HC49BCD	94	54"	0.7	3
1	43	HC43BCD	90	48"	0.6	3
1	37	HC37BCD	88	42"	0.6	2
1	31	HC31BCD	86	36"	0.5	2

### S SPECIFY

Series Code Metal

T **S** -  -

**S** Code: Consult the above product code list.


**Metal:** Specify the finish: Black (3067), Charcoal (3064), Polar White (3002), Silver (3090).



# screens & complements

price list

## accessory panel



Metal accessory panel with 3 attachment levels.  
Installs to any 1/8" thick laminate panel.  
Can hold Artopex accessories (plastic or metal), refer to Accessories price list.

Dimensions			Code	Price	Specifications	
A	B	C			Cu.Ft.	lb
10	17		ASASP	61	0.3	3


### S SPECIFY

Code Metal

AC -  -

**S Code:** Consult the above product code list.  
**Metal:** Specify the finish : Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Smoothie (3109), Silver (3090), Source (3106).

## office supply tray – for shared benching tables – open or with doors



Metal accessories for small office supplies such as : pencils, pens, eraser, scissors, etc.  
Installed underneath shared benching table surfaces, open or with doors, in the space between the 2 surfaces. Finish must be specified.

9	3	3/4	BCPAP	33	0.3	1
---	---	-----	-------	----	-----	---


### S SPECIFY

Code Metal

AC -  -

**S Code:** Consult the above product code list.  
**Metal:** Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

## marker board panel



Magnetic metal marker board (High-gloss white enamel finish).  
Installs to any 1/8" thick laminate panel, see p.F2 to F4.  
A base tray for storing markers.  
**NOTE: Use only dry-erase markers.**


10	17		AC-ASWBA	55	0.3	3
----	----	--	----------	----	-----	---




# screens & complements

price list

## corner shelf



Corner shelf for keyboard or keyboard mechanism in a 90° surface configuration.  
Installs to adjacent surfaces with junction plates (included).



				L Lima 1"		M Mike 1½"				
Dimensions				Price		Price		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft.	lb (L)	lb (M)
14	14	20	JC1414	90	110	99	120	0.2	2	4


### S SPECIFY

Series	Code	Surface	Edge
T	<input type="text"/>	<input type="text"/>	<input type="text"/>

**S** Series : L or M see specifications p.47.  
Code: Consult the above product code list.  
Surface / Edge: See Take Off finishes, p.84-85.


## stiffeners

Metal stiffener, Charcoal finish.  
Suggested for work surfaces 54" or more.  
Installation hardware included.



			Specifications	
	Code	Price	Cu.Ft.	lb
For surface 72" or more	AC-RSTF64	97	0.5	5
For surface 60"	AC-RSTF52	81	0.5	4
For surface 54"	AC-RSTF46	75	0.5	3

## junction plates



Metal junction plates, Black finish.  
Used to join 2 surfaces side-by-side.


Pack of 2	AC-FJP2	20	0.1	0.6
-----------	---------	----	-----	-----



## ELECTRICITY

G1





Metal cable tray, Silver finish.

Installs under a work surface with screws.


Allows passage of electrical & communication cabling. Cabling acces via both ends and sides.

Can accommodate 1-circuit electrical system (refer to Accessories price list).

32" or more: 4 openings on each side. 26" or less: 2 openings on each side.


Opening can accommodate mobile outlets (**AC-ECM, AC-ECMK**) or telecommunication outlets (**AC-ERF, E2-ERD**).

Opening dimensions: 2½" L x 1⅝" H.



Dimensions				Code	Price	Use with surface	Specifications	
A	B	C	H				Cu.Ft.	lb
4¼	68	3		<b>WCMC68</b>	150	78" or 84"	1.0	6
4¼	62	3		<b>WCMC62</b>	142	72"	0.9	5
4¼	56	3		<b>WCMC56</b>	135	66"	0.8	5
4¼	50	3		<b>WCMC50</b>	128	60"	0.7	5
4¼	44	3		<b>WCMC44</b>	121	54"	0.6	4
4¼	38	3		<b>WCMC38</b>	117	48"	0.5	4
4¼	32	3		<b>WCMC32</b>	109	42"	0.5	3
4¼	26	3		<b>WCMC26</b>	102	36"	0.4	2
4¼	20	3		<b>WCMC20</b>	95	30"	0.3	2

## outlet support



Metal support, black finish.


Installed on top of the modesty on the shared tables.

Designed for movable outlets (**AC-ECM, AC-ECMK**) or a telecommunicaion plate (**E2-ERD**).

Size of opening : 2-½" x 1-⅝" .

<b>E2-EDS</b>	24	0.1	1
---------------	----	-----	---

## electrical system - 1 sided



Electrical system - 1-sided with 1 electrical harness and 1 metal front cover (silver finish).

Installs under a surface placed next to a wall or under a surface with a modesty panel (with screws).

Can accommodate 4-circuit system components and a cabling support, [see next page](#).

28" or more: 2 openings for a duplex outlet and 2 other access openings.


22": 1 opening for a duplex outlet and 2 other access openings.

16": 1 opening for a duplex outlet.


Openings can accommodate cover plates or telecommunication outlets. Opening dimensions: 2½" L x 1⅝" H.

Duplex outlets not included, order separately, [see p.G4](#).


To determine the required length of a system under a surface supported layering table, [see p.80](#).



28" et +



22"



16"

2½	58	5	14½	<b>WCMA58</b>	278	72" à 84"	0.9	10
2½	52	5	14½	<b>WCMA52</b>	275	66"	0.8	9
2½	46	5	14½	<b>WCMA46</b>	272	60"	0.7	9
2½	40	5	14½	<b>WCMA40</b>	268	54"	0.6	8
2½	34	5	14½	<b>WCMA34</b>	265	48"	0.5	8
2½	28	5	14½	<b>WCMA28</b>	263	42"	0.4	7
2½	22	5	14½	<b>WCMA22</b>	251	36"	0.3	6
2½	16	5	14½	<b>WCMA16</b>	248	30"	0.2	5

## S SPECIFY

Code


AC -  - 3090

S Code: Consult the above product code list.

H = Length of the included harness



## cabling support for electrical system - 1-sided



Metal cabling support, silver finish.

Installs on the front cover of the 1-sided electrical system of same length (no hardware required).

Allows management of cables plugged into the outlets.


**S** SPECIFY

Dimensions				Code	Price	Specifications	
A	B	C	D			Cu.Ft.	lb
2	58			WCMAS58	40	0.2	2
2	52			WCMAS52	39	0.2	2
2	46			WCMAS46	37	0.2	2
2	40			WCMAS40	37	0.1	2
2	34			WCMAS34	36	0.1	2
2	28			WCMAS28	35	0.1	1
2	22			WCMAS22	34	0.1	1
2	16			WCMAS16	34	0.1	1

Code  
AC -  - 3090

**S** Code: Consult the above product code list.

## electrical system - 2-sided



Electrical system - 2-sided, includes 1 electrical harness with support and 2 metal fronts. Finish to be specified.

The electrical system is installed on top of the modesty with screws.

Designed to be used with the electrical system 2 sided.

22" : 2 spaces on each side for double outlets.

16" : 1 space on each side for double outlets.

Double outlets not included. To order separately, refer to the Electricity section.

**S** SPECIFY

to use with table							Cu.Ft.	lb
2½	21½	2½	15½	Code	Price			
2½	21½	2½	15½	WCMBB22	311	48" to 72"	0.4	5
2½	15½	2½	9½	WCMBB16	293	36" and 42"	0.4	3


D : Length of harness included

Code Metal  
AC -  -

**S** Code: Consult the above product code list.

Metal: Specify the finish : Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

## cabling tray for shared benching tables




Metal cabling tray. Finish must be specified.

The cabling tray is screwed into the modesty panel underneath the surface. It doubles as a stiffener, when a panel is installed.

Allows management of electrical and communication cables, providing quick and easy access.

Dimensions				Code	Price	to use with table	Specifications	
A	B	C	D				Cu.Ft.	lb
3½	66			WCMBC66	97	72"	0.5	5
3½	60			WCMBC60	94	66"	0.5	4
3½	54			WCMBC54	90	60"	0.4	4
3½	48			WCMBC48	87	54"	0.4	3
3½	42			WCMBC42	85	48"	0.3	3
3½	36			WCMBC36	81	42"	0.3	2
3½	30			WCMBC30	78	36"	0.3	2






Duplex and USB outlet. Fastened to the power distribution harness by a spring latch.

For protection against induced voltage variations, circuit #4 is a dedicated circuit with its own neutral and ground conductors.

	Code	Price	Cu.Ft.	lb
Duplex outlet for circuit #1	E2-ER1	25	0.2	1
Duplex outlet for circuit #2	E2-ER2	25	0.2	1
Duplex outlet for circuit #3	E2-ER3	25	0.2	1
Duplex outlet for circuit #4	E2-ER4	25	0.2	1
USB charger outlet	E2-USB	227	0.2	1

## jumpers




Jumper carries power between 2 - 4-circuit electrical distribution systems.

Equipped at both ends with a terminal "male" connector (8 wires in flexible shielded cable).

To determine required length, see information on [page 76 to 79](#).

Actual length	Code	Price	Cu.Ft.	lb
82½	E2-EJT82	272	0.1	4
76½	E2-EJT76	267	0.1	4
70½	E2-EJT70	261	0.1	4
64¼	E2-EJT64	236	0.1	3
58	E2-EJT58	230	0.1	3
52	E2-EJT52	225	0.1	3
47	E2-EJT47	223	0.1	2
35	E2-EJT35	209	0.1	2
21½	E2-EJT21	193	0.1	1
18½	E2-EJT18	187	0.1	1

## connector



"i" to connect 2 jumpers end-to-end or a ceiling power connector with a "male" end connector.

	Code	Price	Specifications	
			Cu.Ft.	lb
Raccord « i »	IE-I	64	0.1	1

## fasteners for jumper




Metal fastener, galvanized steel. Pack of 5 fasteners.

To attach shielded cables (jumpers) under a surface, screws included.

	Code	Price	Specifications	
			Cu.Ft.	lb
Pack of 5	E2-EJB5	11	0.1	1






To distribute current from the junction box to the power distribution harnesses.  
It is fitted with a male plug which connects to a power distribution harness.

	Code	Price	Specifications	
			Cu.Ft.	lb
Length 60"	E2-ECJO	179	0.1	3


ceiling power connectors




**E2-EC15**  
To be plugged in  
the terminal block

The ceiling power connectors are a shielded flexible cable.  
The **E2-EC15** connector must be installed by a certified electrician in accordance with local building codes.  
Connects at the end of a harness.  
The **E2-EC18** can be attached to the power feed connector during re-configuration by the user.


	Code	Price	Specifications	
			Cu.Ft.	lb
Length: 180" (15')	E2-EC15	218	0.6	3
Length: 216" (18')	E2-EC18	384	0.7	4



**E2-EC18**  
To be plugged in the outlet for  
power feed connectors



outlet for power feed connector E2-EC18



**E2-EC18 Power feed connector**  
(not included, see previous item)

Outlet for the power feed connector allows easy plugging/unplugging by the user.  
The box (not included) can be installed on the wall (at approximate height of 20" H.) or on the ceiling, near the top of the cable pole.  
Must be installed on site by a certified electrician in accordance with local electricity code.  
Afterwards, it is possible to plug the **E2-EC18** Ceiling power feed connector in to it.

	Code	Price	Specifications	
			Cu.Ft.	lb
	E2-ECWD	257	0.1	1




cabling pole above the surface for shared benching open or with doors




Cabling pole is used to supply power between the surface and the ceiling (8' H. or 12' H.).  
There is an internal movable PVC divider used to separate the ceiling power cables from the communications cables.  
A white ceiling tile adapter is included.  
Power feed connector must be ordered separately.

Dimensions					Specifications	
A	B	C	Code	Price	Cu.Ft.	lb
2	2¼	144	A5-EPBC144	352	0.7	12
2	2¼	96	A5-EPBC96	325	0.4	8




Cabling pole installed on the end of the tables



Cabling pole installed in the center of the tables

cabling pole for closed shared benching tables with metal legs




Pole for ceiling power feed (10').  
Special raceway end cap and finishing plates included.  
Power feed to be ordered separately.  
Available in tubular style 2" x 2" or 2" x 3".  
The 2" x 3" power pole comes with a metal divide inside its complete length.




Dimensions					Specifications	
A	B	C	Code	Price	Cu.Ft.	lb
2	3	120	A5-EPB23	318	0.8	8

cabling pole for credenza or 1-sided shared benching tables (full end panels)



Dimensions					Specifications	
A	B	C	Code	Price	Cu.Ft.	lb
2	3	120	A5-EPEU23	284	0.8	8
2	2	120	A5-EPEU22	257	0.8	7



S

SPECIFY

Code

Metal

-

**S** Code: Consult the above product code list.  
Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).







### Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

### Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

### Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

### Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

### Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

### Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

### Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

### Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

### Noki Lock

Mechanism and parts under warranty for 5 years, and 1 year warranty on labor.

### Artopex Warranty

**Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.**

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

#### **This warranty does not extend to :**

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.



### UPDATE SUMMARY

January 15<sup>th</sup> 2017

PAGES	SECTION	PRODUCT	UPDATE
p.B48	Storage	Support pedestals	New code.
p.B51-B52	Storage	Combined storage	Price adjustment.
p.E2 to E13 and E54-E55	Closed shared benching tables	Benching	Removal of the 1 1/2" surfaces. The position of multi-outlet is always in center.
p.F6	Screens and complements	Tackboard	Product description.
p.G4	Electricity	USB Outlet	New USB outlet for 4-circuit electrical system.

May 1<sup>st</sup> 2018

PAGES	SECTION	PRODUCT	UPDATE
p.3	Table of contents		Corrections on all table of content and tabs.
p.3	Table of contents		Title: Accessories is now called "Complements". Changed throughout the price list.
p.11-12	Visual index		New legs.
p.34	Visual index		New legs.
p.37 to 41	Visual index	Shared benching tables - 1-sided	New product.
p.45	Visual index	Cabling pole for closed shared benching tables with metal legs	New product.
p.46	Table of contents General information		Update and corrections.
p.50	General information	Accessories for drawers	Correction : Refer to the Accessory price list for more details.
p.51	General information	Products with grommets	New : 3) Position of grommets on full end panels of shared benching tables - 1-sided.
p.54	General information	Choice of supports	New legs added to this section.
p.55	General information	Convergent tables	First paragraph corrected and new legs added.
p.62	General information	Surface supported	New legs added to this section.
p.64	General information	Shared benching tables	Rearrangement of the page and new information for shared benching tables - open or with doors.
p.65	General information	Shared benching table 1-sided	New information for the shared benching table - 1-sided.
p.66	General information	Privacy screen	Accessory bar is now available in 10 metal finishes instead of 4, refer to the finish choices chart.
p.67	General information	Layering tables long laminate supportg  Modesy panels	New detail added on a drawing.  Metal supports are now available in 10 metal finishes instead of 4, refer to the finish choices chart.
p.72	General information	Storage case	Storage case is not available in the Take Off price list, but in the Accessories price list only.
p.81	General information	4-circuit electrical system - 2-sided	Image of shared benching table - 1-sided added.
p.82	General information	Cabling pole	New image for existing cabling pole and new cabling pole for closed shared benching tables, perforated metal, open metal or combined material end panels
p.84-85	General information	Finish choices chart	Table update with new and discontinued colors.
p.86-87-91-92	General information	Typical layouts	New legs added.



### UPDATE SUMMARY (CONT'D)

May 1<sup>st</sup> 2018 (cont'd)

PAGES	SECTION	PRODUCT	UPDATE
p.A1-B1-C1-D1-E1-F1 and G1	Table of contents		New table of contents for each section / tab.
p.A46	Desks / Tables L-M	"D" shaped rectangular tables with "T" end panel	New products : Addition of Double "O" Techno base leg.
p.A47	Desks / Tables L-M	"D" shaped rectangular tables with "T" end panel	New products : Addition of angled metal legs : folded metal corner and angled metal legs.
p.A48	Desks / Tables L-M	"D" shaped rectangular tables with "T" end panel	New products : Addition of angled wood leg set.
p.A53	Desks / Tables L-M	"D" shaped rectangular tables - surface-mounted	New products : Addition of Double "O" Techno base leg.
p.A54	Desks / Tables L-M	"D" shaped rectangular tables - surface-mounted	New products : Addition of angled metal legs : folded metal corner and angled metal legs.
p.A55	Desks / Tables L-M	"D" shaped rectangular tables - surface-mounted	New products : Addition of angled wood leg set.
p.B2 to B53	Price list	Description	Lateral filing bars are no longer in the Take off price list, refer to the Accessories price list.
p.C15	Hutches and topstorage	Hutches with hinged doors	Code corrections at the bottom of the page. Metal specification box was added.
p.D26-D27-D28-D29	Tables and storage / layering	Rectangular surface-mounted layering tables with "L" support	New products.
p.E14-E19-E24-E29-E34-E39-E44-E49	Tables and storage / benching	Shared benching tables - 1-sided	New products.
p.F2-F3	Screens and complements	Laminate and frosted acrylic privacy screens	Metal supports are now available in 10 metal finishes, refer to the finish choices chart.
p.F7 to F9	Screens and complements	Lateral screens	Lateral screens are now available in 10 metal finishes, refer to the finish choices chart. Screen structure is now available in 10 metal finishes, refer to the finish choices chart.
p.F10	Screens and complements	Center cap for 1-sided shared benching tables - open or with door	New products.
p.F10	Screens and complements	Center cap for shared benching tables with doors	Center caps are now available in 10 metal finishes, refer to the finish choices chart.
p.F11	Screens and complements	Accessory bar	Accessory bar are now available in 10 metal finishes, refer to the finish choices chart.
p.F12	Screens and complements	Stiffeners	Price adjustments.
p.G2 to G5	Electricity		Price updates from G2 to G5.
p.G6	Electricity	Cabling pole for closed shared benching tables with metal legs	New products.
p.G6	Electricity	Cabling pole for credenza or 1-sided shared benching table	New drawing added.
		Occasional tables (laminate and metal)	Occasional tables are no longer available in the Take Off price list, refer to the Take Off Conference price list.



*Designing, manufacturing, advising, planning  
and supporting: that's the art that  
distinguishes our purpose at Artopex.*



**HEAD OFFICE**

800, Vadnais Street  
Granby, Quebec  
J2J 1A7  
CANADA

---

Tel. : 450 378-0189  
1 800 363-3040

Fax.: 450 378-9712

---

**artopex.com**