

take off

BENCHING TABLES RECONFIGURATION



USA price list

effective April 1st 2017

UPDATED - July 13th, 2017
update summary - p.19

artopex[®]
the art and the purpose



interactive links

page tabs & page references

→ document optimized for dual page viewing

GENERAL INFORMATION

description	4
steps for adding a work surface	4
specification examples	6
finish choices	10

PRICE LIST

surfaces	13
intermediate gables	16
modesty panels	17
conditions & guarantees	18

DESCRIPTION


Shared benching tables in the Take Off Freestanding collection are easily reconfigured.
It is possible to add or remove a workstation set from a group of shared benching tables.

STEPS FOR ADDING A WORKSTATION SET TO A GROUP OF SHARED BENCHING TABLES

1. Specify a surface set:

Closed shared benching tables


- 1 set of 2 surfaces
- 2 metal crosspieces
- 2 modesty panels supports



or

Open shared benching tables


- 1 set of 2 surfaces
- 2 metal crosspieces
- 2 modesty panels supports
- 1 metal finishing cap



or

Shared benching tables with doors


- 1 set of 2 surfaces and 2 doors
- 2 metal crosspieces
- 2 modesty panels supports
- 1 metal finishing cap



2. Intermediate legs specifications:

Shared benching tables with laminate legs


Full or half-legs



or

Shared benching tables with metal legs


Full or half-legs



Do not install more than 2 half-legs beside each other. The ideal spacing is to alternate one full-leg then one half-leg.

Example

Adding a set to a group of shared benching tables:



STEPS FOR ADDING A WORKSTATION SET TO A GROUP OF SHARED BENCHING TABLES (CONT'D.)


3. Specify the modesty panel:

- Determine the type of legs the modesty panel will be installed on to: laminate or metal.
- Specify the position of the modesty panel by referring to the image below:

A Position: Modesty panels for one section of shared benching tables (2 workstation).

B Position: Modesty panels on the end of a shared benching tables.


C Position: Modesty panels in the center of a shared benching tables.



SPECIFICATION EXAMPLES

TO ADD A WORKSTATION SET; FROM 2 TABLES TO 4 TABLES

2 tables become 4 tables



1. Specify a surface set:

SPECIFY

Series	Code	Surface	Edge	Metal	Caps	Doors
T S	- KBCD2i2660	- MGX	/ OGX	- 3002	- NP	3064 - 3064

Code: Surface set 2660 with doors
Surface: Galaxy (laminated)
Edge: Galaxy
Metal: Polar White
Caps: Without cabling pole, Charcoal
Doors: Charcoal
QUANTITY: 1
Specification code: **TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064**

2. Specify intermediate legs:

SPECIFY

Series	Code	Base
T S	- LEL32	- GX

Code: Laminated half-legs
Base: Galaxy (laminated)
QUANTITY: 1
Specification code: **TS-LEL32-GX**

3. Specify two modesty panels:

SPECIFY


Series	Code	Position	Base
T S	- PPUNL60	- B	- GX

Code: Modesty panel 60", installs on laminated legs
B Position: On the end of shared benching tables
Base: Galaxy (laminated)
QUANTITY: 2
Specification code: **TS-PPUNL60B-GX**


SPECIFICATION EXAMPLES (CONT'D).

TO ADD A WORKSTATION SET; FROM 4 TABLES TO 6 TABLES

4 tables become 6 tables



1. Specify a surface set:




SPECIFY

Series	Code	Surface	Edge	Metal	Caps	Doors
T S	KBCD2i2660	MGX	OGX	3002	NP	3064

Code: Surface set 2660 with doors
 Surface: Galaxy (lamine)
 Edge: Galaxy
 Metal: Polar White
 Caps: Without cabling pole, Charcoal
 Doors: Charcoal
 QUANTITY: 2

Specification code: TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064

2. Specify intermediate leg:




SPECIFY

Series	Code	Base
T S	LEL32	GX

Code: Lamine half-leg
 Base: Galaxy (lamine)
 QUANTITY: 1

Specification code: TS-LEL32-GX

3. Specify a modesty panel:



SPECIFY

Series	Code	Position	Base
T S	PPUNL60	C	GX


Code: Modesty panel 60", installs on lamine leg
 C Position: Center position of the shared benching tables
 Base: Galaxy (lamine)
 QUANTITY: 2

Specification code: TS-PPUNL60C-GX


SPECIFICATION EXAMPLES (CONT'D.)

TO ADD A WORKSTATION SET; FROM 4 TABLES TO 8 TABLES

4 tables become 8 tables



1. Specify two surface set:



SPECIFY


Series	Code	Surface	Edge	Metal	Caps	Doors
T S	- KBCD2i2660	- MGX	/ OGX	- 3002	- NP 3064	- 3064

Code: Surface set 2660 with doors
Surface: Galaxy (laminate)
Edge: Galaxy
Metal: Polar White
Caps: Without cabling pole, Charcoal
Doors: Charcoal
QUANTITY: 2

Specification code: TS-KBCD2i2660-MGX/OGX-3002-NP3064-3064

HALF-LEG

2. Specify intermediate leg:



SPECIFY

Series	Code	Base
T S	- LEL32	- GX

Code: Laminate half-leg
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: TS-LEL32-GX

FULL-LEG


SPECIFY

Series	Product code	Base
T S	- LEL60	- GX

Code: Full-leg laminate 60"
Base: Galaxy (laminate)
QUANTITY: 1

Specification code: TS-LEL60-GX

3. Specify two modesty panels:



SPECIFY

Series	Code	Position	Base
T S	- PPUNL60	- C	- GX


Code: Modesty panel 60", installs on laminate legs
C Position: Center position of the shared benching tables
Base: Galaxy (laminate)
QUANTITY: 2

Specification code: TS-PPUNL60C-GX


SPECIFICATION EXAMPLES (CONT'D.)

REMOVE A SET; 4 TABLES TO 2 TABLES


4 tables become 2 tables



 This configuration requires the replacement of the modesty panel.



3. Specify a modesty panel:



SPECIFY


Series	Code	Position	Base
T S	PPUNL60	A	GX


Code: Modesty panel 60", installs on laminate legs
A position: Modesty panel for shared benching tables 1 section (2 workstations)
Base: Galaxy (laminate)
QUANTITY: 2


Specification code: **TS-PPUNL60A-GX**

REMOVE A SET; 6 TABLES TO 4 TABLES

6 tables become 4 tables



 This example does not require part purchases.



general information

This is the coding system to use in the specific fields of the price list with reference to choice of colors. Some exceptions apply, see the charts below or finish charts.



FINISH CHOICES CHART (CONT'D.)

Some products have specific finish choices due to the nature of their components.

	
BASE	LEG / SUPPORT STRUCTURE
T.F.L.	METAL
DOLOMITE FINISH	Silver (3090) Polar White (3002) Charcoal (3064) Black (3067)
White (BW)	
Antique White (AW)	
Charcoal (F)	
Frost (A)	
Black (N)	
SUEDE FINISH	
Burgundy (B)	
Cherry (CH)	
Dark Oak (DK)	
Amberwood (Ci)	
Cayenne Maple (CM)	
Honey (HO)	
SUPERMAT FINISH	
Chestnut (CG)	
Maritime Maple (EM)	
Moka (PM)	
Douglas Pine (DP)	
Teak (TE)	
Tigerwood (TW)	
AURA FINISH	
Carbon (CB)	
Galaxy (GX)	
Sea Salt (SM)	
Twilight (TL)	


Price list

TAKE OFF BENCHING TABLE RECONFIGURATION

Benching tables reconfiguration

price list

closed shared benching tables - surfaces



Description

Set combining 2 rectangular surface, 2 crosspieces and 2 modesty panels supports.

Grommet and multi-outlet options are available, positions will be the same on all surfaces, see Take Off price list.

PRICE			S Sierra 1"				
Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
30	72	60¼	KBC2i3072	998	1493	5.2	170
30	66	60¼	KBC2i3066	953	1407	4.7	156
30	60	60¼	KBC2i3060	921	1334	4.3	142
30	54	60¼	KBC2i3054	868	1239	3.9	128
30	48	60¼	KBC2i3048	817	1148	3.4	114
30	42	60¼	KBC2i3042	759	1048	3.0	100
30	36	60¼	KBC2i3036	711	958	2.6	86
24	72	48¼	KBC2i2472	938	1336	4.4	148
24	66	48¼	KBC2i2466	908	1272	4.1	135
24	60	48¼	KBC2i2460	857	1189	3.7	123
24	54	48¼	KBC2i2454	805	1104	3.3	111
24	48	48¼	KBC2i2448	760	1025	2.9	99
24	42	48¼	KBC2i2442	728	960	2.6	87
24	36	48¼	KBC2i2436	670	869	2.2	75

SPECIFY

OPTIONS

T **Series** **Code** **Surface** **Edge** **Metal** **Grommet** **M-Outlet**
 T **S** - - / - - -

Specify Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.10 - 11.

Metal (crosspiece and modesty support): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Option Grommets: Option to add White grommet(s) (G1...) on the left ...L, centered ...C and/or on the right ...R,


or Charcoal grommet(s) (G2...) on the left ...L, centered ...C and/or on the right ...R, add \$29 each, see Take-Off price list.

Multi-outlet: Option to add one multi-outlet module "1 circuit" (ECC) or one "standard" multi-outlet module (UCC) at the center, add \$194 each, see Take-Off price list.

Benching tables reconfiguration

price list

open shared benching tables – surfaces



Description

Set combining 2 rectangular surface, 2 crosspieces, 2 modesty panels supports and 1 metal finishing cap.

Model and color must be specified for the finishing cap.

Multi-outlet module option available in the center, see Take-Off price list.

PRICE			S Sierra 1"				
Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
28½	72	60¼	KBCO2i2872	1086	1557	5.0	164
28½	66	60¼	KBCO2i2866	1037	1469	4.6	151
28½	60	60¼	KBCO2i2860	991	1384	4.2	137
28½	54	60¼	KBCO2i2854	931	1284	3.7	124
28½	48	60¼	KBCO2i2848	889	1203	3.3	110
28½	42	60¼	KBCO2i2842	821	1095	2.9	97
28½	36	60¼	KBCO2i2836	769	1004	2.5	83
22½	72	48¼	KBCO2i2272	1022	1395	4.2	142
22½	66	48¼	KBCO2i2266	979	1321	3.9	130
22½	60	48¼	KBCO2i2260	937	1249	3.5	119
22½	54	48¼	KBCO2i2254	881	1161	3.2	107
22½	48	48¼	KBCO2i2248	832	1081	2.8	96
22½	42	48¼	KBCO2i2242	780	998	2.5	84
22½	36	48¼	KBCO2i2236	734	920	2.1	72

SPECIFY

T **Series** **Code** **Surface** **Edge** **Metal** **Finishing Cap** **M-Outlet**

T **S** - - / - - -

OPTIONS

Specify Code: Consult the above product code list.

Surface / Edge: Take Off finishes, see p.10 11.

Metal (crosspiece and modesty support): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing cap: Specify the model of finishing cap and the position of the cabling pole: without cabling pole (NP) or with cabling pole (CP).


Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Option Multi-outlet: Option to add one multi-outlet module "1 circuit" (ECC) or one "standard" multi-outlet module (UCC) at the center, add \$194 each, see Take-Off price list.

Benching tables reconfiguration

shared benching tables with doors - surfaces

price list



Description

Set combining 2 rectangular surface with doors, 2 crosspieces, 2 modesty panels supports and 1 metal finishing cap.
Model and color must be specified for the finishing cap.

PRICE			S Sierra 1"				
Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	H.P.L.	Cu.Ft.	lb
26	72	60¼	KBCD2i2672	1372	1794	4.8	158.4
26	66	60¼	KBCD2i2666	1320	1707	4.4	145.4
26	60	60¼	KBCD2i2660	1272	1624	4.0	132.5
26	54	60¼	KBCD2i2654	1221	1538	3.6	119.5
26	48	60¼	KBCD2i2648	1165	1446	3.2	106.5
26	42	60¼	KBCD2i2642	1106	1352	2.8	93.7
26	36	60¼	KBCD2i2636	1052	1263	2.4	80.3
20	72	48¼	KBCD2i2072	1308	1633	4.1	135.9
20	66	48¼	KBCD2i2066	1262	1559	3.7	124.9
20	60	48¼	KBCD2i2060	1218	1488	3.4	113.8
20	54	48¼	KBCD2i2054	1172	1415	3.0	102.7
20	48	48¼	KBCD2i2048	1120	1336	2.7	91.6
20	42	48¼	KBCD2i2042	1065	1254	2.4	80.6
20	36	48¼	KBCD2i2036	1015	1178	2.0	69.1

SPECIFY

T - - / - - -

Specify Code: Consult the above product code list.

Surface / Edge: Take Off finishes, p.10 11.

Metal (crosspiece and modesty support): Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Finishing cap: Specify the model of finishing cap and the position of the cabling pole: without cabling pole (NP) or with cabling pole (CP).


Specify the finish of the caps: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Doors: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Benching tables reconfiguration

price list

intermediate gable - laminate



Description

Half or full laminate intermediate gable.

Installs under the closed shared benching tables, open or with doors.

The metal part is always a charcoal color (3064).

PRICE		S Sierra 1"			
Dimensions		Code	Price	Spec.	
A			T.F.L.	Cu.Ft.	lb
half-leg	32	LEL32	362	1.0	28.0
full-leg	48½	LEL48	446	1.5	42.2
full-leg	60½	LEL60	466	1.9	52.7

SPECIFY


Series Code Base

T **S** - -


Specify Code: Consult the above product code list.

Base: Take Off finishes, p.10 - 11.

INTERMEDIATE GABLE POSITIONS



intermediate gable - metal



Description

Half or full metal intermediate gable

Installs under the closed shared benching tables, open or with doors.

PRICE		S Sierra 1"			
Dimensions		Code	Price	Spec.	
A			T.F.L.	Cu.Ft.	lb
half-leg	32	LEM32	373	2.3	16.0
full-leg	48½	LEM48	574	3.9	19.0
full-leg	60½	LEM60	595	4.9	22.0

SPECIFY

Series Code Metal

T **S** - -


Specify Code: Consult the above product code list.

Metal: Specify the finish: Black (3067), Charcoal (3064), Silver (3090) or Polar White (3002).

Benching tables reconfiguration

modesty panels - for shared benching tables

price list



Description

Laminate modesty panels.

Installs under closed shared benching tables, open or with doors.

MODESTY PANELS FOR SHARED BENCHING TABLES WITH LAMINATE LEGS

PRICE




Dimensions		Code	Price	Spec.	
A	C			T.F.L.	Cu.Ft. lb
13	72	PPUNL72	150	0.7	24.3
13	66	PPUNL66	141	0.6	22.3
13	60	PPUNL60	132	0.6	20.2
13	54	PPUNL54	122	0.5	18.2
13	48	PPUNL48	113	0.5	16.2
13	42	PPUNL42	105	0.4	14.2
13	36	PPUNL36	95	0.3	12.1

MODESTY PANELS FOR SHARED BENCHING TABLES WITH METAL LEGS (combined material end panels, perforated metal end panels, open metal end panels)

13	72	PPUNM72	150	0.7	24.3
13	66	PPUNM66	141	0.6	22.3
13	60	PPUNM60	132	0.6	20.2
13	54	PPUNM54	122	0.5	18.2
13	48	PPUNM48	113	0.5	16.2
13	42	PPUNM42	105	0.4	14.2
13	36	PPUNM36	95	0.3	12.1

C = Surface length under which modesty panels are installed.

MODESTY PANELS positions



SPECIFY

Series Code Position Base

Specify Code: Consult the above product code list.

Position: Specify the location of the modesty panels according to the positions: A, B or C.

Base: Take Off finishes, p.10 - 11.

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to differ or discontinue shipment of any goods or, to refuse any order until time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. If not, the purchaser must notify Artopex within 48 hours in writing. Failure to provide corrections within 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and fabric-covered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

A) Modifications: Standard product already in production will be subject to a 25% modification surcharge. Changes to the shipping date must be taken into consideration.

B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

A) Prices are FOB factory, collect.

B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Shipping will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.

C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.

D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.

B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.

C) Returns of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs.

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice.

Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Noki Electronic Lock

Parts are warranted for five (5) years and one (1) year for labor.

Artopex Lifetime Warranty

Artopex warrants its products are free of defects in design, material and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

This warranty provides limits on the following products :

- electrical components, which are warranted for (10) ten years from date of delivery,
- seating mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- Artopex fabrics which are warranted for (5) five years from date of delivery,
- moving and high wear parts such as covering materials/finishes, arm rests, chair bases, foam, wood framed seating products, stacking chairs, glides, slides, casters, user-adjustable worksurface mechanisms, which are warranted for (5) five years of single shift usage from date of delivery,
- non-standard specials, which are warranted for (1) one year from date of delivery.

This warranty does not extend to:

- Customer's Own Material (COM) or finishes applied to Artopex products,
- ballast and light bulbs,
- products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

UPDATE SUMMARY

July 13th 2017

PAGES	SECTION	PRODUCT	MODIFICATION
p. 17	Modesty panels - for shared benching tables	Modesty panels	Code line modification.

*Designing, manufacturing, advising,
planning and supporting: that's the art
that distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais Street
Granby, Quebec
J2J 1A7, CANADA

Tel.: 450 378-0189
1 800 363-3040

Fax.: 450 378-9712

artopex.com