

# ESSENTIA

Wood furniture




## USA price list

Effective February 1<sup>st</sup> 2012

UPDATED - May 1<sup>st</sup> 2018  
Update Summary - p.107

**artopex**<sup>®</sup>



## interactive links

page tabs & page references

→ document optimized for dual page viewing

VISUAL INDEX 4

GENERAL INFORMATION

materials	9
the Essentia workstation and its components	10
surfaces	11
gables and legs	13
modesty panels	15
storage	16
work wall	21
electricity	22
complements	24
colors	25
specification guide	26
installation procedure preview	33
typical layouts	35


PRICE LIST

surfaces and returns	37
RECTANGULAR surfaces and returns	37
TRAPEZOID surfaces and returns	43
ERGONOMIC surfaces and returns	49
ELLIPTICAL surfaces and returns	56
tables	62
gables and legs	65
modesty panels	68
storage	76
complements	102

conditions & guarantees	106
-------------------------	-----


### RECTANGULAR SURFACE - 1 MATERIAL 37

SSi3684  
SSi3678  
SSi3672  
SSi3078  
SSi3072  
SSi3066  
SSi3060




### RETURNS FOR RECTANGULAR SURFACES - 1 MATERIAL 38

SRi2460  
SRi2454  
SRi2448  
SRi2442




SRDLi2472  
SRDLi2466  
SRDLi2460  
SRDRi2472  
SRDRi2466  
SRDRi2460




### RECTANGULAR SURFACES WITH BIDIRECTIONAL WOOD GRAIN 39

SSi2A3684  
SSi2A3678  
SSi2A3672  
SSi2A3078  
SSi2A3072  
SSi2A3066  
SSi2A3060




SSi2B3684  
SSi2B3678  
SSi2B3672  
SSi2B3078  
SSi2B3072  
SSi2B3066  
SSi2B3060




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR RECTANGULAR SURFACES 40

SRLiA2460  
SRLiA2454  
SRLiA2448  
SRLiA2442  
SRRiA2460  
SRRiA2454  
SRRiA2448  
SRRiA2442




SRDLi2B2472  
SRDLi2B2466  
SRDLi2B2460  
SRDRi2B2472  
SRDRi2B2466  
SRDRi2B2460




### RECTANGULAR SURFACES WITH COMBINED MATERIALS 41 & 42


SSi2WB3684  
SSi2WB3678  
SSi2WB3672  
SSi2WB3078  
SSi2WB3072  
SSi2WB3066  
SSi2WB3060




SSi2CB3684  
SSi2CB3678  
SSi2CB3672  
SSi2CB3078  
SSi2CB3072  
SSi2CB3066  
SSi2CB3060



SSi2CA3684  
SSi2CA3678  
SSi2CA3672  
SSi2CA3078  
SSi2CA3072  
SSi2CA3066  
SSi2CA3060




SSi2CC3684  
SSi2CC3678  
SSi2CC3672  
SSi2CC3078  
SSi2CC3072  
SSi2CC3066  
SSi2CC3060




### TRAPEZOID SURFACES - 1 MATERIAL 43

SST3078  
SST3072  
SST3066




### RETURNS FOR TRAPEZOID SURFACES - 1 MATERIAL 44


SRLT2484  
SRLT2478  
SRLT2472  
SRRT2484  
SRRT2478  
SRRT2472



SRELt2484  
SRELt2478  
SRELt2472  
SRERt2484  
SRERt2478  
SRERt2472




SRDLT2472  
SRDLT2466  
SRDLT2460  
SRDRT2472  
SRDRT2466  
SRDRT2460




### TRAPEZOID SURFACES WITH BIDIRECTIONAL WOOD GRAIN 45

SST2A3078  
SST2A3072  
SST2A3066




SST2B3078  
SST2B3072  
SST2B3066




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR TRAPEZOID SURFACES 46


SRLT2B2484  
SRLT2B2478  
SRLT2B2472  
SRRT2B2484  
SRRT2B2478  
SRRT2B2472



SRELt2B2484  
SRELt2B2478  
SRELt2B2472  
SRERt2B2484  
SRERt2B2478  
SRERt2B2472




SRDLT2B2472  
SRDLT2B2466  
SRDLT2B2460  
SRDRT2B2472  
SRDRT2B2466  
SRDRT2B2460




### TRAPEZOID SURFACES - COMBINED MATERIAL 47

SST2WB3078  
SST2WB3072  
SST2WB3066



### TRAPEZOID SURFACES - COMBINED MATERIAL 48

SST2CB3078  
SST2CB3072  
SST2CB3066



### ERGONOMIC SURFACES - 1 MATERIAL 49


SSC2784  
SSC2778  
SSC2772  
SSC2766  
SSC2760




### RETURNS FOR ERGONOMIC SURFACES - 1 MATERIAL

50

SRLC1860  
SRLC1854  
SRLC1848  
SRRC1860  
SRRC1854  
SRRC1848




SRELC241884  
SRELC241878  
SRELC241872  
SRERC241884  
SRERC241878  
SRERC241872




### ERGONOMIC SURFACES WITH BIDIRECTIONAL WOOD GRAIN

51

SSC2A2784  
SSC2A2778  
SSC2A2772  
SSC2A2766  
SSC2A2760




SSC2B2784  
SSC2B2778  
SSC2B2772  
SSC2B2766  
SSC2B2760




### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ERGONOMIC SURFACES

52


SRLC2A1860  
SRLC2A1854  
SRLC2A1848




SRRC2A1860  
SRRC2A1854  
SRRC2A1848



SRLC2B1860  
SRLC2B1854  
SRLC2B1848




SRRC2B1860  
SRRC2B1854  
SRRC2B1848



### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ERGONOMIC SURFACES (CONT'D)

53

SRELC2B241884  
SRELC2B241878  
SRELC2B241872




SRERC2B241884  
SRERC2B241878  
SRERC2B241872



### ERGONOMIC SURFACES WITH COMBINED MATERIALS

54


SSC2WB2784  
SSC2WB2778  
SSC2WB2772  
SSC2WB2766  
SSC2WB2760



### ERGONOMIC SURFACES WITH COMBINED MATERIALS

55


SSC2CB2784  
SSC2CB2778  
SSC2CB2772  
SSC2CB2766  
SSC2CB2760



### ELLIPTICAL SURFACE - 1 MATERIAL

56


SSE3678  
SSE3672



### RETURNS FOR ELLIPTICAL SURFACES WITH 1 MATERIAL

57


SRLE782460  
SRLE782454  
SRLE782448  
SRRE782460  
SRRE782454  
SRRE782448  
SRLE722460  
SRLE722454  
SRLE722448  
SRRE722460  
SRRE722454  
SRRE722448



### ELLIPTICAL SURFACE WITH BIDIRECTIONAL WOOD GRAIN

58


SSE2A3678  
SSE2A3672



### RETURNS WITH BIDIRECTIONAL WOOD GRAIN FOR ELLIPTICAL SURFACES


59

SRLE2A782460  
SRLE2A782454  
SRLE2A782448  
SRRE2A782460  
SRRE2A782454  
SRRE2A782448  
SRLE2A722460  
SRLE2A722454  
SRLE2A722448  
SRRE2A722460  
SRRE2A722454  
SRRE2A722448



### ELLIPTICAL SURF. - COMBINED MATERIALS 60 & 61

SSE2WB3678  
SSE2WB3672




SSE2CB3678  
SSE2CB3672





### ROUND TABLES 29" H.

62


TRS2948  
TRS2942



TRR2948  
TRR2942




TRD2948  
TRD2942



### ROUND TABLES 36" H. & 42" H.

62


TRD3630  
TRD4230




### OCCASIONAL TABLES 17" H.

63


TMASS172436  
TMASS172424



TMASR172436  
TMASR172424



TMARD1730  
TMARD1724




TMAED172136




### WOOD GABLE SETS

64 & 65



### WOOD GABLES FOR WORK SURFACES 66

A2824




DL2830  
DR2830  
DL2824  
DR2824




### END GABLE FOR RETURN 67

TUL2819  
TUR2819  
TUL2813  
TUR2813




### METAL LEGS 67

LER28  
LES28




LED35421  
LED28421




### MODESTY PANELS FOR WORK SURFACE 13½" & 26½" H. 72 & 73

13½" H.




26½" H.




### MODESTY PANELS FOR RETURNS 13½" & 26½" H. 74 & 75

13½"H.



26½"H.



### PEDESTALS 27" H. 76 & 77

FPUUF242427  
FPUUF241927



FPFF242427  
FPFF241927



FPO242427  
FPO241927



FPUUF302427  
FPUUF301927



FPFF302427  
FPFF301927



FPO302427  
FPO301927



### STORAGE UNITS 27" H. 78 & 79

SDD243627  
SDD243027




SFF243627  
SFF243027




SUUBF243627  
SUUBF243027



SDUUF243627  
SUUFD243627



SDUUF243027  
SUUFD243027



SSL243627  
SSL243027




SO243627  
SO243027




### CREDENZAS 27" H. 80 -81-82


SFFDD247227  
SFFDD246027




SDDFF247227  
SDDFF246027




SFFO247227  
SFFO246027




SOFF247227  
SOFF246027




SDDO247227  
SDDO246027




SODD247227  
SODD246027




SUUBFO247227  
SUUBFO246027




SOUUBF247227  
SOUUBF246027



SSL247227  
SSL246027




SSC247227  
SSC246027




### SURFACE SUPPORT SPACERS 82

ES-S1SP46-W



### TOPS FOR 27" H. STORAGE UNITS 83


SSi2472  
SSi2466  
SSi2460  
SSi2436  
SSi2430




### STORAGE UNITS 40" H.

84 & 85


SFFF243640  
SFFF243040  
SFFF241940




SOFF243640  
SOFF243040




SDL241940  
SDR241940




SDD243640  
SDD243040




SSL243640  
SSL243040



SSC245440




SO243640  
SO243040  
SO241940




### COMBINED CABINETS 19" WIDE

86 & 87


SDLFF241978  
SDRFF241978  
SDLFF241968  
SDRFF241968




SOFF241978  
SOFF241968



SOFFF241978  
SOFFF241968




SDSL241978  
SDSR241978  
SDWL241978  
SDWR241978  
SDSL241968  
SDSR241968  
SDWL241968  
SDWR241968




### COMBINED CABINETS 36" WIDE

88 & 89


SDFF243678  
SDFF243668




SSFF243678  
SSFF243668



SDFFF243678




STS243678  
STSW243678  
STW243678  
STS243668  
STSW243668  
STW243668



### BOOKCASES

90

SO153678  
SO153078




SO153668  
SO153068

SO153640  
SO153040


### STORAGE UNITS 16" H.

91


SFO247216  
SFO246016  
SOF247216  
SOF246016




SSL247216  
SSL246016



SSC247216  
SSC246016




SO247216  
SO246016




### HUTCHES 41" H. WITH HINGED DOORS

92 & 93


HU724120  
HU604120  
HU364120  
HU304120  
HU184120L  
HU184120R  
HU154120L  
HU154120R



HU724130  
HU604130  
HU364130  
HU304130  
HU184130L  
HU184130R  
HU154130L  
HU154130R




HU72413020  
HU60413020




### HUTCHES 41" H. WITH SLIDING DOOR

94


HSL724120  
HSL604120




HSC724120  
HSC604120



HSL724130  
HSL604130




HSC724130  
HSC604130



### OPEN HUTCHES 41" H

95

HO724120  
HO604120  
HO364120  
HO304120  
HO184120  
HO154120







### HUTCHES 51" H WITH HINGED DOORS.

96 & 97


HU725130  
HU605130  
HU365130  
HU305130  
HU185130L  
HU185130R  
HU155130L  
HU155130R




HU725140  
HU605140  
HU365140  
HU305140  
HU185140L  
HU185140R  
HU155140L  
HU155140R



HU72513020  
HU60513020




HU72514030  
HU60514030




### HUTCHES 51" H. WITH SLIDING DOOR.

98


HSL725130  
HSL605130




HSC725130  
HSC605130



HSL725140  
HSL605140




HSC725140  
HSC605140




### WALL MOUNTED HUTCHES

99


HWD7220  
HWD6020  
HWD3620  
HWD3020




HWO7220  
HWO6020  
HWO3620  
HWO3020



HWSL7220  
HWSL6020




HWSC7220  
HWSC6020



### WORK WALL

100


WU7241  
WU6041  
WU3641  
WU3041  
WU7232  
WU6032  
WU3632  
WU3032  
WU7222  
WU6022  
WU3622  
WU3022



### CUSHIONS FOR 16" H. STORAGE

101


CUS2472  
CUS2460  
CUS2436  
CUS2430



### HANGING SHELVES

102

HE1072  
SHE1066  
SHE1060  
SHE1054  
SHE1048  
SHE1042  
SHE1036  
SHE1030  
SHE1024  
SHE0672  
SSHE0666  
SHE0660  
SHE0654



### HANGING SHELVES (CONT'D)


102

SHE0648  
SHE0642  
SHE0636  
SHE0630  
SHE0624

### BOOKENDS

102


ASDM10  
ASDM06



### PIGEONHOLE UNITS

103


PHM111421  
PHM111411  
PHM111721  
PHM111711



### STIFFENERS

104


ES-RSTi64  
ES-RSTi52  
ES-RSTi46




### SUPPLEMENTARY HARDWARE

105


AC-RSTi18



AC-FJP48




AC-FJP2



### LIGHT VALANCE

105

HLC72  
HLC60  
HLC36  
HLC30





### GENERAL DESCRIPTION

Essentia is a complete collection of executive office furniture. Beginning with some basic shapes, numerous configurations are possible. The collection, made from reconstituted wood, is an attractive blend of materials as equally impressive as its main material – wood. The melding of wood, white lacquer, Soft-Touch leather and glass contribute to the distinction and style of the collection's surfaces and storage units.

Essentia offers a large variety of work surfaces and returns. The surfaces are either "floating" above storage units (supported by spacers) or supported by wood gables or metal legs.

The nesting of the main work surface with the return surface is a strong aesthetic element of the collection. The pedestals, credenzas, half-height storage units, cabinets, wardrobes, bookcases and wall-mounted or freestanding hutches are available in many configurations. A wall- or credenza-mounted work wall is also available. The accessory rail completes the work environment allowing the addition of shelves and accessories.

The Essentia collection offers various practical and functional components such as pigeon-hole units, electrical access, modesty panels and the Noki lock designed specifically the collection.


### THE MATERIALS

#### Reconstituted Wood

Classic, warm, noble and distinctive, the Essentia wood collection is also environmentally responsible in the use of reconstituted wood. These veneers are made from fast-growing wood, limiting excessive forest harvesting. Another major advantage is the lack of color variation between components allowing for continuity in the components and future additions. Because reconstituted veneers allow for the reproduction of rare essences, the Essentia collection is available in walnut, oak, teak and zebra wood grains. Essentia's 17 colors originate from these 4 essences of the Symphony chart. The colors have a semi-matte finish (15% gloss) for a contemporary, natural look. Wood is the main material on the components and the wood grain is positioned horizontally on the majority of the furniture's structural components.

Some of the components feature innovatively oriented veneer with what we call bidirectional wood grain. The great skills and experience of our specialists are revealed in designs using the same essence. This detail is found in the Duo wood gable, work surfaces, returns and modesty panels when specified.

Refer to the illustration next to the product description for wood grain orientation.



**Bidirectional wood grain on the surface, gable and modesty panel.**

#### Lacquer

The lacquer is an opaque white paint with a matte finish that is soft to the touch. The finish is very resistant to stains and scratches in the context of normal office work. It is available on surfaces, storage fronts and hutch doors as well as on modesty panels and hanging shelves.

#### Soft-Touch

Soft-Touch is a vinyl fabric similar to leather while offering many undeniable advantages such as the ease of writing on paper on a surface or desk blotter covered with the material. It is also available on storage and hutch fronts. Beige topstitching is added on the majority of components for a high quality finishing touch. Soft-Touch is available in black, dark brown, terra cotta or cream. Its hand-crafted assembly may leave some wrinkles in the surface corners, these surfaces require extra cleaning attention.




**Soft-Touch with topstitching.**

#### Glass

The Essentia collection uses 6mm thick tempered glass with polished edges. The exposed surface of clear glass is acid treated resulting in a frosted look. The opposite side is painted white making it opaque. Glass is available on some surfaces, on hutch door fronts and 13½" H. modesty panels.

### LE POSTE TYPE



SURFACES

MAIN SURFACES

Main work surfaces are available in four models in various dimensions:

- 1 Rectangular
- 2 Trapezoid
- 3 Ergonomic
- 4 Elliptical

A round table is also available.

RETURNS

Each surface shape has its specific return in various dimensions. It is important to use the surface's specific return in the appropriate dimensions as specified in the price list.

MATERIAL COMBINATIONS

The Essentia collection concept is based on the combination of materials. The possible combinations are:

- Surfaces with 1 material
- Surfaces with 2 materials
- Surfaces with bidirectional wood grain

The combination choices as well as the wood grain orientation are predetermined for all surfaces, refer to the specifications in the price list.

1 RECTANGULAR

1 MATERIAL

2 MATERIALS

BIDIRECTIONAL WOOD GRAIN

WORK SURFACES

Wood, Lacquer or Soft-Touch

Lacquer or Glass

Wood

Soft-Touch

Wood or Lacquer

Wood, Lacquer or Glass

Soft-Touch

Wood

Soft-Touch

RETURNS

Wood, Lacquer or Soft-Touch

Wood

Soft-Touch

Wood

Soft-Touch

CONFIGURATIONS

2 TRAPEZOID

1 MATERIAL

2 MATERIALS

BIDIRECTIONAL WOOD GRAIN

WORK SURFACES

Wood, Lacquer or Soft-Touch

Wood, Lacquer or Glass

Soft-Touch

Lacquer or Glass

Wood



RETURNS

Wood, Lacquer or Soft-Touch

CONFIGURATIONS

SURFACES

**EDGING** All surfaces are 1-1/8" thick. A straight or reverse edge is available on all work surfaces and returns except on glass surfaces where only the straight edge is available. Edging is found on all sides of the surface. The reverse edge can be installed beside another reverse edge. A "counter-profile" is not available.



Two side-by-side reverse edge surfaces.

**3 ERGONOMIC**

WORK SURFACES

1 MATERIAL

Wood, Lacquer or Soft-Touch

2 MATERIALS

Wood, Lacquer or Glass

Soft-Touch

Lacquer or Glass

Wood

BIDIRECTIONAL WOOD GRAIN

RETURNS

Wood, Lacquer or Soft-Touch

CONFIGURATIONS

**4 ELLIPTICAL**

WORK SURFACES

1 MATERIAL

Wood or Lacquer

2 MATERIALS

Lacquer

Wood

Wood or Lacquer

Soft-Touch

BIDIRECTIONAL WOOD GRAIN

RETURNS

Wood, Lacquer or Soft-Touch

CONFIGURATIONS


### GABLES & LEGS

#### BASES

Surfaces are supported by gables, legs or storage units with the help of surface support spacers. Many configurations are possible, such as:



4 legs (or 2 gables)



2 legs (or 1 gable) & storage unit



2 storage units

To ensure the best use of grommets and modesty panels, refer to the reference guide for positioning on the bases. This guide ensures that the ordered components are in the recommended dimensions (such as the modesty panel) for proper installation. Leg, gable and storage unit positions under the surface are predetermined.

The surfaces are not fitted with anchors and can be installed on the storage unit at any desired location regardless of the suggested plan. This can be advantageous for certain layouts where space is limited. **IMPORTANT:** In this case, the installation of a modesty panel as specified with the use of the reference guide (p.68 to 71) may get in the way of installed storage unit.

An installation guide is available and includes the positioning specifications for all components in the collection.


#### GABLE & LEG TYPES

Two models of wood gables are available for the main surfaces, one for the returns and three types of metal legs. Each leg and gable is attached by screws directly under the surface and come with adjustable levellers. The leg placement is predetermined to ensure compatibility with the other components such as modesty panels, grommets and multi-outlet. An installation guide is available.

#### WOOD GABLES

##### • ALTO GABLE

The Alto gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection. The wood grain direction is vertical and the gable is reversible. Available only in 24" wide, it can support the majority of main surfaces regardless of dimension but is not suited for returns or elliptical surfaces. The gable allows for cable routing and is equipped with a removable panel for easy access. A multi-outlet (AC-EPUA) can be installed inside the gable, see Accessory price list.




Exterior view

Interior view

##### • DUO GABLE

The Duo gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection with a refined bidirectional wood grain detail. It is available in widths of 30" (for surfaces 36" deep) and 24" (for surfaces 30" deep). This gable must be specified for the appropriate surface dimensions for maximum stability. The gable allows for cabling passage and is equipped with a removable panel for easy access. A multi-outlet module (AC-EPU) can be installed inside the gable, see Accessory price list.




Left Duo Gable

Right Duo Gable

##### • RETURN END GABLE

To support the end of a return without a pedestal, it is recommended to use a return end gable (p.67). The gable is made of wood veneer offered in a choice of the 17 colors from the Essentia collection. The wood grain direction is horizontal.



Left

Right


### GABLES & LEGS

#### ALTO & DUO GABLE SETS

If a work surface is specified with gables at each end, it is important to choose the gable set by consulting p.64 and 65 of the price list. Two gables will be delivered with a structural beam (to be installed between the gables) to ensure the stability of the gables and the attached surface. This beam is not necessary if one of the ends is supported by a pedestal. In this case, it is possible to purchase an individual gable, see p.66 and 67.

#### Surface supported by 2 wood gables: (Alto or Duo)

Specify the gable set (including beam), see p.64 and 65.




#### SINGLE GABLE AND PEDESTAL

#### Surface supported by a wood gable and a pedestal:

Specify the required individual base.

\*A stiffener is recommended for all surfaces over 60", see p.104 and 105.




#### METAL LEG

A work surface can be specified with metal legs at each end or with another type of base at the opposite end. The round leg, the square leg, and the circular leg with "disc" base are available. As with the gables, the legs are equipped with adjustable levellers (5 in the case of the circular leg).


#### • ROUND LEG

The round leg has a diameter of 2½" and a leveller 4" in diameter and ¼" thick. It is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).



#### • SQUARE LEG

The square leg is 2½" x 2½" and is equipped with a black leveller 1½" in diameter. It is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).




\*The round and square legs are not recommended for surfaces over 78" and cannot be used with a full height modesty panel.

#### • CIRCULAR LEG WITH "DISC" BASE

The leg is composed of a 4" diameter tube with a 21" diameter circular "disc" base. It is available in 28" high (seated height) or 35" high (standing height). It is designed to support the elliptical work surface and is available in silver. A top plate ensures stability and is attached directly under the surface with wood screws (included).

A 4" diameter allows for the installation of the round multi-outlet module or round grommet (see p.23), as well as cable routing through the tube towards the base. Adjustable levellers (under the disc base) allow for cables to be routed through to the periphery of the base.

This leg is also included on the round tables on p.62. Dimensions vary depending on the diameter of the table.




### INSTALLATION ON A PEDESTAL OR CREDENZA

When a surface rests on a pedestal or credenza, a 1" space is created between the two by a surface support spacer allowing the surface to be attached to the storage unit. Two spacers are required to attach one end of a surface to the storage unit.

The spacer is made of MDF, painted silver. They are sold by the pair, see p.82.

Installation of the spacers is very simple. The steps are explained on p.33 and in the installation guide.

Important: If there is a modesty panel installed on the workstation, refer to the installation guide before attaching the spacers and the surface.



### MODESTY PANEL

Different modesty panels can be added under the main work surface and returns. These panels are available in heights of 13½" (short) or 26½" (full height).

The panels are available in wood (horizontal or bidirectional wood grain) or in lacquer and are 1¼" thick.

The 13½" high modesty panel for the main work surface is also available in glass with an anodized aluminum frame, 13⁄16" thick. The glass modesty panel is not available on returns.



**NOTE THAT \*\* The modesty length varies according to the surface shape as well as the type of base used under the surface.**

In order to specify the correct panel, refer to the reference guide for modesty panels on p.68 to 71.

The modesty panel is attached under the surface by screws (hardware included). The installation of a full height modesty panel requires the use of 2 extra "L" brackets at the base of the panel in order to attach it to the gables or pedestals. These brackets may be visible from the user side of the desk.

Depending on the configuration, a 1-1⁄8" space will be left under the surface and a small space near the gable, leg or pedestal, especially when using metal legs.

An installation guide is available for positioning the modesty panel in relation to the bases and built-in multi-outlet and grommets.






### STORAGE - GENERAL INFORMATION

Many types of storage units are available in the Essentia collection:

- **Freestanding storage units:**
  - Low storage units (16" H.)
  - Pedestals & credenzas (27" H.)
  - Mid-height storage units & bookcases (40" H.)
  - Cabinets & bookcases (68" H. & 78" H.)
- **Freestanding & wall mounted hutches**



**CONSTRUCTION** The storage units are made of a wood frame with  $\frac{1}{4}$ " thick sides, bottom and back; the top and shelves are 1" thick. The frame's finish is available in the 17 finishes of the Essentia collection and the wood grain is horizontal on all sides. The interior frame of the drawers is made with natural finished maple.

The storage fronts are  $\frac{5}{8}$ " thick but have a thin profile giving the illusion of a  $\frac{3}{8}$ " thickness. All fronts for freestanding storage units are close to the ground (kick plate 1" H.) and the adjustable levellers are less visible. The glass door fronts (hutches) have an anodized aluminum frame. The visible contour on the door front is  $\frac{1}{8}$ ". The door with a glass front is  $\frac{13}{16}$ " thick.

**DRAWER SLIDES** Storage drawers are fitted with ball bearing slides and integrated dampers for gentle closing of the drawer. For pedestals with drawers 19" to 24" wide, the slides have an extension length of 21" and can support 100 lbs, in compliance with BIFMA Standards. For storage units with lateral drawers of 30" and 36" wide, the slides have an extension length of 16" and can support 130 lbs.


**HINGES** The hinged doors on storage units and hutches are equipped with dampers that function the same as on the drawers. Depending on the height, two hinges or more are installed.

**HANDLES** All storage fronts, with the exception of the fronts of hutches, are equipped with handles. The sliding door on freestanding storage units 60" and 72" in length exceptionally has two handles. A choice of arched or straight handles are available. The handles are in metal with a satin Silver finish and are 192mm in length at the drill holes ( $7\frac{1}{2}$ ").

**COUNTERWEIGHTS** A counterweight option is available on certain filing cabinets. This is a factory installed counterweight that protects the unit from tipping if overloaded. Refer to product description for availability.




Arched handle (PA)



Straight handle (PT)


### FREESTANDING STORAGE UNITS OVERVIEW

#### • 16" HIGH STORAGE UNITS




- Widths: 60" & 72"
- Depth: 24"
- Open or combined
- Fronts: drawer or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- Cushion available for these units, see p.101.

#### • 27" HIGH STORAGE UNITS



- Widths: 30", 36", 60" & 72"
- Depth: 24"
- Open or combined
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- Can be used as surface supports


#### • 27" HIGH PEDESTALS



- Widths: 19" & 24"
- Depths: 24" & 30"
- Open or with box/file drawers
- Front finishes: wood, lacquer or Soft-Touch
- Can be used as surface supports\*


\*Important: Rectangular surfaces 36" deep must be supported by a pedestal 30" deep. A pedestal 24" deep is not sufficient for this type of surface.

#### • 40" HIGH STORAGE UNITS




- Widths: 19", 30", 36" & 54"
- Depth: 24"
- Open or combined
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch

#### • 68" & 78" HIGH CABINETS



- Widths: 19" & 36"
- Depth: 24"
- Combined, cabinet with shelves and/or wardrobe
- Fronts: drawers, hinged doors or sliding door
- Front finishes: wood, lacquer or Soft-Touch
- The wardrobe has a coat hook and fixed upper shelf with 9" high storage space.

#### • 40", 68" & 78" HIGH BOOKCASES



- Widths: 30" & 36"
- Depth: 15"

### FREESTANDING STORAGE UNITS

**PENCIL TRAY** A pencil tray is included in the top 6" drawer of storage units that have this type of drawer (one tray per storage unit). It is made of solid maple with a natural finish.



**FRONTS** The storage fronts can be specified in wood, lacquer or Soft-Touch whereas the hutch fronts are also available in glass. A Soft-Touch front is always horizontally topstitched in beige at  $\frac{3}{8}$ " from the top and bottom of the front.



Wood front



Lacquer front




Soft-Touch front

### FREESTANDING STORAGE UNITS - INTERIOR CAPACITY


The file drawers allow for filing of letter or legal format documents. According to the width of the drawer, the following are examples of positioning for suspended files

#### 19" WIDE STORAGE


"Letter" size



"Legal" size




Combined "letter" & "legal" sizes




#### 24" WIDE STORAGE

"Letter" size




"Legal" size




#### 30" WIDE STORAGE


"Letter" size



"Legal" size




Combined "letter" & "legal" sizes




#### 36" WIDE STORAGE


"Letter" size



"Legal" size



Combined "letter" & "legal" sizes



### FREESTANDING STORAGE UNITS - NOKI ELECTRONIC LOCK


Storage in the Essentia collection is not automatically fitted with a lock. Artopex's Noki lock is offered as an option on the majority of storage units. There is no upcharge but it must be specified.

One lock can be installed per unit and depending of the storage configuration, it can lock either drawers or hinged doors. The lock option is not available on sliding or hutch doors.




#### POSITION & LOCKING

- On a storage unit with many drawers, the lock is always installed on the right side of the top drawer allowing it to also lock the drawers below.



- On storage units with one or more hinged door (with no drawer), the position of the lock varies according to the unit but always locks both doors.


On storage units 27" and 40" high, the lock is installed above the handle. On a two-door unit, it is always on the left door.




- On cabinets 68" and 78" high, the lock is installed under the handle. On a two-door unit, it is always on the left door.

The lock is available as an option on cabinets\* with interior shelves (half width + wardrobe or full-width shelves).

\*The lock option is not available on the wardrobe cabinet (STW or SDW).




- On a combined storage unit with drawers and hinged doors, the lock is always installed on the right side of the top drawer. The lower drawers will lock but the door(s) will not.



### 41" & 51" HIGH FREESTANDING HUTCHES

Freestanding hutches are installed on storage units 27" high preserving the total height indicated in the reference guide. If the storage unit has a top (p.83), the addition of a hutch will increase the total height by 2".




#### SPECIFICATIONS

- Widths: 15", 18", 30", 36", 60" & 72"
- Depth: 15" (16" including door), interior space: 14½"
- Open or combined
- Fronts: hinged doors (with damper) or sliding door
- Front finishes: wood, lacquer, Soft-Touch or glass (glass door fronts have an aluminum frame)
- Door heights (depending on hutch height): 20", 30" or 40"
- Handles & lock not available

#### ACCESSORY BAR


A built-in accessory bar in equal length of the back is available as an option for hutches 30" to 72" in length. It is positioned at 9" above the bottom storage surface for all hutches where the shelf is no lower than 22".

The anodized aluminum bar can support Artopex accessories and is available as an option with an upcharge.



#### GROMMETS

Grommets are available as an option on freestanding hutches 30" to 72" long. They are round (1½" dia.) with a dark brown finish and a cap that can be closed when not in use. According to the size of the hutch, the number and placement of the grommets will vary:



#### GLASS DOORS

Glass fronts have an anodized aluminum frame. The visible contour on the door front is ⅛". The door with a glass front has a 13/16" total thickness.

20" HIGH WALL-MOUNTED HUTCHES

A wall-mounted hutch is attached to the wall with hardware allowing for some adjustment in case the wall is not perfectly straight.


- SPECIFICATIONS
- Width: 30", 36", 60" & 72"
  - Depth: 15" (16" including door), interior space: 14½"
  - Open or combined
  - Fronts: hinged doors (with damper) or sliding door
  - Front finishes: wood, lacquer, Soft-Touch or glass (glass door fronts have an aluminum frame)
  - Door height: 20"
  - Handles & lock not available

WORK WALL


The work wall is a 1" thick MDF panel with wood veneer. It can be added to a work station for hanging shelves and Artopex accessories (plastic or metal).

- Work wall can be installed:
- On a 27" H. credenza (**CR** option)
- or
- Wall mounted (**WM** option)

When attached to a credenza, the work wall is held in place by stiffeners installed at the back of the credenza. Note that it cannot be installed under a freestanding hutch.




The work wall is available in 3 heights (22", 32" and 41") and 4 widths (30", 36", 60" and 72"). According to its height, one, two or three anodized aluminum accessory bars are built-in the full length of the work wall. The top and lower edges of the work wall have an edging the same color as the wood specified and the sides are covered with an aluminum trim hiding the ends of the accessory bar. The work wall is available in the collection's 17 wood colors.




\* Total height: 27" H. storage + work wall + wall-mounted hutch

- GROMMETS
- Grommets, identical to those for hutches, are available as an option on credenza mounted work walls. According to the width of the panel, one or two grommets are factory installed.



### ELECTRIFICATION OF A WORK STATION

Many solutions are available for the electricity and cable management needs of an Essentia work station. The illustrations below present a summary of these solutions.



Wire troughs able to hold many wires (with self-adhesive back) are available as well as cable fasteners attached with screws. These allow for routing of wires under surfaces.



### BUILT-IN GROMMETS & MULTI-OUTLET


The Essentia collection offers many solutions for electricity and cable management. The grommets and/or built-in multi-outlet are available for the majority of surfaces, refer to the Accessory price list.

The grommets and multi-outlet shown below are factory installed and cannot be ordered separately.

A movable multi-outlet that is not built-in can be ordered separately and installed on-site, see following page.

#### GROMMETS ON A WORK SURFACE

The grommet can be specified for right or left installation. On rectangular, trapezoid and ergonomic surfaces, the grommet is square (4" x 4") with an aluminum satin finish and is positioned in relation to the wood gable. For elliptical surfaces, the grommet is round (2½" dia.) with a chrome satin finish.



##### Square grommet

- Rectangular surface
- Trapezoid surface
- Ergonomic surface (codes GL1 & GR1)




##### Round grommet

- Elliptical surface (codes GL2 & GR2)

#### MULTI-OUTLET ON A WORK SURFACE

The built-in multi-outlet can be specified for right or left installation. On rectangular, trapezoid and ergonomic surfaces, the multi-outlet is square (4" x 5") with an anodized aluminum finish and access to the electricity and / or communication outlets is oriented towards the user. For elliptical and round surfaces, the multi-outlet is round (4½" dia.) with a black cap. The addition of a modesty panel is recommended to conceal the module's wiring and electrical box mounted under the surface.



##### Square multi-outlet

- Rectangular surface
- Trapezoid surface
- Ergonomic surface (codes DL1 & DR1)



##### Round multi-outlet

- Elliptical surface
- Round table (codes DL2, DR2 & DC2)


- Dimensions: 4" x 5"
- One electrical outlet and one punch out for communication outlet
- Touch retractable
- Electrical cord: 72"
- UL certified
- Anodized aluminum

- Dimensions: 4¼" diameter under the surface (3½" dia. opening)
- Two electrical outlets and two communication outlets (category 5e, wires not included)
- Electrical cord: 72"
- UL certified
- Black

#### POSITION ON THE WORK SURFACE


The exact position of the grommet or built-in multi-outlet varies according to the shape and dimensions of the work surface. The opposite examples show the position of the grommets and multi-outlet in relation to the gables/legs and the end of the various surface shapes.

Only the round multi-outlet is available on the round table and it is always centered on the table. The wiring is routed through the tube of the circular leg.



#### POSITION ON THE RETURN


Grommets and multi-outlet are also available on returns. They are positioned at the end of the return, thus the end of the work station. The multi-outlet is installed facing the work surface as demonstrated in the opposite illustration.



MOVABLE MULTI-OUTLET

AC-EPU  
MULTI-OUTLET

- It is possible to order a module that can be installed directly under the surface or inside a Duo gable.
- Two electrical outlets, a 13 amp circuit breaker, a surge suppressor, a telephone jack (RJ-11) and a communication outlet (RJ45 category 5)
  - Electrical cord: 108"
  - Media cord: 162"
  - CSA certified
  - Black



For installation inside the Alto gable, it is important to specify the AC-EPUA that includes a special metal bracket required for installation.


COMPLEMENTS

HANGING SHELF

A shelf can be attached to the accessory bar on the back of hutches and on work walls. Depending on its length, the shelf has two to three supports (anodized aluminum). The shelf is 1" thick and available from 24" to 72" long and 6" or 10" deep. It always has a straight edge, and is available in wood (17 colors) or lacquer. In wood, the edge matches the surface of the shelf.


BOOKENDS

Bookends are available. Made of painted metal refer to the table below for available metal finish choices, they can be attached to 6" and 10" deep shelves (as explained above). Sold in pairs.



PIGEON-HOLE UNITS

The pigeon-hole units are made of a wood frame 1 1/8" thick refer to the table below for available metal finish choices. The shelves have an integrated tab 2 1/2" long for attaching labels (not included). Choice of letter or legal size (see p.103). The vertical space between the shelves is 2-3/8".



METAL	
Abyss (3113)	Grenadine (3044)
Amber (3108)	Polar White (3002)
Black (3067)	Silver (3090)
Charcoal (3064)	Smoothie (3109)
Fossil (3102)	Source (3106)

ACCESSORIES

Artopex has a variety of ergonomic accessories such as keyboard trays, lamps, letter trays, etc. Unless otherwise indicated, all Artopex accessories are compatible with the Essentia collection. Refer to the Accessory Price list.

### COLORS & FINISHES

The following are the codes to be used in specifying color choices:

NOTE: Certain restrictions may apply for some components.


Always refer to the price list for restrictions.

SURFACE	CASE (storage units, hutches, pigeon-hole units, etc.) WOOD GABLE WORK WALL	FRONTS (storage units & cabinets)	FRONTS (hutches)	MODESTY PANEL	SHELVES (for accessory bar)
WOOD	WOOD	WOOD	WOOD	WOOD	WOOD
Choco Oak (WO03)	Choco Oak (WO03)	Choco Oak (WO03)	Choco Oak (WO03)	Choco Oak (WO03)	Choco Oak (WO03)
Golden Oak (WO14)	Golden Oak (WO14)	Golden Oak (WO14)	Golden Oak (WO14)	Golden Oak (WO14)	Golden Oak (WO14)
Horizon Oak (WO78)	Horizon Oak (WO78)	Horizon Oak (WO78)	Horizon Oak (WO78)	Horizon Oak (WO78)	Horizon Oak (WO78)
Mocha Oak (WO02)	Mocha Oak (WO02)	Mocha Oak (WO02)	Mocha Oak (WO02)	Mocha Oak (WO02)	Mocha Oak (WO02)
Dark Walnut (WS16)	Dark Walnut (WS16)	Dark Walnut (WS16)	Dark Walnut (WS16)	Dark Walnut (WS16)	Dark Walnut (WS16)
Amber Teak (WT01)	Amber Teak (WT01)	Amber Teak (WT01)	Amber Teak (WT01)	Amber Teak (WT01)	Amber Teak (WT01)
Cognac Teak (WT80)	Cognac Teak (WT80)	Cognac Teak (WT80)	Cognac Teak (WT80)	Cognac Teak (WT80)	Cognac Teak (WT80)
Porto Teak (WT84)	Porto Teak (WT84)	Porto Teak (WT84)	Porto Teak (WT84)	Porto Teak (WT84)	Porto Teak (WT84)
Ruby Teak (WT83)	Ruby Teak (WT83)	Ruby Teak (WT83)	Ruby Teak (WT83)	Ruby Teak (WT83)	Ruby Teak (WT83)
Amber Zebra (WZ01)	Amber Zebra (WZ01)	Amber Zebra (WZ01)	Amber Zebra (WZ01)	Amber Zebra (WZ01)	Amber Zebra (WZ01)
Silver Zebra (WZ04)	Silver Zebra (WZ04)	Silver Zebra (WZ04)	Silver Zebra (WZ04)	Silver Zebra (WZ04)	Silver Zebra (WZ04)
Choco Zebra (WZ03)	Choco Zebra (WZ03)	Choco Zebra (WZ03)	Choco Zebra (WZ03)	Choco Zebra (WZ03)	Choco Zebra (WZ03)
Cognac Zebra (WZ80)	Cognac Zebra (WZ80)	Cognac Zebra (WZ80)	Cognac Zebra (WZ80)	Cognac Zebra (WZ80)	Cognac Zebra (WZ80)
Golden Zebra (WZ14)	Golden Zebra (WZ14)	Golden Zebra (WZ14)	Golden Zebra (WZ14)	Golden Zebra (WZ14)	Golden Zebra (WZ14)
Espresso Zebra (WZ16)	Espresso Zebra (WZ16)	Espresso Zebra (WZ16)	Espresso Zebra (WZ16)	Espresso Zebra (WZ16)	Espresso Zebra (WZ16)
Mocha Zebra (WZ02)	Mocha Zebra (WZ02)	Mocha Zebra (WZ02)	Mocha Zebra (WZ02)	Mocha Zebra (WZ02)	Mocha Zebra (WZ02)
Natural Zebra (WZ78)	Natural Zebra (WZ78)	Natural Zebra (WZ78)	Natural Zebra (WZ78)	Natural Zebra (WZ78)	Natural Zebra (WZ78)
LACQUER		LACQUER	LACQUER	LACQUER	LACQUER
White (LQ31)		White (LQ31)	White (LQ31)	White (LQ31)	White (LQ31)
SOFT-TOUCH		SOFT-TOUCH	SOFT-TOUCH	MODESTY PANEL (only on a work surface)	
Cream (FT41)		Cream (FT41)	Cream (FT41)	GLASS	
Terra Cotta (FT42)		Terra Cotta (FT42)	Terra Cotta (FT42)	White (VG51)	
Brown (FT43)		Brown (FT43)	Brown (FT43)		
Black (FT44)		Black (FT44)	Black (FT44)		
GLASS			GLASS		
White (VG51)			White (VG51)		

Colors can be viewed on the wood finish Symphony chart, available from your distributor or on our website.

### SPECIFICATION GUIDE

---



#### GUIDE FOR SPECIFYING AN "L" SHAPED WORKSTATION

27

- With RECTANGULAR work surface
- With TRAPEZOID work surface
- With ERGONOMIC work surface
- With ELLIPTICAL work surface



#### GUIDE FOR SPECIFYING A DESK (NO RETURN)

32




#### OTHER CONFIGURATIONS


32

GUIDE FOR SPECIFYING AN "L" SHAPED WORKSTATION (SURFACE AND RETURN)


**Step 1**  
Select the shape of the work surface:




Rectangular



Trapezoid




Ergonomic




Elliptical


**Step 2**  
Select the shape of the return:




Interior return




Exterior return




Interior return




Interior return




Nested exterior return



Nested exterior return (extended)



Nested exterior return (extended)



Nested exterior return








How to specify:  
Refer to p.28

How to specify:  
Refer to p.29

How to specify:  
Refer to p.30





How to specify:  
Refer to p.31

**Step 3**  
Select base:



Certain restrictions apply in the choice of bases depending on the choice of surface and configuration of the workstation.

**Step 4**  
Optional modesty panel:



LW539-U-REV.05-2018

27




### SPECIFICATION - "RECTANGULAR"

The guide below shows the procedure to follow for specifying an "L" shaped workstation with a rectangular main surface, a return, bases and modesty panel (if desired).


**Step 1**  
Select the  
**work surface:**  
(p.37 - 42)



1 material




Bidirectional wood grain




2 materials

**Step 2**  
Select the **return:**  
(p.38 - 40)

#### INTERIOR RETURN




1 material




Bidirectional wood grain

#### EXTERIOR RETURN




1 material




Bidirectional wood grain

**Step 3A**  
Select **base** for  
**work surface:**  
(p.64 - 67)


#### Bases for rectangular surface with interior return




Pedestal / Wood gable



Wood gables  
on both sides




Metal legs on both  
sides




Pedestal / Metal legs


#### Bases for rectangular surface with exterior return




Pedestal / Wood gable




Wood gables  
on both sides




Metal legs on  
both sides\*\*




Pedestal /  
Metal legs\*\*



Wood gable / Pedestal\*




Metal legs /  
Pedestal\*




Pedestals on  
both sides\*

**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.




**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.




**Step 3B**  
Select **base** for  
**return:**  
(p.66 - 67)


#### Bases for interior or exterior returns




Pedestal



Wood gable



Metal legs



27" H. storage  
(such as credenza)

**Step 4**  
Optional  
**modesty panel:**  
(p.72 - 75)


Refer to the modesty panel reference guide (p.68)  
to determine the correct size to order.









### SPECIFICATION - "TRAPEZOID"

The guide below shows the procedure to follow for specifying an "L" shaped workstation with a trapezoid main surface, a return, bases and modesty panel (if desired).




**Step 1**  
Select the  
**work surface:**  
(p.43- 48)




**Step 2**  
Select the **return:**  
(p.44 - 46)




**Step 3A**  
Select **base for**  
**work surface:**  
(p.64 - 67)



**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.







**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.



**Step 3B**  
Select **base for**  
**return:**  
(p.66 - 67)


#### Bases for exterior returns



**Step 4**  
Optional  
**modesty panel:**  
(p.72 - 75)

Refer to the modesty panel reference guide (p.69) to determine the correct size to order.







### SPECIFICATION - "ERGONOMIC"



The guide below shows the procedure to follow for specifying an "L" shaped workstation with an ergonomic main surface, a return, bases and modesty panel (if desired).

**Step 1**  
Select the  
**work surface:**  
(p.49 - 55)





**Step 2**  
Select the **return:**  
(p.50 - 53)

#### INTERIOR RETURNS






#### EXTERIOR RETURNS









**Step 3A**  
Select **base** for  
**work surface:**  
(p.64 - 67)


#### Bases for ergonomic surface with interior return




#### Bases for ergonomic surface with exterior return



**\*Important:** If the surface and exterior return are supported by the same pedestal, order the AC-RSTi52 stiffener to join the 2 surfaces together.







**\*\*Important:** If specifying 2 metal legs under the main surface, an additional metal leg must be ordered to support the exterior return.




**Step 3B**  
Select **base**  
**for return:**  
(p.66 - 67)

#### BASES FOR INTERIOR OR EXTERIOR RETURNS



**Step 4**  
Optional  
**modesty panel:**  
(p.72 - 75)

Refer to the modesty panel reference guide (p.70) to determine the correct size to order.



SPECIFICATION - "ELLIPTICAL"

The guide below shows the procedure to follow for specifying an "L" shaped workstation with an elliptical main surface, a return, bases and modesty panel (if desired).

**Step 1**  
Select the  
**work surface:**  
(p.56 - 61)



1 material




Bidirectional wood grain




2 materials

**Step 2**  
Select the **return:**  
(p.57 - 59)

INTERIOR RETURNS




1 material




Bidirectional wood grain

**Step 3A**  
Select **base for**  
**work surface:**  
(p.71)


BASES FOR ELLIPTICAL SURFACE WITH INTERIOR RETURN




Pedestal / "Disc" base




Pedestals on both sides\*



Pedestal / Metal legs




"Disc" base on both sides




Metal legs on both sides

**\*Important:** If the elliptical surface and its return are supported by the same pedestal, this pedestal must be 30" deep in order to accommodate 3 spacers.




**Step 3A**  
Select **base for**  
**work surface:**  
(p.66 - 67)


BASES FOR INTERIOR RETURN




Pedestal



Wood gable



Metal legs




27" H. storage  
(such as credenza)

**Step 4**  
Optional  
**modesty panel:**  
(p.72 - 75)

Refer to the modesty panel reference guide (p.71) to determine the correct size to order.


GUIDE FOR SPECIFYING A DESK (NO RETURN)

The guide below shows the procedure to follow for specifying a desk with a rectangular, trapezoid, ergonomic or elliptical main surface, bases and modesty panel (if desired).



OTHER TYPES OF CONFIGURATIONS

Even though the previous pages present various configuration examples, many others are possible. The Essentia collection components were designed to allow the client to specify the layout of their choice. Typical are presented on p.35 and 36.



### BASE INSTALLATION


The following pages present an overview of the installation procedure to aid in visualizing the product once assembled as well as structural components that are not visible. For detailed explanations, refer to the Essentia installation guide available at [www.artopex.com](http://www.artopex.com).

#### SURFACE SUPPORT SPACERS

Once their position is determined, the spacers are first attached to the storage unit by screws (included) from above using 2 of the 4 predrilled holes on the spacer.


Two holes per spacer are then drilled on the top of the storage unit using the installed spacer's two unused predrilled holes.

With the surface in place, screws (3" max.) are then inserted from inside the pedestal by removing the drawers, if applicable.



#### WOOD GABLES



Under rectangular, trapezoid and ergonomic surfaces: regardless of the shape of the surface, the gable is centered widthwise under the surface and positioned at approximately 4" from the edge of the surface.



#### METAL LEGS



Under rectangular, trapezoid, ergonomic and elliptical surfaces: The position varies depending on the edge chosen.

- Straight edge: The legs are  $\frac{1}{2}$ " from the edge of the surface.
- Reverse edge: The legs are  $2\frac{3}{8}$ " from the edge of the surface.



#### LEG WITH "DISC" BASE

The disc base is centered widthwise under the elliptical surface and the center of the base is  $14\frac{1}{2}$ " from the edge of the surface.





### STRUCTURAL ELEMENTS





According to the workstation configuration, certain structural elements as well as hardware have a predetermined position to ensure stability. Some of these elements are included with the furniture order. For more information, refer to the product description.

#### POSITION OF STRUCTURAL ELEMENTS AND HARDWARE



- Configuration: Surface with interior return




- Configuration: Surface with nested exterior return (short) (including structural beam)



- Configuration: Surface with nested exterior return (extended)




### RECTANGULAR SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 001

Rectangular surface	<b>SSI3072</b>	\$ 1 312
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Pedestal	<b>FPPF241927</b>	\$ 2 542
Modesty panel (surface)	<b>MOD5226</b>	\$ 419
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi52</b>	\$ 77
		<b>\$ 7 073</b>
Credenza	<b>SDDFF247227</b>	\$ 4 982
Cabinet (wardrobe)	<b>SDWL241968</b>	\$ 4 365
Hutch	<b>HU724120</b>	\$ 5 521
		<b>\$ 14 868</b>
		<b>\$ 21 941</b>



#### ESSENTIA - 002


Rectangular surface	<b>SSI3078</b>	\$ 1 329
Return	<b>SRI2448</b>	\$ 1 219
Wood gables (set)	<b>D5</b>	\$ 2 130
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Modesty panel (surface)	<b>MOD6713</b>	\$ 381 \$
Spacers	<b>S1SP46-W</b>	\$ 44
		<b>\$ 7 738</b>
Storage	<b>SFF243027</b>	\$ 4 725
Storage	<b>SUUBF243027</b>	\$ 5 244
Cabinet (shelves/w-robe)	<b>STSW243668</b>	\$ 4 850
Wall mounted hutch	<b>HW6020</b>	\$ 5 051
		<b>\$ 19 870</b>
		<b>\$ 27 608</b>



#### ESSENTIA - 003


Rectangular surface	<b>SSI3072</b>	\$ 1 312
Return	<b>SRDRI2466</b>	\$ 1 294
Duo wood gable	<b>DR2824</b>	\$ 946
Pedestal	<b>FPUUF242427</b>	\$ 2 708
Modesty panel (surface)	<b>MOD5713</b>	\$ 370
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi52</b>	\$ 77
Stiffener (return)	<b>RSTi46</b>	\$ 72
		<b>\$ 6 867</b>
Credenza	<b>SOUUBF247227</b>	\$ 6 254
Cabinet (shelves)	<b>SDSR241968</b>	\$ 4 510
Cabinet (wardrobe)	<b>SDWL241968</b>	\$ 3 805
Hutch	<b>HU72514030</b>	\$ 5 878
		<b>\$ 20 447</b>
		<b>\$ 27 314</b>

### TRAPEZOID SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 004

Trapezoid surface	<b>SST3072</b>	\$ 1 944
Return	<b>SRRT2478</b>	\$ 1 308
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Pedestal	<b>FPO241927</b>	\$ 1 569
Modesty panel (surface)	<b>MOD4513</b>	\$ 356
Spacers (4)	<b>ES-S1SP46-W</b>	\$ 176
Stiffener (surface)	<b>RSTi46</b>	\$ 72
Stiffener (return)	<b>RSTi46</b>	\$ 72
		<b>\$ 8 132</b>
Credenza	<b>SOUUBF247227</b>	\$ 6 254
Cabinet	<b>SDFF243678</b>	\$ 7 737
Hutch	<b>HU725130</b>	\$ 5 651
		<b>\$ 19 642</b>
		<b>\$ 27 774</b>



#### ESSENTIA - 005


Trapezoid surface	<b>SST3072</b>	\$ 1 944
Return	<b>SRERT2472</b>	\$ 1 329
Wood gables (set)	<b>D10</b>	\$ 2 130
Wood gable (return)	<b>TUR2819</b>	\$ 385
Modesty panel (surface)	<b>MOD5213</b>	\$ 364
Modesty panel (return)	<b>MOR4913</b>	\$ 36 \$
		<b>\$ 6 514</b>
Storage	<b>SDD243627</b>	\$ 3 280
Storage	<b>SDUUF243627</b>	\$ 5 225
Cabinet (wardrobe)	<b>SDWR241968</b>	\$ 3 805
Wall-mounted hutch	<b>HWSC7220</b>	\$ 3 850
		<b>\$ 16 160</b>
		<b>\$ 22 674</b>



#### ESSENTIA - 006


Trapezoid surface	<b>SST3072</b>	\$ 1 944
Return	<b>SRDRT2466</b>	\$ 1 315
Alto wood gable	<b>A2824</b>	\$ 1 821
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Modesty panel (surface)	<b>MOD4513</b>	\$ 356
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi46</b>	\$ 72
Stiffener (return)	<b>RSTi46</b>	\$ 72
		<b>\$ 8 303</b>
Credenza	<b>SODD246027</b>	\$ 2 830
Cabinet (shelves/w-robe)	<b>STSW243668</b>	\$ 4 850
Work wall (wall-mounted)	<b>WU6041</b>	\$ 1 505
		<b>\$ 9 185</b>
		<b>\$ 17 488</b>

### ERGONOMIC SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 007

Ergonomic surface	<b>SSC2778</b>	\$ 2 284
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Pedestal	<b>FPFF241927</b>	\$ 2 542
Modesty panel (surface)	<b>MOD5826</b>	\$ 432
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi52</b>	\$ 77
		<b>\$ 8 058</b>
Credenza	<b>SDDFF246027</b>	\$ 4 594
Cabinet (shelves / w-robe)	<b>STSW243668</b>	\$ 4 850
Bookcase	<b>SO153068</b>	\$ 2 748
Hutch	<b>HU604130</b>	\$ 5 683
		<b>\$ 17 875</b>
		<b>\$ 25 933</b>



#### ESSENTIA - 008

Ergonomic surface	<b>SSC2778</b>	\$ 2 284
Return	<b>SRRC1854</b>	\$ 1 187
Wood gables (set)	<b>A2</b>	\$ 3 837
Modesty panel (surface)	<b>MOD5813</b>	\$ 371
Spacers	<b>S1SP46-W</b>	\$ 44
		<b>\$ 7 723</b>
Credenza	<b>SOFF246027</b>	\$ 4 402
Cabinet	<b>SDFF243668</b>	\$ 7 20 \$
Cabinet (wardrobe)	<b>SDWL241968</b>	\$ 3 805
Hutch	<b>HU605140</b>	\$ 5 720
		<b>\$ 21 133</b>
		<b>\$ 28 856</b>



#### ESSENTIA - 009


Ergonomic surface	<b>SSC2766</b>	\$ 2 251
Return	<b>SRERC241878</b>	\$ 1 342
Alto wood gable	<b>A2824</b>	\$ 1 821
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Modesty panel (surface)	<b>MOD4613</b>	\$ 359
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi46</b>	\$ 72
Stiffener (return)	<b>RSTi46</b>	\$ 72
		<b>\$ 6 614</b>
Credenza	<b>SSC247227</b>	\$ 4 540
Cabinet	<b>SSFF243678</b>	\$ 6 592
Hutch	<b>HSC725130</b>	\$ 6 076
		<b>\$ 17 208</b>
Round table	<b>TRD2942</b>	\$ 2 754
		<b>\$ 26 576</b>

### ELLIPTICAL SURFACE TYPICAL LAYOUTS




#### ESSENTIA - 010

Elliptical surface	<b>SSE3672</b>	\$ 2 021
"Disc" bases (2)	<b>LED28421</b>	\$ 1 794
		<b>\$ 3 815</b>
Credenza	<b>SDDFF246027</b>	\$ 4 594
Cabinet	<b>SSFF243668</b>	\$ 6 060
Hutch	<b>HWSL6020</b>	\$ 3 570
Work wall	<b>WU6022</b>	\$ 1 240
		<b>\$ 15 464</b>
		<b>\$ 18 382</b>



#### ESSENTIA - 011

Elliptical surface	<b>SSE3678</b>	\$ 2 042
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Metal legs (2)	<b>LES28</b>	\$ 242
Modesty panel	<b>MOD4813</b>	\$ 361
Spacers	<b>S1SP46-W</b>	\$ 44
Stiffener (surface)	<b>RSTi46</b>	\$ 72
		<b>\$ 5 396</b>
Credenza	<b>SFFDD246027</b>	\$ 4 594
Cabinet (shelves / w-robe)	<b>STSW243678</b>	\$ 5 563
Hutch	<b>HSC605140</b>	\$ 5 980
		<b>\$ 16 137</b>
		<b>\$ 21 533</b>



#### ESSENTIA - 012

Elliptical surface	<b>SSE3678</b>	\$ 2 042
Return	<b>SRLE782448</b>	\$ 1 203
Pedestal	<b>FPUUF241927</b>	\$ 2 635
Pedestal	<b>FPFF241927</b>	\$ 2 542
"Disc" base	<b>LED28421</b>	\$ 897
Modesty panel (surface)	<b>MOD4813</b>	\$ 361
Spacers (2)	<b>S1SP46-W</b>	\$ 88
Stiffener (surface)	<b>RSTi46</b>	\$ 72
		<b>\$ 9 840</b>
Storage	<b>SDD243040</b>	\$ 2 878
Storage	<b>SSC245440</b>	\$ 4 809
16" H. storage	<b>SOF246016</b>	\$ 3 468
Cushion Gr1	<b>CUS2460</b>	\$ 613
		<b>\$ 11 768</b>
		<b>\$ 21 608</b>

Note that the prices shown on p.35 and 36 were determined with the following specifications: wood surfaces (regular wood grain), straight edge and storage fronts in wood (no electrical option). To add finish options or accessories, refer to the price list.


# surfaces and returns







price list

rectangular surface with 1 material

## Description

Rectangular work surface.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns for this surface shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for this surface, refer to grid on p.68.



PRICE										
Dimensions			Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
										
A	B	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	lb
36	84	SSI3684	1393	1626	2474	2508	2892	2926	3.8	84
36	78	SSI3678	1373	1599	2377	2411	2764	2798	3.5	78
36	72	SSI3672	1353	1572	2279	2314	2638	2672	3.3	72
30	78	SSI3078	1329	1550	2166	2200	2489	2523	3.0	65
30	72	SSI3072	1312	1526	2085	2119	2383	2417	2.8	60
30	66	SSI3066	1296	1503	2004	2038	2277	2311	2.5	55
30	60	SSI3060	1279	1480	1923	1958	2171	2206	2.3	50

## SPECIFY

## OPTIONS

Product code    Profile    Type    Surface    Grom.    M-Outlet

ES -  -  -  -  -  -

- Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Type: Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).  
Surface: Specify the color of the surface finish, see p.25.
- Options** Grommet: Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.



# surfaces and returns

price list

returns 1 material for rectangular surfaces

## Description


Interior reversible return for rectangular work surface.







Cannot be positioned next to another shape of work surface. Junction supports included.


For information on return supports (storage units, end gables & legs) refer to p.13-14.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

To select a modesty panel for this return, refer to grid on p.68.



PRICE			Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
Dimensions										
A	B	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	lb
24	60	SRI2460	1246	1440	1761	1795	1959	1993	1.9	40
24	54	SRI2454	1233	1420	1696	1730	1874	1909	1.7	36
24	48	SRI2448	1219	1400	1631	1664	1790	1824	1.5	32
24	42	SRI2442	1206	1379	1565	1599	1705	1740	1.3	28



## SPECIFY

## OPTIONS

Product code   Profile   Type   Surface   Grom./ M-Outlet

ES -  -  -  -  -


**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Options Grommet / M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet (**DU1**) add \$350, see p.23.



A	B	C		Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	lb
24	72	54	<b>SRDLi2472</b>	1307	1514	1925	1959	2164	2198	4.5	59
24	66	48	<b>SRDLi2466</b>	1294	1494	1860	1894	2079	2113	4.1	55
24	60	42	<b>SRDLi2460</b>	1280	1474	1795	1829	1993	2027	3.7	51
24	72	54	<b>SRDRi2472</b>	1307	1514	1925	1959	2164	2198	4.5	59
24	66	48	<b>SRDRi2466</b>	1294	1494	1860	1894	2079	2113	4.1	55
24	60	42	<b>SRDRi2460</b>	1164	1340	1632	1663	1812	1843	3.7	51

## Description

Nested exterior return for rectangular work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

For information on return supports (storage units, end gables & legs) refer to p.13-14.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

To select a modesty panel for this return, refer to grid on p.68.

## SPECIFY

## OPTIONS

Product code   Profile   Type   Surface   Gable   Grom. /M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Options Grommet / M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet (**DU1**) add \$350, see p.23.



# surfaces and returns



price list

rectangular surfaces with bidirectional wood grain

## Description

Rectangular work surfaces with bidirectional wood grain.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for these surfaces, refer to grid on p.68.



PRICE				Wood (W)			
Dimensions			Code			Spec.	
A	B	C		Straight (i)	Reverse (V)	Cu.Ft.	lb
36	84	8¾	SSi2A3684	1714	1981	3.8	84
36	78	8¾	SSi2A3678	1692	1951	3.5	78
36	72	8¾	SSi2A3672	1668	1920	3.3	72
30	78	8¾	SSi2A3078	1642	1893	3.0	65
30	72	8¾	SSi2A3072	1621	1866	2.8	60
30	66	8¾	SSi2A3066	1604	1840	2.5	55
30	60	8¾	SSi2A3060	1584	1814	2.3	50
36	84	8¾	SSi2B3684	1714	1981	3.8	84
36	78	8¾	SSi2B3678	1692	1951	3.5	78
36	72	8¾	SSi2B3672	1668	1920	3.3	72
30	78	7	SSi2B3078	1642	1893	3.0	65
30	72	7	SSi2B3072	1621	1866	2.8	60
30	66	7	SSi2B3066	1604	1840	2.5	55
30	60	7	SSi2B3060	1584	1814	2.3	50

## SPECIFY

Product code	Profile	Wood	Grom.	M-Outlet
ES -	<input type="text"/>	- W -	<input type="text"/>	- <input type="text"/>

## OPTIONS

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Wood: Specify the color of the surface finish (WOOD), see p.25.  
**Options** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.



# surfaces and returns

price list

returns with bidirectional wood grain for rectangular surfaces

## Description

Interior reversible return with bidirectional wood grain for rectangular work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 Option of square grommet or square multi-outlet (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.13-14.  
 To select a modesty panel for this return, refer to grid on p.68.

PRICE				Wood (W)				
Dimensions					Spec.			
	A	B	C	Code	Straight (i)	Reverse (V)	Cu.Ft.	lb
 Left	24	60	8¾	SRLiA2460	1484	1697	1.9	40
	24	54	8¾	SRLiA2454	1470	1675	1.7	36
	24	48	8¾	SRLiA2448	1453	1654	1.5	32
	24	42	8¾	SRLiA2442	1439	1630	1.3	28
 Right	24	60	8¾	SRRiA2460	1484	1697	1.9	40
	24	54	8¾	SRRiA2454	1470	1675	1.7	36
	24	48	8¾	SRRiA2448	1453	1654	1.5	32
	24	42	8¾	SRRiA2442	1439	1630	1.3	28

## SPECIFY

## OPTIONS

Product code   Profile   Wood   Grom./ M-Outlet



ES -  -  - W -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Options** Grommet / M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet (DU1) add \$350, see p.23.

		A	B	C	D	Straight (i)		Reverse (V)		Cu.Ft. lb	
Left		24	72	54	8 3/4"	SRDLi2B2472	1551	1780		4.5	59
		24	66	48	8 3/4"	SRDLi2B2466	1537	1757		4.1	55
		24	60	42	8 3/4"	SRDLi2B2460	1522	1736		3.7	51
Right		24	72	54	8 3/4"	SRDRi2B2472	1551	1780		4.5	59
		24	66	48	8 3/4"	SRDRi2B2466	1537	1757		4.1	55
		24	60	42	8 3/4"	SRDRi2B2460	1522	1736		3.7	51

## Description

Nested exterior return with bidirectional wood grain for rectangular work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 A wood gable is included in order to support the return's end in contact with the work surface.  
 Option of square grommet or square multi-outlet (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.13-14.  
 To select a modesty panel for this return, refer to grid on p.68.

## SPECIFY

## OPTIONS

Product code   Profile   Wood   Gable   Grom./ M-Outlet

ES -  -  - W -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Options** Grommet / M-Outlet: Square grommet option (GU1) add \$90, or square multi-outlet (DU1) add \$350, see p.23.

# surfaces and returns

price list

rectangular surface with combined materials (wood / lacquer or wood / glass)

## Description


Rectangular work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.

Option of square grommet or square multi-outlet positioned on the left or right.


Returns for this surface shown on p.38.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.68.



PRICE				Finish 2: Lacquer (Q)		Finish 2: Glass (G)			
Dimensions			Code	Straight (i)		Reverse (V)		Straight (i)	
A	B	C							
36	84	8 3/4	SSi2WB3684	2069	2358	2358		3.8	84
36	78	8 3/4	SSi2WB3678	2016	2298	2298		3.5	78
36	72	8 3/4	SSi2WB3672	1939	2213	2213		3.3	72
30	78	7	SSi2WB3078	1901	2175	2175		3.0	65
30	72	7	SSi2WB3072	1832	2101	2101		2.8	60
30	66	7	SSi2WB3066	1788	2049	2049		2.5	55
30	60	7	SSi2WB3060	1744	1998	1998		2.3	50



## SPECIFY

Product code	Profile	Type	Finish 2	Wood	Grom.	M-Outlet
ES -	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Options Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

rect. surfaces with combined materials (soft-touch/wood, soft-touch/lacquer or soft-touch/glass)

## Description

Rectangular work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.






Option of square grommet or square multi-outlet positioned on the left or right.


Returns for these surfaces\* shown on p.38.

\*The use of an interior return is not recommended on surfaces SSiCC.


For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for these surfaces, refer to grid on p.68.


PRICE					Finish 2: Wood (W)		Finish 2: Lacquer (Q)		Finish 2: Glass (G)			
Dimensions										Spec.		
A	B	C	D	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Cu.Ft.	lb	
36	84	8¾		SSi2CB3684	2803	3055	3171	3209	3209	3.8	84	
36	78	8¾		SSi2CB3678	2688	2935	3032	3069	3069	3.5	78	
36	72	8¾		SSi2CB3672	2574	2813	2890	2927	2927	3.3	72	
30	78	7		SSi2CB3078	2441	2680	2727	2764	2764	3.0	65	
30	72	7		SSi2CB3072	2346	2577	2610	2647	2647	2.8	60	
30	66	7		SSi2CB3066	2251	2475	2493	2530	2530	2.5	55	
30	60	7		SSi2CB3060	2156	2373	2375	2412	2412	2.3	50	



36	84	8 3/4		SSi2CA3684	2803	3055	3171	3209		3.8	84	
36	78	8 3/4		SSi2CA3678	2688	2935	3032	3069		3.5	78	
36	72	8 3/4		SSi2CA3672	2574	2813	2890	2927		3.3	72	
30	78	8 3/4		SSi2CA3078	2441	2680	2727	2764		3.0	65	
30	72	8 3/4		SSi2CA3072	2346	2577	2610	2647		2.8	60	
30	66	8 3/4		SSi2CA3066	2251	2475	2493	2530		2.5	55	
30	60	8 3/4		SSi2CA3060	2156	2373	2375	2412		2.3	50	



36	84	20	36	SSi2CC3684	2803	3055				3.8	84	
36	78	20	36	SSi2CC3678	2688	2935				3.5	78	
36	72	20	36	SSi2CC3672	2574	2813				3.3	72	
30	78	20	36	SSi2CC3078	2441	2680				3.0	65	
30	72	20	36	SSi2CC3072	2346	2577				2.8	60	
30	66	18	30	SSi2CC3066	2251	2475				2.5	55	
30	60	18	30	SSi2CC3060	2156	2373				2.3	50	



## SPECIFY

Product code   Profile   Type   Finish 2   S-Touch   Grom.   M-Outlet

ES -  -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.


**Type:** Specify the type of finish for the surface (finish 2): W (wood), Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (SOFT-TOUCH), see p.25.

**Options Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.




# surfaces and returns







price list

## trapezoid surface 1 material

### Description

Trapezoid work surface.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns for this surfaces shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for this surface, refer to grid on p.69.



PRICE					Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
Dimensions												
A	B	C	D	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	Lb
30	78	66	34¾	SST3078	1960	2236	2868	2904	3218	3255	3.4	66
30	72	60	34½	SST3072	1944	2211	2780	2817	3103	3141	3.1	61
30	66	54	34	SST3066	1925	2187	2692	2728	2989	3026	2.8	56

### SPECIFY

### OPTIONS

Product code    Profile    Type    Surface    Grom.    M-Outlet

ES -  -  -  -  -  -

- Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Type: Specify the type of finish for the surface: W (wood), Q (lacquer) or C (Soft-Touch).  
Surface: Specify the color of the surface finish, see p.25.
- Options** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

## returns for trapezoid surfaces 1 material

### Description









Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.



Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.



To select a modesty panel for these returns, refer to grid on p.69.

		PRICE				Wood (W)		Lacquer (Q)		Soft-Touch (C)				
		Dimensions										Spec.		
		A	B	C	D	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	lb
 Left		24	84	54		<b>SRLT2484</b>	1321	1542	2042	2077	2321	2355	5.2	70
		24	78	48		<b>SRLT2478</b>	1308	1522	1978	2012	2236	2270	4.8	66
		24	72	42		<b>SRLT2472</b>	1295	1500	1913	1947	2152	2185	4.5	62
 Right		24	84	54		<b>SRRT2484</b>	1321	1542	2042	2077	2321	2355	5.2	70
		24	78	48		<b>SRRT2478</b>	1308	1522	1978	2012	2236	2270	4.8	66
		24	72	42		<b>SRRT2472</b>	1295	1500	1913	1947	2152	2185	4.5	62

Exterior return for trapezoid work surface.

 Left		24	84	54	30	<b>SRELT2484</b>	1355	1610	2077	2111	2355	2389	6.4	75
		24	78	48	30	<b>SRELT2478</b>	1342	1590	2012	2046	2270	2305	5.9	71
		24	72	42	30	<b>SRELT2472</b>	1329	1570	1947	1981	2185	2219	5.5	67
 Right		24	84	54	30	<b>SRERT2484</b>	1355	1610	2077	2111	2355	2389	6.4	75
		24	78	48	30	<b>SRERT2478</b>	1342	1590	2012	2046	2270	2305	5.9	71
		24	72	42	30	<b>SRERT2472</b>	1329	1570	1947	1981	2185	2219	5.5	67

Nested exterior return (extended) for trapezoid work surface.

 Left		24	72	54	15 1/4	<b>SRDLT2472</b>	1329	1570	1947	1981	2185	2219	4.5	59
		24	66	48	15 1/4	<b>SRDLT2466</b>	1315	1550	1882	1916	2100	2134	4.1	55
		24	60	42	15 1/4	<b>SRDLT2460</b>	1301	1530	1816	1850	2015	2050	3.7	51
 Right		24	72	54	15 1/4	<b>SRDRT2472</b>	1329	1570	1947	1981	2185	2219	4.5	59
		24	66	48	15 1/4	<b>SRDRT2466</b>	1315	1550	1882	1916	2100	2134	4.1	55
		24	60	42	15 1/4	<b>SRDRT2460</b>	1301	1530	1816	1850	2015	2050	3.7	51

Nested exterior return (short) for trapezoid work surface.

### SPECIFY

### OPTION

Product code   Profile   Type   Surface   Gable   Grom./ M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option Grommet / M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet (**DU1**) add \$350, see p.23.



# surfaces and returns

price list

trapezoid surfaces with bidirectional wood grain

## Description

Trapezoid work surface with bidirectional wood grain.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for these surfaces, refer to grid on p.69.



## PRICE

## Wood (W)

Dimensions					Code	Wood (W)		Spec.	
A	B	C	D	E		Straight (i)	Reverse (V)	Cu.Ft	lb
30	78	66	34¾	63	SST2A3078	2279	2583	3.4	66
30	72	60	34½	57	SST2A3072	2261	2554	3.1	61
30	66	54	34	51	SST2A3066	2240	2528	2.8	56
30	78	66	34¾	9	SST2B3078	2279	2583	3.4	66
30	72	60	34½	9¼	SST2B3072	2261	2554	3.1	61
30	66	54	34	9½	SST2B3066	2240	2528	2.8	56

## SPECIFY

## OPTIONS

Product code    Profile    Wood    Grom.    M-Outlet

ES -  -  - W -  -  -

Specify Code: Consult the above list.

Profile: Specify the profile: i (straight) or V (reverse), see p.12.

Wood: Specify the color of the surface finish (WOOD), see p.25.

Options Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

Multi-Outlet: Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.



# surfaces and returns

price list

returns with bidirectional wood grain for trapezoid surfaces

## Description





Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

To select a modesty panel for these returns, refer to grid on p.69.

		PRICE				Wood (W)				
		Dimensions				 		Spec.		
		A	B	C	D	Code	Straight (i)	Reverse (V)	Cu.Ft.	lb
 Left		24	84	54	8¾	<b>SRLT2B2484</b>	1632	1885	5.2	70
		24	78	48	8¾	<b>SRLT2B2478</b>	1617	1862	4.8	66
		24	72	42	8¾	<b>SRLT2B2472</b>	1602	1838	4.5	62
 Right		24	84	54	8¾	<b>SRRT2B2484</b>	1632	1885	5.2	70
		24	78	48	8¾	<b>SRRT2B2478</b>	1617	1862	4.8	66
		24	72	42	8¾	<b>SRRT2B2472</b>	1602	1838	4.5	62

# surfaces and returns

price list

trapezoid surfaces with combined materials (wood / lacquer or wood / glass)

## Description


Trapezoid work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.

Option of square grommet or square multi-outlet positioned on the left or right.


Returns for this surfaces shown on p.44.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.69.



PRICE						Finish 2: Lacquer (Q)		Finish 2: Glass (G)			
Dimensions						Straight (i)		Reverse (V)		Straight (i)	
A	B	C	D	E	Code						
30	78	66	34¾	9	SST2WB3078	2351	2626		2626	3.4	66
30	72	60	34½	9¼	SST2WB3072	2311	2580		2580	3.1	61
30	66	54	34	9½	SST2WB3066	2273	2534		2534	2.8	56



Returns for this surface are shown on p.44.

## SPECIFY

ES -  -  -  -  -  -  -

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **Q** (lacquer) or **G** (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Wood:** Specify the color of the main surface finish (**WOOD**), see p.25.

**Options** **Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.

# surfaces and returns

price list

trapezoid surfaces with combined materials (soft-touch/wood, soft-touch / lacquer or soft-touch / glass)

## Description


Trapezoid work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.

Option of square grommet or square multi-outlet positioned on the left or right.


Returns for this surfaces shown on p.44.

For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.69.



PRICE						Finish 2: Wood (W)		Finish 2: Lacquer (Q)		Finish 2: Glass (G)	Spec.	
Dimensions												
A	B	C	D	E	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Cu.Ft.	lb
30	78	66	34 3/4	9	SST2CB3078	2794	2947	3136	3174	3174	3.4	66
30	72	60	34 1/2	9 1/4	SST2CB3072	2720	2871	3037	3073	3073	3.1	61
30	66	54	34	9 1/2	SST2CB3066	2647	2796	2937	2974	2974	2.8	56



## SPECIFY

ES -  -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood), **Q** (lacquer) or **G** (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Options Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.


# surfaces and returns







price list

## ergonomic surface 1 material

### Description

Ergonomic work surface.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns for this surfaces shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for this surface, refer to grid on p.70.



PRICE						Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
Dimensions													
A	B	C	D	E	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	lb
27	84	42	36¼	21	SSC2784	2299	2617	3179	3216	3518	3555	3.8	75
27	78	36	36	21	SSC2778	2284	2593	3100	3137	3414	3452	3.5	70
27	72	36	35¼	18	SSC2772	2268	2570	3021	3057	3312	3350	3.2	65
27	66	36	34½	15	SSC2766	2251	2547	2941	2979	3208	3245	2.9	60
27	60	36	33¼	12	SSC2760	2235	2522	2863	2900	3104	3142	2.6	55

### SPECIFY

### OPTIONS

Product code   Profile   Type   Surface   Grom.   M-Outlet  
ES -  -  -  -  -  -

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Type: Specify the type of finish for the surface: W (wood), Q (lacquer) or C (Soft-Touch).  
Surface: Specify the color of the surface finish, see p.25.  
**Options** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

## returns for ergonomic surfaces 1 material

### Description

Interior return for 78" & 84" ergonomic work surfaces only.









Cannot be positioned next to another shape of work surface. Junction supports included.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

If a wood gable is desired for this return, specify return end gable TUL2813 or TUR2813, see p.66 and 67.

To select a modesty panel for this return, refer to grid on p.70.

		PRICE				Wood (W)		Lacquer (Q)		Soft-Touch (C)				
		Dimensions										Spec.		
		A	B	C	D	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	Lb
	Left	18	60	21		<b>SRLC1860</b>	1197	1385	1584	1618	1734	1768	1.7	31
		18	54	21		<b>SRLC1854</b>	1187	1368	1536	1570	1669	1703	1.5	28
		18	48	21		<b>SRLC1848</b>	1177	1352	1486	1520	1605	1639	1.3	25
	Right	18	60	21		<b>SRRC1860</b>	1197	1385	1584	1618	1734	1768	1.7	31
		18	54	21		<b>SRRC1854</b>	1187	1368	1536	1570	1669	1703	1.5	28
		18	48	21		<b>SRRC1848</b>	1177	1352	1486	1520	1605	1639	1.3	25

### SPECIFY

### OPTION

Product code   Profile   Type   Surface   Grom. / M-Outlet

ES -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Options Grommet / M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet (**DU1**) add \$350, see p.23.

Left		18	84	54	24	<b>SRELC241884</b>	1355	1610	2077	2111	2355	2389	5.1	59
		18	78	48	24	<b>SRELC241878</b>	1342	1590	2012	2046	2270	2305	4.8	55
		18	72	42	24	<b>SRELC241872</b>	1329	1570	1947	1981	2185	2219	4.5	51
Right		18	84	54	24	<b>SRERC241884</b>	1355	1610	2077	2111	2355	2389	5.1	59
		18	78	48	24	<b>SRERC241878</b>	1342	1590	2012	2046	2270	2305	4.8	55
		18	72	42	24	<b>SRERC241872</b>	1329	1570	1947	1981	2185	2219	4.5	51

### Description

Cannot be positioned next to another shape of work surface. Junction supports included.

A wood gable is included in order to support the return's end in contact with the work surface.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

To select a modesty panel for this return, refer to grid on p.70.

### SPECIFY

### OPTION

Product code   Profile   Type   Surface   Gable   Grom. /M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Gable:** Specify the finish of the included wood gable, see p.25.

**Option Grommet / M-Outlet:** Square grommet option (**GU1**) add \$90, or square multi-outlet (**DU1**) add \$350, see p.23.



# surfaces and returns



price list

*ergonomic surfaces with bidirectional wood grain*

## Description

Ergonomic work surfaces with bidirectional wood grain.  
Option of square grommet or square multi-outlet positioned on the left or right.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units, gables & legs) refer to p.13-14.  
To select a modesty panel for these surfaces, refer to grid on p.70.



PRICE							Wood (W)			
Dimensions									Spec.	
A	B	C	D	E	F	Code	Straight (i)	Reverse (V)	Cu.Ft	lb
27	84	42	36¼	21	8¾	SSC2A2784	2653	3002	3.8	75
27	78	36	36	21	8¾	SSC2A2778	2636	2974	3.5	70
27	72	36	35¼	18	8¾	SSC2A2772	2617	2950	3.2	65
27	66	36	34½	15	8¾	SSC2A2766	2598	2925	2.9	60
27	60	36	33¾	12	8¾	SSC2A2760	2582	2897	2.6	55
27	84	42	36¼	21	9½	SSC2B2784	2653	3002	3.8	75
27	78	36	36	21	9¼	SSC2B2778	2636	2974	3.5	70
27	72	36	35¼	18	9	SSC2B2772	2617	2950	3.2	65
27	66	36	34½	15	8¾	SSC2B2766	2598	2925	2.9	60
27	60	36	33¾	12	8½	SSC2B2760	2582	2897	2.6	55

## SPECIFY

Product code    Profile    Wood    Grom.    M-Outlet  
ES -  -  - W -  -  -

## OPTIONS

**Specify** Code: Consult the above list.  
Profile: Specify the profile: i (straight) or V (reverse), see p.12.  
Wood: Specify the color of the surface finish (WOOD), see p.25.  
**Options** Grommet: Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.  
Multi-Outlet: Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

returns with bidirectional wood grain for ergonomic surfaces

## Description

Interior returns with bidirectional wood grain for 78" & 84" ergonomic work surfaces only.







Cannot be positioned next to another shape of work surface. Junction supports included.

Option of square grommet or square multi-outlet (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.13-14.

If a wood gable is desired for this return, specify return end gable TUL2813 or TUR2813, see p.67.

To select a modesty panel for these returns, refer to grid on p.70.

PRICE						Wood (W)					
Dimensions										Spec.	
A	B	C	D	Code		Straight (i)	Reverse (V)	Cu.Ft.	lb		
											
Left	18	60	21	8¾	SRLC2A1860	1354	1550	1.7	31		
	18	54	21	8¾	SRLC2A1854	1343	1533	1.5	28		
	18	48	21	8¾	SRLC2A1848	1334	1516	1.3	25		
											
Right	18	60	21	8¾	SRRC2A1860	1354	1550	1.7	31		
	18	54	21	8¾	SRRC2A1854	1343	1533	1.5	28		
	18	48	21	8¾	SRRC2A1848	1334	1516	1.3	25		
											
Left	18	60	21	8¾	SRLC2B1860	1354	1550	1.7	31		
	18	54	21	8¾	SRLC2B1854	1343	1533	1.5	28		
	18	48	21	8¾	SRLC2B1848	1334	1516	1.3	25		
											
Right	18	60	21	8¾	SRRC2B1860	1354	1550	1.7	31		
	18	54	21	8¾	SRRC2B1854	1343	1533	1.5	28		
	18	48	21	8¾	SRRC2B1848	1334	1516	1.3	25		





# surfaces and returns

price list

returns with bidirectional wood grain for ergonomic surfaces (cont'd)

## Description

Nested exterior return with bidirectional wood grain for ergonomic work surface.  
Cannot be positioned next to another shape of work surface. Junction supports included.  
A wood gable is included in order to support the return's end in contact with the work surface.  
Option of square grommet or square multi-outlet (refer to p.23 to visualize position).  
For information on return supports (storage units, end gables & legs) refer to p.13-14.  
To select a modesty panel for this return, refer to grid on p.70.

		PRICE				Wood (W)				
		Dimensions				 		Spec.		
		A	B	C	D	Code	Straight (i)	Reverse (V)	Cu.Ft	lb
	Left	18	84	54	24	SRELC2B241884	1672	1964	5.1	59
		18	78	48	24	SRELC2B241878	1657	1939	4.8	55
		18	72	42	24	SRELC2B241872	1642	1917	4.5	51
	Right	18	84	54	24	SRERC2B241884	1672	1964	5.1	59
		18	78	48	24	SRERC2B241878	1657	1939	4.8	55
		18	72	42	24	SRERC2B241872	1642	1917	4.5	51

## SPECIFY

## OPTION

Product code    Profile    Wood    Gable    Grom. / M-Outlet

ES -  -  - W -  -  -

**Specify** **Code:** Consult the above list.  
**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.  
**Wood:** Specify the color of the surface finish (WOOD), see p.25.  
**Gable:** Specify the finish of the included wood gable, see p.25.  
**Option** **Grommet / M-Outlet:** Square grommet option (GU1) add \$90, or square multi-outlet (DU1) add \$350, see p.23.



# surfaces and returns

price list

*ergonomic surfaces with combined materials (wood / lacquer or wood / glass)*


## Description

Ergonomic work surface with wood finish on user side and choice of finish (lacquer or glass) on guest side.


Option of square grommet or square multi-outlet positioned on the left or right.

Returns for this surface shown on p.50. For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.70.



PRICE							Finish 2: Lacquer		Finish 2: Glass		Spec.	
Dimensions												
A	B	C	D	E	F	Code	Straight (i)		Reverse (V)		Straight (i)	
27	84	42	36¼	21	9½	SSC2WB2784	2646		2999		2999	
27	78	36	36	21	9¼	SSC2WB2778	2610		2957		2957	
27	72	36	35¼	18	9	SSC2WB2772	2575		2914		2914	
27	66	36	34½	15	8¾	SSC2WB2766	2525		2856		2856	
27	60	36	33¾	12	8½	SSC2WB2760	2488		2814		2814	
											Cu.Ft.	
											lb	
											3.8	
											3.5	
											3.2	
											2.9	
											2.6	



## SPECIFY

ES -  -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): Q (lacquer) or G (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**Wood:** Specify the color of the main surface finish (WOOD), see p.25.

**Options Grommet:** Square grommet option, installed at left (GL1) or at right (GR1), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (DL1) or at right (DR1), add \$350 ea., see p.23.

# surfaces and returns

price list

*ergo. surfaces with combined materials [soft-touch / wood, soft-touch / lacquer or soft-touch / glass]*


## Description






Ergonomic work surface with Soft-Touch finish on user side and choice of finish (wood, lacquer or glass) on guest side.


Option of square grommet or square multi-outlet positioned at left or right.

Returns for this surface shown on p.50. For information on surface supports (storage units, gables & legs) refer to p.13-14.

To select a modesty panel for this surface, refer to grid on p.70.



PRICE								Finish 2: Wood (W)		Finish 2: Lacquer		Finish 2: Glass		Spec.	
Dimensions															
A	B	C	D	E	F	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Cu.Ft	Lb		
27	84	42	36¼	21	9½	SSC2CB2784	3125	3279	3400	3438	3438	3.8	75		
27	78	36	36	21	9¼	SSC2CB2778	3055	3208	3312	3350	3350	3.5	70		
27	72	36	35¼	18	9	SSC2CB2772	2985	3136	3223	3260	3260	3.2	65		
27	66	36	34½	15	8¼	SSC2CB2766	2916	3065	3133	3170	3170	2.9	60		
27	60	36	33¾	12	8½	SSC2CB2760	2847	2993	3045	3082	3082	2.6	55		



## SPECIFY

Product code	Profile	Type	Finish 2	S-Touch	Grom.	M-Outlet
ES -						

## OPTIONS

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse, if applicable), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood), **Q** (lacquer) or **G** (glass).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Options Grommet:** Square grommet option, installed at left (**GL1**) or at right (**GR1**), add \$90 ea., see p.23.

**Multi-Outlet:** Square multi-outlet option, installed at left (**DL1**) or at right (**DR1**), add \$350 ea., see p.23.

# surfaces and returns

price list

## elliptical surface 1 material

### Description

Elliptical work surface.

Option of round grommet or round multi-outlet positioned at left or right\*.


\* If specified, the "Disc" base allows for passage of cabling through center leg.

Wood gables not available for this surface.

Returns for this surface shown on next page.

For information on surface supports (storage units & legs) refer to p.14.

To select a modesty panel for this surface, refer to grid on p.71.



PRICE			Wood (W)		Lacquer (Q)		Spec.	
Dimensions								
A	B	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	Lb
36	78	SSE3678	2042	2363	3131	3168	3.5	60
36	72	SSE3672	2021	2332	3025	3061	3.3	55

### SPECIFY

### OPTIONS

Product code    Profile    Type    Surface    Grom.    M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood) or **Q** (lacquer).

**Surface:** Specify the color of the surface finish, see p.25.

**Options Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.

**Multi-Outlet:** Round multi-outlet option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.

Attention: For this surface, only one option (grommet or multi-outlet) can be specified per position.

# surfaces and returns

price list

## returns for elliptical surfaces - 1 material

### Description



Interior return for 78" elliptic work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

Option of round grommet or round multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.14.

To select a modesty panel for this return, refer to grid on p.71.

RETURN FOR 78" SURFACES		PRICE											
		Dimensions				Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
		A	B	C	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	lb
	Left	24	60	72	SRLE782460	1230	1459	1745	1780	1991	2025	2.2	44
	24	54	66	SRLE782454	1217	1439	1681	1715	1920	1954	2.0	40	
	24	48	60	SRLE782448	1203	1419	1616	1650	1848	1882	1.9	36	
	Right	24	60	72	SRRE782460	1230	1459	1745	1780	1991	2025	2.2	44
	24	54	66	SRRE782454	1217	1439	1681	1715	1920	1954	2.0	40	
	24	48	60	SRRE782448	1203	1419	1616	1650	1848	1882	1.9	36	

### Description



Interior return for 72" elliptic work surface.

Cannot be positioned next to another shape of work surface. Junction supports included.

Option of round grommet or round multi-outlet module (refer to p.23 to visualize position).

For information on return supports (storage units, end gables & legs) refer to p.14.

To select a modesty panel for this return, refer to grid on p.71.

RETURN FOR 72" SURFACES		PRICE											
		Dimensions				Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
		A	B	C	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	Lb
	Left	24	60	72½	SRLE722460	1230	1459	1745	1780	1991	2025	2.2	44
	24	54	66½	SRLE722454	1217	1439	1681	1715	1920	1954	2.0	40	
	24	48	60½	SRLE722448	1203	1419	1616	1650	1848	1882	1.9	36	
	Right	24	60	72½	SRRE722460	1230	1459	1745	1780	1991	2025	2.2	44
	24	54	66½	SRRE722454	1217	1439	1681	1715	1920	1954	2.0	40	
	24	48	60½	SRRE722448	1203	1419	1616	1650	1848	1882	1.9	36	

### SPECIFY

### OPTION

Product Code    Profile    Type    Surface    Grom. / M-Outlet

ES -  -  -  -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

**Option** **Grommet / M-Outlet:** Round grommet option (**GU2**) add \$90, or round multi-outlet (**DU2**) add \$300, see p.23.


# surfaces and returns

price list

elliptical surface with bidirectional wood grain

### Description

Elliptical work surface with bidirectional wood grain.  
Option of round grommet or round multi-outlet positioned on the left or right\*.  
\* If specified, the "Disc" base allows for the routing of cables through center leg.  
Wood gables not available for this surface.  
Returns with bidirectional wood grain shown on next page.  
For information on surface supports (storage units & legs) refer to p.14.  
To select a modesty panel for this surface, refer to grid on p.71.



PRICE				Wood (W)			
Dimensions			Code			Spec.	
A	B	C		Straight (i)	Reverse (V)	Cu.Ft.	lb
36	78	9½	SSE2A3678	2369	2721	3.5	60
36	72	9¼	SSE2A3672	2345	2688	3.3	55

### SPECIFY

### OPTIONS

Product code

Profile

Wood

Grom.

M-Outlet

ES -  -  - W -  -  -

**Specify** **Code:** Consult the above list.  
**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.  
**Wood:** Specify the color of the surface finish (**WOOD**), see p.25.  
**Options** **Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.  
**Multi-Outlet:** Round multi-outlet option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.  
**Attention:** For this surface, only one option (grommet or multi-outlet) can be specified per position.

# surfaces and returns


price list

*returns with bidirectional wood grain for elliptical surfaces*

## Description

Interior return with bidirectional wood grain for 78" elliptic work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 Option of round grommet or round multi-outlet (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.14.  
 To select a modesty panel for this return, refer to grid on p.71.

### RETURN FOR 78" SURFACES




PRICE					Wood (W)			
Dimensions				Code	Straight (i)	Reverse (V)	Spec.	
A	B	C	D				Cu.Ft	lb
24	60	72	8 3/4	SRLE2A782460	1528	1789	2.2	44
24	54	66	8 3/4	SRLE2A782454	1513	1767	2.0	40
24	48	60	8 3/4	SRLE2A782448	1497	1744	1.9	36
24	60	72	8 3/4	SRRE2A782460	1528	1789	2.2	44
24	54	66	8 3/4	SRRE2A782454	1513	1767	2.0	40
24	48	60	8 3/4	SRRE2A782448	1497	1744	1.9	36

## Description

Interior return with bidirectional wood grain for 72" elliptic work surface.  
 Cannot be positioned next to another shape of work surface. Junction supports included.  
 Option of round grommet or round multi-outlet (refer to p.23 to visualize position).  
 For information on return supports (storage units, end gables & legs) refer to p.14.  
 To select a modesty panel for this return, refer to grid on p.71.

### RETURN FOR 72" SURFACES



PRICE					Wood (W)			
Dimensions				Code	Straight (i)	Reverse (V)	Spec.	
A	B	C	D				Cu.Ft	lb
24	60	72 1/2	8 3/4	SRLE2A722460	1528	1789	2.2	44
24	54	66 1/2	8 3/4	SRLE2A722454	1513	1767	2.0	40
24	48	60 1/2	8 3/4	SRLE2A722448	1497	1744	1.9	36
24	60	72 1/2	8 3/4	SRRE2A722460	1528	1789	2.2	44
24	54	66 1/2	8 3/4	SRRE2A722454	1513	1767	2.0	40
24	48	60 1/2	8 3/4	SRRE2A722448	1497	1744	1.9	36

## SPECIFY

## OPTION

Product code    Profile    Wood    Grom. / M-Outlet

ES -  -  - W -  -

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse), see p.12.

**Wood:** Specify the color of the surface finish (WOOD), see p.25.

**Option** Grommet / M-Outlet: Round grommet option (GU2) add \$90, or round multi-outlet (DU2) add \$300, see p.23.

# surfaces and returns

price list

*elliptical surface with combined materials (wood / lacquer)*

## Description

Elliptical work surface with wood finish on user side and lacquer finish on guest side.


Option of round grommet or round multi-outlet positioned on the left or right\*.

\* If specified, the "Disc" base allows for passage of cabling through center leg.

Wood gables not available for this surface.

Returns for this surface shown on p.57. For information on surface supports (storage units & legs) refer to p.14.


To select a modesty panel for this surface, refer to grid on p.71.



## PRICE

## Lacquer (Q)

Dimensions			Code	Lacquer (Q)		Spec.	
A	B	C		Straight (i)	Reverse (V)	Cu.Ft.	lb
36	78	22½	SSE2WB3678	3494	3672	3.5	60
36	72	22	SSE2WB3672	3462	3637	3.3	55



## SPECIFY

## OPTIONS

Product code      Profile      Wood      Grom.      M-Outlet

ES -  -  - Q - LQ31 -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Wood:** Specify the color of the main surface finish (**WOOD**), see p.25.

**Options Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.

**Multi-Outlet:** Round multi-outlet option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.

**Attention:** For this surface, only one option (grommet or multi-outlet) can be specified per position.

# surfaces and returns

price list

elliptical surface with combined materials (soft-touch / wood or soft-touch / lacquer)

## Description

Elliptical work surface with Soft-Touch finish on user side and choice of finish (wood or lacquer) on guest side.


Option of round grommet or round multi-outlet positioned on the left or right\*.





\* If specified, the "Disc" base allows for the routing of cables through center leg.


Wood gables not available for this surface.

Returns for this surface shown on p.57. For information on surface supports (storage units, gables & legs) refer to p.14.

To select a modesty panel for this surface, refer to grid on p.71.



PRICE				Finish 2: Wood (W)		Finish 2: Lacquer (Q)			
Dimensions			Code					Spec.	
A	B	C		Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	lb
36	78	22½	SSE2CB3678	4320	4499	5409	5445	3.5	60
36	72	22	SSE2CB3672	4299	4473	5387	5424	3.3	55



## SPECIFY

Product code	Profile	Type	Finish 2	S-Touch	Grom.	M-Outlet
ES -						

## OPTIONS

**Specify** Code: Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface (finish 2): **W** (wood) or **Q** (lacquer).

**Finish 2:** Specify the color of the secondary surface finish, see p.25.

**S-Touch:** Specify the color of the main surface finish (**SOFT-TOUCH**), see p.25.

**Options** **Grommet:** Round grommet option, installed at left (**GL2**) or at right (**GR2**), add \$90 ea., see p.23.

**Multi-Outlet:** Round multi-outlet option, installed at left (**DL2**) or at right (**DR2**), add \$300 ea., see p.23.

**Attention:** For this surface, only one option (grommet or multi-outlet) can be specified per position.



# tables


price list

## round tables 29" H.

### Description

29" H. round table with 4 square metal legs (2½" x 2½", silver finish).

Option of centered round multi-outlet (multi-outlet & cables will be visible under the surface).




PRICE			Wood (W)		Lacquer (Q)		Glass (G)			
Dimensions									Spec.	
A	C	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)		Cu.Ft.	lb
48	29	TRS2948	2754	3031	3579	3615	3615		1.7	108
42	29	TRS2942	2232	2494	2862	2896	2896		1.7	89

### Description

29" H. round table with 4 round metal legs (2½" diam., silver finish).

Option of centered round multi-outlet (multi-outlet & cables will be visible under the surface).




48	29	TRR2948	2939	3215	3764	3799	3799	1.7	108
42	29	TRR2942	2417	2679	3048	3081	3081	1.7	89

### Description

29" H. round table with centered metal leg (4" diam.) and "Disc" base (24" diam.), silver finish.

Option of centered round multi-outlet. This base allows for the routing of cables through center leg.




48	29	TRD2948	3279	3555	4103	4137	4137	14.2	141
42	29	TRD2942	2754	3017	3386	3420	3420	13.6	122

## round tables 36" H. and 42" H.

### Description

36" H. and 42" H. round tables with centered metal leg (4" diam.) and "Disc" base (21" diam.), silver finish.

Option of centered round multi-outlet. This base allows for the routing of cables through center leg.



PRICE			Wood (W)		Lacquer (Q)		Glass (G)			
Dimensions									Spec.	
A	C	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)		Cu.Ft.	lb
30	36	TRD3630	2323	2607	2710	2751	2751		12.2	83
30	42	TRD4230	2339	2622	2726	2767	2767		14.0	85

### SPECIFY

### OPTION

Product code   Profile   Type   Surface   Wood   M-Outlet

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: i (straight) or V (reverse, if applicable), see p.12.

**Type:** Specify the type of finish for the surface: W (wood), Q (lacquer) or G (glass).

**Surface:** Specify the color of the surface finish, see p.25.

**Wood (if glass surface):** Specify the wood finish for the visible profile (edge of surface), see p.25.

**Option Multi-Outlet:** Round multi-outlet option, installed at center (DC2), add \$300, see p.23.


# tables







price list

occasional tables 17" H.

## Description


Occasional rectangular table with square metal legs (2½" x 2½", silver finish).



PRICE				Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
Dimensions											
A	B	C	Code	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft	lb
24	36	17	TMASS172436	1265	1432	1573	1608	1694	1728	1.9	39
24	24	17	TMASS172424	986	1141	1192	1227	1272	1306	1.6	31

## Description


Occasional rectangular table with round metal legs (2½" x 2½", silver finish).



24	36	17	<b>TMASR172436</b>	1268	1437	1577	1612	1696	1730	1.9	39
24	24	17	<b>TMASR172424</b>	989	1143	1195	1229	1274	1308	1.6	31

## Description


Occasional round table with centered metal leg (4" diam.) and "Disc" base (18" diam.), silver finish.



30	17	<b>TMARD1730</b>	1819	1987	2141	2176	5.2	57
24	17	<b>TMARD1724</b>	1505	1632	1711	1745	4.8	50

## Description

Occasional elliptical table with centered metal leg (4" diam.) and "Disc" base (18" diam.), silver finish.



21	36	17	<b>TMAED172136</b>	1679	1913	1949	1984	5	54
----	----	----	--------------------	------	------	------	------	---	----

## SPECIFY

ES -  -  -  -

**Specify Code:** Consult the above list.

**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.

**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Surface:** Specify the color of the surface finish, see p.25.

# gables and legs

price list

*ALTO wood gables [sold in pairs]*

## Description

Alto wood gable set (gable is composed of a closed wood panel assembly with vertical woodgrain).

The set is comprised of two Alto gables and a structural beam of appropriate length to ensure the stability of the gable set assembly.

Gables allow for cable routing inside the structure (from top to floor) through the use of a removable section. The addition



of the AC-EPUA multi-outlet module is possible (see Accessory price list). Use wire trough AC-WR24 to run cables along the structural beam.

It is possible to order this gable individually (see p.66-67) if the use of a pedestal as support is planned for the opposite end of the surface.


The modesty panel is sold separately, see p.15 for details.

Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length.


## ALTO GABLE SET



Rectangular surface  
2 ALTO gables



Trapezoid surface  
2 ALTO gables



Ergonomic surface  
2 ALTO gables

Surface dimensions	Rectangular surface 2 ALTO gables		Trapezoid surface 2 ALTO gables		Ergonomic surface 2 ALTO gables		Spec.	
	Code Set	Price	Code Set	Price	Code Set	Price	Cu.Ft.	lb
36x84	A1	3837			27x84	A1	3837	8.4 84
36x78	A2	3837			27x78	A2	3837	
36x72	A3	3837			27x72	A3	3837	
30x78	A2	3837	A6	3837	27x66	A4	3837	
30x72	A3	3837	A7	3837	27x60	A5	3837	
30x66	A4	3837	A8	3837				
30x60	A5	3837						

## SPECIFY

Product code Wood

ES -  -

**Specify Code :** Consult the above list.

**Wood:** Specify the color (**Wood**), see p.25.


# gables and legs

price list

*DUO wood gables (sold in pairs)*

## Description

Duo wood gable set (gable is composed of a narrow interior wood panel and a wider exterior wood panel).  
The set is comprised of two Duo gables and a structural beam of appropriate length to ensure the stability of the gable set assembly.  
Sets D1, D2 & D3 are comprised of 30" wide gables, sets D4 to D11 are comprised of 24" wide gables.  
Gables have a bidirectional wood grain finish on the exterior panel (see drawing).  
Gables allow for cable routing between the gable panels (from top to floor) through the use of a removable section. The addition of the AC-EPU multi-outlet is possible (see Accessory price list). Use wire trough AC-WR24 to run cabling on the structural beam.  
It is possible to order this gable individually (see p.66-67) if the use of a pedestal as support is planned for the opposite end of the surface.  
The modesty panel is sold separately, see p.15 for details.  
**Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length.**



DUO GABLE SET

Rectangular surface 2 DUO gables			Trapezoid surface 2 DUO gables			Ergonomic surface 2 DUO gables		
Surface dimensions	Code	Price	Code	Price	Surface dimensions	Code	Price	Spec.
	Set		Set			Set		Cu.Ft. lb
36x84	D1	2130			27x84	D4	2130	12.2 70
36x78	D2	2130			27x78	D5	2130	
36x72	D3	2130			27x72	D6	2130	
30x78	D5	2130	D9	2130	27x66	D7	2130	
30x72	D6	2130	D10	2130	27x60	D8	2130	
30x66	D7	2130	D11	2130				
30x60	D8	2130						

## SPECIFY

Product code

Wood

ES -  -

**Specify Code :** Consult the above list.  
**Wood:** Specify the color (**Wood**), see p.25.

# gables and legs

price list

wood gables for work surfaces [sold individually]

## Description

\*Specify if only one gable is required to support a surface. If two identical gables are required to support a surface, refer to previous page.


Alto wood gable, **sold by the unit**, composed of a closed wood panel assembly with vertical woodgrain.

Specify to support a work surface, only if the opposite end of the surface is supported by a pedestal or credenza.


Gable allows for cable routing inside the structure (from top to floor) through the use of a removable section.

The addition of the AC-EPUA multi-outlet is possible (see Accessory price list).

Reversible.



### ALTO GABLE



#### PRICE

Dimensions			Code	Wood	Spec.	
A	B	C			Cu.Ft.	lb
28		24	A2824	1821	3.6	36

## Description

Duo wood gable, **sold by the unit**, composed of a narrow interior wood panel and a wider exterior wood panel.

Specify to support a work surface (24" or 30" gable), only if the opposite end of the surface is supported by a pedestal or credenza.



Gable allows for cable routing between the gable panels (from top to floor) through the use of a removable section.

The addition of the AC-EPU multi-outlet is possible (see Accessory price list).

Gable has a bidirectional wood grain finish on the exterior panel (see drawing).

Non-reversible gable.

### DUO GABLE



#### PRICE

Dimensions			Side	Code	Bois		Spec.	
A	B	C					Cu.Ft.	lb
28		30	Left	DL2830	968	To use with surfaces 36" deep	5.5	29
28		30	Right	DR2830	968	To use with surfaces 36" deep	5.5	29
28		24	Left	DL2824	946	To use with surfaces 30" or 27" deep	4.5	25
28		24	Right	DR2824	946	To use with surfaces 30" or 27" deep	4.5	25

## SPECIFY

Product code      Wood

ES -  -

Specify Code: Consult the above list.

Wood: Specify the color (Wood), see p.25.

# gables and legs

price list


end gable for return [sold individually]

## Description

Wood end gable for return, **sold by the unit**, composed of two panels assembled perpendicularly.

Specify to support the return's end opposite to the work surface when a pedestal, credenza or metal legs are not specified as support for the return.

Non-reversible gable. Specify the 13" wide gable to support the returns for ergonomic surface, p.50-52 & 53



## PRICE

Dimensions						Spec.	
A	B	C	Side	Code	Wood	Cu.Ft.	lb
28		19	Left	TUL2819	385	For 24" wide returns (at supporting end)	3.5
28		19	Right	TUR2819	385	For 24" wide returns (at supporting end)	3.5
28		13	Left	TUL2813	363	For 18" wide returns (at supporting end)	2.6
28		13	Right	TUR2813	363	For 18" wide returns (at supporting end)	2.6

## SPECIFY

Product code Wood  
ES -  -

Specify Code: Consult the above list.

Wood: Specify the color (WOOD), see p.25.

## metal legs


## Description

Round tubular metal leg (2½" diam.) with wider leveller (allows for a height adjustment of 1¼"), silver finish.

Square metal leg (2½" x 2½") with hidden leveller (allows for a height adjustment of ¾"), silver finish.

Specify to support a work surface or a return. Not recommended work surfaces 78" or more.

Consult the specification guide, p.14.



## PRICE


Dimensions				Spec.	
A	Code	Price	Cu.Ft.	lb	
Round (2½" Diam.)	28	LER28	162	0.9	7
Square (2½ x 2½)	28	LES28	121	0.9	7

## Description

Metal leg with round tubular structure (4" diam.) and "disc" base (21" diam.), silver finish.

Specify to support an elliptical work surface.

This base allows for cable routing from the surface level to floor through center leg when the grommet option or multi-outlet option is selected for the elliptical work surface, see p.23.



## PRICE

Dimensions				Spec.	
A	B	C	Code	Price	Cu.Ft. lb
For 36"H. table	35	4	21	LED35421	913 8.9 50
For 29"H. table	28	4	21	LED28421	897 11 52

## SPECIFY

Product code  
ES -

Specify Code : Consult the above list.

# modesty panels







## reference guide

price list

Select the length of the modesty panel using the list below:







- 1- Select the work surface or return
- 2- Select the type of supports (gables, legs, storage unit)
- 3- Note the proposed panel modesty length from the grid below
- 4- Specify the modesty panel on p.72 & 75.

### MODESTY PANEL FOR RECTANGULAR SURFACE



Surface Dimensions	Pedestals on 2 sides Modesty length	ALTO gable + pedestal Modesty length	DUO gable + pedestal Modesty length	Metal legs + pedestal Modesty length	4 metal legs Modesty length	2 ALTO gables Modesty length	2 DUO gables Modesty length
36x84	64½	64½	69			64½	73½
36x78	58½	58½	63			58½	67½
36x72	52½	52½	57	54½	42½	52½	61½
30x78	58½	58½	63			58½	67½
30x72	52½	52½	57	54½	42½	52½	61½
30x66	46½	46½	51	48½	42½	46½	55½
30x60	40½	40½	45	42½	42½	40½	49½

### MODESTY PANEL FOR RECTANGULAR SURFACE RETURNS



Return dimensions	27" H. Storage Modesty length	End gable Modesty length	Metal legs Modesty length	Return dimensions	27" H. Storage Modesty length	End gable Modesty length	Metal legs Modesty length
24x60	48½	55½	52½	24x72	54½	61½	58½
24x54	42½	49½	46½	24x66	48½	55½	52½
24x48	36½	42½	40½	24x60	42½	49½	46½
24x42	30½	36½	36½				


Codification & pricing, see p.72-75.

# modesty panels


reference guide [cont'd]

price list


## MODESTY PANEL FOR TRAPEZOID SURFACE




**Pedestals on  
2 sides**




**ALTO gable  
+ pedestal**




**DUO gable  
+ pedestal**




**Metal legs  
+ pedestal**



**4 metal legs**




**2 ALTO gables**




**2 DUO gables**

Surface Dimensions	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length
30x78	51	51	54½			51	58½
30x72	45	45	48½	45	45	45	52½
30x66	39	39	42½	39	39	39	46½


## MODESTY PANEL FOR TRAPEZOID SURFACE RETURNS



**27" H.  
Storage**




**End gable**




**Metal legs**


Return dimensions	Modesty length	Modesty length	Modesty length
24x84	54½	61½	58½
24x78	48½	55½	52½
24x72	42½	49½	46½



**27" H.  
Storage**




**End gable**




**Metal legs**


Return dimensions	Modesty length	Modesty length	Modesty length
24x84	54½	61½	58½
24x78	48½	55½	52½
24x72	42½	49½	46½



**27" H.  
Storage**



**End gable**



**Metal legs**

Return dimensions	Modesty length	Modesty length	Modesty length
24x84	54½	61½	58½
24x78	48½	55½	52½
24x72	42½	49½	46½

Codification & pricing, see p.72-75.




# modesty panels


reference guide [cont'd]

price list


## MODESTY PANEL FOR ERGONOMIC SURFACE



**Pedestals on  
2 sides**




**ALTO gable  
+ pedestal**




**DUO gable  
+ pedestal**




**Metal legs  
+ pedestal**



**4 metal legs**



**2 ALTO gables**




**2 DUO gables**

Surface Dimensions	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length
27x84	64½	64½	69			64½	73½
27x78	58½	58½	63			58½	67½
27x72	52½	52½	57	54½	42½	52½	61½
27x66	46½	46½	51	48½	42½	46½	55½
27x60	40½	40½	45	42½	42½	40½	49½


## MODESTY PANEL FOR ERGONOMIC SURFACE RETURNS




**Return  
dimensions**



**27" H.  
Storage**




**End gable**




**Metal legs**




**Return  
dimensions**



**27" H.  
Storage**



**End gable**




**Metal legs**


Return dimensions	Modesty length	Modesty length	Modesty length	Return dimensions	Modesty length	Modesty length	Modesty length
18x60	49½	54½	52½	24x84	57	63	58½
18x54	42½	48½	46½	24x78	51	57	54½
18x48	36½	42½	40½	24x72	45	51	48½

Codification & pricing, see p.72-75.

MODESTY PANEL FOR ELLIPTICAL SURFACE




Pedestals on 2 sides




Metal legs  
+ pedestal



Disc base metal leg  
+ pedestal




2 Disc base metal leg




4 metal legs

Surface Dimensions	Modesty length	Modesty length	Modesty length	Modesty length	Modesty length
36x78	52½	48½	48½	45	45
36x72	46½	42½	42½	39	39


MODESTY PANEL FOR RETURN (OF ELLIPTICAL SURFACE)



27" H.  
Storage



End gable



Metal legs

Return dimensions	Modesty length	Modesty length	Modesty length
24x60	48½	52½	52½
24x54	42½	46½	46½
24x48	36½	40½	40½

Codification & pricing, see p.72-75.

# modesty panels

for work surfaces of 13½" H.

price list

## Description


Modesty panels for work surfaces. Available with wood finish (horizontal woodgrain), lacquer finish, glass (13½" H.) or bidirectional wood grain finish.

The panel is installed on to the work surface with metal brackets (included).

Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the surface and to the type of support (gable, storage or legs) specified.

Modesty panels for returns are shown on p.74.



Modesty Length	Wood, lacquer or glass finish				Bidirectional wood grain finish			
	Code	Price			Code	Price		Spec.
		Wood (W)	Lacquer (Q)	Glass (G)		Wood (W)	Cu.Ft.	
73½	MOD7313	386	782	867	MOD2B7313	444	1.4	25
69	MOD6913	382	752	832	MOD2B6913	439	1.3	24
67½	MOD6713	381	743	821	MOD2B6713	437	1.2	23
64½	MOD6413	377	724	798	MOD2B6413	433	1.2	22
63	MOD6313	375	714	785	MOD2B6313	432	1.2	22
61½	MOD6113	374	705	774	MOD2B6113	431	1.1	21
58½	MOD5813	371	685	751	MOD2B5813	427	1.1	21
57	MOD5713	370	675	740	MOD2B5713	425	1.1	20
55½	MOD5513	367	666	729	MOD2B5513	424	1.0	20
54½	MOD5413	366	660	722	MOD2B5413	422	1.0	19
52½	MOD5213	364	647	706	MOD2B5213	420	1.0	19
51	MOD5113	363	637	694	MOD2B5113	419	1.0	18
49½	MOD4913	362	628	683	MOD2B4913	416	0.9	18
48½	MOD4813	361	622	675	MOD2B4813	415	0.9	18
46½	MOD4613	359	608	660	MOD2B4613	413	0.9	17
45	MOD4513	356	598	648	MOD2B4513	411	0.8	17
42½	MOD4213	354	583	629	MOD2B4213	409	0.8	16
40½	MOD4013	352	570	614	MOD2B4013	407	0.8	16
39	MOD3913	351	560	603	MOD2B3913	404	0.7	15

## SPECIFY

Product Code      Type      Finish

ES -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish: **W** (wood), **Q** (lacquer) or **G** (glass - 13½" H. only).

**Finish:** Specify the color of the finish, see p.25.

# modesty panels

price list

for work surfaces of 26½" H.

## Description

Modesty panels for work surfaces. Available with wood finish (horizontal woodgrain), lacquer finish, glass (13½" H.) or bidirectional wood grain finish.

The panel is installed to the work surface with metal brackets (included).



The 26½" H. panel must also be attached, near ground level, to the base of a wood gable or a pedestal.

The 26½" H. panel cannot be specified for a surface supported by metal legs.


Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the surface and to the type of support (gable, storage or legs) specified.

Modesty panels for returns are shown on p.75.



FULL HEIGHT PANEL  
26½" H.



Modesty Length	Wood, lacquer or glass finish				Bidirectional wood grain finish			
	Price				Price		Spec.	
	Code	Wood (W)	Lacquer (Q)	Glass (G)	Code	Wood (W)	Cu.Ft.	lb
73½	MOD7326	463	1254		MOD2B7326	529	1.4	25
69	MOD6926	454	1196		MOD2B6926	518	1.3	24
67½	MOD6726	451	1176		MOD2B6726	515	1.2	23
64½	MOD6426	444	1137		MOD2B6426	508	1.2	22
63	MOD6326	441	1118		MOD2B6326	505	1.2	22
61½	MOD6126	438	1100		MOD2B6126	501	1.1	21
58½	MOD5826	432	1060		MOD2B5826	494	1.1	21
57	MOD5726	429	1041		MOD2B5726	491	1.1	20
55½	MOD5526	426	1022		MOD2B5526	487	1.0	20
54½	MOD5426	424	1009		MOD2B5426	485	1.0	19
52½	MOD5226	419	983		MOD2B5226	481	1.0	19
51	MOD5126	416	965		MOD2B5126	476	1.0	18
49½	MOD4926	414	945		MOD2B4926	473	0.9	18
48½	MOD4826	411	932		MOD2B4826	471	0.9	18
46½	MOD4626	407	906		MOD2B4626	466	0.9	17
45	MOD4526	404	887		MOD2B4526	463	0.8	17
42½	MOD4226	398	855		MOD2B4226	458	0.8	16
40½	MOD4026	394	829		MOD2B4026	452	0.8	16
39	MOD3926	392	811		MOD2B3926	449	0.7	15

## SPECIFY

Product Code      Type      Finish

ES -  -  -

Specify Code: Consult the above list.

Type: Specify the type of finish: **W** (wood), **Q** (lacquer) or **G** (glass - 13½" H. only).

Finish: Specify the color of the finish, see p.25.

# modesty panels

for returns of 13½" H.

price list

## Description



Modesty panels for returns. Available with wood finish (horizontal woodgrain), lacquer finish or bidirectional wood grain finish. Glass finish not available.

The panel is installed on to the return surface with metal brackets (included).


Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the return and to the type of support (gable, storage or legs) specified.

Modesty panels for work surfaces are shown on p.72.



SHORT PANEL  
13½" H.



Modesty length	Wood or lacquer finish			Bidirectional wood grain finish			
	Code	Price		Code	Price		Spec.
		Wood (W)	Lacquer (Q)		Wood (W)	Cu.Ft.	
63	MOR6313	375	714	MOR2B6313	432	1.2	22
61½	MOR6113	374	704	MOR2B6113	431	1.1	16
58½	MOR5813	371	685	MOR2B5813	427	1.1	15
57	MOR5713	370	675	MOR2B5713	425	1.1	20
55½	MOR5513	367	666	MOR2B5513	424	1.0	14
54½	MOR5413	366	660	MOR2B5413	422	1.0	13
52½	MOR5213	364	647	MOR2B5213	420	1.0	13
51	MOR5113	363	637	MOR2B5113	419	1.0	18
49½	MOR4913	362	627	MOR2B4913	416	0.9	12
48½	MOR4813	361	622	MOR2B4813	415	0.9	12
46½	MOR4613	359	608	MOR2B4613	413	0.9	11
45	MOR4513	356	598	MOR2B4513	411	0.8	17
42½	MOR4213	354	583	MOR2B4213	409	0.8	10
40½	MOR4013	352	570	MOR2B4013	407	0.8	10
36½	MOR3613	348	541	MOR2B3613	400	0.7	9
30½	MOR3013	342	506	MOR2B3013	395	0.6	8

## SPECIFY

ES -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish: **W** (wood) or **Q** (lacquer).

**Finish:** Specify the color of the finish, see p.25.

# modesty panels

price list

for returns of 26½" H.

## Description

Modesty panels for returns. Available with wood finish (horizontal woodgrain), lacquer finish or bidirectional wood grain finish. Glass finish not available.

The panel is installed on to the return surface with metal brackets (included).



The 26½" H. panel must also be attached, near ground level, to the base of a wood gable or a pedestal.

The 26½" H. cannot be specified for a return supported by metal legs.


Consult the Modesty Panels reference guide on p.68 to 71 to determine the required modesty panel length\*.

\* The required length varies according to the shape of the return and to the type of support (gable, storage or legs) specified.

Modesty panels for work surfaces are shown on p.73.



FULL HEIGHT PANEL  
26½" H.



Modesty length	Wood or lacquer finish			Bidirectional wood grain finish			
	Code	Price		Code	Price	Spec.	
		Wood (W)	Lacquer (Q)			Cu.Ft.	lb
63	MOR6326	441	1118	MOR2B6326	505	2.1	38
61½	MOR6126	438	1099	MOR2B6126	501	2.1	28
58½	MOR5826	432	1060	MOR2B5826	494	2.0	27
57	MOR5726	429	1041	MOR2B5726	491	1.9	35
55½	MOR5526	426	1022	MOR2B5526	487	1.9	26
54½	MOR5426	424	1009	MOR2B5426	485	1.9	25
52½	MOR5226	419	983	MOR2B5226	481	1.8	24
51	MOR5126	416	965	MOR2B5126	476	1.7	32
49½	MOR4926	414	945	MOR2B4926	473	1.7	23
48½	MOR4826	411	932	MOR2B4826	471	1.7	22
46½	MOR4626	407	906	MOR2B4626	466	1.6	21
45	MOR4526	404	887	MOR2B4526	463	1.5	28
42½	MOR4226	398	855	MOR2B4226	458	1.5	20
40½	MOR4026	394	829	MOR2B4026	452	1.4	19
36½	MOR3626	385	772	MOR2B3626	443	1.3	17
30½	MOR3026	373	701	MOR2B3026	430	1.1	15

## SPECIFY

ES -  -  -

Specify Code: Consult the above list.

Type: Specify the type of finish: **W** (wood) or **Q** (lacquer).

Finish: Specify the color of the finish, see p.25.

# storage

price list

pedestals 27" H. [can be specified as surface support]

## Description

Pedestal with 1 file drawer and 2 - 6" drawers.

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top drawer.


Can be specified to support a 30" deep or less surface.

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).

These pedestals can be used separately or as support for a surface by adding the surface supporting spacers (p.82).

### 24" DEEP



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	24	27	FPUUF242427	2708	2880	3258	11.3	100
24	19	27	FPUUF241927	2635	2742	2971	9.2	86

## Description

Pedestal with 2 file drawers.


Drawer fronts available in wood, lacquer or Soft-Touch.

Can be specified to support a 30" deep or less surface.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).



24	24	27	FPFF242427	2615	2787	3166	11.3	100
24	19	27	FPFF241927	2542	2650	2878	9.2	86

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Handle    C-Weight    Noki

ES -  -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.


**Options Counterweight:** Counterweight option, add (**CW**), add \$113, see p.16.

**Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.

## Description

Open pedestal with 1 adjustable shelf.

Can be specified to support a 30" deep or less surface.



Dimensions			Code	Front Type		Spec.	
A	B	C		Wood (W)		Cu.Ft.	lb
24	24	27	FPO242427	1766		11.3	70
24	19	27	FPO241927	1569		9.2	59

## SPECIFY

Product code    Case

ES -  -

**Specify Code:** Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

pedestals 27" H. [cont'd]


price list

## Description

Pedestal with 1 file drawer and 2 - 6" drawers.  
 Drawer fronts available in wood, lacquer or Soft-Touch.  
 Wood pencil tray included in the top drawer.  
 Can be specified to support a 36" deep or less surface.  
 A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
 Optional lock available (Noki electronic lock).

These pedestals can be used separately or as support for a surface by adding the surface supporting spacers (p.82).


### 30" DEEP



Dimensions			Front Type			Spec.	
A	B	C	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	
30	24	27	FPUUF302427	2797	2971	3348	14.0 111
30	19	27	FPUUF301927	2724	2831	3060	11.3 97

## Description

Pedestal with 2 file drawers.  
 Drawer fronts available in wood, lacquer or Soft-Touch.  
 Can be specified to support a 36" deep or less surface.  
 Interlock mechanism included (allows for only one drawer to be open at a time).  
 A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
 Optional lock available (Noki electronic lock).



30	24	27	FPPF302427	2705	2878	3255	14.0 111
30	19	27	FPPF301927	2632	2739	2967	11.3 97

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Handle    C-Weight    Noki

ES -  -  -  -  -  -  -

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the drawer fronts: W (wood), Q (lacquer) or C (Soft-Touch).

**Front:** Specify the finish for the drawer fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.


**Handle:** Specify the type of handle: arched (PA) or straight (PT), see p.16.

**Options** **Counterweight:** Counterweight option, add (CW), add \$113, see p.16.

**Noki:** Electronic lock option, add (L), offered without charge, see p.19.

## Description

Open pedestal with 1 adjustable shelf.  
 Can be specified to support a 36" deep or less surface.



Dimensions			Spec.	
A	B	C	Code	Price
30	24	27	FPO302427	1856
30	19	27	FPO301927	1658

## SPECIFY

Product code    Case

ES -  -

**Specify** Code: Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.




# storage

price list

storage unit 27" H. [can be specified as surface support]

## Description


Storage unit with hinged doors and 1 adjustable shelf.  
Door fronts available in wood, lacquer or Soft-Touch.  
Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	36	27	SDD243627	2577	2944	2973	16.6	119
24	30	27	SDD243027	2530	2835	2859	14.0	103

## Description


Storage unit with 2 file drawers.  
Drawer fronts available in wood, lacquer or Soft-Touch.  
Interlock mechanism included (allows for only one drawer to be open at a time).  
A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
Optional lock available (Noki electronic lock).



24	36	27	SFF243627	3761	4019	4264	16.6	134
24	30	27	SFF243027	3713	3929	4133	14.0	117

## Description


Storage unit with 1 file drawer, 1 - 6" full width drawer and 2 - 6" drawers.  
Drawer fronts available in wood, lacquer or Soft-Touch.  
Wood pencil tray included in the top right drawer.  
A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.  
Optional lock available (Noki electronic lock).



24	36	27	SUUBF243627	5298	5809	6354	16.6	142
24	30	27	SUUBF243027	5244	5671	6125	14.0	124

## Description

Storage units with 1 file drawer, 2 - 6" drawers and cabinet (1 adjustable shelf).  
Drawer and door fronts available in wood, lacquer or Soft-Touch.  
Wood pencil tray included in the top drawer.  
Optional lock available (on drawers only, Noki electronic lock).



24	36	27	SDUUF243627	5225	5691	6034	16.6	144
24	36	27	SUUF243627	5225	5691	6034	16.6	144

24	30	27	SDUUF243027	4974	5363	5647	14.0	127
24	30	27	SUUF243027	4974	5363	5647	14.0	127

## SPECIFY

ES -  -  -  -  -  -  -

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Options Counterweight (if applicable):** Counterweight option, add (**CW**), add \$94, see p.16.

**Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.


# storage

price list

storage units 27" H. [cont'd]

## Description

Storage unit with a lateral sliding door containing 2 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.



Dimensions			Front Type			Spec.	
A	B	C	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft. lb
24	36	27	SSL243627	3903	4067	4154	16.6 116
24	30	27	SSL243027	3864	4003	4073	14.0 101

## SPECIFY

Product code    Type    Front    Case    Handle  
ES -  -  -  -  -


**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.



Dimensions			Spec.	
A	B	C	Code	Price
24	36	27	SO243627	2926
24	30	27	SO243027	2880

## SPECIFY

Product code    Case  
ES -  -

**Specify** Code: Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

price list


credenzas 27" high [can be specified as surface support]

## Description

Credenza with 2 file drawers on the left and cabinet on the right (1 adjustable shelf).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (on drawers only, Noki electronic lock).




Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SFFDD247227	4982	5607	5881	32.3	225
24	60	27	SFFDD246027	4594	5218	5492	27.0	205

## Description

Credenza with cabinet on the left (1 adjustable shelf) and 2 file drawers on the right.

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (on drawers only, Noki electronic lock).




Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SDDFF247227	4982	5607	5881	32.3	225
24	60	27	SDDFF246027	4594	5218	5492	27.0	205

## Description

Credenza with 2 file drawers on the left and opening on the right (1 adjustable shelf).

Drawer fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SFFO247227	4611	4871	5115	32.3	206
24	60	27	SFFO246027	4402	4661	4905	27.0	186

## Description

Credenza with opening on the left (1 adjustable shelf) and 2 file drawers on the right.

Drawer fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SOFF247227	4611	4871	5115	32.3	206
24	60	27	SOFF246027	4402	4661	4905	27.0	186

## SPECIFY

## OPTION

Product code    Type    Front    Case    Handle    Noki

ES -  -  -  -  -  -

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option** Noki: Electronic lock option, add (L), offered without charge, see p.19.

# storage

## price list


### credenzas 27" high [cont'd]

#### Description

Credenza with cabinet on the left (1 adjustable shelf) and opening on the right (1 adjustable shelf).

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	<b>SDDO247227</b>	3323	3689	3718	32.3	200
24	60	27	<b>SDDO246027</b>	3113	3480	3509	27.0	180

#### Description

Credenza with opening on the left (1 adjustable shelf) and cabinet (1 adjustable shelf) on the right.

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	<b>SODD247227</b>	3323	3689	3718	32.3	200
24	60	27	<b>SODD246027</b>	3113	3480	3509	27.0	180


#### Description

Credenza with 4 drawers on the left and opening on the right (1 adjustable shelf).

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top right drawer.

Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	<b>SUUBFO247227</b>	6254	6513	6943	32.3	214
24	60	27	<b>SUUBFO246027</b>	6046	6304	6734	27.0	194


#### Description

Credenza with opening at left (1 adjustable shelf) and 4 drawers at right.

Drawer fronts available in wood, lacquer or Soft-Touch.

Wood pencil tray included in the top right drawer.

Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	<b>SOUUBF247227</b>	6254	6513	6943	32.3	214
24	60	27	<b>SOUUBF246027</b>	6046	6304	6734	27.0	194

#### SPECIFY

#### OPTION

Product code	Type	Front	Case	Handle	Noki
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.


# storage

price list

## credenzas 27" high (cont'd)

### Description


Credenza with **lateral** sliding door containing 2 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SSL247227	4468	4728	4864	32.3	198
24	60	27	SSL246027	4271	4530	4667	27.0	174

### Description

Credenza with **central** sliding door containing 3 interior sections (each with 1 adjustable shelf).  
Door front available in wood, lacquer or Soft-Touch.



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	27	SSC247227	4540	4799	4936	32.3	207
24	60	27	SSC246027	4343	4601	4739	27.0	183

### SPECIFY

Product code    Type    Front    Case    Handle  
ES -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the door front, see p.25.


**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.


## surface support spacers

### Description

Spacers support surfaces on 27" H. storage units allow a 1" gap between surface and storage top.  
A set (2 spacers) must be ordered for each end of a surface that is supported.  
Silver finish.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
4" x 6" x 1" H.			ES-S1SP46-W	44	0.1	2
Set of 2						




# storage







price list

top for 27" high storage units

## Description

Top for 27" high and 24" deep storage units.  
Requires the use of surface support spacers (see previous page).  
Increases the total height of a credenza+hutch assembly by 2".



Dimensions		Code	Wood (W)		Lacquer (Q)		Soft-Touch (C)		Spec.	
										
A	B		Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Straight (i)	Reverse (V)	Cu.Ft.	lb
24	72	SSi2472	1273	1476	1890	1925	2130	2164	2.3	48
24	66	SSi2466	1260	1460	1826	1860	2045	2079	2.1	44
24	60	SSi2460	1246	1440	1761	1795	1959	1993	1.9	40
24	36	SSi2436	1192	1360	1500	1536	1621	1656	1.1	24
24	30	SSi2430	1179	1340	1437	1471	1536	1570	1.0	20

## SPECIFY

ES -  -  -  -

**Specify Code:** Consult the above list.  
**Profile:** Specify the profile: **i** (straight) or **V** (reverse), see p.12.  
**Type:** Specify the type of finish for the surface: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).  
**Surface:** Specify the color of the surface finish, see p.25.

# storage

price list

## storage units 40" high

### Description


Storage unit with 3 file drawers (letter or legal size document filing).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	36	40	SFFF243640	4453	4744	5215	24.0	182
24	30	40	SFFF243040	4369	4660	5133	20.2	159
24	19	40	SFFF241940	3563	3720	4052	13.3	118

### Description


Storage unit with opening on top and 2 file drawers (letter or legal size document filing).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

A factory-installed counterweight is available as an option to prevent tipping in case of storage overload.

Optional lock available (Noki electronic lock).




24	36	40	SOFF243640	3859	4051	4367	24.0	172
24	30	40	SOFF243040	3774	3968	4282	20.2	150

### Description

Storage unit with hinged door and 2 adjustable shelves.

Door front available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).




Left	24	19	40	SDL241940	2576	2872	2912	13.3	110
Right	24	19	40	SDR241940	2576	2872	2912	13.3	110

### Description

Storage unit with hinged doors and 2 adjustable shelves.

Door fronts available in wood, lacquer or Soft-Touch.

Optional lock available (Noki electronic lock).



24	36	40	SDD243640	2961	3553	3631	24.0	168
24	30	40	SDD243040	2878	3469	3546	20.2	145

### SPECIFY

Product code	Type	Front	Case	Handle	C-Wight	Noki	
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

### OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Options Counterweight (if applicable):** Counterweight option, add (**CW**), add \$94, see p.16.

**Noki:** Electronic lock option, add (**L**), offered without charge, see p.19.


# storage

## price list

### storage units 40'' high [cont'd]

#### Description


Storage unit with a **lateral** sliding door containing 2 interior sections (each with 2 adjustable shelves).  
Door front available in wood, lacquer or Soft-Touch.



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	36	40	SSL243640	2930	3226	3266	24.0	163
24	30	40	SSL243040	2892	3188	3226	20.2	143

#### Description

Storage unit with a **central** sliding door containing 3 interior sections (each with 2 adjustable shelves).  
Door front available in wood, lacquer or Soft-Touch.



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	54	40	SSC245440	4809	5106	5144	35.4	234

#### SPECIFY

Product code	Type	Front	Case	Handle					
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

**Specify** Code: Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).


**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

#### Description

Open storage unit with 2 adjustable shelves.



Dimensions				Price	Spec.	
A	B	C	Code		Cu.Ft.	lb
24	36	40	SO243640	2668	24.0	133
24	30	40	SO243040	2583	20.2	116
24	19	40	SO241940	2430	13.3	83

#### SPECIFY

Product code	Case		
ES -	<input type="text"/>	-	<input type="text"/>

**Specify** Code: Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.



# storage

combined cabinets 19" wide

price list


## Description

Combined cabinet with hinged door, 2 file drawers and adjustable shelves (78": 3, 68" : 2).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



Dimensions				Front Type			Spec.	
A	B	C	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	19	78	SDLFF241978	5200	6108	6140	25.3	190
24	19	78	SDRFF241978	5200	6108	6140	25.3	190
24	19	68	SDLFF241968	4670	5462	5490	22.1	166
24	19	68	SDRFF241968	4670	5462	5490	22.1	166


## Description

Combined cabinet with top opening, 2 file drawers and adjustable shelves (78": 3, 68" : 2).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (Noki electronic lock).



24	19	78	SOFF241978	4995	5352	5503	25.3	172
24	19	68	SOFF241968	4465	4777	4909	22.1	152


## Description

Combined cabinet with top opening, 3 file drawers and adjustable shelves (78": 2, 68" : 1).

Drawer fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (Noki electronic lock).



24	19	78	SOFFF241978	5536	6059	6287	25.3	189
24	19	68	SOFFF241968	5006	5462	5660	22.1	168

## SPECIFY

Product code	Type	Front	Case	Handle	Noki
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

## OPTION

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

price list

## combined cabinets 19" wide (cont'd)

### Description


Combined cabinet with hinged door and various interior storage configurations (wardrobe or shelves).

Door front available in wood, lacquer or Soft-Touch.

Shelf cabinet: 78" H. : 1 fixed shelf + 4 adjustable shelves    68" H. : fixed shelf + 3 adjustable shelves

Wardrobe cabinet: 78" H. & 68" H. : 1 fixed shelf + coat hanging bar.

Optional lock available (Noki electronic lock, not available on SDWL--- and SDWR--- wardrobe cabinets).



Dimensions					Front Type				Spec.	
		A	B	C	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
Shelves	Left	24	19	78	SDSL241978	5173	5937	5998	25.3	189
	Right	24	19	78	SDSR241978	5173	5937	5998	25.3	189
Wardrobe	Left	24	19	78	SDWL241978	4365	5128	5191	25.3	151
	Right	24	19	78	SDWR241978	4365	5128	5191	25.3	151
Shelves	Left	24	19	68	SDSL241968	4510	5177	5229	22.1	164
	Right	24	19	68	SDSR241968	4510	5177	5229	22.1	164
Wardrobe	Left	24	19	68	SDWL241968	3805	4472	4527	22.1	135
	Right	24	19	68	SDWR241968	3805	4472	4527	22.1	135

### SPECIFY

Product code	Type	Front	Case	Handle	Noki
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

### OPTION

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

combined cabinets 36" wide

price list

## Description


Combined cabinet with hinged doors and 2 file drawers.

Adjustable shelves (78": 3, 68": 2).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



Dimensions			Code	Front Type			Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	36	78	<b>SDFF243678</b>	7737	8975	9502	45.8	325
24	36	68	<b>SDFF243668</b>	7206	8285	8743	40.0	283

## Description


Combined cabinet with lateral sliding door (containing 2 interior sections) and 2 file drawers.

Adjustable shelves (78": 3 / section, 68": 2 / section).

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



24	36	78	<b>SSFF243678</b>	6592	7211	7851	45.8	320
24	36	68	<b>SSFF243668</b>	6060	6599	7158	40.0	279


## Description

Combined cabinet with hinged doors (2 adjustable shelves) and 3 file drawers.

Drawer and door fronts available in wood, lacquer or Soft-Touch.

Interlock mechanism included (allows for only one drawer to be open at a time).

Optional lock available (on drawers only, Noki electronic lock).



24	36	78	<b>SDFFF243678</b>	8177	9462	10104	45.8	323
----	----	----	--------------------	------	------	-------	------	-----

## SPECIFY

Product code	Type	Front	Case	Handle	Noki
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

## OPTION

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

# storage

price list

## combined cabinets 36" wide [cont'd]

### Description


Combined cabinet with hinged doors and various interior storage configurations (wardrobe and / or shelves).

Door fronts available in wood, lacquer or Soft-Touch.

Shelf section: 78" H.: 1 fixed shelf + 4 adjustable shelves 68" H.: fixed shelf + 3 adjustable shelves

Wardrobe section: 78" H. & 68" H.: 1 fixed shelf + coat hanging bar.


Optional lock available (Noki electronic lock, not available on STW243678 and STW243668 wardrobe cabinets).



78" H.

68" H.

	Dimensions			Code	Front Type			Spec.	
	A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
Shelves	24	36	78	STS243678	5343	6688	7142	45.8	312
Shelves / Wardrobe	24	36	78	STSW243678	5563	6908	7362	45.8	302
Wardrobe	24	36	78	STW243678	4908	6254	6708	45.8	236
Shelves	24	36	68	STS243668	4657	5832	6226	40.0	257
Shelves / Wardrobe	24	36	68	STSW243668	4850	6023	6419	40.0	266
Wardrobe	24	36	68	STW243668	4278	5453	5848	40.0	213



\* 78" H. cabinets shown

### SPECIFY

Product code	Type	Front	Case	Handle	Noki
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

### OPTION

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Option Noki (if applicable):** Electronic lock option, add (**L**), offered without charge, see p.19.


# storage

## bookcases 15" deep

price list

### Description

15" deep bookcase with 1 fixed shelf and adjustable shelves.  
78" H. bookcase: 1 fixed shelf + 4 adjustable shelves.  
68" H. bookcase: 1 fixed shelf + 3 adjustable shelves.  
40" H. bookcase: 2 adjustable shelves.



Dimensions					Spec.	
A	B	C	Code	Price	Cu.Ft.	lb
15	36	78	SO153678	3318	29.9	177
15	30	78	SO153078	3152	25.2	157
15	36	68	SO153668	2893	26.2	153
15	30	68	SO153068	2748	22.0	136
15	36	40	SO153640	2674	15.7	96
15	30	40	SO153040	2605	13.2	84

### SPECIFY

Product code

Case

ES -  -

Specify Code: Consult the above list.  
Case: Specify the color (wood) of the case, see p.25.

# storage

price list

storage units 16" high


## Description

16" H. storage unit with one file drawer on the right or left and one opening on the other.

Drawer front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.

Optional lock available (Noki electronic lock).




Dimensions				Front Type			Spec.	
A	B	C	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Cu.Ft.	lb
24	72	16	<b>SFO247216</b>	3796	3980	4105	20.0	145
24	60	16	<b>SFO246016</b>	3468	3651	3780	16.8	130
24	72	16	<b>SOF247216</b>	3796	3980	4105	20.0	145
24	60	16	<b>SOF246016</b>	3468	3651	3780	16.8	130

## Description

16" H. storage unit with a **lateral** sliding door containing 2 interior sections.

Door front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.




24	72	16	<b>SSL247216</b>	3458	3642	3769	20.0	130
24	60	16	<b>SSL246016</b>	3131	3314	3442	16.8	115

## Description

16" H. storage unit with a **central** sliding door containing 2 interior sections.

Door front available in wood, lacquer or Soft-Touch.

A cushion can be specified for this unit, see p.101.



24	72	16	<b>SSC247216</b>	3511	3695	3913	20.0	135
24	60	16	<b>SSC246016</b>	3185	3368	3587	16.8	120

## SPECIFY

## OPTION

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the drawer / door fronts: **W** (wood), **Q** (lacquer) or **C** (Soft-Touch).

**Front:** Specify the finish for the drawer / door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.


**Handle:** Specify the type of handle: arched (**PA**) or straight (**PT**), see p.16.

**Noki (if applicable):** Electronic lock option, add (L), offered without charge, see p.19.

## Description

Open storage unit with 2 interior sections.

A cushion can be specified for this unit, see p.101.



24	72	16	<b>SO247216</b>	3203			20.0	115
24	60	16	<b>SO246016</b>	2875			16.8	100

## SPECIFY

ES -  -

**Specify Code:** Consult the above list.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

price list

*hutches with hinged doors 41" high (68" H. when installed on a 27" H. storage unit)*


## Description

Hutch with **20" high** hinged doors, 21" H. clearance under the shelf.


Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections.

Optional accessory bar and grommet available (hutches 30" to 72").



Dimensions					Front Type				Spec.	
A	B	C	Doors	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	Lb
72	41	16	4	HU724120	5521	6211	6775	6211	33.1	161
60	41	16	4	HU604120	5333	5863	6585	5863	27.8	141
36	41	16	2	HU364120	4881	5225	5507	5225	17.0	86
30	41	16	2	HU304120	4693	4958	5320	4958	14.3	78



Left	18	41	16	1	HU184120L	4239	4412	4554	4412	9.0	53
Right	18	41	16	1	HU184120R	4239	4412	4554	4412	9.0	53
Left	15	41	16	1	HU154120L	3870	4043	4182	4043	7.6	48
Right	15	41	16	1	HU154120R	3870	4043	4182	4043	7.6	48


## Description

Hutch with **30" high** hinged doors, 11" H. clearance under the shelf.


Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 1 adjustable shelf included per section.

Grommet option available (hutches 30" to 72").



Dimensions					Front Type				Spec.	
A	B	C	Doors	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	Lb
72	41	16	4	HU724130	5871	6907	7355	6907	33.1	205
60	41	16	4	HU604130	5683	6479	7168	6479	27.8	185
36	41	16	2	HU364130	5058	5575	5799	5575	17.0	103
30	41	16	2	HU304130	4868	5267	5610	5267	14.3	94



Left	18	41	16	1	HU184130L	4335	4594	4706	4594	9.0	62
Right	18	41	16	1	HU184130R	4335	4594	4706	4594	9.0	62
Left	15	41	16	1	HU154130L	3964	4223	4335	4223	7.6	56
Right	15	41	16	1	HU154130R	3964	4223	4335	4223	7.6	56

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Acc. Bar    Grom.

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Rail (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.

**AB option:** Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.

**Grommets (if applicable):** Grommet option, installed on the back of the hutch, add (GU), see p.20.

**GU option:** Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

price list

*hutches with hinged doors 41" high [cont'd]*


## Description

Hutch with 30" **high lateral** hinged doors and **20" high central** hinged doors and central opening, 11" H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included per lateral section.

Grommet option available.



Dimensions			Front Type							Spec.	
A	B	C	Doors	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)		Cu.Ft.	lb
72	41	16	4	HU72413020	5871	6907	7355	6907		33.1	200
60	41	16	4	HU60413020	5683	6479	7168	6479		27.8	180

## SPECIFY

Product code	Type	Front	Case	Acc. Bar	Grom.
ES -	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>	- <input type="text"/>

## OPTIONS

- Specify** **Code:** Consult the above list.
- Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).
- Front:** Specify the finish for the door fronts, see p.25
- Case:** Specify the color (wood) of the case, see p.25.
- Options** **Acc. Rail (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, see p.20.
- AB option:** Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.
- Grommets (if applicable):** Grommet option, installed on the back of the hutch, add **(GU)**, see p.20.
- GU option:** Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.



# storage

price list

*hutches with sliding door 41" high (68" H. when installed on a 27" H. storage unit)*


## Description

Hutch with **20" high lateral** sliding door, 21" H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Optional accessory bar and grommet available.



Dimensions			Code	Front Type				Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	lb
72	41	16	<b>HSL724120</b>	4039	4285	4316	4285	33.1	142
60	41	16	<b>HSL604120</b>	3850	4032	4112	4032	27.8	125


## Description

Hutch with **20" high central** sliding door, 21" H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections.

Optional accessory bar and grommet available.



72	41	16	<b>HSC724120</b>	4131	4375	4408	4375	33.1	147
60	41	16	<b>HSC604120</b>	3942	4124	4204	4124	27.8	130

## Description


Hutch with **30" high lateral** sliding door, 11" H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

1 adjustable shelf included in each interior section.

Comprised of 2 interior sections, 1 adjustable shelf included per section.

Grommet option available



72	41	16	<b>HSL724130</b>	4190	4558	4598	4558	33.1	186
60	41	16	<b>HSL604130</b>	4003	4275	4373	4275	27.8	166


## Description

Hutch with **30" high central** sliding door, 11" H. clearance under the shelf.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections, 1 adjustable shelf included per section.

Grommet option available.



72	41	16	<b>HSC724130</b>	4282	4650	4689	4650	33.1	191
60	41	16	<b>HSC604130</b>	4095	4366	4465	4366	27.8	171

## SPECIFY

Product code	Type	Front	Case	Acc. Bar	Grom.
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, add \$55, see p.20.

**Grommets:** Grommet option, installed on the back of the hutch, add **(GU)**, add \$100, see p.20.


# storage

price list

open hutches 41" high (68" H. when installed on a 27" H. storage unit)

## Description

Open hutch, 21" H. clearance under the shelf.  
Hutches 72" & 60" are comprised of 2 interior sections.  
Optional accessory bar and grommet available (hutches 30" to 72").



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
72	41	15	HO724120	3551	33.1	128
60	41	15	HO604120	3434	27.8	111
36	41	15	HO364120	3219	17.0	76
30	41	15	HO304120	3161	14.3	68
18	41	15	HO184120	2886	9.0	47
15	41	15	HO154120	2829	7.6	42

## SPECIFY

## OPTIONS

Product code      Case      Acc. Bar      Grom.

ES -  -  -  -

**Specify** Code: Consult the above list.  
Case: Specify the color (wood) of the case, see p.25.  
**Options** Acc. Bar (if applicable): Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.  
AB option: Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.  
Grommets: Grommet option, installed on the back of the hutch, add (GU), see p.20.  
GU option: Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.

# storage

price list

*hutches with hinged doors 51" high (78" H. when installed on a 27" H. storage unit)*



## Description

Hutch with **30" high** hinged doors, 21" H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 1 adjustable shelf included per section.

Optional accessory bar and grommet available (hutches 30" to 72").



Left

Right

Left

Right

Dimensions					Front Type				Spec.	
A	B	C	Doors	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	lb
72	51	16	4	HU725130	5651	6685	7135	6685	40.9	223
60	51	16	4	HU605130	5460	6260	6947	6260	34.2	203
36	51	16	2	HU365130	5009	5528	5752	5528	21.0	117
30	51	16	2	HU305130	4729	5129	5471	5129	17.7	102
18	51	16	1	HU185130L	4369	4628	4740	4628	11.0	70
18	51	16	1	HU185130R	4369	4628	4740	4628	11.0	70
15	51	16	1	HU155130L	3997	4198	4369	4198	9.4	64
15	51	16	1	HU155130R	3997	4198	4369	4198	9.4	64



## Description

Hutch with **40" high** hinged doors, 21" H. clearance under the shelf.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Hutches 72" & 60" are comprised of 2 interior sections, 2 adjustable shelves included per section.

Grommet option available (hutches 30" to 72").



Left

Right

Left

Right

Dimensions					Front Type				Spec.	
A	B	C	Doors	Code	Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	lb
72	51	16	4	HU725140	5909	7291	7472	7291	40.9	267
60	51	16	4	HU605140	5720	6784	7284	6784	34.2	247
36	51	16	2	HU365140	5187	5876	5968	5876	21.0	137
30	51	16	2	HU305140	4906	5437	5689	5437	17.7	120
18	51	16	1	HU185140L	4463	4809	4854	4809	11.0	79
18	51	16	1	HU185140R	4463	4809	4854	4809	11.0	79
15	51	16	1	HU155140L	4093	4358	4485	4358	9.4	70
15	51	16	1	HU155140R	4093	4358	4485	4358	9.4	70

## SPECIFY

## OPTIONS

Product code    Type    Front    Case    Acc. Bar    Grom.

ES -  -  -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), see p.20.

**AB option:** Add \$50 for hutches 60" & 72", add \$30 for 30" & 36" hutches.

**Grommets (if applicable):** Grommet option, installed on the back of the hutch, add (GU), see p.20.

**GU option:** Add \$100 for 60" & 72" hutches, add \$75 for 30" & 36" hutches.


# storage

price list

*hutches with hinged doors 51" high (78" H. when installed on a 27" H. storage unit)*

## Description


Hutch with **30" high lateral** hinged doors and **20" high central** hinged doors and central opening, 21" H. clearance under the shelf.  
 Door fronts available in wood, lacquer, Soft-Touch or glass.  
 Comprised of 3 interior sections, 1 adjustable shelf included per lateral section.  
 Optional accessory bar and grommet available.



Dimensions				Code	Front Type				Spec.	
A	B	C	Doors		Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	Lb
72	51	16	4	<b>HU72513020</b>	5840	6710	7358	6710	40.9	260
60	51	16	4	<b>HU60513020</b>	5652	6349	7170	6349	34.2	240

## Description

Hutch with **40" high lateral** hinged doors and **30" high central** hinged doors and central opening, 11" H. clearance under the shelf.  
 Door fronts available in wood, lacquer, Soft-Touch or glass.  
 Comprised of 3 interior sections, 1 adjustable shelf included in central section and 2 adjustable shelves included per lateral section.  
 Grommet option available.



Dimensions				Code	Front Type				Spec.	
A	B	C	Doors		Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	Lb
72	51	16	4	<b>HU72514030</b>	5878	7121	7389	7121	40.9	216
60	51	16	4	<b>HU60514030</b>	5690	6645	7201	6645	34.2	196

## SPECIFY

Product code	Type	Front	Case	Acc. Bar	Grom.
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

## OPTIONS

**Specify Code:** Consult the above list.  
**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).  
**Front:** Specify the finish for the door fronts, see p.25.  
**Case:** Specify the color (wood) of the case, see p.25.  
**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add (AB), add \$50, see p.20.  
**Grommets:** Grommet option, installed on the back of the hutch, add (GU), add \$100, see p.20.


# storage

price list

*hutches with sliding door 51" high (78" H. when installed on a 27" H. storage unit)*

## Description


Hutch with **30" high lateral** sliding door, 21" H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 2 interior sections, 1 adjustable shelf included per section.  
Optional accessory bar and grommet available.



Dimensions			Code	Front Type				Spec.	
A	B	C		Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	lb
72	51	16	<b>HSL725130</b>	6038	6406	6446	6406	40.9	193
60	51	16	<b>HSL605130</b>	5851	6123	6221	6123	34.2	176

## Description


Hutch with **30" high central** sliding door, 21" H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 3 interior sections, 1 adjustable shelf included per section.  
Optional accessory bar and grommet available.



72	51	16	<b>HSC725130</b>	6076	6444	6485	6444	40.9	200
60	51	16	<b>HSC605130</b>	5889	6161	6259	6161	34.2	183

## Description


Hutch with **40" high lateral** sliding door, 11" H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 2 interior sections, 1 adjustable shelf included per section.  
Grommet option available.



72	51	16	<b>HSL725140</b>	6130	6619	6662	6619	40.9	203
60	51	16	<b>HSL605140</b>	5943	6305	6398	6305	34.2	186

## Description

Hutch with **40" high central** sliding door, 11" H. clearance under the shelf.  
Door front available in wood, lacquer, Soft-Touch or glass.  
Comprised of 3 interior sections, 1 adjustable shelf included per section.  
Grommet option available.



72	51	16	<b>HSC725140</b>	6168	6657	6699	6657	40.9	210
60	51	16	<b>HSC605140</b>	5980	6344	6436	6344	34.2	193

## SPECIFY

Product code	Type	Front	Case	Acc. Bar	Grom.
ES -	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>

## OPTIONS

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door front: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door front, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

**Options Acc. Bar (if applicable):** Accessory bar option (anodized aluminum) integrated to hutch back, add **(AB)**, add \$50, see p.20.

**Grommets:** Grommet option, installed on the back of the hutch, add **(GU)**, add \$100, see p.20.

# storage

## wall-mounted hutches

## price list


### Description

Wall-mounted hutch with hinged doors.

Door fronts available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Wall-mounting brackets included.




Dimensions				Code	Front Type				Spec.	
A	B	C	Doors		Wood (W)	Lacquer (Q)	S-Touch (C)	Glass (G)	Cu.Ft.	lb
72	20	16	4	HWD7220	5240	5930	6494	7072	17.0	125
60	20	16	4	HWD6020	5051	5583	6305	6503	14.2	110
36	20	16	2	HWD3620	4740	5085	5367	5656	8.7	62
30	20	16	2	HWD3020	4552	4817	5179	5278	7.3	56

### Description

Wall-mounted open hutch.

Hutches 72" & 60" are comprised of 2 interior sections.

Wall-mounting brackets included.



72	20	15	HWO7220	3295	17.0	91
60	20	15	HWO6020	2966	14.2	79
36	20	15	HWO3620	2153	8.7	50
30	20	15	HWO3020	1826	7.3	44


### Description

Wall-mounted hutch with lateral sliding door.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 2 interior sections.

Wall-mounting brackets included.



72	20	16	HWSL7220	3759	4003	4035	4552	17.0	102
60	20	16	HWSL6020	3570	3751	3831	4175	14.2	91


### Description

Wall-mounted hutch with central sliding door.

Door front available in wood, lacquer, Soft-Touch or glass.

Comprised of 3 interior sections.

Wall-mounting brackets included.



72	20	16	HWSC7220	3850	4095	4127	4644	17.0	106
60	20	16	HWSC6020	3662	3843	3924	4266	14.2	95

### SPECIFY

Product code    Type    Front    Case

ES -  -  -  -

**Specify Code:** Consult the above list.

**Type:** Specify the type of finish for the door fronts: **W** (wood), **Q** (lacquer), **C** (Soft-Touch) or **G** (glass).

**Front:** Specify the finish for the door fronts, see p.25.

**Case:** Specify the color (wood) of the case, see p.25.

# storage

## work wall

## price list

### Description


Work wall with accessory bar(s) for shelves or accessories.

Anodized aluminum accessory rails.

Must be specified as credenza-mounted or wall-mounted.

Cannot be installed on a freestanding hutch.

Mounting brackets included.



Dimensions				Anchor		Spec.	
A	B	Acc. Bars	Code	Credenza	Wall	Cu.Ft.	lb
72	41	3	WU7241	1570	1451	5.5	92
60	41	3	WU6041	1505	1386	4.6	78
36	41	3	WU3641	1210	1156	2.8	47
30	41	3	WU3041	1178	1124	2.4	41
72	32	2	WU7232	1427	1308	4.4	72
60	32	2	WU6032	1376	1257	3.6	63
36	32	2	WU3632	1136	1082	2.2	37
30	32	2	WU3032	1111	1057	1.9	33
72	22	1	WU7222	1275	1156	3.1	53
60	22	1	WU6022	1240	1121	2.6	46
36	22	1	WU3622	1057	1003	1.6	28
30	22	1	WU3022	1040	986	1.3	24

### SPECIFY

### OPTION

Product code    Anchor    Wood    Grom.

ES -  -  -  -

**Specify Code:** Consult the above list.

**Anchor:** Specify the type of anchor: **CR** (credenza) or **WM** (wall), see p.21.


**Wood:** Specify the color (WOOD), see p.25.

**Option Grommet:** Grommet option, installed at base of wall\*, add (GU), see p.21.


**GU option:** add \$100 for 60" & 72" walls, add \$75 for 30" & 36" walls.

\* The GU option can only be specified for a credenza-mounted wall.


### Credenza - mounted




### Wall - mounted




### Heights



**41" H. Work wall**  
Credenza- or wall-mounted,  
total height of 68"



**32" H. Work wall**  
Credenza- or wall-mounted,  
total height of 78"  
(shown with wall-mounted hutch)



**22" H. Work wall**  
Credenza- or wall-mounted,  
total height of 68"  
(shown with wall-mounted hutch)


# storage

price list

*cushions for 16" high storage units*

## Description

Cushions for 16" H., storage units. The cushion is 2" thick.  
Attaches with Velcro.



Dimensions			Fabric							Spec.	
A	B	Code	Gr.0	Gr.1	Com+Gr.2	Gr.3	Gr.4	Gr.5	Leather	Cu.Ft.	lb
24	72	CUS2472	630	717	781	845	911	1018	1249	2.5	25.5
24	60	CUS2460	542	613	669	723	777	867	1054	2.5	21.0
24	36	CUS2436	360	407	441	476	512	583	706	1.3	13.0
24	30	CUS2430	320	360	391	421	451	501	602	1.3	10.5

## SPECIFY

Product code      Fabric  
ES -  -

**Specify** Code: Consult the above list.

Fabric: Specify the fabric for the cushion (see current Artopex seating fabrics).



# accessories

price list



## hanging shelves

### Description

1" thick hanging shelves, installs on optional accessory bars of hutches and work walls.

Straight profile, matching surface finish.

Anodized aluminum support brackets included.



Dimensions			Code	Wood (W)	Lacquer (Q)	Spec.	
A	B	C				Cu.Ft.	lb
72	10	3	SHE1072	407	694	1.6	18
66	10	3	SHE1066	399	662	1.5	16
60	10	3	SHE1060	392	630	1.4	15
54	10	3	SHE1054	384	598	1.2	13
48	10	3	SHE1048	375	567	1.1	12
42	10	2	SHE1042	367	535	1.0	10
36	10	2	SHE1036	360	503	0.8	9
30	10	2	SHE1030	352	471	0.7	7
24	10	2	SHE1024	344	439	0.6	6
72	6	3	SHE0672	245	418	1.1	11
66	6	3	SHE0666	241	398	1.0	10
60	6	3	SHE0660	237	380	0.9	9
54	6	3	SHE0654	231	361	0.8	8
48	6	3	SHE0648	227	341	0.7	7
42	6	2	SHE0642	222	322	0.7	6
36	6	2	SHE0636	217	304	0.6	5
30	6	2	SHE0630	212	284	0.5	4
24	6	2	SHE0624	208	265	0.4	3

### SPECIFY

Product code    Type    Surface

ES -  -  -

**Specify Code:** Consult the above list.


**Type:** Specify the type of finish: **W** (wood) or **Q** (lacquer).

**Surface:** Specify the surface finish (matching profile finish), see p.25.

## bookends

### Description

Metal bookends for shelf (see above), set of 2.



Dimensions			Code	Price		Spec.	
A	B	C				Cu.Ft.	lb
For 10" shelf			ASDM10	33	Set of 2	0.1	1
For 6" shelf			ASDM06	29	Set of 2	0.1	1

### SPECIFY

Product code    Metal

ES -  -

**Specify Code:** Consult the above list.

**Metal:** Specify the metal finish: Abyss (3113), Amber (3108), Black (3067), Charcoal (3064), Fossil (3102), Grenadine (3044), Polar White (3002), Silver (3090), Smoothie (3109), Source (3106).

# accessories


price list

## Pigeonhole units

### Description

11" deep pigeon-hole unit with filing spaces 2 $\frac{3}{8}$ " H., accommodates letter size documents.  
Wood casing with metal dividers equipped with identity tabs.

#### "Letter" size documents




Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
11	14	21	PHM111421	581	2.7	29
11	14	11	PHM111411	481	1.6	15

### Description

11" deep pigeon-hole unit with filing spaces 2 $\frac{3}{8}$ " H., accommodates legal size documents.  
Wood casing with metal dividers equipped with identity tabs.

#### "Legal" size documents



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
11	17	21	PHM111721	691	3.3	36
11	17	11	PHM111711	554	1.9	19


### SPECIFY










ES -  -  -




Specify Code: Consult the above list.

Case: Specify the color (wood) of the case, see p.25.

Metal: Specify the metal finish for the dividers: Refer to the current Artopex metal finish card.



Stiffeners for work surfaces:			Spec.	
			Cu.Ft.	lb
 	For rectangular & ergonomic surfaces 84" long	ES-RSTi64	83	0.5 5
 	For rectangular & ergonomic surfaces 72" & 78" long	ES-RSTi52	77	0.5 4
 	For rectangular & ergonomic surfaces 66" long	ES-RSTi46	72	0.5 3
	For trapezoid surfaces 78" long	ES-RSTi52	77	0.5 4
	For trapezoid surfaces 72" long	ES-RSTi46	72	0.5 3
	For elliptical surfaces 78" long	ES-RSTi46	72	0.5 3



Stiffeners for returns:			Spec.	
			Cu.Ft.	lb
	For nested extended exterior return 84" long	ES-RSTi52	77	0.5 4
	For nested extended exterior return 78" long	ES-RSTi46	72	0.5 3
	For nested short exterior return 72" long	ES-RSTi52	77	0.5 4
	For nested short exterior return 66" long	ES-RSTi46	72	0.5 3
	For interior return 60" long	ES-RSTi46	72	0.5 3
Stiffener, installed under a work surface or a return.				
If a surface is supported by a gable set (with structural beam, see p.64 and 65), a stiffener is not required.				
Installation hardware included, Charcoal finish.				


# accessories

price list

## supplementary hardware

### Description


Junction stiffener, bridges a return to a work surface.  
Installation hardware included.  
Charcoal finish.



	Code	Price	Spec.	
			Cu.Ft.	lb
Length: 18"	AC-RSTi18	40	0.1	1

### Description


Oversize junction plate, bridges a return **with reverse profile** to a work surface **with reverse profile**.  
Installation hardware included.  
Charcoal finish.



	Code	Price	Spec.	
			Cu.Ft.	lb
Dimensions: 4" x 8"	AC-FJP48	15	0.1	1

### Description

Junction plate set, bridges a return **with straight profile** to a work surface **with straight profile**.  
Installation hardware included.  
Charcoal finish.




	Code	Price	Spec.	
			Cu.Ft.	lb
Set of 2	AC-FJP2	18	0.1	1

## light valance [available for 41" H. and 51" H. hutches]

### Description

Light valance in wood for hutches 41" and 51" high.  
Installs between the side panels, under the hutch shelf.



Dimensions		Code	Price		Spec.	
A	B				Cu.Ft.	lb
70½	1¾	HLC72	59	For hutch 72" wide	0.4	2.5
58½	1¾	HLC60	50	For hutch 60" wide	0.3	2.0
34½	1¾	HLC36	30	For hutch 36" wide	0.2	1.0
28½	1¾	HLC30	26	For hutch 30" wide	0.1	1.0

### SPECIFY

Product code      Wood  
ES -  -

**Specify Code:** Consult the above list.

**Wood:** Specify the color (**WOOD**), see p.25.

### Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

### Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

### Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

### Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

### Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

### Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

### Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

### Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

### Noki Lock

Mechanism and parts under warranty for 5 years, and 1 year warranty on labor.

### Artopex Warranty

**Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.**

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

### This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

## SUMMARY OF UPDATES

July 13<sup>th</sup> 2017

PAGES	SECTION	PRODUIT	MODIFICATION
p.78	Storage	Storage units 27" H.	Price corrections for : -Storage unit with hinged doors and 1 adjustable shelf. and - Storage unit with 2 file drawers.
p.79	<b>Storage</b>	Storage units 27" H.	Price corrections for CAN only on: Storage with a lateral sliding door containing 2 interior sections (each with 1 adjustable shelf.

March 15<sup>th</sup> 2017

PAGES	SECTION	PRODUCT	MODIFICATION
p.37 to 105			General price increase
p.8	Index	Stiffeners	- Duplicates have been removed - Stiffener codes have been changed from AC to ES.
p.25	General information	Colors & finishes	The Silver Walnut (WS78) has been replaced by Silver Zebra (WZ04).
p.54	Surfaces and returns	Ergonomic surfaces with combined materials	The Type option at the bottom of the page has been changed from V to G.
p.78	Storage	Storage units 27" H.	The counterweight option has increased from \$80 to \$85.
p.84	Storage	Storage units 40" H.	The counterweight option has increased from \$80 to \$85.
p.101	Storage	Cushions for 16" high storage units	COM fabrics are now Grade 2
p.104	Accessories	Stiffeners	The AC code has changed to ES everywhere.

May 1<sup>st</sup> 2018

PAGES	SECTION	PRODUCT	MODIFICATION
p.3	Table of contents		Title: Accessories is now Complements. Changed throughout the price list.
p.24	Complements	Bookends and pigeon-hole units	New metal finish colors.
p.81	Storage	Credenzas 27"	Price corrections

*Designing, manufacturing, advising, planning  
and supporting: that's the art that  
distinguishes our purpose at Artopex.*



**HEAD OFFICE**

800, Vadnais street  
Granby Quebec  
J2J 1A7  
CANADA

---

Tel. : 450 378-0189  
1 800 363-3040  
Fax.: 450 378-9712

---

[artopex.com](http://artopex.com)