

NANO



USA price list

Effective December 1st 2007

UPDATE - May 1st 2018
Summary updates - p.94

artopex[®]



interactive links

index, page tabs & page references

→ document optimized for single page view

VISUAL INDEX	04
GENERAL INFORMATION	12
system components	12
screen configurations	13
general specifications	14
compatibility	16
supports	20
support pedestal	21
countertops	22
accessories and complements	22
finishes – panels and other	23
finish choices chart	24
specification examples	26
typical layouts	28
SCREENS – PANELS	31
CONNECTORS	55
SURFACES	63
SUPPORTS	89
COMPLEMENTS	92
CONDITIONS & GUARANTEES	93

FLOOR PANEL 66" H. - SINGLE CONFIGURATION (1 SECTION) 31

P6648-6
P6642-6
P6636-6
P6630-6
P6624-6
P6621-6
P6618-6



FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 35

P6648-256
P6642-256
P6636-256
P6630-256
P6624-256
P6621-256
P6618-256




FLOOR PANEL 50" H. - SINGLE CONFIGURATION (1 SECTION) 40

P5060-5
P5054-5
P5048-5
P5042-5
P5036-5
P5030-5
P5024-5
P5021-5
P5018-5



FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (2 SECTIONS) 32

P6648-26
P6642-26
P6636-26
P6630-26
P6624-26
P6621-26
P6618-26




FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (4 SECTIONS) 36

P6648-2346
P6642-2346
P6636-2346
P6630-2346
P6624-2346
P6621-2346
P6618-2346




FLOOR PANEL 50" H. - MULTIPLE CONFIGURATIONS (2 SECTIONS) 41

P5060-25
P5054-25
P5048-25
P5042-25
P5036-25
P5030-25
P5024-25
P5021-25
P5018-25



FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 33

P6648-236
P6642-236
P6636-236
P6630-236
P6624-236
P6621-236
P6618-236




FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (4 SECTIONS) 37

P6648-2356
P6642-2356
P6636-2356
P6630-2356
P6624-2356
P6621-2356
P6618-2356




FLOOR PANEL 50" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 42

P5060-235
P5054-235
P5048-235
P5042-235
P5036-235
P5030-235
P5024-235
P5021-235
P5018-235



FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 34

P6648-246
P6642-246
P6636-246
P6630-246
P6624-246
P6621-246
P6618-246




FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (4 SECTIONS) 38

P6648-2456
P6642-2456
P6636-2456
P6630-2456
P6624-2456
P6621-2456
P6618-2456



FLOOR PANEL 50" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 43

P5060-245
P5054-245
P5048-245
P5042-245
P5036-245
P5030-245
P5024-245
P5021-245
P5018-245




FLOOR PANEL 66" H. - MULTIPLE CONFIGURATIONS (5 SECTIONS) 39

P6648-23456
P6642-23456
P6636-23456
P6630-23456
P6624-23456
P6621-23456
P6618-23456



FLOOR PANEL 50" H. - MULTIPLE CONFIGURATIONS (4 SECTIONS) 44

P5060-2345
P5054-2345
P5048-2345
P5042-2345
P5036-2345
P5030-2345
P5024-2345
P5021-2345
P5018-2345




FLOOR PANEL 36" H. - SINGLE CONFIGURATION (1 SECTION) 48

P3672-3
P3666-3
P3660-3
P3654-3
P3648-3
P3642-3
P3636-3
P3630-3
P3624-3
P3621-3
P3618-3



FREESTANDING FURNITURE-ATTACHED PANEL 50" H - MULTIPLE CONFIGURATIONS (2 SECTIONS) 51

Pi2772-45
Pi2766-45
Pi2760-45
Pi2754-45
Pi2748-45
Pi2742-45
Pi2736-45
Pi2730-45
Pi2724-45
Pi2721-45
Pi2718-45



FLOOR PANEL 42" H. - SINGLE CONFIGURATION (1 SECTION) 45

P4272-4
P4266-4
P4260-4
P4254-4
P4248-4
P4242-4
P4236-4
P4230-4
P4224-4
P4221-4
P4218-4




FLOOR PANEL 36" H. - MULTIPLE CONFIGURATIONS (2 SECTIONS) 49

P3672-23
P3666-23
P3660-23
P3654-23
P3648-23
P3642-23
P3636-23
P3630-23
P3624-23
P3621-23
P3618-23




FREESTANDING FURNITURE-ATTACHED PANEL 50" H - MULTIPLE CONFIGURATIONS (2 SECTIONS) 52

Pi2772-35
Pi2766-35
Pi2760-35
Pi2754-35
Pi2748-35
Pi2742-35
Pi2736-35
Pi2730-35
Pi2724-35
Pi2721-35
Pi2718-35




FLOOR PANEL 42" H. - SINGLE CONFIGURATION (2 SECTIONS) 46

P4272-24
P4266-24
P4260-24
P4254-24
P4248-24
P4242-24
P4236-24
P4230-24
P4224-24
P4221-24
P4218-24




FREESTANDING FURNITURE-ATTACHED PANEL 50" H. - SINGLE CONFIGURATION (1 SECTION) 50

Pi2772-5
Pi2766-5
Pi2760-5
Pi2754-5
Pi2748-5
Pi2742-5
Pi2736-5
Pi2730-5
Pi2724-5
Pi2721-5
Pi2718-5




FREESTANDING FURNITURE-ATTACHED PANEL 42" H. - SINGLE CONFIGURATION (1 SECTION) 53

Pi1972-4
Pi1966-4
Pi1960-4
Pi1954-4
Pi1948-4
Pi1942-4
Pi1936-4
Pi1930-4
Pi1924-4
Pi1921-4
Pi1918-4




FLOOR PANEL 42" H. - MULTIPLE CONFIGURATIONS (3 SECTIONS) 47

P4272-234
P4266-234
P4260-234
P4254-234
P4248-234
P4242-234
P4236-234
P4230-234
P4224-234
P4221-234
P4218-234



FREESTANDING FURNITURE-ATTACHED PANEL 42" H. - MULTIPLE CONFIGURATIONS (2 SECTIONS) 54

Pi1972-34
Pi1966-34
Pi1960-34
Pi1954-34
Pi1948-34
Pi1942-34
Pi1936-34
Pi1930-34
Pi1924-34
Pi1921-34
Pi1918-34



90° FULL-HEIGHT CONNECTORS 55

POC9066
POC9050
POC9042
POC9036



120° FULL-HEIGHT CONNECTORS 55

POC12066
POC12050
POC12042
POC12036



FURNITURE-ATTACHED PANELS CONNECTORS 55

POiC9027
POiC9019



WALL ADAPTOR 56

WAC



VERTICAL PROFILE FOR CABLING POLE - 120" H. 56

EP22
EP23




6" CABLING POLE - 120" H. 56

EPE16



6" CABLING POLE FOR ELECTRICAL HARNESS - 120" H. 57

EPEH16




6" FILLERS - 36-42-50-66" H. 57

EPF1666
EPF1650
EPF1642
EPF1636



STABILIZER FOOT KIT 57


PSTAB



HYBRID ASSEMBLY NANO PANEL WITHI UNI-T PANELS N2 SERIES (ROUNDED) 58

C82N
C66N
C50N
C42N
C34N

CE40N
CE32N
CE24N
CE16N
CE08N



HYBRID VERTICAL CONNECTOR COVERS FOR NANO PANEL WITH UNI-T PANELS - N2 SERIES (ROUNDED) 59

C82TCN
C66TCN
C50TCN
C42TCN
C34TCN


C48TCN
C40TCN
C32TCN
C24TCN
C16TCN
C08TCN



HYBRID CONNECTOR FOR NANO PANEL WITH UNI-T PANELS N7 SERIES (SQUARE)

60

C82N
C66N
C50N
C42N
C34N



HYBRID CONNECTOR FOR NANO PANEL WITH UNI-T PANELS - N7 SERIES (SQUARE)

61

C82TCN
C66TCN
C50TCN
C48TCN
C34TCN



UNI-T / NANO HYBRID FASTENERS N2 AND N7 SERIES

61


GNU2



VERTICAL CAPS, BRIDE CONNECTORS AND CAP-HYBRID CONNECTION ON TAKE OFF SYSTEM

62

PECN180



TAKE OFF SYSTEM / NANO HYBRID FASTENERS

63


GNT2



RECTANGULAR SURFACES

64

SSi3672
SSi3666
SSi3660
SSi3654
SSi3648
SSi3072
SSi3066




SSi3060
SSi3054
SSi3048
SSi3042
SSi3036
SSi3030
SSi3024
SSi2472
SSi2466
SSi2460
SSi2454
SSi2448
SSi2442
SSi2436
SSi2430
SSi2424
SSi2172
SSi2166
SSi2160
SSi2154
SSi2148
SSi2142
SSi2136
SSi2130
SSi2124
SSi1872
SSi1866
SSi1860
SSi1854
SSi1848
SSi1842
SSi1836
SSi1830
SSi1824


ANGLE-NOTCHED SURFACES

65

SSN243072
SSN243066
SSN243060
SSN243054
SSN243048
SSN243042
SSN243036
SSN243030
SSN182472
SSN182466
SSN182460
SSN182454
SSN182448
SSN182442
SSN182436
SSN182430




SSN302472
SSN302466
SSN302460
SSN302454
SSN302448
SSN302442
SSN302436
SSN302430
SSN241872
SSN241866
SSN241860
SSN241854
SSN241848
SSN241842
SSN241836
SSN241830



ANGLE-NOTCHED SURFACES

66


SSND243072
SSND243066
SSND243060
SSND243054
SSND243048
SSND243042
SSND243036
SSND243030
SSND182472
SSND182466
SSND182460
SSND182454
SSND182448
SSND182442
SSND182436
SSND182430




CONNECTING SURFACES

67

SSV36247224
SSV36246624
SSV36246024
SSV30187221
SSV30187218
SSV30186621
SSV30186618
SSV30186021
SSV30186018
SSV30184821
SSV30184818
SSV24184218




SSV24367224
SSV24366624
SSV24366024
SSV18307221
SSV18307218
SSV18306621
SSV18306618
SSV18306021
SSV18306018
SSV18304821
SSV18304818
SSV18244218




NOTCHED SURFACES

68

SSEL3072
SSEL3066
SSEL3060




SSER3072
SSER3066
SSER3060




"COCKPIT" SURFACES

69

SSCK362472
SSCK362466
SSCK362460



SSCK243672
SSCK243666
SSCK243660




DUAL-DEPTH SURFACES

(LEFT)

70

SSW302472
SSW302466
SSW302460
SSW302454
SSW302448
SSW302442
SSW302436
SSW302430
SSW302424



SSW241872
SSW241866
SSW241860
SSW241854
SSW241848
SSW241842
SSW241836
SSW241830
SSW241824


SSW211872
SSW211866
SSW211860
SSW211854
SSW211848
SSW211842
SSW211836
SSW211830
SSW211824

DUAL-DEPTH SURFACES

(RIGHT)

71

SSW243072
SSW243066
SSW243060
SSW243054
SSW243048
SSW243042
SSW243036
SSW243030
SSW243024




SSW182472
SSW182466
SSW182460
SSW182454
SSW182448
SSW182442
SSW182436
SSW182430
SSW182424

SSW182172
SSW182166
SSW182160
SSW182154
SSW182148
SSW182142
SSW182136
SSW182130
SSW182124

CORNER SURFACES 90° (SYMETRIC WITH STRAIGHT INTERIOR ACCESS)

72


SCS3048
SCS3042
SCS2448
SCS2442
SCS2436
SCS1836




CORNER SURFACES 90° WITH STRAIGHT INTERIOR ACCESS (EXTENDED)

72

SCS24247236
SCS24246636
SCS24246036
SCS21217236
SCS21216636
SCS21216036



SCS24243672
SCS24243666
SCS24243660
SCS21213672
SCS21213666
SCS21213660



CORNER SURFACES 120°

73

SCV3030
SCV2430



CORNER SURFACES 90° (SYMMETRICAL WITH CURVED INTERIOR ACCESS)


73

SCO30304848
SCO30244848
SCO24304848
SCO24244848
SCO24244242
SCO24243636
SCO18183636



CORNER SURFACES 90° (RIGHT EXTENDED WITH CURVED INTERIOR ACCESS) 74

SCO30304872
SCO30304866
SCO30304860
SCO30304854




SCO30244872
SCO30244866
SCO30244860
SCO30244854
SCO30244272
SCO30244266
SCO30244260
SCO30244254
SCO30244248

SCO24304872
SCO24304866
SCO24304860
SCO24304854

SCO24244872
SCO24244866
SCO24244860
SCO24244854
SCO24244272
SCO24244266
SCO24244260
SCO24244254
SCO24244248


CORNER SURFACES 90° (LEFT EXTENDED WITH CURVED INTERIOR ACCESS) 75

SCO30307248
SCO30306648
SCO30306048
SCO30305448
SCO30247248
SCO30246648
SCO30246048
SCO30245448
SCO24307248
SCO24307242
SCO24306648
SCO24306642
SCO24306048
SCO24306042
SCO24305448
SCO24305442
SCO24304842
SCO24247248
SCO24247242
SCO24246648
SCO24246642
SCO24246048
SCO24246042
SCO24245448
SCO24245442
SCO24244842




CORNER SURFACES 90° (ERGONOMIC INTERIOR ACCESS) 76

SCE24187236
SCE24186636
SCE24186036




SCE18243672
SCE18243666
SCE18243660




BI-LEVEL SURFACES WITH FIXED SHELF 77

SSBL3030




SCBL3048
SCBL2442
SCBL2436

SCFL2448
SCFL1842




BI-LEVEL CORNER SURFACES 90° WITH ADJUSTABLE SHELF 78

SCAL2448
SCAL1842




CORNER SURFACES WITH ROUNDED EXTENSION 79

SCPL4866
SCPL4860
SCPL4266
SCPL4260




SCPR4866
SCPR4860
SCPR4266
SCPR4260




D-SHAPED TABLES 79

SDSS3672
SDSS3666
SDSS3072
SDSS3066
SDSS3060
SDSS3048



P-SHAPED TABLES 80


SSPL364272
SSPL303672
SSPL303666
SSPL303660



SSPR364272
SSPR303672
SSPR303666
SSPR303660


Q-SHAPED TABLES 80

SSQS304272
SSQS304260




PL-SHAPED TABLES 81

SSPLL487224
SSPLL487218
SSPLL486624
SSPLL486618
SSPLL486024
SSPLL486018



SSPLL427224
SSPLL427218
SSPLL426624
SSPLL426618
SSPLL426024
SSPLL426018

SSPLR487224
SSPLR487218
SSPLR486624
SSPLR486618
SSPLR486024
SSPLR486018




SSPLR427224
SSPLR427218
SSPLR426624
SSPLR426618
SSPLR426024
SSPLR426018


L-SHAPED TABLES

82

SSLSL487224
SSLSL486624
SSLSL486024
SSLSL427224
SSLSL426624
SSLSL426024




SSLSR487224
SSLSR486624
SSLSR486024
SSLSR427224
SSLSR426624
SSLSR426024




L-SHAPED TABLES WITH FIXED SHELF

83

SSLBL487224
SSLBL486624




SSLBR487224
SSLBR486624




"SHARK" TABLES

84

SSHL427224
SSHL426624
SSHL426618
SSHL426018
SSHL366618
SSHL366018




SSHR427224
SSHR426624
SSHR426618
SSHR426018
SSHR366618
SSHR366018




TRANSITION EXTENSIONS

85

SSXL3030
SSXL3024
SSXL2430
SSXL2424




SSXR3030
SSXR3024
SSXR2430
SSXR2424



SHARED CONFERENCE SURFACES

85


SSXC61
SSXC49




COUNTER TOPS

86


SCTi72
SCTi66
SCTi60
SCTi54
SCTi48
SCTi42
SCTi36
SCTi30
SCTi24




SCTiV72
SCTiV66
SCTiV60
SCTiV54
SCTiV48
SCTiV42
SCTiV36
SCTiV30
SCTiV24




SCTVi72
SCTVi66
SCTVi60
SCTVi54
SCTVi48
SCTVi42
SCTVi36
SCTVi30
SCTVi24




SCTV1572
SCTV1566
SCTV1560
SCTV1554
SCTV1548
SCTV1542
SCTV1536
SCTV1530
SCTV1524




SCTU72
SCTU66
SCTU60
SCTU54
SCTU48
SCTU42
SCTU36
SCTU30
SCTU24




SCTUV72
SCTUV66
SCTUV60
SCTUV54
SCTUV48
SCTUV42
SCTUV36
SCTUV30
SCTUV24



SCTVU72
SCTVU66
SCTVU60
SCTVU54
SCTVU48
SCTVU42
SCTVU36
SCTVU30
SCTVU24




SCTO72
SCTO66
SCTO60
SCTO54
SCTO48
SCTO42
SCTO36
SCTO30
SCTO24



NANO SUPPORT

89


SSUN



28" HIGH FULL FLOOR SUPPORTS

89

SSUL2836
SSUL2830
SSUL2824
SSUL2821
SSUL2818




SSUR2836
SSUR2830
SSUR2824
SSUR2821
SSUR2818

28" HIGH RECESSED FLOOR SUPPORTS

89


SSUL2811

SSUR2811




INTERMEDIATE SUPPORT 90

SSUPi28



METAL LEGS 90


LE291E



LET291-CL

JUNCTION PLATES 90

FJP2




SUPPORT PEDESTALS (LAMINATE) 91

FP30UUF

FP24UUF

FP30FF

FP24FF




SUPPORT PEDESTALS (METAL) 91

FP45-30-6612

FP45-24-6612

FP45-30-1212

FP45-24-1212




FP47-30-6612

FP47-24-6612


FP47-30-1212

FP47-24-1212




SIGNAGE MODULE 92

ASTAG



WHITE BOARD (MAGNETIC) 92

ASWB1117



SYSTEM COMPONENTS

SCREEN

The Nano panel is comprised of an anodized aluminum structure framed in one or more sections. These sections can be specified in different materials: thermally fused laminate, fabric, acrylic, whiteboard or tackboard.

The panels are pre-assembled in the factory and only the finishing caps, top caps and leveling glides can be removed or adjusted (levelers = 1" adjustment) during or after installation. The sections CANNOT BE RECONFIGURED when the panel is delivered. The thickness of the panel is 1 1/4".



CONNECTORS

The connectors are tubular extruded aluminum equipped with 8 or 6 channels permitting the insertion of the connecting strip joining a panel to a connector.

Three types of connectors are available to permit the panels to join together:

- 1 – The 90 connector joins panels at a 45 angle or perpendicular (90°).
- 2 – The 120 connector joins the panels at 60° or 120°.
- 3 – The wall connector is used to attach a panel to the wall.

Please note that it is not necessary to use a connector to join 2 panels at 180°. Using a connecting strip is sufficient.




HARDWARE

All the necessary hardware to install the panels along with their finishing components is included with the products (tools not included).

SCREEN HEIGHT


The Nano screens are available in 36", 42", 50" and 66" high. Depending on the configuration selected, the panels can be equipped with connecting strips that will allow the attachment of work surfaces (29" high) or hanging components (28", 36", 42", 50" or 60" high).




PANEL CONFIGURATIONS

19 panel configuration possibilities are available for the freestanding panels and 5 configurations for the surface panels.


66" H. FREESTANDING PANELS - WIDTHS 18" TO 48" *.




50" H. FREESTANDING PANELS - WIDTHS 18" TO 60" *.




42" H. FREESTANDING PANELS - WIDTHS 18" TO 72" *.



36" H. FREESTANDING PANELS - WIDTHS 18" TO 72" *.



SURFACE SCREENS - WIDTHS 18" TO 72" *.




* Certain configurations may have restrictions on width sizes depending on the height chosen, see price list.

GENERAL SPECIFICATIONS


FURNITURE SERIES

The Nano collection is comprised of 2 furniture series choices differing in their surface thickness :



CHARLIE (C) SERIES

Work surface thickness :
1" (25 mm)



INDIA (I) SERIES

Work surface thickness :
1½" (38 mm)

SPECIFICATION

Workstation surfaces are made of 1" (25mm) thick pressed wood in the Charlie series and for India the thickness is 1½" (38mm). The surfaces can be ordered either in Thermally Fused Laminate (T.F.L.) or High Pressure Laminate (H.P.L.), see choice of finishes on p.24-25. Add ¼" of an inch for high pressure surfaces. Floor supports have a 1" (25mm) thickness. Nano surface dimensions are identical to the Uni-T surface dimensions, except certain conference surfaces. They also include supports (refer to price list for details).

The surface (edge band) and floor supports are made of 2.5 mm thick PVC. The edge band of the floor supports has an edge band of 2.5 mm thick PVC in assorted colors matching the finish of the laminate.

Certain components such as the sides and backs of pedestals, the front of drawers and the shelves are made of ¾" (17.5 mm) thick pressed wood with an edge band of 2.5 mm thick PVC in assorted colors matching the finish of the laminate.

This price list contains only a part of all of the storage available. Please refer to the Take Off Freestanding price list for our product line to complete your installation. Please note that storage units cannot be hung on the Nano series panels.

HARDWARE

The knockdown products are shipped with the necessary hardware (metal inserts & screws) already attached to the furniture.

PACKAGING

The assembled products such as storage units are shipped in boxes and do not require any assembly aside from installing levelling glides and pulls.


FINISH CHOICES

Not only is there a large selection of surface and base colors, the Nano collection also offers a range of finishes for the surface edges and fronts of pedestals. A variety of pulls is also offered along with other options that are available on specific products. Refer to the current Artopex seating fabric card.

GROMMETS

Factory installed grommets are included on work surfaces. The Artopex grommet consists of a cover that can be used in its entirety, half open or completely open. The opening allows for large caliber wiring, attachment of surface-attached lamps. Grommet finish must be specified either black (GN) or frost (GA). It is also possible to remove all the grommets on a surface by using the "NG" code, offered at no charge.

The rectangular surfaces 42" or less have one grommet in the center and those 48" and longer have two grommets one near each end. The corner surfaces have one grommet positioned in the center of the back corner unless the surface measures 60" or more. These will have two grommets on the long side near each end.



MULTI-OUTLET

A multi-outlet can be ordered on most products. The grommet for the multi-outlet is installed in the factory but the electrical box has to be installed on site. The multi-outlet uses the space of a grommet.


The multi-outlet has two electrical outlets with a ground 13 AMP circuit-breaker, surge suppressor, an RJ-11 outlet for telephone/modem/fax and an RJ-45 computer outlet Category 5. The multi-outlet is UL and CSA compliant.

In the "Options" section (M-Outlet), specify the placement of the multi-outlet where available, add \$159 per multi-outlet. The illustration below shows the available positions of the multi-outlet.



Note : When the multi-outlet is installed behind a pedestal, a 4" space is required behind the pedestal.


Multi-outlet positioning (option) on SURFACES



GENERAL SPECIFICATIONS (CONT'D)


SURFACE DIRECTIONAL WOODGRAIN

The woodgrain runs parallel with the long side of the surface where as a surface that is Symmetrical has the grain at 45°.



CORNER SURFACE WITH ADJUSTABLE KEYBOARD

The corner surface with adjustable keyboard is equipped with a mechanism that permits the height and angle to be adjusted with the use of a locking clamp. The keyboard can be used either sitting or standing.




CONVERGENT SURFACES

Convergent surfaces ("D" and "P" tables etc.) as well as conferencing surfaces are equipped with one (or 2 depending) 4" diameter metal telescopic leg(s) that has a 4" adjustable height and come(s) in 5 different colors.


SHARED CONFERENCE SURFACE

The shared conference surfaces shown on p.85 are designed to be used with the surface attached furniture in the Nano system. Their total width includes the 1" thickness of the Nano panel. The junction plates are included to allow the conference table to be attached to the adjoining surfaces.



CABLE POLE


VERTICAL PROFILE FOR CABLE POLE



This cable pole is attached along a vertical profile with 4 fasteners provided.




6" CABLE POLE




The 6" cable pole installs the same way as a Nano screen with the assembly profile included.

6" CABLE POLE FOR ELECTRICAL HARNESS



STABILIZER FOOT KIT




The stabilizer foot kit allows the Nano screen to be more stable. Use 2 pairs to make a screen freestanding.




COMPATIBILITY

ALL NANO COMPONENTS



This price list is composed of a complete choice of a "Surfaces" supports and accessories that attach to the Nano panels. It is therefore possible to specify a complete layout with the different Nano products.



When the assembly of two panels of different heights is specified, the connector used can be the same height as the shorter panel.



A straight line assembly (180°) does not need an actual connector. These are joined together with the connecting strip included with the panel.





When assembling panels at angles, whether "X" or "T" a connector is always necessary. These are then joined together with the connecting strip included with the panel.

Many panels configurations are possible depending on the type of connector used (see p.12).

COMPATIBILITY (CONT'D)

WITH THE UNI-T SYSTEM

It is possible to connect Nano panels with the Uni-T system. Special attaching brackets that slot into the Uni-T connectors are available in this list. We suggest that you order the brackets in the same color as the Nano panel frame.




Hybrid attaching fastener kit for the Uni-T panel.
The kit is reversible so can be used on the left or the right

When installing at the junction of 2 Uni-T panels, the space necessary to install a Nano panel at 90° is 1¼". This gap is filled with an "N" type connector.

Always use two fasteners to join a Nano panel to the connector of a Uni-T panel (at the bottom and at the top).



*Only order one kit when the configuration illustrated above is used.



COMPATIBILITY (CONT'D)

WITH THE TAKE OFF SYSTEM

It is possible to connect Nano panels with the Take Off System. Special attaching brackets that slot into the Take Off System connectors are available in this list. We suggest that you order the brackets in the same color as the Nano panel frame.




Hybrid attaching fastener kit for the Take Off System panel.
The kit is reversible so can be used on the left or the right

When installing at the junction of 2 Take Off System panels, the space necessary to install a Nano panel at 90° is 1¼". This gap is filled with specially designed bridge connectors.

Always use two fasteners to join a Nano panel to a Take Off panel (at the bottom and at the top).

*Only order one kit when the configuration illustrated above is used.




COMPATIBILITY (CONT'D)

WITH TAKE OFF FREESTANDING FURNITURE

Privacy screens are designed to attach directly to desks and tables in the Take Off Freestanding furniture. Offered in 2 heights (privacy 42" and 50"), these screens must be installed in pairs, perpendicular to each other, or connected to the floor panels to assure rigidity.



The screens offered in this price list have precise dimensions, which means that they are exactly the dimension indicated and will fit well with the desk and table dimensions in the Take Off Freestanding series. These items add 1 1/4" to the sides of a surface.



It is possible to install a privacy screen that is shorter than the surface it is being installed upon.

Privacy screen should always be installed in pairs, in a perpendicular manner (to another privacy screen or floor panel) to insure its rigidity. A 90 connector is necessary for this type of assembly. When assembling panels and privacy screens the connector used can be the same height as the height of the privacy screen (see below, illustration on left).

Nano series shelves and accessories can be installed on these panels. We do not recommend that you install storage bins on these screens, the screens are not designed to pull that amount of weight.



SUPPORTS

The work surfaces in the Nano system come with the quantity of surface supports required to attach to the back of the panel in a station. It is necessary to separately order the additional supports required to hold up the front of the surface.

NANO SURFACE SUPPORT

Extruded aluminum that attaches to the horizontal metal slot on the Nano panel. This support installs under the surface and allows for the surface to be installed at 29" from the floor. Certain ones are included with the surface, others need to be ordered separately.

FLOOR SUPPORT

Made of 1" Thermally Fused Laminate, the floor support is available in different depths. Full leg (from 18" to 36") or half leg (11"). This support is attached to the vertical metal slot on a Nano panel under the work surface. Available in the "Base" laminate colors.

TUBULAR LEG

2 models are available. Made of aluminum or steel, this leg attaches under the surface and comes with a leveling glide.

SUPPORT PEDESTAL


This pedestal is generally placed at the end of a surface and is attached underneath to support said surface. Available in different depths 24" and 30", it is offered in 2 or 3 drawer versions and equipped with leveling glides. Available in the "Base" laminate colors, the fronts can be ordered in a different color (see p.25). Pulls can be added and keyed alike can be requested.

JUNCTION PLATES

The junction plate is used to join 2 juxtaposed surfaces to create solidity. Black finish.

INTERMEDIATE LEG


Use of the intermediate leg is recommended to hold up, at the center, surfaces 48" and longer supported by a Uni-T or Take Off System panel.



SUPPORT PEDESTAL

TECHNICAL SPECIFICATIONS - LAMINATE SUPPORT PEDESTAL

The laminate support pedestal frame is composed of Thermally Fused Laminate $\frac{1}{4}$ " thick. The contour of these panels (edge band) is made of 2.5mm thick PVC in assorted colors matching the finish of the laminate. Refer finishes availability (see p.24-25) and to the product description for more details.



The pedestal fills in the total depth of the surface. It is impossible to have Nano supports there.

FINISHES

The finishes offered are broken down into 3 categories:

- "Base" finish (applies to the sides and back of the unit)
- "Fronts" (applies to the fronts of the doors and drawers)


The casters, accessories and interior structural or mechanical components have a Black finish. The locks have a Chrome finish.

PULLS


Support pedestals offer the OPTION of adding pull (\$18 per pull see price list), refer p.25, for different styles of pulls.

TECHNICAL SPECIFICATIONS - METAL SUPPORT PEDESTAL

The metal support pedestals are composed of 2 series, the main difference is the type of pull (central or full pull). Refer to the product description for more details.



45 Serie



47 Serie

FINISHES

The finishes offered in the metal pedestals are available in the current Artopex Enamel finish card. See www.artopex.com

Castors, accessories and interior structural or mechanical components have a Black finish. The locks have a Chrome finish.

PULLS

The metal support pedestals are offered with 2 styles of pulls depending on which series is selected (45 or 47).

- 45 series: Central pull, Aluminum finish
- 47 series: Full width pull, matching finish with pedestal

LOCKS

All support pedestals are equipped with a locking system of one lock in Chrome.

KEYED ALIKE

The option to key alike is available on all of our products that have locks, free of charge. The products requiring this need to be grouped and identified as such. Assign the code K01 for the parts in the first office, K02 for the second and so on and so forth. Unless otherwise specified, the locks will be installed at the factory with a lock number associated with K__. Please note: Random lock numbers will be used for each order. Therefore, it is necessary to specify the key number when ordering additional keys.


DRAWER SLIDES

The drawers on the storage units are equipped with a progressive slide composed of ball bearings with a total extension of 16", 18" or 22". The weight capacity for the 6" and 12" drawers are 100 pounds. All the drawer slides meet with BIFMA Standards.

ACCESSORIES

Laminate pedestals with a 6" drawer have a pencil tray included that can run along the front or the side of the drawer. Metal pedestals have a rectangular pencil tray.

Filing bars may be included with the 12" filing drawer or the lateral file unit. Refer to the product description in the Accessories price list for more information.



Laminate pedestal pencil tray

COUNTERTOPS

The available sizes vary from 24" to 72" in length (in increments of 6") and have a 15" depth.

The countertops are normally 42" from the floor. It is possible to install them on all types of sections: laminate, fabric, acrylic, white board or tackboard.

The Nano countertops can also be installed on a Nano hybrid work station. Be aware the countertop can come into conflict with the Uni-T media panel. In this case, contact our Customer Service Department for a countertop of a specific length (special).

All countertops are delivered with the necessary hardware (screws, junction plates and supports). The supports hold up the countertop and attaches to the horizontal slot found in the Nano panels.




ACCESSORIES

The Accessories price list offers a variety of hanging components that attaches to the metal hanging slot on the Nano panels or privacy screens. Equipped with supports similar to those delivered with the work surfaces. These components can be moved laterally and their positions are easily modified by simply moving them the length of the metal hanging slot because tools are not required to install them to the panels or screens.


The design for the shelving bracket allows for a stable positioning that will not permit the shelf to fall. To simply remove, lift, pivot and then move laterally and remove. No hanging component can be installed directly above an acrylic screen.

Drawings below illustrate the functionality of the shelf support for the Nano panels.



ACCESSORIES


Metal and acrylic accessories and shelves from the Accessories price list are compatible with Nano screens hanging components. Refer to the current Accessories price list for more details.



COMPLEMENTS

MAGNETIC MARKERBOARD


The markerboard attaches to the metal hanging slot and is made of pre-molded metal which makes the surface magnetic and with a white glossy finish that uses washable non-permanent markers (not included).



SIGNAGE MODULE

The signage module attaches to the vertical metal slot on the Nano panel. Available in the "Metal" colors.

The size of paper that can be easily slid into place should measure 2" X 5".



FINISHES - PANELS

AVAILABLE FINISHES FOR THE SECTIONS

All of the panel prices in this document are based on a construction of sections in Thermally Fused Laminate. The prices indicated in the "Adjustment Zone" are to be **added** to the laminate price. Here is the list of different options that are offered depending on the type of panels:

LAMINATE

The laminate section is composed of a 1" thick laminate panel available in the current Artopex laminate finish card. The woodgrain is always horizontal.

ADJUSTMENT ZONE

The fabric section is manufactured with 1" pressed wood covered on both sides with panel fabric selected from the current Artopex fabric card available. For other fabrics, see ordering C.O.M. below.

ACRYLIC

The acrylic section is composed of an anodized aluminum frame where a clear, bronze or frosted acrylic piece is inserted, depending on what is ordered. **Please note that it is NOT possible to hang accessories or shelving directly above an acrylic section.** This section has dimension limitations and is never offered as a base section.

MARKERBOARD

Ideal for making notes, the markerboard section is 1" thick high pressure pressed wood in glossy white (both sides) on which it is possible to write with a washable non-permanent marker (not included). Not available for a base section.

TACKBOARD

Section is composed of a pinable tackboard surface on both sides, covered also on both sides with Artopex panel fabric currently available. **The code must be preceded with the letter "T".** Not available for a base section.

Example : TFN04

OTHER FINISHES

TRIM

Frames for Aluminum profiles for panels and screens are in anodized aluminum (O).


METAL

The Metal (3090) color applies to metal pieces included in the series.


FABRIC DIRECTION

Fabrics are all installed in a specific direction. Unless otherwise specified, the fabric is installed with the height of the panel and screens (see drawing). The fabric on panels that are 66" or 72" wide must be **RAILROADED** at 90°. Only panels and screens 42" or less are affected by this restriction. To keep a consistency it is, therefore, recommended to specify that all other panels and screens (60" and less) are manufactured in the same direction. To do this, replace the fabric code with the suffix **-RRT** followed by " - - - fabric, oriented at 90 degrees".

Codification examples:



Standard fabric
NA-P5054-5-O-KY24



Fabric oriented at 90°
NA-P5054-5-O-RRT, KY24 fabric,
oriented at 90°

C.O.M. ORDERS

COM orders (fabric supplied by the client) must clearly indicate the pattern, color, width and manufacturer of the fabric. If requested by Customer Service, a 12" by 12" (305 x 305 mm) sample must be sent prepaid to Customer Service, Artopex, 800 Vadnais, Granby, Quebec, J2J 1A7. Once the order or the samples has been approved, Customer Service will issue an acknowledgement with the procedure for shipment of fabric to our plants.

Regardless of whether the material is supplied by the customer or by Artopex (to the customer's specifications), the delivery date will only be set after the material is received.


The price of panels covered with fabric supplied by the customer will correspond to the lowest price for standard fabrics offered by Artopex.

FINISH CHOICES CHART

This is the coding system to use in the specific fields of the price list in reference to choice of colors.
Some exceptions apply, see the chart below or the finishing cards.




Colors, especially dark colors, may vary between Thermally Fused Laminate (T.F.L.) and High Pressure Laminate (H.P.L.).

SURFACE		EDGE BANDS (SURFACE)		
				
T.F.L.	H.P.L.	REGULAR EDGES	FLUTED EDGES	STRIPED EDGES (NARROW)
DOLOMITE FINISH	MAT FINISH	Aluminum (0W)	Aluminum (3W)	MultiPLY Maple (0V1)
Antique White (MAW)	Antique White (SAW)	Antique White (0AW)	Antique White (3AW)	Coordinate with this surface finishes:
Charcoal (MF)	Cayenne Maple (SCM)	Black (0N)	Black (3N)	Maritime Maple - Mocha
Frost (MA)	Charcoal (SF)	Carbon (0CB)	Carbon (3CB)	Douglas Pine
White (MBW)	Cherry (SCH)	Cayenne Maple (0CM)	Cayenne Maple (3CM)	
SUEDE FINISH	Chestnut (SCG)	Charcoal (0F)	Charcoal (3F)	Actual size image 1" thick surface
Cayenne Maple (MCM)	Dark Oak (SDK)	Cherry (0CH)	Cherry (3CH)	
Cherry (MCH)	Douglas Pine (SDP)	Chestnut (0CG)	Chestnut (3CG)	
Dark Oak (MDK)	Frost (SA)	Dalia (0DA)	Dalia (3DA)	
Honey (MHO)	Honey (SHO)	Dark Oak (0DK)	Dark Oak (3DK)	
	Maritime Maple (SEM)	Douglas Pine (0DP)	Douglas Pine (3DP)	
	Mocha (SPM)	Frost (0A)	Frost (3A)	
SUPERMAT FINISH	Tobacco Cherry (STC)	Galaxy (0GX)	Galaxy (3GX)	
Chestnut (MCG)	White (SBW)	Ginger Root (0GG)	Ginger Root (3GG)	
Douglas Pine (MDP)	Willow Grey (SWG)	Honey (0HO)	Honey (3HO)	
Maritime Maple (MEM)		Maritime Maple (0EM)	Maritime Maple (3EM)	STRIPED EDGES (WIDE)
Mocha (MPM)	NATURAL FINISH	Mocha (0PM)	Mocha (3PM)	Maple / Honey stripped (0R1)
Tobacco Cherry (MTC)	Carbon (SCB)	Sea Salt (0SM)	Sea Salt (3SM)	Coordinate with surface finishes:
Willow Grey (MWG)	Dalia (SDA)	Sesame (0SE)	Sesame (3SE)	Maritime Maple - Honey
	Galaxy (SGX)	Tobacco Cherry (0TC)	Tobacco Cherry (3TC)	
AURA FINISH	Ginger Root (SGG)	Twilight (0TL)	Twilight (3TL)	Actual size image 1" thick surface
Carbon (MCB)	Sea Salt (SSM)	White (0BW)	White (3BW)	
Dalia (MDA)	Sesame (SSE)	Willow Grey (0WG)	Willow Grey (3WG)	
Galaxy (MGX)	Twilight (STL)			
Ginger Root (MGG)				
Sea Salt (MSM)				
Sesame (MSE)				
Twilight (MTL)				
<p>** Willow Grey : Matt finish, and not supermat like T.F.L.</p> <p>* NOT AVAILABLE IN INDIA SERIES (1½" SURFACE).</p>				

FINISH CHOICES CHART (CONT'D)

Some products have specific finish choices due to the nature of their components



Metal support pedestal, see Accessories price list.

BASE	FRONT	STYLE OF PULL	PANELS AND PRIVACY SCREENS		LEGS
T.F.L.	T.F.L.				METAL
DOLOMITE FINISH	DOLOMITE FINISH		DOLOMITE FINISH	TRIM FABRIC	Ashen (3370) Black (3067) Champagne (3311) Charcoal (3064) Polar White (3002) Silver (3090)
Antique White (AW) Black (N) Charcoal (F) Frost (A) White (BW)	Antique White (AW) Black (N) Charcoal (F) Frost (A) White (BW)	 TN - Nickel TECHNO	Antique White (AW) Black (N) Charcoal (F) Frost (A) White (BW)	Refer to the current Artopex fabric card.	
SUEDE FINISH	SUEDE FINISH	 DN - Nickel DECO	SUEDE FINISH	ACRYLIC FINISH	
Cayenne Maple (CM) Cherry (CH) Dark Oak (DK) Honey (HO)	Cayenne Maple (CM) Cherry (CH) Dark Oak (DK) Honey (HO)	 J - Satin Chrome	Cayenne Maple (CM) Cherry (CH) Dark Oak (DK) Honey (HO)	Bronze (BR) Clear (CL) Frosted (Gi)	
SUPERMAT FINISH	SUPERMAT FINISH	 X - Aluminum	SUPERMAT FINISH	MARKERBOARD FINISH	
Chestnut (CG) Douglas Pine(DP) Maritime Maple (EM) Mocha (PM) Tobacco Cherry (TC) Willow Grey (WG)	Chestnut (CG) Douglas Pine(DP) Maritime Maple (EM) Mocha (PM) Tobacco Cherry (TC) Willow Grey (WG)	 YN - Brushed Nickel	Chestnut (CG) Douglas Pine(DP) Maritime Maple (EM) Mocha (PM) Tobacco Cherry (TC) Willow Grey (WG)	Glossy white (SBL)	
AURA FINISH	AURA FINISH	 YA - Antique Nickel	AURA FINISH	TACKBOARD FINISH	
Carbon (CB) Dalia (DA) Galaxy (GX) Ginger Root (GG) Sea Salt (SM) Sesame (SE) Twilight (TL)	Carbon (CB) Dalia (DA) Galaxy (GX) Ginger Root (GG) Sea Salt (SM) Sesame (SE) Twilight (TL)	 YB - Brushed Bronze	Carbon (CB) Dalia (DA) Galaxy (GX) Ginger Root (GG) Sea Salt (SM) Sesame (SE) Twilight (TL)	Refer to the current Artopex panel Fabric Card. ("T" before code)	
				TRIM FINISH	
				Anodized aluminum (O)	
				METAL FINISH	
				Silver (3090)	

Located under each product code is the "code specifier" that explains what information needs to be inserted to complete the order. The specifying code is normally divided into 2 zones: under the section "Specify" you must fill in all required fields whereas the "Option" section gives you the opportunity to add extra details to each product. The chart below explains the list of "Specifics" and "Options" that can be found under the products in the code specifier of the panels and furniture.

SPECIFY

NA2- - - - - -

1 **2** **3** **4** **4** **4**

SPECIFY:

- 1 Code**
Indicate the product code. The code is made of characters that describe the product (dimensions, configuration).
 - 2 Trim**
The trim finish for outline items for panels and screens and other components are in anodized aluminum (O). See p.23.
 - 3 Base**
Indicate the finish for the base (lower section, under 28" H.), this section can only be specified either in laminate or fabric only, see p.25.
 - 4 Sections**
Indicate the finish for sections (upper part, over 28" H.), these sections can be specified in laminate, fabric, acrylic, tackboard or markerboard depending on product specifications. see p.25.

SPECIFY

Serie Code Surface Edge Base / Front Metal / Grom. Pull M-Outlet Key

SPECIFY:


- 1 Series**
Identify your choice of Nano series, 2 possible choices: **C** (Charlie) or **I** (India). You can find out the definition of the series on p.24-25.
 - 2 Code**
Indicate the product code. The code is made of characters that describe the product (identification, dimensions).
 - 3 Surface**
Specify the surface finish. T.F.L. or H.P.L. finish choices are available. Refer to p.24-25 for the details and to the current Artopex laminate finish card to visualize the finishes.
 - 4 Edge**
Identify the edge band of the surface. Refer to p.24-25 for the details and the current Artopex laminate finish card to visualize the different types of edge bands.
 - 5 Base**
Identify the base finish. Refer to p.24-25 for the details and to the current Artopex laminate finish card to visualize the different finishes.
 - 6 Front**
Identify the front finish for the pedestals. Refer to the product description and to p.24-25 for the details and to the current Artopex laminate finish card to visualize the different finishes.
 - 7 Metal**
Identify the finish on certain metal components (metal pedestals, metal legs, storage shelves, support brackets, etc.). Refer to the product description for the codes and to the current Artopex Metal card to visualize the different finishes.
 - 8 Grommet (Grom.)**
Identify the finish of the grommet or, if desired, it is possible to remove the standard grommets. Refer to p.14 and to the product descriptions for the details of this option.

OPTIONS

 - 9 Pull**
If desired, identify the type and finish of the pulls on furniture where this option is available. Refer to page 24-25 for detail.
 - 10 Mutil-Outlet (M-Outlet)**
If desired, identify the position of a multi-outlet on furniture where this option is available. Refer to p.14 and to the product descriptions for the details of this option.
 - 11 Keyed alike (Key)**
If desired, identify the "keyed alike" on furniture where this option is available. Refer to p.21 and to the product descriptions for details on this option.

SPECIFICATION EXAMPLES (CONT'D)

Shown here are specification examples applied on various products.



66" H. Panel


Dimensions: 66" x 36"
Trim: Anodised Aluminum (O)
Base: Laminate - Dark Oak (DK)
Section 36: Tackboard - TEP41 (grade 2)
Section 42: Acrylic - Frosted (Gi)
Section 66: Fabric - EP41 (grade 2)

SPECIFY

	Code	Trim.	Base	Sect. 36	Sect. 42	Sect. 66
NA2-	P6636-2346	O	DK	TEP41	Gi	EP41

Order codification: **NA2-P6636-2346-O-DK-TEP41-Gi-EP41**

↑
NOTE: The tackboard fabric code must be preceded by the letter "T".




50" H. Panel

Dimensions: 50" x 48"
Trim: Black (N)
Base: Fabric - TR18 (grade 2)
Section 50: Fabric - FN01 (grade 1)

SPECIFY

	Code	Trim.	Base	Sect. 50
NA2-	P5048-25	O	TR18	FN01

Code de commande : **NA2-P5048-25-O-TR18-FN01**




42" H. Surface Panel

Dimensions: 19" x 48"
Trim: Charcoal (F)
Section 36: Tobacco Cherry (TC)
Section 42: Fabric - Li65 (grade 3)

SPECIFY

	Code	Trim.	Sect. 36	Sect. 42
NA2-	Pi1960-34	O	TC	Li65

Order codification: **NA2-Pi1960-34-O-TC-Li65**



Extended 90° corner surface

Dimensions: 24" x 24" x 66" x 36"
Series: Charlie (1")
Surface: Cayenne Maple (H.P.L.)
Edge: Aluminum finish
Grommet: Black
Multi-outlet at left

SPECIFY

	Série	Code	Surface	Edge	Grom.	M-Outlet
NA	C	SCS24246636	SCM	0W	GN	DL

Order codification: **NAC-SCS24246636-SCM/0W-GN-DL**



Support pedestal

3-drawer unit
Series : Charlie
Base (sides) : White
Front : Douglas Pine
Pull : Aluminum
Keyed alike option

SPECIFY

	Code	Base	Fronts	Pull	Key
NAC -	FP24UUF	BW	DP	X	K01



Order codification: **NAC-FP24UUF-BW/DP-X-K01**

TYPICAL LAYOUTS

Price shown are based on the following specifications:



- 1" surface in Thermo Fused Laminate.
- Privacy screen
- No options added.

Refer to the price list for the various options available for each component.





NA-01 Layout

Floor panel 50" H.	NA2-P5060-2345	\$700
Floor panel 50" H.	NA2-P5030-2345	\$463
Floor panel 42" H.	NA2-P4230-24	\$347
Furniture-attached panel 42" H.	NA2-Pi1972-4	\$397
Furniture-attached panel 42" H.	NA2-Pi1930-34	\$343
90° full-height connector	NA2-POC9042 (2)	\$60
Furniture-attached panel connector	NA2-POiC9019	\$21
Rectangular surface	NAC-SSi3072	\$397
Rectangular surface	NAC-SSi2460	\$313
Metal leg	AC-LET291-CL (2)	\$264
Shelves (see Accessories price list)		
Lateral file (see Metal price list)		
		\$3 305





NA-02 Layout

Floor panel 42" H.	NA2-P4224-24 (2)	\$650
Floor panel 42" H.	NA2-P4260-234 (2)	\$1 284
90° full-height connector	NA2-POC9042	\$30
Rectangular surface	NAC-SSi3060 (4)	\$1 432
Nano support	NA4-SSUN (4)	\$92
Metal leg	AC-LET291-CL (4)	\$560
Shelves and accessories (see Accessories price list)		
Pedestals (see Time price list)		
		\$4 048



NA-03 Layout

Floor panel 42" H.	NA2-P4272-4	\$566
Furniture-attached panel 42" H.	NA2-Pi1972-4 (2)	\$794
Furniture-attached panel 42" H.	NA2-Pi1924-4 (2)	\$490
90° full-height connector	NA2-POC9042	\$30
Furniture-attached panel connector	NA2-POiC9019 (2)	\$42
"Cockpit" surface	NAC-SSCK243672	\$501
Metal leg	AC-LET291-CL (4)	\$560
Signage module	NA5-ASTAG	\$35
Magnetic white board	NA5-ASWB1117 (2)	\$116
Table (see Take Off price list)		
Storage (see Time price list)		
		\$3 134




NA-04 Layout

Floor panel 42" H.	NA2-P4230-234 (5)	\$1 985
Furniture-attached panel 42" H.	NA2-Pi1924-34 (4)	\$1 264
90° full-height connector	NA2-POC12042	\$27
Furniture-attached panel connector	NA2-POiC9019 (3)	\$63
Rectangular surface	NAC-SSi2430 (2)	\$408
Corner surface 120"	NAC-SCV2430 (2)	\$898
Metal leg	AC-LET291-CL (4)	\$560
Magnetic white board	NA5-ASWB1117	\$58
Shelves et accessories (see Accessories price list)		
Pedestals (see Metal price list)		
		\$5 263

TYPICAL LAYOUTS - COUNTER TOPS


Example #1

SCTIV30 p.86
SCT1572 p.87
SCTVI30 p.87




Example #2

SCTIV72 p.86
SCTVI72 p.87




Example #3

SCTUV72 p.88
SCTVU72 p.88




Example #4

SCTU30 p.87
SCTU72 p.87




Example #5

SCTO72 p.88




Example #6

SCTVI72 p.87
SCTIV30 p.86




Example #7

SCTI72 p.86



Example #8

SCTI24 (2x) p.86




Price list

screens – panels

price list


floor panel 66" H. – single configuration (1 section)



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-6	503	3.8	67.5
42	P6642-6	463	3.3	58.4
36	P6636-6	425	2.9	49.3
30	P6630-6	381	2.4	40.2
24	P6624-6	350	1.9	31.0
21	P6621-6	327	1.7	26.5
18	P6618-6	299	1.5	21.9

- Single configuration floor panel (1 section).
- A hanging element can be attached at 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".

Adjustment Zone – [amount to add to standard laminate prices]



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	84	88	93	97	102
42	76	80	84	88	93
36	72	76	80	84	88
30	65	69	72	76	79
24	60	63	66	70	73
21	57	60	63	66	69
18	54	57	60	63	66

SPECIFY

Code Base

NA2- - O /

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations [2 sections]



price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-26	540	3.8	67.5
42	P6642-26	501	3.3	58.4
36	P6636-26	467	2.9	49.3
30	P6630-26	425	2.4	40.2
24	P6624-26	389	1.9	31.0
21	P6621-26	348	1.7	26.5
18	P6618-26	310	1.5	21.9

- Multiple configurations floor panel (2 sections).
- Can hold a surface at 28" and a hanging element at 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".

Adjustment Zone – (amount to add to standard laminate prices)



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68
42	54	57	60	63	66
36	52	54	57	60	63
30	49	51	54	57	60
24	47	50	52	55	58
21	45	47	49	52	54
18	41	43	45	47	50
48	67	70	74	78	81
42	63	66	69	72	76
36	60	63	66	69	73
30	54	57	60	63	66
24	52	55	58	61	64
21	49	51	54	57	60
18	44	46	48	50	53

SPECIFY

Code Base Sect. 66
NA2- - O / -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations (3 sections)

price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-236	591	3.8	67.5
42	P6642-236	550	3.3	58.4
36	P6636-236	510	2.9	49.3
30	P6630-236	468	2.4	40.2
24	P6624-236	428	1.9	31.0
21	P6621-236	403	1.7	26.5
18	P6618-236	381	1.5	21.9

- Multiple configurations floor panel (3 sections).
- Can hold a surface at 28" and a hanging element at 36" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48". Section 66 offered in laminate or fabric only.
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – (amount to add to standard laminate prices)

Width	Fabric					Acrylic	M-Board	Tackboard (T_ _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	52	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
48	62	65	68	72	75							
42	60	63	66	69	73							
36	56	59	62	65	68							
30	52	54	57	60	63							
24	50	53	55	58	61							
21	48	51	54	57	60							
18	48	50	53	55	58							

SPECIFY

Code Base Sect. 36 Sect. 66
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations [3 sections]

price list



Width	Code	Price		
		Laminate	Cu.Ft.	Lb
48	P6648-246	591	3.8	67.5
42	P6642-246	550	3.3	58.4
36	P6636-246	510	2.9	49.3
30	P6630-246	468	2.4	40.2
24	P6624-246	421	1.9	31.0
21	P6621-246	403	1.7	26.5
18	P6618-246	381	1.5	21.9

- Multiple configurations floor panel (3 sections).
- Can hold a surface at 28" and a hanging element at 42" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.


Adjustment Zone – [amount to add to standard laminate prices]

Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
48	48	51	53	56	59	115	111	85	89	94	99	104
42	47	50	52	55	58	109	98	83	87	92	96	101
36	46	48	51	53	56	104	82	80	84	88	92	97
30	45	47	50	52	55	98	65	77	80	85	88	93
24	44	46	48	51	53	93	51	73	77	81	85	89
21	43	45	47	49	52	87	44	70	73	77	80	85
18	41	43	46	48	50	82	38	65	69	72	76	79
48	58	60	63	67	70	145	227	87	91	96	101	106
42	54	57	60	63	66	136	191	85	89	93	98	103
36	53	55	58	61	64	130	166	82	86	91	95	100
30	50	53	56	58	61	122	136	80	84	88	92	97
24	48	50	53	56	58	114	105	78	82	86	90	94
21	46	49	51	54	56	81	87	76	80	84	88	93
18	44	46	48	50	53	76	71	75	79	83	87	91

BASE



Sect. 42



Sect. 66



SPECIFY

Code Base Sect. 42 Sect. 66
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations (3 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	Lb
48	P6648-256	592	3.8	67.5
42	P6642-256	550	3.3	58.4
36	P6636-256	511	2.9	49.3
30	P6630-256	468	2.4	40.2
24	P6624-256	422	1.9	31.0
21	P6621-256	403	1.7	26.5
18	P6618-256	381	1.5	21.9


- Multiple configurations floor panel (3 sections).
- Can hold a surface at 28" and a hanging element at 50" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – (amount to add to standard laminate prices)


BASE



Sect. 50



Sect. 66



Width	Fabric					Acrylic	M-Board	Tackboard (T_ _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	53	56	59	62	65							
42	51	54	57	60	63							
36	49	51	54	57	60							
30	46	49	51	54	56							
24	45	47	49	52	54							
21	42	44	47	49	51							
18	39	41	43	45	47							
48	56	59	61	65	68	138	204	86	91	95	100	105
42	54	56	59	61	65	131	180	84	88	93	97	102
36	52	55	57	58	63	126	149	82	86	90	94	99
30	50	52	56	58	62	120	120	80	84	88	93	97
24	47	49	51	54	56	112	94	77	81	85	89	94
21	43	45	48	50	52	101	76	76	80	84	88	93
18	41	43	45	48	50	95	65	75	79	83	87	91
48	51	53	56	59	61	136	137	85	89	94	98	103
42	49	51	54	57	60	125	120	83	87	92	96	101
36	48	50	53	55	58	120	100	80	84	88	92	97
30	46	49	51	54	56	109	82	77	81	85	89	93
24	45	47	49	52	54	98	63	73	77	81	85	89
21	44	46	48	50	53	87	49	70	73	77	81	85
18	41	43	45	47	50	81	38	65	69	72	76	79

SPECIFY

Code Base Sect. 50 Sect. 66
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations [4 sections]

price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-2346	661	3.8	67.5
42	P6642-2346	607	3.3	58.4
36	P6636-2346	550	2.9	49.3
30	P6630-2346	501	2.4	40.2
24	P6624-2346	463	1.9	31.0
21	P6621-2346	425	1.7	26.5
18	P6618-2346	392	1.5	21.9

- Multiple configurations floor panel (4 sections).
- Can hold a surface at 28" and a hanging element at 36", 42" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]

Fabric						Tackboard (T _ _ _)							
Width	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Acrylic	M-Board	COM/Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	
48	56	59	62	65	68								
42	54	57	60	63	66								
36	52	54	57	60	63								
30	49	51	54	57	60								
24	47	50	52	55	58								
21	45	47	49	52	54								
18	41	43	45	47	50								
48	46	49	51	54	56	112	55	83	87	91	96	101	
42	45	47	50	53	55	101	46	79	83	87	91	96	
36	44	47	49	51	54	92	40	77	81	85	89	94	
30	43	45	48	50	52	87	30	73	77	81	85	89	
24	42	44	46	48	51	81	25	72	75	79	83	87	
21	41	43	45	47	50	76	22	68	71	75	79	83	
18	40	42	44	46	49	73	19	64	67	71	74	78	
48	44	46	49	51	54	108	52	80	84	88	93	97	
42	43	45	47	49	52	98	44	76	80	84	88	93	
36	41	43	45	47	50	88	37	74	78	82	86	90	
30	36	38	40	42	44	83	27	71	74	78	82	86	
24	34	36	38	39	41	79	22	69	72	76	80	84	
21	32	33	35	37	39	71	19	65	69	72	76	79	
18	30	31	33	35	36	65	16	61	64	68	71	74	
48	57	60	63	66	69	145	227	87	91	96	101	106	
42	54	57	60	63	66	136	191	85	89	93	98	103	
36	53	55	58	61	64	130	166	82	86	91	95	100	
30	50	53	56	58	61	122	136	80	84	88	92	97	
24	48	50	53	56	58	114	105	78	82	86	90	94	
21	46	49	51	54	56	103	87	76	80	84	88	93	
18	44	46	48	50	53	98	71	75	79	83	87	91	
18	39	41	43	45	47	78	36	62	65	68	71	76	

SPECIFY

Code Base Sect. 36 Sect. 42 Sect. 66
NA2- - O / - - -

Spécifiez Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

Price calculation For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations [4 sections]


price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-2356	664	3.8	67.5
42	P6642-2356	610	3.3	58.4
36	P6636-2356	558	2.9	49.3
30	P6630-2356	512	2.4	40.2
24	P6624-2356	456	1.9	31.0
21	P6621-2356	435	1.7	26.5
18	P6618-2356	403	1.5	21.9

- Multiple configurations floor panel (4 sections).
- Can hold a surface at 28" and a hanging element at 36", 50" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]



Width	Fabric					Acrylic	M-Board	Tackboard (T_)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
48	48	51	53	56	59	115	111	85	89	94	99	104
42	47	50	52	55	58	109	98	83	87	92	96	101
36	46	48	51	53	56	104	82	80	84	88	92	97
30	45	47	50	52	55	98	65	77	80	85	88	93
24	44	46	48	51	53	93	51	73	77	81	85	89
21	43	45	47	49	52	81	44	70	73	77	80	85
18	41	43	46	48	50	76	38	65	69	72	76	79
48	51	53	56	59	61	136	137	85	89	94	99	104
42	49	51	54	57	60	126	120	83	87	92	96	101
36	48	50	53	55	58	120	100	77	80	85	89	93
30	46	49	51	54	56	109	81	76	80	84	88	93
24	45	47	49	52	54	98	63	73	77	81	85	89
21	44	46	48	50	53	87	49	69	72	76	79	83
18	41	43	45	47	50	82	38	65	69	72	76	79

SPECIFY

Code Base Sect. 36 Sect. 50 Sect. 66
NA2- - O / - - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations [4 sections]

price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-2456	664	3.8	67.5
42	P6642-2456	610	3.3	58.4
36	P6636-2456	558	2.9	49.3
30	P6630-2456	512	2.4	40.2
24	P6624-2456	456	1.9	31.0
21	P6621-2456	435	1.7	26.5
18	P6618-2456	414	1.5	21.9

- Multiple configurations floor panel (4 sections).
- Can hold a surface at 28" and a hanging element at 42", 50" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame. Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
48	48	51	53	56	59	115	111	85	89	94	99	104
42	47	50	52	55	58	109	98	83	87	92	96	101
36	46	48	51	53	56	104	82	80	84	88	92	97
30	45	47	50	52	55	98	65	77	80	85	88	93
24	44	46	48	51	53	93	51	73	77	81	85	89
21	43	45	47	49	52	81	44	70	73	77	80	85
18	41	43	46	48	50	76	38	65	69	72	76	79
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	52	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
48	51	53	56	59	61	136	137	85	89	94	98	103
42	49	51	54	57	60	125	120	83	87	92	96	101
36	48	50	53	55	58	120	100	80	84	88	92	97
30	46	49	51	54	56	109	82	77	81	85	89	93
24	45	47	49	52	54	98	63	73	77	81	85	89
21	44	46	48	50	53	87	49	70	73	77	81	85
18	41	43	45	47	50	81	38	65	69	72	76	79

SPECIFY

Code Base Sect. 42 Sect. 50 Sect. 66
NA2- - O / - - -

Specify Code: Consult the above product code list.

Base: Specify the finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify the finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 66" H. – multiple configurations (5 sections)

price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
48	P6648-23456	692	3.8	67.5
42	P6642-23456	648	3.3	58.4
36	P6636-23456	601	2.9	49.3
30	P6630-23456	544	2.4	40.2
24	P6624-23456	490	1.9	31.0
21	P6621-23456	463	1.7	26.5
18	P6618-23456	435	1.5	21.9

- Multiple configurations floor panel (5 sections).
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- Can hold a surface at 28" and a hanging element at 36", 42", 50" and 66" H.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 66" Connecting strip included.
- Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 48".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]

Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
48	44	46	49	51	54	108	52	80	84	88	93	97
42	43	45	47	49	52	98	44	76	80	84	88	93
36	41	43	45	47	50	88	37	74	78	82	86	90
30	36	38	40	42	44	83	27	71	74	78	82	86
24	34	36	38	39	41	79	22	69	72	76	80	84
21	32	33	35	37	39	71	19	65	69	72	76	79
18	30	31	33	35	36	65	16	61	64	68	71	74
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
48	51	53	56	59	61	136	137	85	89	94	98	103
42	49	51	54	57	60	125	120	83	87	92	96	101
36	48	50	53	55	58	120	100	80	84	88	92	97
30	46	49	51	54	56	109	82	77	81	85	89	93
24	45	47	49	52	54	98	63	73	77	81	85	89
21	44	46	48	50	53	87	49	70	73	77	81	85
18	41	43	45	47	50	81	38	65	69	72	76	79

SPECIFY

Code Base Sect. 36 Sect. 42 Sect. 50 Sect. 66
NA2- - O / - - - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

price list


floor panel 50" H. – single configuration (1 section)



Width	Code	Price		
		Laminate	Cu.Ft.	Lb
60	P5060-5	516	3.6	63.6
54	P5054-5	478	3.3	56.8
48	P5048-5	440	2.9	50.1
42	P5042-5	402	2.6	43.3
36	P5036-5	364	2.2	36.5
30	P5030-5	337	1.8	29.8
24	P5024-5	309	1.5	23.0
21	P5021-5	296	1.3	19.6
18	P5018-5	282	1.1	16.3

- Single configuration floor panel (1 section).
- A hanging element can be attached at 50" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.455 to 63.
- 50" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 60".

Adjustment Zone – (amount to add to standard laminate prices)



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
60	86	90	94	99	104
54	80	84	88	93	97
48	75	78	82	86	91
42	69	73	76	80	84
36	64	67	70	74	78
30	58	61	64	68	71
24	53	56	58	61	64
21	47	50	52	55	58
18	42	44	46	49	51

SPECIFY

Code Base
NA2- - 0 /

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 50" H. – multiple configurations (2 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
60	P5060-25	581	3.6	63.6
54	P5054-25	537	3.3	56.8
48	P5048-25	494	2.9	50.1
42	P5042-25	450	2.6	43.3
36	P5036-25	407	2.2	36.5
30	P5030-25	385	1.8	29.8
24	P5024-25	363	1.5	23.0
21	P5021-25	341	1.3	19.6
18	P5018-25	320	1.1	16.3


- Multiple configurations floor panel (2 sections).
- Can hold a surface at 28" and a hanging element at 42", 50" and 66" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 50" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 60".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]

BASE



Sect. 50



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
60	61	64	67	70	74							
54	59	61	65	68	71							
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
60	61	64	67	70	74	161	256	98	103	108	113	119
54	59	61	65	68	71	150	228	93	97	102	107	112
48	56	58	62	65	67	138	205	86	91	96	101	105
42	53	56	59	61	65	131	179	84	89	93	98	102
36	52	54	57	60	63	126	149	81	86	90	94	99
30	50	53	56	58	61	120	120	80	84	88	93	98
24	46	49	51	54	56	112	94	77	82	85	90	94
21	44	46	48	50	53	101	76	76	80	84	88	93
18	41	43	45	48	50	95	65	75	79	83	87	91

SPECIFY

Code Base Sect. 50
NA2- - O / -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused laminate Finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 50" H. – multiple configurations [3 sections]


price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
60	P5060-235	674	3.6	63.6
54	P5054-235	620	3.3	56.8
48	P5048-235	565	2.9	50.1
42	P5042-235	511	2.6	43.3
36	P5036-235	456	2.2	36.5
30	P5030-235	429	1.8	29.8
24	P5024-235	402	1.5	23.0
21	P5021-235	386	1.3	19.6
18	P5018-235	369	1.1	16.3

- Multiple configurations floor panel (3 sections).
- Can hold a surface at 28" and a hanging element at 36" and 50" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 50" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 60".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – [amount to add to standard laminate prices]



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
60	61	64	67	70	74							
54	59	61	65	68	71							
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
60	57	61	63	66	70	142	131	97	101	107	112	118
54	54	57	60	63	66	130	120	90	94	99	104	109
48	49	51	54	56	59	115	111	85	89	94	98	103
42	48	50	52	55	57	109	98	83	87	92	96	101
36	47	49	51	54	56	104	82	80	84	88	92	97
30	45	48	50	52	55	98	65	77	81	85	89	93
24	44	46	48	51	54	93	51	73	77	81	85	89
21	43	44	47	49	51	81	44	70	73	77	81	85
18	42	43	45	47	50	76	38	65	69	72	76	79

SPECIFY

Code Base Sect. 36 Sect. 50
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 50" H. – multiple configurations (3 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
60	P5060-245	674	3.6	63.6
54	P5054-245	620	3.3	56.8
48	P5048-245	565	2.9	50.1
42	P5042-245	511	2.6	43.3
36	P5036-245	456	2.2	36.5
30	P5030-245	429	1.8	29.8
24	P5024-245	402	1.5	23.0
21	P5021-245	386	1.3	19.6
18	P5018-245	369	1.1	16.3


- Multiple configurations floor panel (3 sections).
- Can hold a surface at 28" and a hanging element at 42" and 50" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 50" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 60".
- For tackboard finish, always indicate "T" before fabric code.

Adjustment Zone – (amount to add to standard laminate prices)


BASE



Sect. 42



Sect. 50



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)					
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	
60	61	64	67	70	74								
54	59	61	65	68	71								
48	56	59	62	65	68								
42	54	57	60	63	66								
36	52	54	57	60	63								
30	49	51	54	57	60								
24	47	50	52	55	58								
21	45	47	49	52	54								
18	41	43	45	47	50								
60	57	60	63	66	69	142	131	97	101	107	112	118	
54	54	57	60	63	66	130	120	90	94	99	104	109	
48	48	52	53	56	59	115	111	85	89	94	99	103	
42	47	50	53	55	58	109	98	83	87	92	96	101	
36	46	48	52	53	56	104	82	80	84	88	92	97	
30	45	47	50	53	55	98	65	77	81	85	89	93	
24	44	46	47	52	54	93	51	73	77	81	85	89	
21	43	44	46	48	52	81	44	70	73	77	81	85	
18	41	43	46	47	50	76	38	65	69	72	76	79	
60	49	51	54	57	60	133	76	93	97	102	107	112	
54	48	50	53	55	58	122	65	86	90	95	99	104	
48	46	49	51	54	56	112	55	83	87	91	96	101	
42	45	47	50	53	55	101	46	79	83	87	91	96	
36	44	47	49	51	54	92	40	77	81	85	89	94	
30	43	45	48	50	52	87	30	73	77	81	85	89	
24	42	44	46	48	51	81	25	72	75	79	83	87	
21	41	43	45	47	50	76	22	68	71	75	79	83	
18	40	42	44	46	49	73	19	64	67	71	74	78	

SPECIFY

Code Base Sect. 42 Sect. 50
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, ADD the amount indicated in the Adjustment Zone to the standard price according to your choice.

screens – panels

floor panel 50" H. – multiple configurations [4 sections]

price list



Width	Code	Price		
		Laminate	Cu.Ft.	lb
60	P5060-2345	708	3.6	63.6
54	P5054-2345	653	3.3	56.8
48	P5048-2345	599	2.9	50.1
42	P5042-2345	544	2.6	43.3
36	P5036-2345	491	2.2	36.5
30	P5030-2345	463	1.8	29.8
24	P5024-2345	435	1.5	23.0
21	P5021-2345	419	1.3	19.6
18	P5018-2345	403	1.1	16.3

- Multiple configurations floor panel (4 sections).
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- Can hold a surface at 28" and a hanging element at 36", 42" and 50" H.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 50" Connecting strip included.
- Horizontal woodgrain.
- Anodized aluminum frame.
- Maximum width of a panel is 60".

Adjustment Zone – [amount to add to standard laminate prices]

Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
60	61	64	67	70	74							
54	59	61	65	68	71							
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
60	48	50	53	55	58	131	71	86	90	95	99	104
54	46	48	50	53	56	120	60	83	87	92	96	101
48	44	46	49	51	54	108	52	80	84	88	93	97
42	43	45	47	49	52	98	44	76	80	84	88	93
36	41	43	45	47	50	88	37	74	78	82	86	90
30	36	38	40	42	44	83	27	71	74	78	82	86
24	34	36	38	39	41	79	22	69	72	76	80	84
21	32	33	35	37	39	71	19	65	69	72	76	79
18	30	31	33	35	36	65	16	61	64	68	71	74
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78

SPECIFY

Code Base Sect. 36 Sect. 42 Sect. 50
NA2- - O / - - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, ADD the amount indicated in the Adjustment Zone to the standard price according to your choice.

screens – panels

price list

floor panel 42" H. – single configuration [1 section]




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	P4272-4	566	3.5	60.6
66	P4266-4	523	3.2	55.3
60	P4260-4	484	2.9	49.9
54	P4254-4	445	2.6	44.7
48	P4248-4	407	2.4	39.3
42	P4242-4	369	2.1	34.1
36	P4236-4	328	1.8	28.7
30	P4230-4	304	1.5	23.4
24	P4224-4	277	1.2	18.1
21	P4221-4	263	1.1	15.4
18	P4218-4	250	0.9	12.8

- Single configuration floor panel (1 section).
- A hanging element can be attached at 42" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- 42" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- 90° oriented fabric (Railroad), see p.23.

Adjustment Zone – [amount to add to standard laminate prices]

BASE



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	91	96	100	105	111
66	86	90	94	99	104
60	80	84	88	93	97
54	75	78	82	86	91
48	69	73	76	80	84
42	64	67	70	74	78
36	59	62	65	68	71
30	53	56	58	61	64
24	47	50	52	55	58
21	42	44	46	49	51
18	37	38	40	42	44

SPECIFY

Code Base
NA2- - O /

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 42" H. – multiple configurations [2 sections]

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	P4272-24	599	3.5	60.6
66	P4266-24	561	3.2	55.3
60	P4260-24	523	2.9	49.9
54	P4254-24	485	2.6	44.7
48	P4248-24	447	2.4	39.3
42	P4242-24	409	2.1	34.1
36	P4236-24	371	1.8	28.7
30	P4230-24	347	1.5	23.4
24	P4224-24	325	1.2	18.1
21	P4221-24	303	1.1	15.4
18	P4218-24	281	0.9	12.8


- Multiple configurations floor panel (2 sections).
- Can hold a surface at 28" and a hanging element at 42" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 42" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- 90° oriented fabric (Railroad) on "fabric" and "tackboard" sections see p.23.

Adjustment Zone – [amount to add to the standard laminate price]

BASE



Sect. 42



Width	Fabric					Acrylic	M-Board	Tackboard (T_ _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	64	68	71	74	78							
66	59	62	65	69	72							
60	55	58	61	64	67							
54	53	56	59	62	65							
48	51	54	56	59	62							
42	49	52	55	57	60							
36	47	49	52	55	57							
30	45	47	49	52	54							
24	43	45	47	50	52							
21	41	43	45	47	49							
18	37	39	41	43	45							
72	65	69	72	76	79	163	152	116	122	128	134	141
66	63	66	69	72	76	152	142	106	112	118	123	129
60	57	60	63	66	69	142	131	97	101	107	112	118
54	54	57	60	63	66	130	120	90	94	99	104	109
48	48	51	53	56	59	115	111	85	89	94	98	103
42	47	50	52	55	58	109	98	83	87	92	96	101
36	46	48	51	53	56	104	82	80	84	88	92	97
30	45	47	50	52	55	98	65	77	81	85	89	93
24	44	46	48	51	53	93	51	73	77	81	85	89
21	43	45	47	49	52	81	44	70	73	77	81	85
18	41	43	46	48	50	76	38	65	69	72	76	79

SPECIFY

Code Base Sect. 42
NA2- - O / -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 42" H. – multiple configurations (3 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	P4272-234	750	3.5	60.6
66	P4266-234	696	3.2	55.3
60	P4260-234	642	2.9	49.9
54	P4254-234	587	2.6	44.7
48	P4248-234	533	2.4	39.3
42	P4242-234	478	2.1	34.1
36	P4236-234	424	1.8	28.7
30	P4230-234	397	1.5	23.4
24	P4224-234	369	1.2	18.1
21	P4221-234	353	1.1	15.4
18	P4218-234	337	0.9	12.8


- Multiple configurations floor panel (3 sections).
42" Connecting strip included.
- Can hold a surface at 28" and a hanging element at 36" and 42" H.
- Can be attached to Take Off and Uni-T System panels,
hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot
situated directly above an acrylic section.
- Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- 90° oriented fabric (Railroad) on "fabric" and "tackboard"
sections see p.23.

Adjustment Zone – (amount to add to the standard laminate price)


BASE



Sect. 36



Sect. 42



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	71	74	78	82	86							
66	65	69	72	76	79							
60	61	64	67	70	74							
54	59	61	65	68	71							
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
72	54	57	60	63	66	155	98	114	120	126	132	139
66	52	54	57	60	63	144	87	103	109	114	120	126
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78
72	53	56	59	61	65	152	93	109	114	120	126	133
66	50	53	56	58	61	142	81	98	102	108	113	119
60	48	50	53	55	58	131	71	86	90	95	99	104
54	46	48	50	53	56	120	60	83	87	92	96	101
48	44	46	49	51	54	108	52	80	84	88	93	97
42	43	45	47	49	52	98	44	76	80	84	88	93
36	41	43	45	47	50	88	37	74	78	82	86	90
30	36	38	40	42	44	83	27	71	74	78	82	86
24	34	36	38	39	41	79	22	69	72	76	80	84
21	32	33	35	37	39	71	19	65	69	72	76	79
18	30	31	33	35	36	65	16	61	64	68	71	74

SPECIFY

Code Base Sect. 36 Sect. 42
NA2- - O / - -

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify = finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 36" H. – single configuration [1 section]

price list




Width	Code	Price		
		Laminate	Cu.Ft.	Lb
72	P3672-3	509	3.0	50.2
66	P3666-3	465	2.8	45.8
60	P3660-3	426	2.5	41.4
54	P3654-3	388	2.3	37.0
48	P3648-3	350	2.0	32.6
42	P3642-3	312	1.8	28.2
36	P3636-3	271	1.5	23.8
30	P3630-3	247	1.3	19.4
24	P3624-3	220	1.0	14.9
21	P3621-3	206	0.9	12.8
18	P3618-3	192	0.8	10.6

- Single configuration floor panel (1 section).
- A hanging element can be attached at 36" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- 36" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- 90° oriented fabric (Railroad), see p.23.

Adjustment Zone – [amount to add to the standard laminate price]

BASE



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	80	84	88	93	97
66	75	78	82	86	91
60	69	73	76	80	84
54	64	67	70	74	78
48	58	61	64	68	71
42	53	56	58	61	64
36	48	50	53	55	58
30	42	44	46	49	51
24	37	38	40	42	44
21	31	33	34	36	38
18	26	27	28	30	31

SPECIFY

Code Base
NA2- - O /

Specify Code: Consult the above product code list.

Base: Specify the finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

floor panel 36" H. – multiple configurations (2 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	P3672-23	572	3.0	50.2
66	P3666-23	533	2.8	45.8
60	P3660-23	496	2.5	41.4
54	P3654-23	458	2.3	37.0
48	P3648-23	420	2.0	32.6
42	P3642-23	382	1.8	28.2
36	P3636-23	347	1.5	23.8
30	P3630-23	320	1.3	19.4
24	P3624-23	298	1.0	14.9
21	P3621-23	276	0.9	12.8
18	P3618-23	254	0.8	10.6


- Multiple configurations floor panel (2 sections).
- Can hold a surface at 28" and a hanging element at 36" H.
- Can be attached to Take Off and Uni-T System panels, hardware required, see p.55 to 63.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- 36" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- [] 90° oriented fabric (Railroad) on "fabric" and "tackboard" sections see p.23.

Adjustment Zone – [amount to add to standard laminate prices]

BASE



Sect. 36



Width	Fabric					Acrylic	M-Board	Tackboard (T____)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	71	74	78	82	86							
66	65	69	72	76	79							
60	61	64	67	70	74							
54	59	61	65	68	71							
48	56	59	62	65	68							
42	54	57	60	63	66							
36	52	54	57	60	63							
30	49	51	54	57	60							
24	47	50	52	55	58							
21	45	47	49	52	54							
18	41	43	45	47	50							
72	55	57	61	63	66	155	98	114	120	126	132	139
66	51	55	57	59	63	144	87	103	109	114	120	126
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78

SPECIFY

Code Base Sect. 36
NA2- [] - O / [] - []

Specify Code: Consult the above product code list.

Base: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

price list

freestanding furniture-attached screen 50" H. – single configuration [1 section]




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	Pi2772-5	449	2.4	45.2
66	Pi2766-5	436	2.2	41.2
60	Pi2760-5	420	2.0	37.2
54	Pi2754-5	404	1.8	33.3
48	Pi2748-5	387	1.6	29.3
42	Pi2742-5	371	1.4	25.4
36	Pi2736-5	355	1.2	21.4
30	Pi2730-5	327	1.0	17.5
24	Pi2724-5	300	0.8	13.5
21	Pi2721-5	273	0.7	11.5
18	Pi2718-5	253	0.6	9.5

- Single configuration surface-attached screen (1 section).
- Can be attached to Take Off freestanding tables and desks, hardware included, see p.19.
- Screen thickness adds 1" to surface periphery.
- Must be attached to another screen (at 90° or 120°), cannot be used alone.
- 27" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- [Symbol] 90° oriented fabric (Railroad), see p.23.

Adjustment Zone – [amount to add to standard laminate prices]

Sect. 50



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	70	73	77	80	85
66	67	71	74	78	82
60	65	68	71	75	79
54	62	65	68	72	75
48	59	62	65	69	72
42	57	59	62	66	69
36	54	57	59	62	65
30	52	55	58	60	63
24	51	53	56	59	62
21	49	51	54	57	60
18	46	48	51	53	56

SPECIFY

Code Sect. 50
NA2- - 0 /

Specify Code: Consult the above product code list.

Section 50: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

freestanding furniture-attached screen 50" H. – multiple configurations (2 sections)



price list



Width	Code	Price		
		Laminate	Cu.Ft.	Lb
72	Pi2772-45	484	2.4	45.2
66	Pi2766-45	468	2.2	41.2
60	Pi2760-45	452	2.0	37.2
54	Pi2754-45	435	1.8	33.3
48	Pi2748-45	419	1.6	29.3
42	Pi2742-45	403	1.4	25.4
36	Pi2736-45	386	1.2	21.4
30	Pi2730-45	359	1.0	17.5
24	Pi2724-45	332	0.8	13.5
21	Pi2721-45	305	0.7	11.5
18	Pi2718-45	278	0.6	9.5

- Multiple configurations surface-attached screen (2 sections).
- Can be attached to Take Off freestanding tables and desks, hardware included, see p.19.
- Screen thickness adds 1" to surface periphery.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- Must be attached to another screen (at 90° or 120°), cannot be used alone.
- 27" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- For 90° oriented fabric (Railroad) on "fabric" and "tackboard" sections see p.23.

Adjustment Zone – [amount to add to standard laminate prices]



Width	Fabric					Acrylic	M-Board	Tackboard (T_)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	64	67	71	74	78							
66	62	65	68	72	75							
60	59	62	65	69	72							
54	57	59	62	66	69							
48	54	57	59	62	65							
42	51	54	56	59	62							
36	49	51	54	56	59							
30	47	49	52	54	57							
24	45	47	50	52	55							
21	44	46	48	50	53							
18	41	43	45	47	50							
72	54	57	60	63	66	155	98	114	120	126	132	139
66	52	54	57	60	63	144	87	103	109	114	120	126
60	49	51	54	57	60	133	76	93	97	102	107	112
54	48	50	53	55	58	122	65	86	90	95	99	104
48	46	49	51	54	56	112	55	83	87	91	96	101
42	45	47	50	53	55	101	46	79	83	87	91	96
36	44	47	49	51	54	92	40	77	81	85	89	94
30	43	45	48	50	52	87	30	73	77	81	85	89
24	42	44	46	48	51	81	25	72	75	79	83	87
21	41	43	45	47	50	76	22	68	71	75	79	83
18	40	42	44	46	49	73	19	64	67	71	74	78

SPECIFY

Code Sect. 42 Sect. 50
NA2- - O / -

Specify Code: Consult the above product code list.

Section 42: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section 50: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, ADD the amount indicated in the Adjustment Zone to the standard price according to your choice.

screens – panels

freestanding furniture-attached screen 50" H. – multiple configurations (2 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	Pi2772-35	484	2.4	45.2
66	Pi2766-35	468	2.2	41.2
60	Pi2760-35	452	2.0	37.2
54	Pi2754-35	435	1.8	33.3
48	Pi2748-35	419	1.6	29.3
42	Pi2742-35	403	1.4	25.4
36	Pi2736-35	386	1.2	21.4
30	Pi2730-35	359	1.0	17.5
24	Pi2724-35	332	0.8	13.5
21	Pi2721-35	305	0.7	11.5
18	Pi2718-35	278	0.6	9.5


- Multiple configurations surface-attached screen (2 sections).
- Can be attached to Take Off freestanding tables and desks, hardware included, see p.19.
- Screen thickness adds 1" to surface periphery.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- Must be attached to another screen (at 90° or 120°), cannot be used alone.
- 27" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- [] 90° oriented fabric (Railroad) on "fabric" and "tackboard" sections see p.23.

Adjustment Zone – [amount to add to the standard laminate price]

Sect. 36



Sect. 50



Width	Fabric					Acrylic	M-Board	Tackboard (T_____)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	64	67	71	74	78							
66	62	65	68	72	75							
60	59	62	65	69	72							
54	57	59	62	66	69							
48	54	57	59	62	65							
42	51	54	56	59	62							
36	49	51	54	56	59							
30	47	49	52	54	57							
24	45	47	50	52	55							
21	44	46	48	50	53							
18	41	43	45	47	50							
72	65	69	72	76	79	163	152	116	122	128	134	141
66	63	66	69	72	76	152	142	106	112	118	123	129
60	57	60	63	66	69	142	131	97	101	107	112	118
54	54	57	60	63	66	130	120	90	94	99	104	109
48	48	51	53	56	59	115	111	85	89	94	98	103
42	47	50	52	55	58	109	98	83	87	92	96	101
36	46	48	51	53	56	104	82	80	84	88	92	97
30	45	47	50	52	55	98	65	77	81	85	89	93
24	44	46	48	51	53	93	51	73	77	81	85	89
21	43	45	47	49	52	81	44	70	73	77	81	85
18	41	43	46	48	50	76	38	65	69	72	76	79

SPECIFY

Code Sect. 36 Sect. 50
NA2- - O / -

Specify Code: Consult the above product code list.

Section 36: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section 50: Specify finish: Standard laminate, fabric, acrylic, markerboard or tackboard (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

price list

freestanding furniture-attached screen 42" H. – single configuration [1 section]




Width	Code	Price		Cu.Ft.	lb
		Laminate			
72	Pi1972-4	397	1.6	28.7	
66	Pi1966-4	376	1.5	26.2	
60	Pi1960-4	354	1.4	23.7	
54	Pi1954-4	332	1.2	21.2	
48	Pi1948-4	310	1.1	18.6	
42	Pi1942-4	294	0.9	16.1	
36	Pi1936-4	280	0.8	13.6	
30	Pi1930-4	261	0.7	11.1	
24	Pi1924-4	245	0.6	8.6	
21	Pi1921-4	234	0.5	7.3	
18	Pi1918-4	225	0.4	6.1	

- Single configuration surface-attached screen (1 section).
- Can be attached to Take Off freestanding tables and desks, hardware included, see p.19.
- Screen thickness adds 1" to surface periphery.
- Must be attached to another screen (at 90° or 120°), cannot be used alone.
- 19" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- 90° oriented fabric (Railroad), see p.23.

Adjustment Zone – [amount to add to standard laminate prices]

Sect. 42



Width	Fabric				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	64	67	71	74	78
66	62	65	68	72	75
60	59	62	65	69	72
54	57	59	62	66	69
48	54	57	59	62	65
42	51	54	56	59	62
36	49	51	54	56	59
30	47	49	52	54	57
24	45	47	50	52	55
21	44	46	48	50	53
18	41	43	45	47	50

SPECIFY

Code Sect. 42
NA2- - 0 /

Specify Code: Consult the above product code list.

Section 42: Specify finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

screens – panels

freestanding furniture-attached screen 42" H. – multiple configurations (2 sections)

price list




Width	Code	Price		
		Laminate	Cu.Ft.	lb
72	Pi1972-34	468	1.6	28.7
66	Pi1966-34	452	1.5	26.2
60	Pi1960-34	435	1.4	23.7
54	Pi1954-34	419	1.2	21.2
48	Pi1948-34	403	1.1	18.6
42	Pi1942-34	386	0.9	16.1
36	Pi1936-34	370	0.8	13.6
30	Pi1930-34	343	0.7	11.1
24	Pi1924-34	316	0.6	8.6
21	Pi1921-34	288	0.5	7.3
18	Pi1918-34	261	0.4	6.1


- Multiple configurations surface-attached screen (2 sections).
- Can be attached to Take Off freestanding tables and desks, hardware included, see p.19.
- Screen thickness adds 1" to surface periphery.
- No shelf or hanging element can be attached to the hanging slot situated directly above an acrylic section.
- Must be attached to another screen (at 90° or 120°), cannot be used alone.
- 19" Connecting strip included. Horizontal woodgrain.
- Anodized aluminum frame.
- For tackboard finish, always indicate "T" before fabric code.
- [Symbol] 90° oriented fabric (Railroad) on "fabric" and "tackboard" sections see p.23.

Adjustment Zone – (amount to add to standard laminate prices)

Sect. 36



Sect. 42



Width	Fabric					Acrylic	M-Board	Tackboard (T _ _ _ _)				
	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5			COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5
72	64	67	71	74	78							
66	62	65	68	72	75							
60	59	62	65	69	72							
54	57	59	62	66	69							
48	54	57	59	62	65							
42	51	54	56	59	62							
36	49	51	54	56	59							
30	47	49	52	54	57							
24	45	47	50	52	55							
21	44	46	48	50	53							
18	41	43	45	47	50							
72	53	56	59	61	65	152	93	109	114	120	126	133
66	50	53	56	58	61	142	81	98	102	108	113	119
60	48	50	53	55	58	131	71	86	90	95	99	104
54	46	48	50	53	56	120	60	83	87	92	96	101
48	44	46	49	51	54	108	52	80	84	88	93	97
42	43	45	47	49	52	98	44	76	80	84	88	93
36	41	43	45	47	50	88	37	74	78	82	86	90
30	36	38	40	42	44	83	27	71	74	78	82	86
24	34	36	38	39	41	79	22	69	72	76	80	84
21	32	33	35	37	39	71	19	65	69	72	76	79
18	30	31	33	35	36	65	16	61	64	68	71	74

SPECIFY

Code Sect. 36 Sect. 42
NA2- - O / -

Specify Code: Consult the above product code list.

Section 36: Specify the finish: Standard laminate or fabric (see Adjustment Zone), see finishes on p.25.

Section 42: Specify the finish: Standard laminate, fabric, acrylic, markerboard or tackboard (see Adjustment Zone), see finishes on p.25.


Price calculation The standard prices shown are for a configuration with a Thermally Fused Laminate finish (T.F.L.).

For other finishes, **ADD** the amount indicated in the **Adjustment Zone** to the standard price according to your choice.

connectors

90° full-height connectors

price list




Height	Code	Price		
		Anodized	Cu.Ft.	lb
66	POC9066	38	0.4	2.0
50	POC9050	33	0.3	1.5
42	POC9042	30	0.2	1.2
36	POC9036	27	0.2	1.0

- Aluminum connectors used to join panels in an angled assembly (45° - 90° - 135° - 180°).
- Shipped with cap, leveler and full-height connecting strip.


SPECIFY

Code
NA2- - O

Specify Code: Consult the above product code list.



120° full-height connectors




Height	Code	Price		
		Anodized	Cu.Ft.	lb
66	POC12066	35	0.4	2.0
50	POC12050	30	0.3	1.5
42	POC12042	27	0.2	1.2
36	POC12036	25	0.2	1.0

- Aluminum connectors used to join panels in an angled assembly (60° - 120° - 180°).
- Shipped with cap, leveler and full-height connecting strip.


SPECIFY

Code
NA2- - O

Specify Code: Consult the above product code list.



furniture-attached screens connectors



Height	Code	Price		
		Anodized	Cu.Ft.	lb
27	POiC9027	24	0.2	0.8
19	POiC9019	21	0.1	0.6

- Aluminum connectors used to join privacy screens in an angled assembly on freestanding furniture (90°).
- Shipped with top & bottom caps and full-height connecting strip.

SPECIFY

Code
NA2- - O

Specify Code: Consult the above product code list.





Width	Code	Price		Cu.Ft.	lb
		Anodized			
66	WAC	35		0.1	0.6

SPECIFY

Code
NA5- - 3090

Specify Code: Consult the above product code list.

- Connector used for assembly of a perpendicular screen to a wall.
- Shipped in pairs.
- Allow a certain adjustment of the Nano screen.
- Wall mounting hardware (screws) not included.
- Reversible.
- Silver finish

cabling pole for vertical profile – 120" H.



Dimension	Code	Price	Cu.Ft.	lb
2" x 3"	EP23	272	0.1	6.3
2" x 2"	EP22	247	0.1	6.3

SPECIFY

Code
NA5 - - 3090

Specify Code: Consult the above product code list.

- 10' cabling pole for ceiling power connection that can be attached onto the vertical profile for the panels.
- Finishing collar and hardware included.
- Power connection to order separately.
- Available in a "tube" format 2" x 2" or 2" x 3".
The 2" x 3" cabling pole comes with an integrated metal divider down its length.
- Silver finish

6" cabling pole – 120" H.



Dimension	Code	Price	Cu.Ft.	lb
1" x 6"	EPE16	540	0.1	6.3

SPECIFY

Code
NA5 - - 0

Specify Code: Consult the above product code list.

- 6' cabling pole for ceiling power connection, that can be attached to the end of a Nano panel.
- Finishing collar and connecting strip included.
- Power feed connector to be ordered separately.
- Anodized aluminium finish.

connectors

price list

6" cabling pole for electrical harness – 120" H.



Dimensions	Code	Price	Cu.Ft.	lb
1" x 6"	EPEH16	620	0.1	9.0

- 6" cabling pole for electrical harness and ceiling power connection that can be attached between 2 Nano panels.
- Finishing collar and connecting strip included.
- Power connection, harness HSS30 and duplex outlet to be ordered separately.
- Comes with an integrated metal divider down its length
- Anodized aluminum finish.

SPECIFY

Code

NA5- - O

Specify Code: Consult the above product code list.

6" fillers – 36-42-50-66" H.



Dimensions	Code	Price	Cu.Ft.	lb
66" H.	EPF1666	321	0.1	9.8
50" H.	EPF1650	299	0.1	7.7
42" H.	EPF1642	287	0.1	6.6
36" H.	EPF1636	279	0.1	5.7

- 6" fillers can be installed at the end of a Nano panel.
- Connecting strip included.
- Anodized aluminum finish.

SPECIFY

Code

NA5 - - O

Specify Code: Consult the above product code list.

stabilizer foot kit



	Code	Price	Cu.Ft.	lb
Pair	PSTAB	126	0.1	4.0

- Stabilizer foot kit for floor panel.
- Attaches to the vertical profile panel.
- Shipped in pairs.
- Silver finish.

SPECIFY

Code


NA5 - - 3090

Specify Code: Consult the above product code list.


connectors

price list

hybrid assembly: Nano panel with a Uni-T panels – N2 series [rounded]



hybrid connector for Nano panel with Uni-T panels – N2 series [rounded]



Connectors for regular panels

Height	Code	Price	Cu.Ft.	lb
82	C82N	193	0.6	2.0
66	C66N	163	0.5	1.0
50	C50N	129	0.4	14.0
42	C42N	121	0.3	12.0
34	C34N	97	0.2	10.0

- Connector with metal cap used to assemble 2 Uni-t panels, N2 series (rounded) when "T" assembly 180° with a Nano panel.
- Black connector, specify the finish for the cap.

Connectors for over-panels

40	CE40N	128	0.3	12.0
32	CE32N	122	0.3	10.0
24	CE24N	107	0.2	8.0
16	CE16N	88	0.2	6.0
8	CE08N	85	0.2	4.0

SPECIFY

Code

Metal

NA5-

-

Specify Code: Consult the above product code list.
Metal : Black (3067), Charcoal (3064), Silver (3090), Frost (3065), Ashen (3370) Champagne (3311), Sand (3009), Grey (3063) or Polar White (3002).

connectors

price list

hybrid vertical connector covers for Nano panels
with Uni-T panels – N2 series [rounded]



Connectors for regular panels

Height	Code	Price	Cu.Ft.	lb
82	C82TCN	45	0.6	1.7
66	C66TCN	42	0.5	1.4
50	C50TCN	38	0.4	1.0
42	C42TCN	36	0.3	0.9
34	C34TCN	34	0.2	0.7

- Vertical connector cover installs with the hybrid connector for Nano panel with Uni-T system - N2 (rounded) in a "T" assembly 180°.

Intermediate caps

46	C46TCN	37	0.4	0.9
40	C40TCN	35	0.3	0.8
32	C32TCN	33	0.3	0.7
24	C24TCN	31	0.2	0.5
16	C16TCN	23	0.2	0.3
8	C08TCN	21	0.1	0.2

- The intermediate cap must be installed to fill the height difference between Nano & Uni-T panels.

SPECIFY

Code Metal
NA5- -


Specify Code: Consult the above product code list.

Metal : Black (3067), Charcoal (3064), Silver (3090), Frost (3065), Ashen (3370) Champagne (3311), Sand (3009), Grey (3063) or Polar White (3002).

connectors

price list

hybrid assembly: Nano panel with a Uni-t panel – N7 serie [square]



hybrid connectors for Nano panel with Uni-t panel – N7 serie [square]



For base panels

Code	Price	Cu.Ft.	lb
C82N	231	0.6	20.0
C66N	212	0.5	18.0
C50N	194	0.4	14.0
C42N	177	0.3	12.0
C34N	161	0.2	10.0

- Connector with a metal cap used to join 2 Uni-t panels N7 series (square) in a "T" assembly (180°) with a Nano panel.
- Connector is Black specify cap finish.

SPECIFY

Code Metal
NA7- -

Specify Code: Consult the above product code list.
Metal : Black (3067), Charcoal (3064), Silver (3090), Frost (3065) or Polar White (3002).

connectors

price list

hybrid connector for Nano panel with Uni-t panel – N7 serie [square]



For base panel

Code	Price	Cu.Ft.	lb
C82TCN	46	0.6	2.0
C66TCN	44	0.5	2.0
C50TCN	40	0.4	1.0
C42TCN	35	0.3	1.0
C34TCN	31	0.2	1.0

- Vertical cap must be installed with the Uni-t hybrid, N7 serie connector in a "T" (square) 180° panel assembly.


SPECIFY

Code Metal
NA7- -

Specify Code: Consult the above product code list.

Metal : Black (3067), Charcoal (3064), Silver (3090), Frost (3065) or Polar White (3002).

Uni-T / Nano hybrid fasteners N2 and N7 series



	Code	Price	Cu.Ft.	lb
Pair	GNU2	32	0.1	1.0

- Fasteners used to join a Nano panel to a Uni-T connector.
- N2 serie.
- Shipped in pairs.
- Silver finish.

SPECIFY


Code Metal
NA5- - 3090

Specify Code: Consult the above product code list.


connectors

Nano panel + Take Off system connection

price list



vertical caps, bridge connectors and cap - hybrid connection Nano panel on Take Off system



Height	Code	Price	Cu.Ft.	lb
82	PECN180	58	0.5	0.3


• Kit used to join 2 Take Off panels in a "T" assembly (180°) with a Nano panel.

SPECIFY

Code Metal

NA2- -

Specify Code: Consult the above product code list.
Metal : Black (N),Charcoal (F), Grey (G) or Sand (S).



Set of 2 fasteners


Code	Price	Cu.Ft.	lb
GNT2	35	0.1	1.0

- Used to join a Nano panel to a Take Off panel.
- Shipped in pairs.
- Silver finish.



SPECIFY

Code
NA5- - 3090


Specify Code: Consult the above product code list.



In a 90° assembly the fasteners (reversible) must be positioned inside the Nano panel.



In a "T" assembly the fasteners (reversible) can be positioned on either sides of the Nano panel.




Fasteners are shipped in set of 2 to allow installation near top and bottom of panel.

furniture

rectangular surfaces

price list

- Rectangular surfaces attaches to Nano panels. Surfaces 42" wide or less have one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, page 89.



Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
36	72	3	SSi3672	454	569	499	668	4.9	71.0	110.7
36	66	3	SSi3666	426	534	470	625	4.5	65.1	101.5
36	60	3	SSi3660	392	491	434	575	4.1	59.3	92.4
36	54	3	SSi3654	372	464	411	544	2.9	54.0	81.0
36	48	2	SSi3648	329	415	365	489	2.6	48.0	72.0
30	72	3	SSi3072	419	512	458	600	4.1	59.2	92.3
30	66	3	SSi3066	392	476	433	562	3.8	54.3	84.7
30	60	3	SSi3060	358	441	402	519	3.5	49.4	77.0
30	54	3	SSi3054	337	411	378	483	3.1	44.5	69.4
30	48	2	SSi3048	294	360	330	424	2.8	39.6	61.7
30	42	2	SSi3042	266	317	293	375	2.5	34.5	53.8
30	36	2	SSi3036	246	289	268	338	2.1	29.6	46.1
30	30	2	SSi3030	225	260	244	303	1.8	24.7	38.5
30	24	2	SSi3024	204	239	235	282	1.1	20.0	30.0
24	72	3	SSi2472	371	448	413	526	3.4	47.4	73.8
24	66	3	SSi2466	351	419	387	491	3.1	43.4	67.7
24	60	3	SSi2460	331	391	360	454	2.8	39.5	61.6
24	54	3	SSi2454	310	370	348	433	2.5	35.6	55.5
24	48	2	SSi2448	266	325	306	381	2.3	31.7	49.4
24	42	2	SSi2442	239	282	266	332	2.0	27.6	43.0
24	36	2	SSi2436	225	254	240	297	1.7	23.7	36.9
24	30	2	SSi2430	204	239	235	282	1.4	19.7	30.8
24	24	2	SSi2424	190	232	229	267	1.2	15.8	24.7
21	72	3	SSi2172	371	448	413	526	2.5	42.0	63.0
21	66	3	SSi2166	351	419	387	491	2.3	38.5	57.8
21	60	3	SSi2160	330	391	361	455	2.2	34.6	53.9
21	54	3	SSi2154	311	370	348	433	2.1	31.2	48.6
21	48	2	SSi2148	265	325	306	382	2.0	27.7	43.2
21	42	2	SSi2142	239	282	265	332	1.8	24.2	37.6
21	36	2	SSi2136	226	254	240	297	1.5	20.7	32.3
21	30	2	SSi2130	204	239	235	282	1.3	17.3	26.9
21	24	2	SSi2124	191	232	229	268	1.0	13.9	21.6
18	72	3	SSi1872	361	433	399	507	2.0	36.0	54.0
18	66	3	SSi1866	346	405	378	474	1.8	33.0	49.5
18	60	3	SSi1860	321	378	350	439	1.7	30.0	45.0
18	54	3	SSi1854	304	357	337	421	1.5	27.0	40.5
18	48	2	SSi1848	261	311	293	358	1.3	24.0	36.0
18	42	2	SSi1842	237	270	258	314	1.2	21.0	31.5
18	36	2	SSi1836	219	251	245	296	1.0	18.0	27.0
18	30	2	SSi1830	201	237	233	277	0.9	15.0	22.5
18	24	2	SSi1824	187	222	227	258	0.7	12.0	18.0

E: Number of supports

SPECIFY

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

OPTION

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

furniture

angle-notched surfaces


price list

- Left angle-notched rectangular surfaces attaches to Nano panels. Surfaces 42" wide or less have one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89.



Dimensions					Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 1/2" ⇅ (i) INDIA		Specifications		
A	B	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
24	30	72	3	SSN243072	475	569	516	657	4.1	58.7	91.6
24	30	66	3	SSN243066	448	534	489	618	3.8	53.8	83.9
24	30	60	3	SSN243060	413	497	458	575	3.5	49.0	76.3
24	30	54	3	SSN243054	392	469	436	540	3.1	44.0	68.6
24	30	48	2	SSN243048	348	418	387	481	2.8	39.1	61.0
24	30	42	2	SSN243042	321	375	349	431	2.5	34.0	53.0
24	30	36	2	SSN243036	301	346	326	396	2.1	29.1	45.4
24	30	30	2	SSN243030	279	317	302	360	1.8	24.2	37.7
18	24	72	3	SSN182472	426	504	470	583	3.4	46.9	73.1
18	24	66	3	SSN182466	406	476	444	547	3.1	43.0	67.0
18	24	60	3	SSN182460	386	448	418	512	2.8	39.1	60.9
18	24	54	3	SSN182454	364	426	406	491	2.5	35.1	54.7
18	24	48	2	SSN182448	321	381	364	439	2.3	31.2	48.6
18	24	42	2	SSN182442	294	338	322	388	2.0	27.1	42.3
18	24	36	2	SSN182436	279	310	297	353	1.7	23.2	36.2
18	24	30	2	SSN182430	259	297	291	338	1.4	19.3	30.0

- Right angle-notched rectangular surfaces attaches to Nano panels. Surfaces 42" wide or less have one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89.



30	24	72	3	SSN302472	475	569	516	657	4.1	58.7	91.6
30	24	66	3	SSN302466	448	534	489	618	3.8	53.8	83.9
30	24	60	3	SSN302460	413	497	458	575	3.5	49.0	76.3
30	24	54	3	SSN302454	392	469	436	540	3.1	44.0	68.6
30	24	48	2	SSN302448	348	418	387	481	2.8	39.1	61.0
30	24	42	2	SSN302442	321	375	349	431	2.5	34.0	53.0
30	24	36	2	SSN302436	301	346	326	396	2.1	29.1	45.4
30	24	30	2	SSN302430	279	317	302	360	1.8	24.2	37.7
24	18	72	3	SSN241872	426	504	470	583	3.4	46.9	73.1
24	18	66	3	SSN241866	406	476	444	547	3.1	43.0	67.0
24	18	60	3	SSN241860	386	448	418	512	2.8	39.1	60.9
24	18	54	3	SSN241854	364	426	406	491	2.5	35.1	54.7
24	18	48	2	SSN241848	321	381	364	439	2.3	31.2	48.6
24	18	42	2	SSN241842	294	338	322	388	2.0	27.1	42.3
24	18	36	2	SSN241836	279	310	297	353	1.7	23.2	36.2
24	18	30	2	SSN241830	259	297	291	338	1.4	19.3	30.0

E: Number of supports

SPECIFY					OPTION
Series	Code	Surface	Edge	Grom.	M-Outlet
NA	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

furniture

angle-notched surfaces

price list

- Angle-notched (left & right) rectangular surfaces attaches to Nano panels. Surfaces 42" wide or less have one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89.



Dimensions					Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
24	30	72	3	SSND243072	501	597	544	686	4.1	58.3	90.8
24	30	66	3	SSND243066	475	562	518	647	3.8	53.4	83.2
24	30	60	3	SSND243060	440	526	488	605	3.5	48.5	75.6
24	30	54	3	SSND243054	419	497	464	569	3.1	43.6	67.9
24	30	48	2	SSND243048	376	446	416	510	2.8	38.7	60.3
24	30	42	2	SSND243042	348	403	377	459	2.5	33.6	52.3
24	30	36	2	SSND243036	328	375	354	424	2.1	28.7	44.7
24	30	30	2	SSND243030	307	346	330	388	1.8	23.7	37.0
18	24	72	3	SSND182472	454	534	499	612	3.4	46.4	72.3
18	24	66	3	SSND182466	433	504	472	575	3.1	42.5	66.2
18	24	60	3	SSND182460	413	476	446	540	2.8	38.6	60.1
18	24	54	3	SSND182454	392	454	434	519	2.5	34.7	54.0
18	24	48	2	SSND182448	348	410	392	467	2.3	30.7	47.9
18	24	42	2	SSND182442	321	368	352	418	2.0	26.7	41.5
18	24	36	2	SSND182436	307	338	325	381	1.7	22.7	35.4
18	24	30	2	SSND182430	287	325	321	368	1.4	18.8	29.3

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.


Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

- Connecting surfaces (left) attaches to Nano panels. Surface 42" wide has one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89


LEFT



Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
36	24	72	24	3	SSV36247224	501	618	557	726	4.9	61.0	91.5
36	24	66	24	3	SSV36246624	473	583	528	683	4.5	56.3	84.5
36	24	60	24	3	SSV36246024	440	540	492	633	4.1	51.6	80.2
30	18	72	21	3	SSV30187221	468	562	515	656	4.1	48.3	72.5
30	18	72	18	3	SSV30187218	468	562	515	656	4.1	47.6	71.5
30	18	66	21	3	SSV30186621	441	526	489	618	3.8	44.6	67.0
30	18	66	18	3	SSV30186618	441	526	489	618	3.8	44.0	66.0
30	18	60	21	3	SSV30186021	406	491	458	575	3.5	41.1	63.8
30	18	60	18	3	SSV30186018	406	491	458	575	3.5	40.4	62.9
30	18	48	21	2	SSV30184821	341	410	387	481	2.8	33.7	52.4
30	18	48	18	2	SSV30184818	341	410	387	481	2.8	33.1	51.4
24	18	42	18	2	SSV24184218	287	332	322	388	2.5	29.2	45.5

- Connecting surfaces (right) attaches to Nano panels. Surface 42" wide has one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89

RIGHT



24	36	72	24	3	SSV24367224	501	618	557	726	4.9	61.0	91.5
24	36	66	24	3	SSV24366624	473	583	528	683	4.5	56.3	84.5
24	36	60	24	3	SSV24366024	440	540	492	633	4.1	51.6	80.2
18	30	72	21	3	SSV18307221	468	562	515	656	4.1	48.3	72.5
18	30	72	18	3	SSV18307218	468	562	515	656	4.1	47.6	71.5
18	30	66	21	3	SSV18306621	441	526	489	618	3.8	44.6	67.0
18	30	66	18	3	SSV18306618	441	526	489	618	3.8	44.0	66.0
18	30	60	21	3	SSV18306021	406	491	458	575	3.5	41.1	63.8
18	30	60	18	3	SSV18306018	406	491	458	575	3.5	40.4	62.9
18	30	48	21	2	SSV18304821	341	410	387	481	2.8	33.7	52.4
18	30	48	18	2	SSV18304818	341	410	387	481	2.8	33.1	51.4
18	24	42	18	2	SSV18244218	287	332	322	388	2.5	29.2	45.5

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.


LEFT



- Notched surfaces (left) attaches to Nano panels.
- Lateral supports sold separately, see p.89.

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (I) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	72	18	22	3	SSEL3072	488	583	548	690	4.1	54.2	84.5
30	66	18	16	3	SSEL3066	461	547	511	640	3.8	49.3	76.8
30	60	18	10	3	SSEL3060	426	512	480	597	3.5	44.5	69.2

RIGHT



- Notched surfaces (right) attaches to Nano panels.
- Lateral supports sold separately, see p.89.

30	72	18	22	3	SSER3072	488	583	548	690	4.1	54.2	84.5
30	66	18	16	3	SSER3066	461	547	511	640	3.8	49.3	76.8
30	60	18	10	3	SSER3060	426	512	480	597	3.5	44.5	69.2

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

furniture

"cockpit" surfaces

price list


LEFT



- "Cockpit" surfaces (left) attaches to Nano panels.
- Lateral supports sold separately, see p.89.

Dimensions						Surf. : 1" \updownarrow (C) CHARLIE		Surf. : 1 1/2" \updownarrow (I) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
36	24	72	33	3	SSCK362472	501	619	556	726	4.9	59.1	91.8
36	24	66	27	3	SSCK362466	475	584	528	682	4.5	53.2	82.6
36	24	60	21	3	SSCK362460	441	540	492	634	4.1	51.1	76.7

RIGHT



- "Cockpit" surfaces (right) attaches to Nano panels.
- Lateral supports sold separately, see p.89.

24	36	72	33	3	SSCK243672	501	619	556	726	4.9	59.1	91.8
24	36	66	27	3	SSCK243666	475	584	528	682	4.5	53.2	82.6
24	36	60	21	3	SSCK243660	441	540	492	634	4.1	51.1	76.7

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

furniture

dual-depth surfaces [left]

price list

- Dual-depth surfaces (left) attaches to Nano panels. Surface 42" wide has one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89.



Dimensions					Surf. : 1" ⇅		Surf. : 1 ½" ⇅		Specifications		
					(C) CHARLIE		(i) INDIA				
A	B	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	24	72	3	SSW302472	454	547	505	647	4.1	57.1	89.2
30	24	66	3	SSW302466	426	512	476	605	3.8	52.3	81.6
30	24	60	3	SSW302460	392	476	445	562	3.5	47.5	74.1
30	24	54	3	SSW302454	371	448	421	526	3.1	42.5	66.5
30	24	48	2	SSW302448	328	396	373	467	2.8	37.7	58.9
30	24	42	2	SSW302442	301	353	336	418	2.5	32.7	50.7
30	24	36	2	SSW302436	279	325	311	381	2.1	27.8	43.5
30	24	30	2	SSW302430	259	297	289	346	1.8	23.1	36.1
30	24	24	2	SSW302424	237	275	279	325	1.4	18.4	27.6
24	18	72	3	SSW241872	406	483	456	569	3.4	45.9	71.5
24	18	66	3	SSW241866	386	454	430	534	3.1	42.0	65.4
24	18	60	3	SSW241860	364	426	403	497	2.8	38.1	59.3
24	18	54	3	SSW241854	344	405	391	476	2.5	34.1	53.2
24	18	48	2	SSW241848	301	360	349	424	2.3	30.2	47.1
24	18	42	2	SSW241842	272	317	309	375	2.0	26.1	40.7
24	18	36	2	SSW241836	259	289	282	338	1.7	22.2	34.6
24	18	30	2	SSW241830	239	275	278	325	1.4	18.4	28.7
24	18	24	2	SSW241824	225	268	272	310	1.2	14.4	21.6
21	18	72	3	SSW211872	386	454	436	534	3.0	41.0	63.9
21	18	66	3	SSW211866	364	426	407	497	2.7	37.6	58.6
21	18	60	3	SSW211860	344	398	380	462	2.5	34.2	53.3
21	18	54	3	SSW211854	331	376	367	441	2.2	30.7	47.9
21	18	48	2	SSW211848	287	325	315	381	2.0	27.3	42.5
21	18	42	2	SSW211842	266	297	290	346	1.8	23.7	37.0
21	18	36	2	SSW211836	246	282	283	332	1.5	20.3	31.6
21	18	30	2	SSW211830	232	267	270	310	1.3	16.9	26.3
21	18	24	2	SSW211824	219	252	264	297	1.0	13.4	20.0

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

- Dual-depth surfaces (right) attaches to Nano panels. Surface 42" wide has one grommet
- Surfaces 54" in length or more: 3 supports included on the "C" dimension side.
- Surfaces 48" in length or less: 2 supports included on the "C" dimension side.
- Lateral supports sold separately, see p.89.



Dimensions					Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
24	30	72	3	SSW243072	454	547	505	647	4.1	57.1	89.2
24	30	66	3	SSW243066	426	512	476	605	3.8	52.3	81.6
24	30	60	3	SSW243060	392	476	445	562	3.5	47.5	74.1
24	30	54	3	SSW243054	371	448	421	526	3.1	42.5	66.5
24	30	48	2	SSW243048	328	396	373	468	2.8	37.7	58.9
24	30	42	2	SSW243042	301	353	336	418	2.5	32.7	50.7
24	30	36	2	SSW243036	279	325	311	381	2.1	27.8	43.5
24	30	30	2	SSW243030	259	297	289	346	1.8	23.1	36.1
24	30	24	2	SSW243024	237	275	279	325	1.4	18.4	27.6
18	24	72	3	SSW182472	406	483	456	569	3.4	45.9	71.5
18	24	66	3	SSW182466	386	454	430	534	3.1	42.0	65.4
18	24	60	3	SSW182460	364	426	403	497	2.8	38.1	59.3
18	24	54	3	SSW182454	344	405	391	476	2.5	34.1	53.2
18	24	48	2	SSW182448	301	360	349	424	2.3	30.2	47.1
18	24	42	2	SSW182442	272	317	309	375	2.0	26.1	40.7
18	24	36	2	SSW182436	259	289	282	338	1.7	22.2	34.6
18	24	30	2	SSW182430	239	275	278	325	1.4	18.4	28.7
18	24	24	2	SSW182424	225	268	272	310	1.2	14.4	21.6
18	21	72	3	SSW182172	386	454	436	534	3.0	41.0	63.9
18	21	66	3	SSW182166	364	426	407	497	2.7	37.6	58.6
18	21	60	3	SSW182160	344	398	380	462	2.5	34.2	53.3
18	21	54	3	SSW182154	331	376	367	441	2.2	30.7	47.9
18	21	48	2	SSW182148	287	325	315	381	2.0	27.3	42.5
18	21	42	2	SSW182142	266	297	290	346	1.8	23.7	37.0
18	21	36	2	SSW182136	246	282	283	332	1.5	20.3	31.6
18	21	30	2	SSW182130	232	267	270	310	1.3	16.9	26.3
18	21	24	2	SSW182124	219	252	264	297	1.0	13.4	20.0

E: Number of supports

SPECIFY

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

OPTION

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center multi-outlet (DC) can be installed.

furniture

corner surfaces 90° with straight interior access (symetric)

price list

- Corner surface 90° (straight interior access), attaches to Nano panels.
- SCS3042 & SCS2436 surfaces have a 17 inch "C" dimension which limits the choice of keyboard shelf.
- Lateral supports sold separately, see p.89.
- Woodgrain positioned at 45° on these surfaces.



E: Number of supports

Dimensions					Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 1/2" ⇅ (i) INDIA		Specifications		
A	B	C	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	48	25 1/2	4	SCS3048	566	728	675	920	4.4	59.2	92.2
30	42	17	4	SCS3042	511	648	615	812	3.4	46.3	72.1
24	48	34	4	SCS2448	525	685	651	877	4.4	55.8	86.9
24	42	25 1/2	4	SCS2442	471	607	592	771	3.4	43.9	68.4
24	36	17	4	SCS2436	416	527	522	663	2.5	33.5	52.1
18	36	25 1/2	4	SCS1836	388	492	498	620	2.5	31.1	48.4

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.


Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

corner surfaces 90° with straight interior access (extended)

- Corner surface 90° (left extended), attaches to Nano panels.
- Lateral supports sold separately, see p.89.


LEFT EXTENDED



E: Number of supports

24	24	72	36	5	SCS24247236	525	642	580	749	4.9	59.1	91.8
24	24	66	36	5	SCS24246636	498	607	552	706	4.5	53.2	82.6
24	24	60	36	5	SCS24246036	464	564	515	656	4.1	51.1	76.7
21	21	72	36	5	SCS21217236	525	642	580	749	4.9	54.6	84.7
21	21	66	36	5	SCS21216636	498	607	552	706	4.5	48.7	75.5
21	21	60	36	5	SCS21216036	464	564	515	656	4.1	47.3	70.9

RIGHT EXTENDED



24	24	36	72	5	SCS24243672	525	642	580	749	4.9	59.1	91.8
24	24	36	66	5	SCS24243666	498	607	552	706	4.5	53.2	82.6
24	24	36	60	5	SCS24243660	464	564	515	656	4.1	51.1	76.7
21	21	36	72	5	SCS21213672	525	642	580	749	4.9	54.6	84.7
21	21	36	66	5	SCS21213666	498	607	552	706	4.5	48.7	75.5
21	21	36	60	5	SCS21213660	464	564	515	656	4.1	47.3	70.9

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

furniture

corner surfaces 120°

price list

- Corner surface 120° (curved interior access), attaches to Nano panels.
- Woodgrain positioned at 45° on these surfaces.



Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30	4	SCV3030	511	607	565	706	3.5	36.4	56.5
24	30	4	SCV2430	449	535	498	620	3.3	32.2	49.9

SPECIFY					OPTION	
Series	Code	Surface	Edge	Grom.	M-Outlet	
NA	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>	- <input type="text"/>

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

corner surfaces 90° with curved interior access (symetric)

- Corner surface 90° (curved interior access), attaches to Nano panels.
- Woodgrain positioned at 45° on these surfaces.



E: Number of supports

30	30	48	48	4	SCO30304848	566	728	675	920	4.4	56.6	88.2
30	24	48	48	4	SCO30244848	553	713	660	905	4.4	53.8	83.7
24	30	48	48	4	SCO24304848	553	713	660	905	4.4	53.8	83.7
24	24	48	48	4	SCO24244848	525	685	651	877	4.4	50.0	77.7
24	24	42	42	4	SCO24244242	471	607	592	771	3.4	41.5	64.5
24	24	36	36	4	SCO24243636	436	523	543	671	2.0	28.7	44.7
18	18	36	36	4	SCO18183636	367	456	476	599	2.0	28.7	44.7

SPECIFY					OPTION	
Series	Code	Surface	Edge	Grom.	M-Outlet	
NA	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>	- <input type="text"/>

Specify Series: Specify the series C or I, see p.14.


Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

- Corner surface 90° (curved interior access), attaches to Nano panels. The 60" wide or more edge has 2 in-line grommets.
- "C" dimension side: 2 supports included.
- "D" dimension side: 54" or more - 3 supports included.
- "D" dimension side: 48" or less - 2 supports included.



E: Number of supports

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30	48	72	5	SCO30304872	623	794	774	1000	6.5	76.7	119.3
30	30	48	66	5	SCO30304866	590	751	736	943	6.0	71.7	111.6
30	30	48	60	5	SCO30304860	555	701	690	879	5.4	66.7	103.7
30	30	48	54	5	SCO30304854	541	680	681	850	4.9	61.7	96.0
30	24	48	72	5	SCO30244872	610	779	760	986	6.5	70.1	108.9
30	24	48	66	5	SCO30244866	576	736	721	928	6.0	66.1	102.6
30	24	48	60	5	SCO30244860	541	686	677	865	5.4	61.9	96.3
30	24	48	54	5	SCO30244854	528	665	666	836	4.9	57.9	90.0
30	24	42	72	5	SCO30244272	563	715	703	900	5.7	64.7	100.6
30	24	42	66	5	SCO30244266	534	680	672	850	5.2	60.7	94.3
30	24	42	60	5	SCO30244260	521	658	653	822	4.8	56.6	88.0
30	24	42	54	5	SCO30244254	508	637	647	801	4.3	52.6	81.8
30	24	42	48	4	SCO30244248	478	607	617	771	3.8	48.5	75.5
24	30	48	72	5	SCO24304872	610	779	760	986	6.5	73.9	114.8
24	30	48	66	5	SCO24304866	576	736	721	928	6.0	68.9	107.0
24	30	48	60	5	SCO24304860	541	686	677	865	5.4	63.9	99.3
24	30	48	54	5	SCO24304854	528	665	666	836	4.9	58.8	91.4
24	24	48	72	5	SCO24244872	583	751	731	957	6.5	66.3	102.9
24	24	48	66	5	SCO24244866	548	708	693	900	6.0	62.2	96.6
24	24	48	60	5	SCO24244860	514	658	647	836	5.4	58.1	90.3
24	24	48	54	5	SCO24244854	501	637	638	807	4.9	54.1	84.0
24	24	42	72	5	SCO24244272	534	686	674	872	5.7	61.9	96.1
24	24	42	66	5	SCO24244266	508	651	643	822	5.2	57.8	89.9
24	24	42	60	5	SCO24244260	494	630	625	794	4.8	53.8	83.6
24	24	42	54	5	SCO24244254	479	608	618	772	4.3	49.7	77.3
24	24	42	48	4	SCO24244248	449	577	589	741	3.8	45.7	71.1

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

furniture

corner surfaces 90° with curved interior access [left extended]

price list

- Corner surface 90° (curved interior access), attaches to Nano panels. The 60" wide or more edge has 2 in-line grommets.
- "C" dimension side: 54" or more - 3 supports included.
- "C" dimension side: 48" or less - 2 supports included.
- "D" dimension side: 2 supports included.



E: Number of supports

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30	72	48	5	SCO30307248	623	794	774	1000	6.5	76.7	119.3
30	30	66	48	5	SCO30306648	590	751	736	943	6.0	71.7	111.6
30	30	60	48	5	SCO30306048	555	701	690	879	5.4	66.7	103.7
30	30	54	48	5	SCO30305448	541	680	681	850	4.9	61.7	96.0
30	24	72	48	5	SCO30247248	610	779	760	986	6.5	73.9	114.8
30	24	66	48	5	SCO30246648	576	736	721	928	6.0	68.9	107.0
30	24	60	48	5	SCO30246048	541	686	677	865	5.4	63.9	99.3
30	24	54	48	5	SCO30245448	528	665	666	836	4.9	58.8	91.4
24	30	72	48	5	SCO24307248	610	779	760	986	6.5	70.1	108.9
24	30	72	42	5	SCO24307242	563	715	703	900	5.7	64.7	100.6
24	30	66	48	5	SCO24306648	576	736	721	928	6.0	66.1	102.6
24	30	66	42	5	SCO24306642	534	680	672	850	5.2	60.7	94.3
24	30	60	48	5	SCO24306048	541	686	677	865	5.4	61.9	96.3
24	30	60	42	5	SCO24306042	521	658	653	822	4.8	56.6	88.0
24	30	54	48	5	SCO24305448	528	665	666	836	4.9	57.9	90.0
24	30	54	42	5	SCO24305442	508	637	647	801	4.3	52.6	81.8
24	30	48	42	4	SCO24304842	478	607	617	771	3.8	48.5	75.5
24	24	72	48	5	SCO24247248	583	751	731	957	6.5	66.3	102.9
24	24	72	42	5	SCO24247242	534	686	674	872	5.7	61.9	96.1
24	24	66	48	5	SCO24246648	548	708	693	900	6.0	62.2	96.6
24	24	66	42	5	SCO24246642	508	651	643	822	5.2	57.8	89.9
24	24	60	48	5	SCO24246048	514	658	647	836	5.4	58.1	90.3
24	24	60	42	5	SCO24246042	494	630	625	794	4.8	53.8	83.6
24	24	54	48	5	SCO24245448	501	637	638	807	4.9	54.1	84.0
24	24	54	42	5	SCO24245442	479	608	618	772	4.3	49.7	77.3
24	24	48	42	4	SCO24244842	449	577	589	741	3.8	45.7	71.1

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
 NA - - / - -

Specify Series: Specify the series C or I, see p.14.


Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


LEFT



- Corner surface 90° with ergonomic interior access (left extended), attaches to Nano panels.
- Use rounded keyboard with these surfaces.
- Plan a minimum of 16" ("E" dimension) to install a pedestal.
- "C" dimension side: 3 supports included.
- "D" dimension side: 2 supports included.

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (I) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
24	18	72	36	23	SCE24187236	569	686	631	801	4.9	53.8	83.6
24	18	66	36	17	SCE24186636	541	651	603	758	4.5	47.9	74.4
24	18	60	36	17	SCE24186036	508	608	567	708	4.1	43.5	65.2

RIGHT



- Corner surface 90° with ergonomic interior access (right extended), attaches to Nano panels.
- Use rounded keyboard with these surfaces.
- Plan a minimum of 16" ("E" dimension) to install a pedestal.
- "C" dimension side: 2 supports included.
- "D" dimension side: 3 supports included.

18	24	36	72	23	SCE18243672	569	686	631	801	4.9	53.8	83.6
18	24	36	66	17	SCE18243666	541	651	603	758	4.5	47.9	74.4
18	24	36	60	17	SCE18243660	508	608	567	708	4.1	43.5	65.2

5 supports included

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.


Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

- Bi-level rectangular surface, attaches to Nano panels. A wrist-rest can be ordered separately.
- Charlie series, the shelf is 3" lower than the surface, in the India series this dimension is 3½".



2 supports included

Dimensions				Surf. : 1" ↑↓ (C) CHARLIE		Surf. : 1 ½" ↑↓ (i) INDIA		Specifications		
A	B	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30		SSBL3030	314	360	360	418	1.7	31.7	49.3

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -


Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.


Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$145 each, see p.14.



- Bi-level corner surface 90° with angled fixed shelf, attaches to Nano panels.
- Woodgrain positioned at 45° on these surfaces. A wrist-rest can be ordered separately.
- Charlie series, the shelf is 3" lower than the surface, in the India series this dimension is 3½".

30	48	4	SCBL3048	690	855	850	1048	7.5	65.5	89.4
24	42	4	SCBL2442	587	728	741	892	5.9	49.0	67.9
24	36	4	SCBL2436	531	648	671	784	4.6	37.5	52.0



- Bi-level corner surface 90° with fixed shelf, attaches to Nano panels.
- Woodgrain positioned at 45° on these surfaces. A wrist-rest can be ordered separately.
- Charlie series, the shelf is 3" lower than the surface, in the India series this dimension is 3½".

24	48	4	SCFL2448	752	920	901	1127	5.8	78.6	114.1
18	42	4	SCFL1842	648	791	810	970	4.5	63.0	89.9

E: Number of supports

SPECIFY

OPTION

Series Code Surface Edge Grom. M-Outlet
NA - - / - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, p.24-25.

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.


On surfaces 36" wide or less, only the center module (DC) can be installed.

- Bi-level corner surface 90° with adjustable shelf, attaches to Nano panels.
- Height adjustable shelf allowing for sitting/standing work position with a tilt adjustment angle of + 15° to - 15°.
- Mechanism must be mounted during installation.
- Wrist-rest and corner support included. Woodgrain positioned at 45° on these surfaces.



Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
24	48	4	SCAL2448	1499	1697	1677	1903	9.0	96.2	118.2
18	42	4	SCAL1842	1409	1583	1600	1760	7.7	80.6	94.0

E: Number of supports



SPECIFY					OPTION
Series	Code	Surface	Edge	Grom.	M-Outlet
NA	<input type="text"/>	- <input type="text"/>	- <input type="text"/>	/ <input type="text"/>	- <input type="text"/>


Specify **Series:** Specify the series **C** or **I**, see p.14.
Code: Consult the above product code list.
Surface / Edge: Specify finish, p.24-25.
Grommet: Specify finish: Black (**GN**), Frost (**GA**) or remove grommets (**NG**), no charge.
Option **Multi-outlet:** Multi-outlet can be installed at left (**DL**), center (**DC**) or right (**DR**), add \$159 each, see p.14.

furniture

corner surfaces with rounded extension


price list

- Corner surfaces with extension, attaches to Nano panels.
- Telescopic metal leg.
- Surface must be supported along dimension "A". Supports not included, see supports see p.89.
- The sides identified as "B" and "C" must also be attached to panels (42" or 48" depending) with the lateral supports included.



LEFT

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	D	E	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
18	48	48	66	27	SCPL4866	993	1187	1200	1407	5.5	71.0	103.1
18	48	48	60	27	SCPL4860	958	1137	1149	1329	5.1	64.8	93.3
18	42	48	66	24	SCPL4266	958	1137	1149	1329	5.3	68.4	99.0
18	42	48	60	24	SCPL4260	925	1087	1109	1273	4.9	62.2	89.3



RIGHT

18	48	48	66	27	SCPR4866	993	1187	1200	1407	5.5	71.0	103.1
18	48	48	60	27	SCPR4860	958	1137	1149	1329	5.1	64.8	93.3
18	42	48	66	24	SCPR4266	958	1137	1149	1329	5.3	68.4	99.0
18	42	48	60	24	SCPR4260	925	1087	1109	1273	4.9	62.2	89.3

Nombre de supports : 4

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
NA - - / - - -

OPTION

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.


Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at left (DL), center (DC) or right (DR), add \$159 each, see p.14.

D-shaped tables

- D-shaped table, attaches to Nano panels.
- Telescopic metal leg. 2 supports included.



36	72	SDSS3672	692	894	891	1060	6.7	80.4	117.3
36	66	SDSS3666	674	857	861	1017	4.5	61.8	92.8
30	72	SDSS3072	656	821	832	973	5.9	69.7	100.7
30	66	SDSS3066	641	797	812	941	5.6	64.7	93.0
30	60	SDSS3060	618	774	791	908	5.3	59.8	85.4
30	48	SDSS3048	591	728	736	830	2.8	37.1	55.6

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet
NA - - / - - -

OPTION

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$159 each, see p.14.


furniture

P-shaped tables

price list

LEFT


• P-shaped table (left), attaches to Nano panels. Telescopic metal leg. 2 supports included.



Dimensions				Surf. : 1" \updownarrow (C) CHARLIE		Surf. : 1 1/2" \updownarrow (i) INDIA		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
36	42	72	SSPL364272	750	965	966	1164	4.9	71.4	107.1
30	36	72	SSPL303672	692	894	891	1060	4.4	60.0	86.2
30	36	66	SSPL303666	677	845	841	996	4.2	55.2	78.6
30	36	60	SSPL303660	656	821	832	973	4.0	50.4	71.1

RIGHT

• P-shaped table (right), attaches to Nano panels. Telescopic metal leg. 2 supports included.



36	42	72	SSPR364272	750	965	966	1164	4.9	71.4	107.1
30	36	72	SSPR303672	692	894	891	1060	4.4	60.0	86.2
30	36	66	SSPR303666	677	845	841	996	4.2	55.2	78.6
30	36	60	SSPR303660	656	821	832	973	4.0	50.4	71.1

SPECIFY

OPTION

Series Code Surface Edge Metal Grom. M-Outlet
NA - - / - - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.


Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.

Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$159 each, see p.14.

Q-shaped tables

• Q-shaped table, attaches to Nano panels. Telescopic metal leg. 2 supports included.



Dimensions				Surf. : 1" \updownarrow (C) CHARLIE		Surf. : 1 1/2" \updownarrow (i) INDIA		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	42	72	SSQS304272	750	965	966	1164	4.8	81.5	119.9
30	42	60	SSQS304260	708	900	899	1075	4.3	69.9	101.8

SPECIFY

OPTION

Series Code Surface Edge Metal Grom. M-Outlet
NA - - / - - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$159 each, see p.14.

furniture

PL-shaped tables

price list


LEFT



- PL-shaped table (left), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

						Surf. : 1" ⇅		Surf. : 1 ½" ⇅				
Dimensions						(C) CHARLIE		(i) INDIA		Specifications		
A	B	C	D	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
48	54	72	24	SSPLL487224		997	1233	1204	1465	5.9	74.8	112.3
48	54	72	18	SSPLL487218		997	1233	1204	1465	5.9	71.8	107.7
48	54	66	24	SSPLL486624		961	1176	1161	1398	5.4	69.8	104.8
48	54	66	18	SSPLL486618		961	1176	1161	1398	5.4	66.8	100.2
48	54	60	24	SSPLL486024		925	1119	1119	1331	4.9	64.9	97.3
48	54	60	18	SSPLL486018		925	1119	1119	1331	4.9	61.8	92.7
42	48	72	24	SSPLL427224		911	1115	1103	1329	5.2	69.6	104.4
42	48	72	18	SSPLL427218		911	1115	1103	1329	5.2	67.6	101.4
42	48	66	24	SSPLL426624		883	1072	1072	1279	4.8	64.6	96.9
42	48	66	18	SSPLL426618		883	1072	1072	1279	4.8	62.6	93.9
42	48	60	24	SSPLL426024		849	1023	1027	1215	4.4	59.6	89.4
42	48	60	18	SSPLL426018		849	1023	1027	1215	4.4	57.6	86.4

RIGHT



- PL-shaped table (right), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

48	54	72	24	SSPLR487224	997	1233	1204	1465	5.9	74.8	112.3
48	54	72	18	SSPLR487218	997	1233	1204	1465	5.9	71.8	107.7
48	54	66	24	SSPLR486624	961	1176	1161	1398	5.4	69.8	104.8
48	54	66	18	SSPLR486618	961	1176	1161	1398	5.4	66.8	100.2
48	54	60	24	SSPLR486024	925	1119	1119	1331	4.9	64.9	97.3
48	54	60	18	SSPLR486018	925	1119	1119	1331	4.9	61.8	92.7
42	48	72	24	SSPLR427224	911	1115	1103	1329	5.2	69.6	104.4
42	48	72	18	SSPLR427218	911	1115	1103	1329	5.2	67.6	101.4
42	48	66	24	SSPLR426624	883	1072	1072	1279	4.8	64.6	96.9
42	48	66	18	SSPLR426618	883	1072	1072	1279	4.8	62.6	93.9
42	48	60	24	SSPLR426024	849	1023	1027	1215	4.4	59.6	89.4
42	48	60	18	SSPLR426018	849	1023	1027	1215	4.4	57.6	86.4

SPECIFY

OPTION

Series Code Surface Edge Metal Grom. M-Outlet

NA - - / - - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$159 each, see p.14.

furniture



L-shaped tables

price list


LEFT



- L-shaped table (left), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

Dimensions					Surf. : 1" 		Surf. : 1 1/2" 		Specifications		
					(C) CHARLIE		(i) INDIA				
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
48	30	72	24	SSLSL487224	911	1115	1103	1329	8.3	112.7	168.6
48	30	66	24	SSLSL486624	883	1072	1082	1279	7.7	101.9	151.7
48	30	60	24	SSLSL486024	849	1023	1035	1215	7.2	91.2	134.9
42	30	72	24	SSLSL427224	883	1072	1082	1279	7.5	101.4	151.0
42	30	66	24	SSLSL426624	849	1023	1035	1215	7.0	92.7	137.3
42	30	60	24	SSLSL426024	814	973	994	1158	6.5	83.9	123.6

RIGHT



- L-shaped table (right), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

48	30	72	24	SSLSR487224	911	1115	1103	1329	8.3	112.7	168.6
48	30	66	24	SSLSR486624	883	1072	1082	1279	7.7	101.9	151.7
48	30	60	24	SSLSR486024	849	1023	1035	1215	7.2	91.2	134.9
42	30	72	24	SSLSR427224	883	1072	1082	1279	7.5	101.4	151.0
42	30	66	24	SSLSR426624	849	1023	1035	1215	7.0	92.7	137.3
42	30	60	24	SSLSR426024	814	973	994	1158	6.5	83.9	123.6

SPECIFY

OPTION

Series Code Surface Edge Metal Grom. M-Outlet
 NA - - / - - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish : Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed at center (DC), add \$159 each, see p.14.

furniture

L-shaped tables with fixed shelf

price list


LEFT



- L-shaped table (left) with fixed shelf, attaches to Nano panels.
- Telescopic metal leg. 2 supports included.
- Charlie series, the shelf is 3" lower than the surface, in the India series this dimension is 3½".

Dimensions						Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	D	Code		T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
48	30	72	24	SSLBL487224		1038	1287	1230	1501	8.3	112.7	168.6
48	30	66	24	SSLBL426024		1010	1244	1199	1451	7.7	101.9	151.7

RIGHT



- L-shaped table (right) with fixed shelf, attaches to Nano panels.
- Telescopic metal leg. 2 supports included.
- Charlie series, the shelf is 3" lower than the surface, in the India series this dimension is 3½".

48	30	72	24	SSLBR487224	1038	1287	1230	1501	8.3	112.7	168.6
48	30	66	24	SSLBR426624	1010	1244	1199	1451	7.7	101.9	151.7

SPECIFY

OPTION

Series Code Surface Edge Metal Grom. M-Outlet
NA - - / - - -

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed center (DC), add \$159 each, see p.14.

furniture

"shark" tables

price list


LEFT



- "Shark" table (left), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
42	72	24	SSHL427224	925	1122	1146	1344	7.5	67.9	100.2
42	66	24	SSHL426624	883	1072	1099	1279	7.0	64.6	92.0
42	66	18	SSHL426618	883	1072	1099	1279	7.0	61.2	89.7
42	60	18	SSHL426018	849	1023	1060	1215	6.5	57.4	83.8
36	66	18	SSHL366618	849	1023	1060	1215	6.3	56.1	81.8
36	60	18	SSHL366018	814	973	1017	1158	5.9	51.9	75.0

RIGHT



- "Shark" table (right), attaches to Nano panels.
- Telescopic metal leg. 2 supports included.

42	72	24	SSHR427224	925	1122	1146	1344	7.5	67.9	100.2
42	66	24	SSHR426624	883	1072	1099	1279	7.0	64.6	92.0
42	66	18	SSHR426618	883	1072	1099	1279	7.0	61.2	89.7
42	60	18	SSHR426018	849	1023	1060	1215	6.5	57.4	83.8
36	66	18	SSHR366618	849	1023	1060	1215	6.3	56.1	81.8
36	60	18	SSHR366018	814	973	1017	1158	5.9	51.9	75.0

SPECIFY

Series Code Surface Edge Metal Grom. M-Outlet

NA - - / - - -

OPTION

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, p.24-25.

Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

Grommet: Specify finish: Black (GN), Frost (GA) or remove grommets (NG), no charge.


Option Multi-outlet: Multi-outlet can be installed center (DC), add \$159 each, see p.14.

- Curved end surface with left side attached to the Nano panel.
- 2 supports included.



Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B		Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30	Left	SSXL3030	287	360	431	489	1.8	20.1	31.0
30	24	Left	SSXL3024	259	325	371	418	1.5	16.9	26.1
24	30	Left	SSXL2430	259	325	371	418	1.5	16.9	26.1
24	24	Left	SSXL2424	232	275	309	346	1.2	13.0	20.0

- Curved end surface with right side attached to the Nano panel.
- 2 supports included.



30	30	Right	SSXR3030	287	360	431	489	1.8	20.1	31.0
30	24	Right	SSXR3024	259	325	371	418	1.5	16.9	26.1
24	30	Right	SSXR2430	259	325	371	418	1.5	16.9	26.1
24	24	Right	SSXR2424	232	275	309	346	1.2	13.0	20.0

SPECIFY

Series Code Surface Edge
NA - - /


Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, see p.24-25.

shared conference surfaces

- Semi-circular shared conference surface, attaches to 2 Nano panel-attached surfaces.
- Attaches to adjacent surfaces with junction plates (included).
- Telescopic metal leg. Hardware and support included.



Dimensions					Surf. : 1"↕		Surf. : 1 ½"↕		Specifications		
					(C) CHARLIE		(i) INDIA				
A	B	C	D	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
30	30	61	36	SSXC61	631	823	758	904	6.0	63.3	90.8
24	24	49	30	SSXC49	558	703	652	749	4.7	47.2	65.7



Woodgrain direction
SSXC61



Woodgrain direction
SSXC49

SPECIFY

Series Code Surface Edge Metal
NA - - / -


Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, see p.24-25.


Metal leg: Specify finish: Black (3067), Charcoal (3064), Silver (3090) Polar White (3002), Champagne (3311) or Ashen (3370).

- Rectangular countertop.
- Assembly hardware included (Silver finish).



Dimensions				Surf. : 1" ⇅		Surf. : 1 ½" ⇅		Specifications		
				(C) CHARLIE		(i) INDIA				
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
15	72		SCTi72	277	358	367	444	2.2	29.7	46.2
15	66		SCTi66	263	334	350	421	2.0	27.2	42.4
15	60		SCTi60	248	311	333	396	1.8	24.8	38.6
15	54		SCTi54	232	294	314	372	1.7	22.3	34.8
15	48		SCTi48	217	276	304	354	1.5	19.9	30.9
15	42		SCTi42	202	256	290	334	1.3	17.3	26.9
15	36		SCTi36	189	231	264	304	1.1	14.8	23.1
15	30		SCTi30	180	213	254	285	0.9	12.4	19.3
15	24		SCTi24	173	197	240	256	0.8	9.9	15.5

- Rectangular countertop, with right angled end (45°).
- Assembly hardware included (Silver finish).




15	72	80	SCTiV72		299	388	n/a	483	2.4	30.1	46.9
15	66	74	SCTiV66		285	365	n/a	460	2.2	27.7	43.1
15	60	68	SCTiV60		271	343	364	436	2.0	25.2	39.3
15	54	62	SCTiV54		254	327	350	411	1.9	22.8	35.4
15	48	56	SCTiV48		239	307	330	393	1.7	20.3	31.6
15	42	50	SCTiV42		226	288	322	373	1.5	17.8	27.6
15	36	44	SCTiV36		212	263	289	341	1.3	15.3	23.8
15	30	38	SCTiV30		205	246	283	323	1.1	12.8	19.9
15	24	32	SCTiV24		196	228	275	306	1.0	10.4	16.1

SPECIFY

NA - - / - 3090


- Specify** **Series:** Specify the series C or I, see p.14.
Code: Consult the above product code list.
Surface / Edge: Specify finish, see p.24-25.

- Rectangular countertop, with left angled end (45°).
- Assembly hardware included (specify metal finish).




Dimensions				Surf. : 1" ⇅		Surf. : 1 ½" ⇅		Specifications		
				(C) CHARLIE		(i) INDIA				
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
15	72	80	SCTVi72	299	388	n/a	483	2.4	30.1	46.9
15	66	74	SCTVi66	285	365	n/a	460	2.2	27.7	43.1
15	60	68	SCTVi60	271	343	364	436	2.0	25.2	39.3
15	54	62	SCTVi54	254	327	350	411	1.9	22.8	35.4
15	48	56	SCTVi48	239	307	330	393	1.7	20.3	31.6
15	42	50	SCTVi42	226	288	322	373	1.5	17.8	27.6
15	36	44	SCTVi36	212	263	289	341	1.3	15.3	23.8
15	30	38	SCTVi30	205	246	283	323	1.1	12.8	19.9
15	24	32	SCTVi24	196	228	275	306	1.0	10.4	16.1

- Rectangular countertop, with left & right angled end (45°).
- Assembly hardware included (specify metal finish).



15	72	88	SCTV1572	307	406	n/a	507	2.6	30.6	47.6
15	66	82	SCTV1566	292	382	n/a	483	2.4	28.2	43.8
15	60	76	SCTV1560	277	358	n/a	460	2.2	25.7	39.3
15	54	70	SCTV1554	263	341	363	435	2.1	23.2	36.1
15	48	64	SCTV1548	248	322	344	416	1.9	20.8	32.3
15	42	58	SCTV1542	232	305	334	396	1.7	18.2	28.3
15	36	52	SCTV1536	220	278	312	364	1.5	15.3	24.5
15	30	46	SCTV1530	211	261	296	348	1.4	13.3	20.6
15	24	40	SCTV1524	202	241	288	329	1.2	10.8	16.8

- Rectangular countertop with a rounded end (reversible).
- Assembly hardware included (specify metal finish).



15	72	79,5	SCTU72	299	388	n/a	483	2.4	32.1	50.0
15	66	73,5	SCTU66	285	365	n/a	460	2.2	29.7	46.2
15	60	67,5	SCTU60	271	343	364	436	2.1	27.2	42.4
15	54	61,5	SCTU54	254	327	350	411	1.9	24.8	38.6
15	48	55,5	SCTU48	239	307	330	393	1.7	22.3	34.7
15	42	49,5	SCTU42	226	288	322	373	1.5	19.7	30.7
15	36	43,5	SCTU36	212	263	289	341	1.3	17.3	26.9
15	30	37,5	SCTU30	205	246	283	323	1.2	14.8	23.1
15	24	31,5	SCTU24	196	228	275	306	1.0	12.4	19.3

SPECIFY


NA Series - Code - Surface / Edge - 3090

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.


Surface / Edge: Specify finish, see p.24-25.

- Rectangular countertop with right angled end (45°) and left rounded end.
- Assembly hardware included (specify metal finish).




Dimensions				Surf. : 1" ⇅ (C) CHARLIE		Surf. : 1 ½" ⇅ (i) INDIA		Specifications		
A	B	C	Code	T.F.L.	H.P.L.	T.F.L.	H.P.L.	Cu.Ft	lb(c)	lb(i)
15	72	87.5	SCTUV72	307	406	n/a	507	2.6	32.6	50.7
15	66	81.5	SCTUV66	292	382	n/a	483	2.4	30.1	46.9
15	60	75.5	SCTUV60	277	358	n/a	460	2.3	27.7	43.1
15	54	69.5	SCTUV54	263	341	363	435	2.1	25.2	39.2
15	48	63.5	SCTUV48	248	322	344	416	1.9	22.8	35.4
15	42	57.5	SCTUV42	232	305	334	396	1.7	20.2	31.4
15	36	51.5	SCTUV36	220	278	312	364	1.5	17.8	27.6
15	30	45.5	SCTUV30	211	261	296	348	1.4	15.3	23.7
15	24	39.5	SCTUV24	202	241	288	329	1.2	12.8	19.9

- Rectangular countertop with left angled end (45°) and right rounded end.
- Assembly hardware included (specify metal finish).



15	72	87.5	SCTVU72	307	406	n/a	507	2.6	32.6	50.7
15	66	81.5	SCTVU66	292	382	n/a	483	2.4	30.1	46.9
15	60	75.5	SCTVU60	277	358	n/a	460	2.3	27.7	43.1
15	54	69.5	SCTVU54	263	341	363	435	2.1	25.2	39.2
15	48	63.5	SCTVU48	248	322	344	416	1.9	22.8	35.4
15	42	57.5	SCTVU42	232	305	334	396	1.7	20.2	31.4
15	36	51.5	SCTVU36	220	278	312	364	1.5	17.8	27.6
15	30	45.5	SCTVU30	211	261	296	348	1.4	15.3	23.7
15	24	39.5	SCTVU24	202	241	288	329	1.2	12.8	19.9

- Rectangular countertop with rounded ends.
- Assembly hardware included (specify metal finish).



15	72	87	SCTO72	307	406	n/a	507	2.6	34.6	53.8
15	66	81	SCTO66	292	382	n/a	483	2.5	32.1	50.0
15	60	75	SCTO60	277	358	n/a	460	2.3	39.7	46.2
15	54	69	SCTO54	263	341	363	435	2.1	37.2	42.4
15	48	63	SCTO48	248	322	344	416	1.9	34.8	38.5
15	42	57	SCTO42	232	305	334	396	1.7	22.2	34.5
15	36	51	SCTO36	220	278	312	364	1.6	19.7	30.7
15	30	45	SCTO30	211	261	296	348	1.4	17.3	26.9
15	24	39	SCTO24	202	241	288	329	1.2	14.8	23.1


SPECIFY

NA Series - Code - Surface / Edge - 3090

Specify Series: Specify the series C or I, see p.14.

Code: Consult the above product code list.

Surface / Edge: Specify finish, p.24-25.



- These supports are already included with the surfaces but on the back side only.
- Must be ordered to support the other sides that are held by a Nano panel.
- Anodized aluminum finish.


Code	Price	Specifications	
		Cu.Ft	lb
SSUN	23	0.1	1.0

SPECIFY

Code
NA4-

28" high full floor supports

- Floor support for Nano surfaces, to be used to support a 29" H. surface laterally.
- Nano supports are already included with the surfaces, but on the back side only.
- Attaches to the vertical profile of the Nano panel.



Dimensions				Price	Specifications	
A	B	Side	Code	T.F.L.	Cu.Ft	lb
28	36	Left	SSUL2836	168	2.0	26.6
28	30	Left	SSUL2830	151	1.7	22.2
28	24	Left	SSUL2824	135	1.4	17.9
28	21	Left	SSUL2821	126	1.2	15.5
28	18	Left	SSUL2818	122	1.1	13.3
28	36	Right	SSUR2836	168	2.0	26.6
28	30	Right	SSUR2830	151	1.7	22.2
28	24	Right	SSUR2824	135	1.4	17.9
28	21	Right	SSUR2821	126	1.2	15.5
28	18	Right	SSUR2818	122	1.1	13.3

SPECIFY


Code Base
NAC- -

Specify Code: Consult the above product code list.

Base: Specify finish (T.F.L.), see p.24-25.

28" high recessed floor supports

- Recessed floor support for Nano surfaces, to be used to support a 29" H. surface laterally.
- Nano supports are already included with the surfaces, but on the back side only.
- Attaches to the vertical profile of the Nano panel.




Dimensions				Price	Specifications	
A	B	Side	Code	T.F.L.	Cu.Ft	lb
28	11	Left	SSUL2811	122	0.8	9.7
28	11	Right	SSUR2811	122	0.8	9.7

SPECIFY

Code Base
NAC- -

Specify Code: Consult the above product code list.

Base: Specify finish (T.F.L.), see p.24-25.



- Laminate intermediate support recommended for surfaces 48" or more in length.
- Supports the surface without being attached to the panel.

Dimension			Specifications	
A	Code	Price	Cu.Ft	lb
28	SSUPi28	73	0.8	9.7


SPECIFY

NAC- Code - Base

Specify Code: Consult the above product code list.

Base: Specify finish (T.F.L.), see p.24-25.

metal legs



- Metal leg with adjustable leveler. Sold individually, does not accept caster. 2½" diameter.


			Specifications	
	Code	Price	Cu.Ft	lb
For surfaces positioned at 29"	LE291E	114	0.4	5.8

SPECIFY

AC- Code - Metal

Specify Code: Consult the above product code list.

Métal : Specify the leg's finish, Black (N) or Aluminum (W).



- "Time" series styled leg with adjustable leveler (clear finish). Anodized aluminum finish only.
- Sold individually, 2½" diameter.


			Specifications	
	Code	Price	Cu.Ft	lb
For surfaces positioned at 29"	LET291-CL	140	0.4	4.5

SPECIFY

AC- Code

Specify Code: Consult the above product code list.

junction plates



- Junction plates, used to join two adjacent surfaces.
- Package of 2, Black finish.

			Specifications	
	Code	Price	Cu.Ft	lb
For surfaces positioned at 29"	FJP2	20	0.1	0.6

SPECIFY


AC- Code

Specify Code: Consult the above product code list.

supports

support pedestals [laminite]

price list



D: Number of drawers

- Pedestal used to support a surface at 29" H.
- Pencil Tray included in top 6" drawer.
- Pedestal uses full depth of surface. Under these circumstances it is impossible to install Nano surface supports behind the pedestal.

Dimensions				Specifications			
A	B	C	D	Code	Price	Cu.Ft	lb
15½	30	27½	3	FP30UUF	727	8.4	76.9
15½	24	27½	3	FP24UUF	669	6.7	71.9
15½	30	27½	2	FP30FF	727	8.4	74.9
15½	24	27½	2	FP24FF	669	6.7	69.9

SPECIFY

OPTIONS

Code Base Fronts Pull Key
NAC- - / - -

Specify Code: Consult the above product code list.

Base / Fronts: Specify finish (T.F.L.), see p.24-25.

Options Pull (3 drawers): Pull option, specify finish (add \$54), see p.24-25.


pull (2 drawers): Pull option, specify finish (add \$36), see p.24-25.

Key and lock: Lock included (Chrome finish). Keyed-alike option: Assign code **K01** to the parts of the first office **K02** to the parts of the second office and so on and so forth in order to group parts with identical keys. Option offered without charge, see p.25.

support pedestals [metal]

45 Series

- Pedestal used to support a surface at 29" H.
- Central handl. Pencil Tray included in top 6" drawer.




D: Number of drawers

15	29½	27½	3	FP45-30-6612	770	8.5	60.0
15	23½	27½	3	FP45-24-6612	748	6.8	56.0
15	29½	27½	2	FP45-30-1212	759	8.5	60.0
15	23½	27½	2	FP45-24-1212	693	6.8	56.0

47 Series

- Pedestal used to support a surface at 29" H.
- Full-width pulls. Pencil Tray included in top 6" drawer.



15	29½	27½	3	FP47-30-6612	803	8.5	60.0
15	23½	27½	3	FP47-24-6612	781	6.8	56.0
15	29½	27½	2	FP47-30-1212	792	8.5	60.0
15	23½	27½	2	FP47-24-1212	726	6.8	56.0

SPECIFY

OPTION


Code Metal Key
 - -

Specify Code: Consult the above product code list.

Metal: Specify finish, refer to the current Artopex metal finish card for codes.

Metallic finishes (Mica Green, Champagne or Ashen), add \$44 to the list price.

Option **Key and lock:** Lock included (Chrome finish). Keyed-alike option : Assign code **K01** to the parts of the first office **K02** to the parts of the second office and so on and so forth in order to group parts with identical keys. Option offered without charge, see p.25.



- Signage module attaching at the desired height to the vertical profile on the Nano panel.
- Size of paper to insert: 2" x 5"
- Silver finish

			Specifications	
Code		Price	Cu.Ft	lb
ASTAG		35	0.1	1.0


SPECIFY

Code

NA5- - 3090

Specify Code: Consult the above product code list.

magnetic marker board



- Magnetic marker board can be installed to horizontal profile on the Nano panel.
- White high gloss enamel finish that uses a non-permanent marker (not included).

Dimensions			Specifications		
A	B	Code	Price	Cu.Ft	lb
11	17	ASWB1117	58	0.5	3.0

SPECIFY

Code

NA5-

Specify Code: Consult the above product code list.

Prices and Payment

All prices shown in this price list are suggested retail prices and are subject to change without notice. Prices do not include installation and shipping costs. Taxes are extra. These prices are guaranteed for 30 days from the date of quotation and are firm and final after acceptance of the order. Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice. Any products sold by Artopex shall remain its property until fully paid in cash. In the event that the purchaser defaults in the payment of any sum due to Artopex, or in the event the purchaser's financial condition becomes unsatisfactory to Artopex, Artopex reserves the right upon notice to the purchaser, to defer or discontinue shipment of any goods or, to refuse any order until such time as the default is corrected or the purchaser provides assurance of payment to Artopex.

Orders

Artopex requires that all orders be submitted in writing to avoid errors and/or duplication. The purchaser is responsible to submit complete orders. Incomplete or incorrect orders (finish colors missing...) will be processed upon reception of the complete information and normal production lead-time will be applied from the date that the complete information is received.

Acknowledgments

Orders will be acknowledged with Artopex acknowledgement forms governing the transaction. The details appearing on this acknowledgment will describe the items to be shipped to the purchaser and the ready to ship date (not the actual shipping date). It is the purchaser's responsibility to verify that the acknowledgment information is correct. The purchaser must notify Artopex in writing of any errors within 48 hours. Corrections after 48 hours could be subject to extra charges (see Changes and Cancellation).

Changes and Cancellations

Order cancellations or changes are subject to acceptance by Artopex. Special order items and upholstered items (standard or COM fabrics) already in production are not subject to change or cancellation under any circumstances.

- A) Changes: Standard product already in production will be subject to a 25% change surcharge. Changes to the shipping date must be anticipated.
- B) Cancellations: Artopex reserves the right to invoice the purchaser for any items already in production at the cancellation date and for lost profit on the remaining items.

Storage

Artopex reserves the right to invoice the purchaser for storage charges in specific cases.

Shipping

- A) Prices are F.O.B. factory, collect.
- B) Artopex will choose the carrier unless otherwise specified by the purchaser. Goods will be handed over to the common carrier in good condition; Artopex liability ceases at this point. Deliveries will be done at the purchaser's unloading dock. The purchaser should have an unloading dock able to accommodate 53' trailers and must supply the unloading personnel.
- C) Claims: Artopex is not responsible for damage that occurs in transit or in storage. It is the purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier. Failure to provide an adequate description of the lost items or damages to the carrier could result in the carrier's refusal to honor the charges. It is the purchaser's responsibility to obtain information on the carrier's claim policies and to send any claims to the carrier. For other policies, contact Customer Service.
- D) It is the purchaser's responsibility to file any claims even if the order has been shipped directly to the client.

Return of Goods

- A) No merchandise may be returned without Artopex written consent and shipping instructions. If this procedure is not followed, the merchandise will not be accepted by the factory and will be reshipped collect without further notice.
- B) Goods must be returned properly packaged and all boxes must be clearly marked with the authorization number.
- C) Return of items authorized by Artopex are subject to a charge of 25% plus freight (and customs, if applicable) and repair costs (if required).

Product Specifications

Artopex reserves the right to modify the specifications of products, materials, design or accessories without notice. Artopex also reserves the right to cease production of any product at any time. The products, accessories, materials and finishes as described in the price list prevail over the content of brochures or folders. The weights and volumes shown on the price lists include packaging and are approximations.

Artopex Warranty

Artopex products are warranted to be free from defects in design, materials and workmanship for as long as the original purchaser owns them.

If written notice of the defect is given to Artopex within the applicable warranty period, Artopex will repair or replace with comparable product, at Artopex's choice, without charge to the original purchaser, any part or product shipped after July 1, 2001, which fails under normal use as a result of such defect.

Non-standard products have a warranty of 1 year from the date of delivery.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week. Products used 24/7 or in high traffic public spaces such as airports and hospitals are covered by the warranty for 1 year from the delivery date.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the express warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

This warranty does not extend to :

- Customer's Own Material (COM) or special finishes applied to Artopex products.
- Products which have been modified or have not been installed or used according to Artopex application and installation guidelines.

On products warranted for a specified number of years of single shift usage, the warranty period will be reduced in a pro-rata manner when the products are used in a manner that exceeds the equivalent of a single shift forty (40) hour work week.

This warranty is the Customer's sole remedy for product defect. This warranty does not cover damage by a carrier in transit. Artopex makes no warranties, including the implied warranties of market value or utility for a particular purpose, other than the expressed warranties contained herein. There are no other warranties express or implied. Artopex shall not be liable for consequential or incidental damages arising from any product defect.

SUMMARY OF UPDATES

May 1st 2018

PAGES	SECTION	PRODUIT	MODIFICATION
p.3	Table of contents		Title: "Accessories" is changed to "Complements" in the entire price list.
			All accessories have been removed from this price list since they are in the Accessories price list: acrylic accessories, shelves, bookends, storage module for accessory rail, extension monitor arm and multi-outlet under surface.
p.6	Index	Hybrid vertical connector covers	Code correction; C48TCN instead of C46TCN.
p.23	General information	Fabric direction	The suffix iTA become RRT.
p.24-25	General information	Finish choices chart	Finish laminate choices chart updated. Refer to the current Artopex laminate finish card.
p.25	General information	Finish choices chart	Pulls column updated.
p.31 - 92	Price list		Overall price increase.
p.31 to 55	Price list	Screens	Panels and connectors: the colors of the painted trim are discontinued.
p.56-61-63-86 to 88-92	Price list	Wall adaptor, hybrid fasteners countertop, signage module, assembly hardware	Silver finish only.
p.56	Connectors	Vertical profile cabling pole - 120" H.	New product
p.56	Connectors	6" Cabling pole - 120" H.	New product
p.57	Connectors	6" cabling pole for electrical harness - 120" H.	New product
p.57	Connectors	6" Fillers - 36-42-50-66" H.	New product
p.57	Connectors	Stabilizer foot kit	New product
p.58 to 62	Connectors	Hybrid connectors, hybrid vertical connectors covers, vertical caps, bridge connectors and cap hybrid.	Changes in the metal finishes.
p.59	Connectors	Hybrid vertical connector covers.	Height changes; 48" instead of 46".
p.79 to 85	Price list	Furniture - Surfaces	Changes in the metal finishes.

*Designing, manufacturing, advising, planning
and supporting: that's the art that
distinguishes our purpose at Artopex.*



HEAD OFFICE

800, Vadnais street
Granby Quebec
J2J 1A7, CANADA

Tel.: 450 378-0189
1 800 363-3040

Fax.: 450 378-9712

artopex.com