


EXPO



Product Sheet

EXPO is a unique ceiling-hung construction allowing the panels to hover just above the floor and glide effortlessly when opening and closing with each panel in the system linked to the next one. The benefit: Even without a floor track or threshold, EXPO stands its ground. It's an industry-leading system that provides dependable separation when you need it, and leaves no trace when you don't.

Extrusions



EXPO



Glazing and Panels:

Single glazing
Glass thickness: 1/2"
Tempered, laminated, low iron (extra clear), and specialty glass

Profile:

Structural beam needed at the top
Frameless panels with applied seal at the bottom and on the sides
Maximum height of 10'
Aluminum

Tolerance:

None

Acoustical properties:

Single glazed STC assembly score ranges estimated at: 30 - 34

Lead times:

6-8 weeks on standard clear anodized
8-10 weeks on custom system

EXPO



Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.




Declare.




The Finishes


Black anodized




Architectural Bronze anodized




Medium Bronze anodized




Champagne anodized




Light Bronze anodized



Clear anodized



Black powder coat



Charcoal powder coat



Grey powder coat



Champagne powder coat



White powder coat



Custom powder coat

