


# quadro



## Product Sheet

QUADRO is designed with elegance and prestige in mind. With its recessed reveal, QUADRO creates a picture frame effect highlighting your office space like a work of art. Quadro can be entirely customizable on either the corridor or the office side. Mix and match and have fun with the widest array of finishes including, anodized, powder coat, wood veneer, brushed, and polished finishes.

## Extrusions



## Glazing and Panels:

Single and double glazing  
Third top hung center decorative panel  
Glass thickness: 1/2" and 3/8"  
Tempered, laminated, low iron (extra clear), and specialty glass

## Profile:

Stick built  
Profile dimensions:  

- Top extrusion: W3-1/2" x H2-3/8"
- Top extrusion with decorative snap on W4-1 1/16" x H2-3/8"
- Bottom extrusion: W3" x H1-9/16"

 Same extrusion for offset and double glazing  
Aluminum  
Applied mullions available  
Aluminum and wood flyby available

## Doors:

Framed  

- Standard Muraflex single glazed pivot door
- Standard Muraflex double glazed pivot door
- Standard Muraflex single glazed sliding door

 Wood  

- Pivot door
- Sliding door

 Standard door hardware  

- Lever or ladder pull
- Locking or non-locking
- Drop seal available on framed doors and wood sliding door
- Hold open available on all swing doors

 Maximum door height: 10'

## Tolerance:

3/4" (3/8" at the top and 3/8" at the bottom)

## Junctions:

Available in polycarbonate  
Glass to glass, corner (L), and T condition

## Gaskets:

Door: available in black, white, and clear  
Wall: available in black, white, and grey

## Ceiling Condition:

Can be installed on a bulk ceiling, acoustical tiles (ACT), or as a free-standing system  
Maximum height of 10'

## Acoustical properties:

Single glazed STC assembly score ranges estimated at (depending on options): 34 - 38  
Double glazed STC assembly score ranges estimated at (depending on options): 43 - 46  
Double glazed with top hung center decorative panel estimated at 43+

## Integrated electrical components:

High and low voltage wiring  
Integrated electrical components including room scheduler, card reader, and electrical strike available  
Panic hardware available

## Lead times:

6-8 weeks on standard clear anodized  
8-10 weeks on custom system



## Sustainability

At Muraflex, we are dedicated to diminishing our impact on the environment. We are also committed to continually improving our procedures in terms of product development, supply, packaging and distribution in an effort to minimize our environmental footprint.



**Declare.**



# quadro



## The Finishes

Black anodized	Architectural Bronze anodized	Medium Bronze anodized	Champagne anodized	Light Bronze anodized	Clear anodized
					
Black powder coat	Charcoal powder coat	Grey powder coat	Champagne powder coat	White powder coat	Custom powder Coat
					
Polished anodized	Brushed Black anodized	Brushed Silver anodized	Wenge wood veneer	Walnut wood veneer	White Oak wood veneer
					